




stm32_custom
File: stm32_custom.kicad_sch
RST0
AMUTEI_0
AMUTEO_0
DAC0_SAI_SCK
DAC0_SAI_SD
DAC0_SAI_FS
RST1
AMUTEI_1
AMUTEO_1
DAC1_SAI_SCK
DAC1_SAI_SD
DAC1_SAI_FS
RST2
AMUTEI_2
AMUTEO_2
DAC2_SAI_SCK
DAC2_SAI_SD
DAC2_SAI_FS
RST3
AMUTEI_3
AMUTEO_3
DAC3_SAI_SCK
DAC3_SAI_SD
DAC3_SAI_FS
DAC0
GNDD
GNDD
TEST/ADR1/RSV
MS/ADR0/RSV
RST
AMUTEI
AMUTEO
SAI_SCK
SAI_SD
SAI_FS
ZERO1
ZERO2
V[1..16]
File: DAC_PCM1690.kicad_sch
DAC1
+3V3
GNDD
File: DAC_PCM1690.kicad_sch
DAC2
GNDD
+3V3
File: DAC_PCM1690.kicad_sch
DAC3
+3V3
+3V3
File: DAC_PCM1690.kicad_sch
connectors_ampli
C[1..16]
C[17..32]
C[33..48]
C[49..64]
File: connectors_ampli.kicad_sch
ADC
Frame Sync
OSR
SAI4_FS_B
SAI4_SCK_B
SAI4_SD_B
FMT0
FMT1
MODE0
MODE1
PDWN
BYPASS
FSync
OSR
SAI4_FS_B
SAI4_SCK_B
SAI4_SD_B
PC7
PC6
PD15
PD14
PDWN
BYPASS
File: ADC_PCM1802.kicad_sch
esp32-mini
UART1 - TX
UART1 - RX
UART4 RX
UART4 TX
File: esp32-mini.kicad_sch
DS_Power
File: DS_Power.kicad_sch
FID1
Fiducial
FID2
Fiducial
FID3
Fiducial
FID4
Fiducial
FID5
Fiducial
GNDA
GNDD
Analog-Digital GNDS
Sheet: /
File: DS.kicad_sch
Title: Master
Size: A4
Date:
Rev:
KiCad E.D.A. 9.0.7
Id: 1/10



Copyright © 2016, Texas Instruments Incorporated

10.2 Layout Example






CAP TANT 10UF 20% 10V 1206


CAP TANT 10UF 20% 10V 1206

Sheet: /ADC/
File: ADC_PCM1802.kicad_sch

Title: Conversor ADC PCM1802

Size: A4	Date: 2026-02-01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 2/10







NOTE: C_1 through C_3 are 1-µF ceramic capacitors. C_4 through C_6 are 10-µF electrolytic capacitors. R_1 through R_7 are 22-Ω to 100-Ω resistors. R_8 and R_9 are resistors appropriate for pull-up. R_{10} is less than 10 kΩ.

Figure 41. Basic Connection Diagram

Sheet: /DAC2/		
File: DAC_PCM1690.kicad_sch		
Title: Conversores DAC PCM1690 8-channel		
Size: A4	Date: 2026-02-01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 3/10







NOTE: C_1 through C_3 are 1-µF ceramic capacitors. C_4 through C_6 are 10-µF electrolytic capacitors. R_1 through R_7 are 22-Ω to 100-Ω resistors. R_8 and R_9 are resistors appropriate for pull-up. R_{10} is less than 10 kΩ.

Figure 41. Basic Connection Diagram

Sheet: /DAC0/		
File: DAC_PCM1690.kicad_sch		
Title: Conversores DAC PCM1690 8−channel		
Size: A4	Date: 2026−02−01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 4/10








NOTE: C_1 through C_3 are 1-µF ceramic capacitors. C_4 through C_6 are 10-µF electrolytic capacitors. R_1 through R_7 are 22-Ω to 100-Ω resistors. R_8 and R_9 are resistors appropriate for pull-up. R_{10} is less than 10 kΩ.


Figure 41. Basic Connection Diagram


Sheet: /DAC1/		
File: DAC_PCM1690.kicad_sch		
Title: Conversores DAC PCM1690 8−channel		
Size: A4	Date: 2026−02−01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 5/10



+3V3
GNDD
VBAT
FB1
FerriteBead
VREF+
NRST
BOOT0
PH0
PH1
AMUTE0_1D
AMUTEI_1D
SAI1_MCLK
RST1D
DAC1_SAI_FSD
DAC1_SAI_SCKD
DAC1_SAI_SDD
DAC0_SAI_FSD
DAC0_SAI_SCKD
DAC0_SAI_SDD
RST0D
AMUTEI_0D
TP_SAI1_FS
AMUTE0_0D
TP_SAI_DEBUG
TP_DEBUG
TP_DEBUG2
PA11
PA12
EEPROM_WP
I2C4_SCL
I2C4_SDA
I2C1_SCL
I2C1_SDA
SAI4_SD_B
AMUTE0_3
AMUTEI_3
RST3
SAI4_FS_B
SAI4_SCK_B
RST2
AMUTEI_2
AMUTE0_2
PC13
PC4
PC5
PC6
PC7
UART4 TX >> Al UART1 ESP32
UART4 RX << Del UART1 ESP32
FSync
OSR
BYPASS
PDWN
U5
STM32H743VITx
STM_Debug
J2
Switches
Cristal
25MHz 12pF
Y2
Reset surveillance
MAX809TEUR+T
IC1
USB
J3
B5819W SL
+5V
USB1_DN
USB1_DP
SHIELD
U11
USBLC6-2P6
VBAT_pin
D2
BAT54C
EEPROM
U6
CAT24C256
Led
Led red
Led green
Led yellow
Led white
D6
Yellow LED
D7
Red LED
D10
White LED
D11
Green LED
Pull-ups
RN1
4.7k
I2C1_SDA
I2C1_SCL
I2C3_SDA
I2C3_SCL
Sheet: /stm32_custom/
File: stm32_custom.kicad_sch
Title: Microcontroller STM23H743VIT6
Size: A4
Date: 2026-02-01
KiCad E.D.A. 9.0.7
Rev:
Id: 6/10













Sheet: /esp32-mini/
File: esp32-mini.kicad_sch

Title: ESP32

Size: A4	Date: 2026-02-01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 7/10







NOTE: C_1 through C_3 are 1-µF ceramic capacitors. C_4 through C_6 are 10-µF electrolytic capacitors. R_1 through R_7 are 22-Ω to 100-Ω resistors. R_8 and R_9 are resistors appropriate for pull-up. R_{10} is less than 10 kΩ.


Figure 41. Basic Connection Diagram


Sheet: /DAC3/		
File: DAC_PCM1690.kicad_sch		
Title: Conversores DAC PCM1690 8−channel		
Size: A4	Date: 2026−02−01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 8/10












Sheet: /DS_Power/
File: DS_Power.kicad_sch

Title: Power supply 12V

Size: A4	Date: 2026-02-01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 9/10



Sheet: /connectors_ampli/
File: connectors_ampli.kicad_sch

Title: Connectors

Size: A4	Date: 2026-02-01	**Rev:**
KiCad E.D.A. 9.0.7		Id: 9/10