



Performance



Accessibility



Best Practices



## Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49    ■ 50–89    ● 90–100



### METRICS

Expand view

● First Contentful Paint  
**0.7 s**

■ Largest Contentful Paint  
**1.2 s**


● Total Blocking Time  
**140 ms**

■ Cumulative Layout Shift  
**0.183**

Speed Index

1.7 s

View Treemap



Later this year, insights will replace performance audits. [Learn more and provide feedback here.](#)

Try insights

Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

## DIAGNOSTICS

- ▲ Avoid large layout shifts — 1 layout shift found
- ▲ Eliminate render-blocking resources — Est savings of 260 ms
- ▲ Reduce unused CSS — Est savings of 172 KiB
- ▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 45 KiB
- ▲ Reduce unused JavaScript — Est savings of 796 KiB
- ▲ Page prevented back/forward cache restoration — 6 failure reasons
- Image elements do not have explicit width and height
- Enable text compression — Est savings of 41 KiB
- Serve static assets with an efficient cache policy — 23 resources found
- Largest Contentful Paint element — 1,210 ms
- Minimize third-party usage — Third-party code blocked the main thread for 110 ms
- Avoid long main-thread tasks — 3 long tasks found
- Avoid non-composited animations — 3 animated elements found
- Avoid chaining critical requests — 8 chains found

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (24)

Show



## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### CONTRAST

▲ Links rely on color to be distinguishable.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (28)

Show

NOT APPLICABLE (27)

Show



## Best Practices

### TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼

### GENERAL

- ☐ Detected JavaScript libraries ▼
- ☒ Missing source maps for large first-party JavaScript ▼

PASSED AUDITS (13) Show

NOT APPLICABLE (3) Show

Captured at Nov 27, 2025, 12:29 AM GMT+3

Emulated Desktop with Lighthouse 12.6.0

Single page session

Initial page load

Custom throttling

Using Chromium 138.0.0.0 with devtools

