1 Two spherical objects have masses of 200 kg and 500 kg. Their centers are separated by a distance of 25 m. Find the gravitational attraction between them.

2 Two spherical objects have masses of 1.5×10^5 kg and 8.5×10^2 kg. Their centers are separated by a distance of 2500 m. Find the gravitational attraction between them.

3 Two spherical objects have masses of 3.1×10^5 kg and 6.5×10^3 kg. The gravitational attraction between them is 65 N. How far apart are their centers?

4 Two spherical objects have equal masses and experience a gravitational force of 25 N towards one another. Their centers are 36cm apart. Determine each of their masses.

5 A 1 kg object is located at a distance of 6.4×10^{6} m from the center of a larger object whose mass is 6.0×10^{24} kg.

A What is the size of the force acting on the smaller object?

B What is the size of the force acting on the larger object?

C What is the acceleration of the smaller object when it is released?

D What is the acceleration of the larger object when it is released?

6 Two spherical objects have masses of 8000 kg and 1500 kg. Their centers are separated by a distance of 1.5 m. Find the gravitational attraction between them.

7 Two spherical objects have masses of 7.5×10^5 kg and 9.2×10^7 kg. Their centers are separated by a distance of 2.5×10^3 m. Find the gravitational attraction between them.

8 Two spherical objects have masses of 8.1×10^{2} kg and 4.5×10^{8} kg. The gravitational attraction between them is 1.9×10^{-3} N. How far apart are their centers?

9 Two spherical objects have equal masses and experience a gravitational force of 85 N towards one another. Their centers are 36mm apart. Determine each of their masses.

10 A 1 kg object is located at a distance of 7.0×10^{8} m from the center of a larger object whose mass is 2.0×10^{30} kg.

A What is the size of the force acting on the smaller object?

B What is the size of the force acting on the larger object?

C What is the acceleration of the smaller object when it is released

D What is the acceleration of the larger object when it is released?

11 Two spherical objects have masses of 8000 kg and 5.0 kg. Their centers are separated by a distance of 1.5 m. Find the gravitational attraction between them.

12 Two spherical objects have masses of 9.5×10^{8} kg and 2.5 kg. Their centers are separated by a distance of 2.5×10^{8} m. Find the gravitational attraction between them.

13 Two spherical objects have masses of 6.3×10^{3} kg and 3.5×10^{4} kg. The gravitational attraction between them is 6.5×10^{-3} N. How far apart are their centers?

14 Two spherical objects have equal masses and experience a gravitational force of 25 N towards one another. Their centers are 36 cm apart. Determine each of their masses.

15 A 1 kg object is located at a distance of 1.7×10^{6} m from the center of a larger object whose mass is 7.4×10^{22} kg.

A What is the size of the force acting on the smaller object?

B What is the size of the force acting on the larger object?

C What is the acceleration of the smaller object when it is released?

D What is the acceleration of the larger object when it is released?

16 *Compute g at a distance of 4.5 x 10^{7}m from the center of a spherical object whose mass is 3.0 x 10^{23} kg.

17 *Compute g for the surface of the moon. Its radius is 1.7 x10^{6} m and its mass is 7.4 x 10^{22} kg.

18 *Compute g for the surface of a planet whose radius is twice that of the Earth and whose mass is the same as that of the Earth.

19 *Compute g for the surface of the sun. Its radius is 7.0×10^{8} m and its mass is 2.0×10^{30} kg.

20 *Compute g for the surface of Mars. Its radius is 3.4×10^{6} m and its mass is 6.4×10^{23} kg.

21 *Compute g at a height of 6.4×10^6 m (R_E) above the surface of Earth.

22 *Compute g at a height of 2 R_E above the surface of Earth.

23 *Compute g for the surface of a planet whose radius is half that of the Earth and whose mass is double that of the Earth.

24 *Compute g at a distance of 8.5 x 10^{9}m from the center of a spherical object whose mass is 5.0 x 10^{28} kg.

25 *Compute g at a distance of 7.3×10^{8} m from the center of a spherical object whose mass is 3.0×10^{27} kg.

26 *Compute g for the surface of Mercury. Its radius is 2.4 x10^{6} m and its mass is 3.3 x 10^{23} kg.

27 *Compute g for the surface of Venus. Its radius is 6.0×10^{6} m and its mass is 4.9×10^{24} kg.

28 *Compute g for the surface of Jupiter. Its radius of is 7.1 x10^{7} m and its mass is 1.9 x 10^{27} kg.

29 *Compute g at a height of 4 R_E above the surface of Earth.

30 *Compute g at a height of 5 R_E above the surface of Earth.

31 *Compute g for the surface of a planet whose radius is double that of the Earth and whose mass is also double that of the Earth.

32 Compute:

a) The velocity of an object orbiting at a distance of 4.5×10^{7} m from the center of a spherical object whose mass is 3.0×10^{23} kg.

b) Compute the orbital period of that object.

33 Compute:

a) The velocity of an object orbiting at a height of 6.4×10^6 m above the surface of Earth.

b) Compute the orbital period of that object.

34 Mars has two moons, Phobos and Deimos. Phobos has an orbital radius of 9.4×10^6 m and an orbital period of 0.32 days. Deimos has an orbital radius of 23.5×10^6 m.

a) What is the orbital period of Deimos?

b) At what height above the surface of Mars would a satellite have to be placed so that it remains above the same location on the surface of Mars as the planet rotates below it. A Martian day is equal to 1.02 Earth days.

35 Compute:

a) The velocity of an object orbiting at a distance of 8.5×10^{9} m from the center of a spherical object whose mass is 5.0×10^{28} kg.

b) Compute the orbital period of that object.

36 Compute:

a) The velocity of an object orbiting at height of 2 R_E above the surface of Earth.

b) Compute the orbital period of that object.

37 Earth orbits the sun in 365.25 days and has an orbital radius of 1.5×10^{11} m.

a) How many days will it take Mercury to orbit the sun given that its orbital radius is 5.8×10^{10} m?

b) How many days will it take Mars to orbit the sun given that its orbital radius is 2.3×10^{11} m?

c) It takes Jupiter 4333 days to orbit the sun. What is the average distance from the sun?

38 Compute:

a) The velocity of an object orbiting at a distance of 7.3×10^{8} m from the center of a spherical object whose mass is 3.0×10^{27} kg.

b) Compute the orbital period of that object.

39 Compute:

a) The velocity, both magnitude and direction, of an object orbiting at a height of 5 R_E above the surface of Earth.

b) Compute the orbital period of that object.

40 Calculate the orbital velocity and the period, in days, for an object orbiting the sun at distance of 1.5×10^{11} m. Give the period in days.

41 Jupiter has 16 moons. One of them, Io, has an orbital radius of 4.2×10^8 m and an orbital period of 1.77 days.

a) What is the mass of Jupiter?

b) Another of them, Europa, has an orbital radius of 6.7×10^8 m. What is its orbital period?

c) Another of them, Ganymede, has an orbital period 7.2 days. What is the radius of its orbit?

d) Jupiter rotates once every 0.41 days. At what orbital radius will a satellite maintain a constant position?

General Problems

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^7 m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

a. Determine the force of gravity acting on the space rock, due to the earth. Calculate the magnitude and state the direction.

b. Compare your answer in a) to the force of gravity acting on the earth, due to the space rock. Indicate that force on the diagram above.

c. On the diagram above, indicate the direction the space rock would accelerate if released. Label that vector "a".

d. Calculate the acceleration the rock would experience.

e. **If instead of falling, the object were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

f. **Calculate the velocity the rock needs to be in a stable orbit.

g. **Calculate the period of the rock orbiting the earth.

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

a. Determine the force of gravity acting on the space rock, due to the earth. Calculate the magnitude and state the direction.

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

b. Compare your answer in a) to the force of gravity acting on the earth, due to the space rock. Indicate that force on the diagram above.

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

c. On the diagram above, indicate the direction the space rock would accelerate if released. Label that vector "a".

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

d. Calculate the acceleration the rock would experience.

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

e. **If instead of falling, the object were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

f. **Calculate the velocity the rock needs to be in a stable orbit.

42. As shown in the diagram below, a 5.0 kg space rock is located 2.5×10^{7} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

g. **Calculate the period of the rock orbiting the earth.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

a. Determine the force of gravity acting on the spacecraft, due to the earth. Calculate the magnitude and state the direction.

b. Compare your answer in a) to the force of gravity acting on the earth, due to the spacecraft. Indicate that force on the diagram above.

c. On the diagram above, indicate the direction the spacecraft would accelerate if released. Label that vector "a".

d. Calculate the acceleration the spacecraft would experience.

e. **If instead of falling, the spacecraft were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

f. **Calculate the velocity the spacecraft needs to be in a stable orbit.

g. **Calculate the period of the rock orbiting the earth.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

a. Determine the force of gravity acting on the spacecraft, due to the earth. Calc the magnitude and state the direction.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

b. Compare your answer in a) to the force of gravity acting on the earth, due to the spacecraft. Indicate that force on the diagram above.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

c. On the diagram above, indicate the direction the spacecraft would accelerate if released. Label that vector "a".

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

d. Calculate the acceleration the spacecraft would experience.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

e. **If instead of falling, the spacecraft were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2x10 ^{6} m from the center of the earth. The mass of the earth is 6.0x10 ^{24} kg.

f. **Calculate the velocity the spacecraft needs to be in a stable orbit.

43. As shown in the diagram below, a 2000 kg spacecraft is located 9.2×10^{6} m from the center of the earth. The mass of the earth is 6.0×10^{24} kg.

g. **Calculate the period of the rock orbiting the earth.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^6 m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

a. Determine the force of gravity acting on the asteroid, due to the Mars. Calculate the magnitude and state the direction.

b. Compare your answer in a) to the force of gravity acting on the Mars, due to the asteroid. Indicate that force on the diagram above.

c. On the diagram above, indicate the direction the asteroid would accelerate if released. Label that vector "a".

d. Calculate the acceleration the asteroid would experience.

e. **If instead of falling, the asteroid were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

f. **Calculate the velocity the asteroid needs to be in a stable orbit.

g. **Calculate the period of the asteroid orbiting the earth.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

a. Determine the force of gravity acting on the asteroid, due to the Mars. Calculate the magnitude and state the direction.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

b. Compare your answer in a) to the force of gravity acting on the Mars, due to the asteroid. Indicate that force on the diagram above.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

c. On the diagram above, indicate the direction the asteroid would accelerate if released. Label that vector "a".

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

d. Calculate the acceleration the asteroid would experience.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

e. **If instead of falling, the asteroid were in a stable orbit, indicate on the diagram above a possible direction of its velocity. Label that vector "v".

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

f. **Calculate the velocity the asteroid needs to be in a stable orbit.

44. As shown in the diagram below, a 1000 kg asteroid is located 6.8×10^{6} m from the center of the Mars. The mass of the Mars is 6.4×10^{23} kg.

g. **Calculate the period of the asteroid orbiting the earth.