

Markov chain Monte Carlo with the Integrated Nested Laplace Approximation

Martin Outzen Berild

September 26, 2019

Abstract

Sammendrag

Preface

Contents

1	Introduction	1
2	Integrated Nested Laplace Approximation	2
3	Integrated Nested Laplace Approximation within Markov chain Monte Carlo	3
4	Method	4
5	Results	5
6	Discussion	6
7	Conclusion	7

Chapter 1

Introduction

Chapter 2

Integrated Nested Laplace Approximation

The Integrated Nested Laplace Approximation henceforth referred to as INLA, is fully described in Rue et al. 2009. This technique provides a way to approximate posterior marginals of the model parameters, given a model that is Gaussian latent.

Given n observation $\mathbf{y} = (y_1, y_2, \dots, y_n)$ assumed to have a distribution in the exponential family, the covariates and a linear predictor can be linked to the mean μ of the observation \mathbf{y} through a link function.

Chapter 3

Integrated Nested Laplace Approximation within Markov chain Monte Carlo

Chapter 4

Method

Chapter 5

Results

Chapter 6

Discussion

Chapter 7

Conclusion

Bibliography

¹H. Rue, S. Martino, and N. Chopin, “Approximate bayesian inference for latent gaussian models by using integrated nested laplace approximations”, *Journal of the Royal Statistical Society. Series B (Statistical Methodology)* **71**, 319–392 (2009).