# Web Tabanlı Uygulama

Hazırlayan:Emin BORANDAĞ

#### **XML**

- XML stands for eXtensible Markup Language.
- XML is designed to transport and store data.
- <?xml version="1.0"?>
- <note>
- <to>**Tove**</to>
- <from>Jani</from>
- <heading>Reminder</heading>
- <body>Don't forget me this weekend!</body>
- </note>

### XML Giriş

- XML was designed to transport and store data.
- HTML was designed to display data.

#### XML Nedir?

- XML stands for EXtensible Markup Language
- XML is a markup language much like HTML
- XML was designed to carry data, not to display data
- XML tags are not predefined. You must define your own tags
- XML is designed to be self-descriptive
- XML is a W<sub>3</sub>C Recommendation

### Kendi Tagını Oluştur

```
<note>
    <to>Tove</to>
    <from>Jani</from>
    <heading>Reminder</heading>
    <body>Don't forget me this weekend!</body>
    </note>
```

```
 <root>
     <child>
          <subchild>.....</subchild>
          </child>
          </root>
```

```
<bookstore>
<book category="COOKING">
  <title lang="en">Everyday Italian</title>
  <author>Giada De Laurentiis</author>
  <year>2005</year>
  <price>30.00</price>
</book>
<book category="CHILDREN">
  <title lang="en">Harry Potter</title>
  <author>J K. Rowling</author>
  <year>2005</year>
  <price>29.99</price>
</book>
<br/><book category="WEB">
  <title lang="en">Learning XML</title>
  <author>Erik T. Ray</author>
  <year>2003</year>
  <price>39.95</price>
</book>
</bookstore>
```

#### **XML** Tags are Case Sensitive

- <Message>This is incorrect</message><message>This is correct</message>
- XML tags are case sensitive. The tag <Letter> is different from the tag <letter>.
- Opening and closing tags must be written with the same case:

```
<note><to>Tove</to><from>Jani</from><body>Don't forget me this weekend!</body></note>
```

MESSAGE

To: Tove From: Jani

Don't forget me this weekend!

```
<messages>
 <note id="501">
  <to>Tove</to>
  <from>Jani</from>
  <heading>Reminder</heading>
  <body>Don't forget me this weekend!</body>
 </note>
 <note id="502">
  <to>Jani</to>
  <from>Tove</from>
  <heading>Re: Reminder</heading>
  <body>I will not</body>
 </note>
</messages>
```

#### Doğru Yazım

#### Yanlış Yazım

<note day="10" month="01" year="2008" to="Tove" from="Jani" heading="Reminder" body="Don't forget me this weekend!"> </note>

#### **DTD & XML Validate**

- <?xml version="1.0" ?>
- <!DOCTYPE note [</p>
- <!ELEMENT note (to,from,heading,body)>
- <!ELEMENT to (#PCDATA)>
- <!ELEMENT from (#PCDATA)>
- <!ELEMENT heading (#PCDATA)>
- <!ELEMENT body (#PCDATA)>
- ]>
- <note>
- <to>Tove</to>
- <from>Jani</from>
- <heading>Reminder</heading>
- <message>Don't forget me this weekend!</message>
- </note>

### XML Stringlerinin Parser Edilmesi

```
txt="<bookstore><book>";
txt=txt+"<title>Everyday Italian</title>";
txt=txt+"<author>Giada De Laurentiis</author>";
txt=txt+"<year>2005</year>";
txt=txt+"</book></bookstore>";
if (window.DOMParser)
 parser=new DOMParser();
 xmlDoc=parser.parseFromString(txt,"text/xml");
else // Internet Explorer
 xmlDoc=new ActiveXObject("Microsoft.XMLDOM");
 xmlDoc.async="false";
 xmlDoc.loadXML(txt);
```

```
<html>
<body>
<div>
<b>To:</b> <span id="to"></span><br />
<b>From:</b> <span id="from"></span><br />
<b>Message:</b> <span id="message"></span>
</div>
<script type="text/javascript">
if (window.XMLHttpRequest)
 {// code for IE7+, Firefox, Chrome, Opera, Safari
 xmlhttp=new XMLHttpRequest();
else
 {// code for IE6, IE5
 xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.open("GET","note.xml",false);
xmlhttp.send();
xmlDoc=xmlhttp.responseXML;
document.getElementById("to").innerHTML=
xmlDoc.getElementsByTagName("to")[o].childNodes[o].nodeValue;
document.getElementById("from").innerHTML=
xmlDoc.getElementsByTagName("from")[o].childNodes[o].nodeValue;
document.getElementById("message").innerHTML=
xmlDoc.getElementsByTagName("body")[o].childNodes[o].nodeValue;
</script>
</body>
```

</html>

\*

16

#### XML & HTML Örneği

document.write(x[i].getElementsByTagName("TITLE")[o].childNodes[o].nodeValue);

```
<html>
<body>
<script type="text/javascript">
if (window.XMLHttpRequest)
{// code for IE7+, Firefox, Chrome, Opera, Safari
xmlhttp=new XMLHttpRequest();
else
{// code for IE6, IE5
xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.open("GET","cd_catalog.xml",false);
xmlhttp.send();
xmlDoc=xmlhttp.responseXML;
document.write("");
var x=xmlDoc.getElementsByTagName("CD");
for (i=0;i< x.length;i++)
 document.write("");
 document.write(x[i].getElementsByTagName("ARTIST")[o].childNodes[o].nodeValue);
```

Bob Dylan	Empire Burlesque
Bonnie Tyler	Hide your heart
Dolly Parton	Greatest Hits
Gary Moore	Still got the blues
Eros Ramazzotti	Eros
Bee Gees	One night only
Dr.Hook	Sylvias Mother
Rod Stewart	Maggie May
Andrea Bocelli	Romanza
Percy Sledge	When a man loves a woman
Savage Rose	Black angel
Many	1999 Grammy Nominees
Kenny Rogers	For the good times
Will Smith	Big Willie style
Van Morrison	Tupelo Honey

document.write("");
</script>

document.write("");

document.write("");

</body>

</html>

\*

#### XML & HTML Örneği-2

```
<html>
<head>
<script type="text/javascript">
if (window.XMLHttpRequest)
{// code for IE7+, Firefox, Chrome, Opera, Safari
xmlhttp=new XMLHttpRequest();
                                                                    Title: Empire Burlesque
else
{// code for IE6, IE5
xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.open("GET","cd_catalog.xml",false);
xmlhttp.send();
xmlDoc=xmlhttp.responseXML;
x=xmlDoc.getElementsByTagName("CD");
i=o;
function displayCD()
artist=(x[i].getElementsByTagName("ARTIST")[o].childNodes[o].nodeValue);
title=(x[i].getElementsByTagName("TITLE")[o].childNodes[o].nodeValue);
year=(x[i].getElementsByTagName("YEAR")[o].childNodes[o].nodeValue);
txt="Artist:" + artist + "<br />Title: " + title + "<br />Year: "+ year;
document.getElementById("showCD").innerHTML=txt;
</script>
</head>
<br/><body onload="displayCD()">
<div id='showCD'></div>
</body>
</html>
```

Artist: Bob Dylan

Year: 1985

```
<head>
<script type="text/javascript">
if (window.XMLHttpRequest)
 {// code for IE7+, Firefox, Chrome, Opera, Safari
 xmlhttp=new XMLHttpRequest();
else
 {// code for IE6, IE5
 xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.open("GET","cd_catalog.xml",false);
xmlhttp.send();
xmlDoc=xmlhttp.responseXML;
x=xmlDoc.getElementsByTagName("CD");
i=o;
function displayCD()
artist=(x[i].getElementsByTagName("ARTIST")[o].
childNodes[o].nodeValue);
title=(x[i].getElementsByTagName("TITLE")[o].
childNodes[o].nodeValue);
year=(x[i].getElementsByTagName("YEAR")[o].
childNodes[o].nodeValue);
txt="Artist: " + artist + "<br />Title: " + title + "<br /
>Year: "+ year;
document.getElementById("showCD").innerHTML=txt;
```

<html>

```
function next()
                                  Artist: Bee Gees
if (i<x.length-1)
                                  Title: One night only
                                  Year: 1998
 i++;
 displayCD();
                                    <<
                                           >>
function previous()
if (i>o)
 i--;
 displayCD();
</script>
</head>
<br/><body onload="displayCD()">
<div id='showCD'></div><br/>
<input type="button" onclick="previous()" value="<<" /</pre>
>
<input type="button" onclick="next()" value=">>" />
</body>
</html>
```