# **ILK TUR**

# 1.1) STRONG ENTITIES

COMPANY(Company\_id,Name,Foundation\_date,Headquarters)
CUSTOMER(Customer\_id,Name,Phone\_number,Adress,Country,Email,Pasaport\_number)
FLIGHT(Flight\_number,Weekdays)
AIRPLANE\_TYPE(Airplane\_type\_name,Max\_seats)
AIRPLANE(Airplane\_id,Total\_number\_of\_seats)
AIRPOORT(Airport\_code,Name,City,State)
FFC(FFC\_id,Date,Mil)

# 1.2) WEAK ENTITIES

FARE(Flight\_number,Fare\_code,Amount,Restrictions)
FLIGHT\_LEG(Flight\_number,Leg\_number, Scheduled\_departure\_time,
Scheduled\_arrival\_time, Millage)
LEG\_INSTANCE(Flight\_number,Leg\_number, Date, Number\_of\_available\_seats
Departure\_time, Arrival\_time)

# 1.3) <u>1:1 RELATIONS</u>

1:1 Relation bulunmuyor.

#### 1.4) 1:N RELATIONS

FLIGHT\_LEG (<u>Flight\_number,Leg\_number, Departure\_airport\_code</u>, Scheduled\_departure\_time, <u>Arrival\_airport\_code</u>, Scheduled\_arrival\_time, <u>Millage</u>)

LEG\_INSTANCE (<u>Flight\_number,Leg\_number, Date, Number\_of\_available\_seats</u> **Airplane\_id,Departure\_airport\_code**,Departure\_time,**Arrival\_airport\_code**,Arrival\_time)

FFC (FFC id, Customer\_id, Date, Mil)

#### 1.5) N:M RELATIONS

CAN\_LAND(Airport code, Airplane id)

SEAT\_RESERVATION(Flight\_number, Leg\_number, Date, Seat\_number, Customer\_id)

### 1.6) MULTIVALUED ATTRIBUTES

Multivalued attribute bulunmuyor.

# 1.7) N-ARRAY RELATIONSHIPS

N-Array relationship bulunmuyor.

# 1.8) **SUPERCLASS/SUBCLASS**

1.8.A)

COMPANY(Company id, Name, Foundation\_date, Headquarters) {8.1'de oluşturuldu}

AIRLANE\_COMPANY(Airline company id, Total\_airplane\_count, Free\_bag\_limit)
AIRPLANE\_COMPANY (Airplane company id, Largest\_model)

# **IKINCI TUR**

#### 2.1) STRONG ENTITIES

Yeni bir strong entity yok.

#### 2.2) WEAK ENTITIES

Yeni bir weak entity yok.

#### 2.3) 1:1 RELATIONS

Yeni bir 1:1 relation yok.

#### **2.4) 1:N RELATIONS**

FLIGHT(Flight number, Airline\_id, Weekdays)

AIRPLANE TYPE(Airplane\_type\_name, Max\_seats, Airplane\_company\_id)

# 2.5) N:M RELATIONS

Yeni bir N:M relation yok.

#### 2.6) MULTIVALUED ATTRIBUTES

Yeni bir multivalued attribute bulunmuyor.

# 2.7) N-ARRAY RELATIONSHIPS

Yeni bir N-Array relation bulunmuyor.

#### 2.8) SUPERCLASS/SUBCLASS

Yeni bir suberclass/subclass hiyeraşisi bulunmuyor.

#### TABLOLARIN SON HALLERI

**COMPANY**(Company\_id,Name,Foundation\_date,Headquarters)

AIRLANE\_COMPANY(Airline company id, Total\_airplane\_count, Free\_bag\_limit)

AIRPLANE\_COMPANY (Airplane company id, Largest model)

**CUSTOMER**(<u>Customer\_id</u>,Name,Phone\_number,Adress,Country,Email,Pasaport\_number)

**FLIGHT** (Flight number, Airline\_id, Weekdays)

AIRPLANE\_TYPE (Airplane type name, Max\_seats, Airplane\_company\_id)

AIRPLANE(Airplane id, Total\_number\_of\_seats)

AIRPOORT(Airport code, Name, City, State)

**FARE**(<u>Flight\_number</u>, <u>Fare\_code</u>, Amount, Restrictions)

**FLIGHT\_LEG**(<u>Flight\_number, Leg\_number, Departure\_airport\_code</u>, Scheduled\_departure\_time, Arrival\_airport\_code, Scheduled\_arrival\_time, Millage)

**LEG\_INSTANCE**(Flight number, Leg\_number, Date, Number\_of\_available\_seats
Airplane\_id, Departure\_airport\_code, Departure\_time, Arrival\_airport\_code, Arrival\_time)

**FFC**(FFC id, Customer id, Date, Mil)

CAN\_LAND(Airport code, Airplane id)

SEAT\_RESERVATION(Flight number, Leg number, Date, Seat number, Customer id)