



community_page

ban

PUT ban

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/ban

BODY raw

```
{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy"
}
```

Example Request

ban

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_p:
--data-raw '{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy"
}'
```



PUT unban

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/unban

Documentation Settings

BODY raw

```
{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy"
}
```

Example Request

unban

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/unban' \
--data-raw '{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy"
}'
```

subscribe

PUT subscribe

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/subscribe

BODY raw

```
{
  "user_id": "berkayyy",
  "community_id": "first"
}
```

Example Request

Documentation Settings ▼



```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/subscribe'
--data-raw '{
  "user_id": "berkayyy",
  "community_id": "first"
}'
```



PUT unsubscribe

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/unsubscribe
```

BODY raw

```
{
  "user_id": "berkayyy",
  "community_id": "first"
}
```

Example Request

unsubscribe

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/unsubscribe'
--data-raw '{
  "user_id": "berkayyy",
  "community_id": "first"
}'
```



admin

DIIT make admin

PUT make_admin

Documentation Settings ▼

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/admin
```

BODY raw

```
{
  "admin_id": "first_admin",
  "user_id": "berkayyy",
  "community_id": "first",
  "action": "make"
}
```

Example Request

make_admin

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/admin' \
--data-raw '{
  "admin_id": "first_admin",
  "user_id": "berkayyy",
  "community_id": "first",
  "action": "make"
}'
```

**PUT remove_admin**

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/admin
```

BODY raw

```
{
  "admin_id": "first_admin",
  "user_id": "berkayyy",
  "community_id": "first",
  "action": "remove"
}
```

 Example RequestDocumentation Settings
remove_admin 

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_p:
--data-raw '{
  "admin_id": "first_admin",
  "user_id": "berkayyy",
  "community_id": "first",
  "action": "remove"
}'
```



privacy

PUT change_privacy

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/change_privacy

BODY raw

```
{
  "community_id": "first",
  "admin_id": "first_admin"
}
```

Example Request

change_privacy

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_p:
--data-raw '{
  "community_id": "first",
  "admin_id": "first_admin"
}'
```





request

PUT accept_request

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/request
```

BODY raw

```
{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy",
  "action": "accept"
}
```

Example Request

accept_request

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/request' \
--data-raw '{
  "admin_id": "first_admin",
  "community_id": "first",
  "user_id": "berkayyy",
  "action": "accept"
}'
```



PUT reject_request

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/request
```

BODY raw



```
{  
  "admin_id": "first_admin",  
  "community_id": "first",  
  "user_id": "berkayyy",  
  "action": "reject"  
}
```

Example Request

reject_request

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/  
--data-raw '{  
  "admin_id": "first_admin",  
  "community_id": "first",  
  "user_id": "berkayyy",  
  "action": "reject"  
}'
```

POST create

```
https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page
```

BODY raw

```
{  
  "id": "example_isdd",  
  "is_private": false,  
  "community_creator_id": "example_community_creator"  
}
```

Example Request

create



```
curl --location --request POST 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_id'
--data-raw '{
  "id": "example_isdd",
  "is_private": false,
  "community_creator_id": "example_community_creator"
}'
```



GET get

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/:community_id

PATH VARIABLES

community_id

first

Example Request

get

```
curl --location --request GET 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page/:community_id'
--data-raw ''
```



PUT update

https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page

BODY raw



```
{
  "id": "first",
  "admin_list": ["first_admin", "second_admin"],
  "subscriber_list": ["first_subscriber", "second_subscriber"],
  "post_type_id_list": [],
  "post_history_id_list": [],
  "description": "description",
  "photo": "some_url",
  "community_creator_id": "id",
  "created_at": "date",
```

[View More](#)

Example Request

update

```
curl --location --request PUT 'https://cz2qlmf16e.execute-api.us-east-2.amazonaws.com/dev/api/community_page' \
--data-raw '{
  "id": "first",
  "admin_list": ["first_admin", "second_admin"],
  "subscriber_list": ["first_subscriber", "second_subscriber"],
  "post_type_id_list": [],
  "post_history_id_list": [],
  "description": "description",
```