2 Test Cases for API Testing with Postman API Tool


Test Case ID	Test Case Description	Test Steps	Expected Behaviour	Actual Behaviour
1	Verify that user can successfully updates the information of the account belonged to him/her. (ID of the account created by the user [ID of the account to which the update test will be performed]: "2378043").	 Send a PUT request to the API endpoint: "https://gorest.co.in/public/v2/ users/2378043" Receive the response from the API. Check the status code of the response. 	Status code should be 200 (OK), indicating a successful request.	Status code: 200 (OK)
2	Make sure that user cannot create a new account with an email address that is already assigned to an another account. (An e-mail address previously assigned to another account: "BAU@createTest" to which create test will be applied)	 Send a POST request to the API endpoint: "https://gorest.co.in/public/v2/users" 2) Receive the response from the API. 3) Check the status code of the response. 	Status code should be 422 (Unprocessable Entity), indicating a failed request.	Status code: 422 (Unprocessable Entity)

→ Test Case ID: 1 [Positive Testing]


Existing information of the account whose ID: "2378043" in the database before applying the update test:



After the update test is applied, test result with status code and response body on Postman:



Updated information of the account whose ID: "2378043" in the database after applying the update test:




→ Test Case ID: 2 [Negative Testing]

Existing information of the account whose e-mail address: "BAU@createTest" in the database before applying the create test:



After the create test is applied, test result with status code and response body on Postman:



JSON code consisting of "Method", "Endpoint URL", "Request Headers" and "Request Body":

```
{
 "Method": "POST",
 "Endpoint URL": "https://gorest.co.in/public/v2/users",
 "Request Headers": {
  "Authorization": "Bearer {access_token}",
  "Content-Type": "application/json",
  "Content-Length": "<calculated when request is sent>",
  "Host": "<calculated when request is sent>",
  "User-Agent": "PostmanRuntime/7.32.2",
  "Accept": "*/*",
  "Accept-Encoding": "gzip, deflate, br",
  "Connection": "keep-alive"
 },
 "Request Body": {
  "name": "BAU_createTest",
  "email": "BAU@createTest",
  "gender": "male",
  "status": "active"
 }
}
```