Berkeley Unified Numident Mortality Database Cleaned Names*

| Page | Variable | Label |
|------|------------------------|--------------------------------|
| 2 | ssn | Social Security Number |
| 3 | fname_clean | First Name (Cleaned) |
| 4 | $mname_clean$ | Middle Name (Cleaned) |
| 5 | lname_clean | Last Name (Cleaned) |
| 6 | father_fname_clean | Father's First Name (Cleaned) |
| 7 | father_mname_clean | Father's Middle Name (Cleaned) |
| 8 | father_lname_clean | Father's Last Name (Cleaned) |
| 9 | $mother_fname_clean$ | Mother's First Name (Cleaned) |
| 10 | $mother_mname_clean$ | Mother's Middle Name (Cleaned) |
| 11 | $mother_lname_clean$ | Mother's Last Name (Cleaned) |

Summary: The Berkeley Unified Numident Mortality Database Cleaned Names file (N = 49,337,827) is a supplementary file that provides cleaned names for individuals and their parents in the Berkeley Unified Numident Mortality Database (BUNMD). Cleaning names includes removing non-alphabetic characters, standardizing NA values, and replacing some nicknames and name variants with standardized names. Researchers may attach this file to the full BUNMD using the ssn (Social Security number) variable, which uniquely identifies each person in the dataset.

Note: NA values for names are usually represented with an empty string. However, sometimes strings such as "unknown", "unk", "missing" or "not stated" were present in the name fields of Social Security records, usually for parents' names. Many common words indicated missing data have been removed, but some such invalid strings may remain in the cleaned data.

Note: We also note that this process of name cleaning and standardization is primarily designed to facilitate record linkage. Decisions for how to parse names, standardize names, and convert nicknames to full names are largely compliant with the original implementation of the automated ABE linking algorithm developed by Abramitzky, Boustan and Eriksson (2012, 2014, 2017).

^{*}Last updated: 26 February, 2024

ssn

Label: Social Security Number

Description: ssn reports a person's Social Security number, as recorded in Numident death records. It uniquely identifies all records, and can be used to link this file to the complete BUNMD.

$fname_clean$

Label: First Name (Cleaned)

Description: fname reports the first 16 letters of the person's cleaned first name, as recorded in the Numident death records. This variable was cleaned from raw first names by removing titles (e.g., Dr.) and replacing nicknames with standard names (e.g., Billy to William). Non-alphabetical characters were also removed.

$mname_clean$

Label: Middle Name (Cleaned)

Description: mname reports the first 16 letters of the person's cleaned middle name, as recorded in the Numident death records. This variable was cleaned by removing non-alphabetical characters.

$lname_clean$

Label: Last Name (Cleaned)

Description: lname reports the first 21 letters of the person's cleaned last name, as recorded in the Numident death records. This variable was cleaned from raw last names by removing non-alphabetical characters. Multiple-word last names with prefixes were combined into one (e.g., Mc Donald to McDonald).

$father_fname_clean$

Label: Father's First Name (Cleaned)

Description: father_fname is a character variable reporting the first 16 letters of the person's father's cleaned first name, as recorded in the Numident application records. This variable was cleaned from the father's raw first names by removing titles (e.g., Dr.) and replacing nicknames with standard names (e.g., Billy to William). Non-alphabetical characters were also removed.

$father_mname_clean$

Label: Father's Middle Name (Cleaned)

Description: father_mname is a character variable reporting the first 16 letters of the person's father's cleaned middle name, as recorded in the Numident application records. This variable was cleaned from the father's raw middle names by removing non-alphabetical characters.

$father_lname_clean$

Label: Father's Last Name (Cleaned)

Description: father_lname is a character variable reporting the first 21 letters of the person's father's cleaned last name, as recorded in the Numident application records. This variable was cleaned from the father's raw last names by removing non-alphabetical characters. Last names with two words were combined into one (e.g. Mc Donald to McDonald).

$mother_fname_clean$

Label: Mother's First Name (Cleaned)

Description: mother_fname is a character variable reporting the first 16 letters of the person's mother's cleaned first name, as recorded in the Numident application records. This variable was cleaned from the mother's raw first names by removing titles (e.g., Dr.) and replacing nicknames with standard names (e.g., Lizzie to Elizabeth). Non-alphabetical characters were also removed.

$mother_mname_clean$

Label: Mother's Middle Name (Cleaned)

Description: mother_mname is a character variable reporting the first 16 letters of the person's mother's cleaned middle name, as recorded in the Numident application records. This variable was cleaned from raw middle names by removing non-alphabetical characters.

$mother_lname$

Label: Mother's Last Name (Cleaned)

Description: mother_lname is a character variable reporting the first 21 letters of the person's mother's cleaned last (maiden) name, as recorded in the Numident application records. This variable was cleaned from raw last names by removing non-alphabetical characters. Last names with two words were combined into one (e.g., Mc Donald to McDonald).