
University Press Scholarship Online
Oxford Scholarship Online




Atomic Force Microscopy
Peter Eaton and Paul West

Print publication date: 2010
Print ISBN-13: 9780199570454
Published to Oxford Scholarship Online: May 2010
DOI: 10.1093/acprof:oso/9780199570454.001.0001

## (p.201) Bibliography

Bibliography references:

[1] Hoffmann, R.; Baratoff, A.; Hug, H. J.; Hidber, H. R.; von Lohneysen, H.; Guntherodt, H. J. G., Mechanical manifestations of rare atomic jumps in dynamic force microscopy. *Nanotechnology* 2007, 18 (39), 395503.

[2] Crampton, N.; Yokokawa, M.; Dryden, D. T. F.; Edwardson, J. M.; Rao, D. N.; Takeyasu, K.; Yoshimura, S. H.; Henderson, R. M., Fast-scan atomic force microscopy reveals that the type III restriction enzyme EcoP151 is capable of DNA translocation and looping. *Proceedings of the National Academy of Sciences of the United States of America* 2007, 104 (31), 12755–60.

[3] Ando, T.; Uchihashi, T.; Kodera, N.; Yamamoto, D.; Taniguchi, M.; Miyagi, A.; Yamashita, H., High-speed atomic force microscopy for observing dynamic biomolecular processes. *Journal of Molecular Recognition* 2007, 20 (6), 448–58.

[4] Yokokawa, M.; Yoshimura, S. H.; Naito, Y.; Ando, T.; Yagi, A.; Sakai, N.; Takeyasu, K., Fast-scanning atomic force microscopy reveals the molecular mechanism of DNA cleavage by Apal endonuclease. *IEE Proceedings – Nanobiotechnology* 2006, 153 (4), 60–66.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[5] Sullivan, C. J.; Morrell, J. L.; Allison, D. P.; Doktycz, M. J., Mounting of *Escherichia coli* spheroplasts for AFM imaging. *Ultramicroscopy* 2005, 105 (1–4), 96–102.

[6] Doktycz, M. J.; Sullivan, C. J.; Hoyt, P. R.; Pelletier, D. A.; Wu, S.; Allison, D. P., AFM imaging of bacteria in liquid media immobilized on gelatin coated mica surfaces. *Ultramicroscopy* 2003, 97 (1–4), 209–16.

[7] Schimmel, T.; Koch, T.; Kuppers, J.; Lux-Steiner, M., True atomic resolution under ambient conditions obtained by atomic force microscopy in the contact mode. *Applied Physics A: Materials Science & Processing* 1999, 68 (4), 399–402.

[8] Sugimoto, Y.; Pou, P.; Abe, M.; Jelinek, P.; Perez, R.; Morita, S.; Custance, O., Chemical identification of individual surface atoms by atomic force microscopy. *Nature* 2007, 446 (7131), 64–67.

[9] Tromas, C.; Eaton, P.; Mimault, J.; Rojo, J.; Penadés, S., Structural characterization of self-assembled monolayers of neoglycoconjugates using atomic force microscopy. *Langmuir* 2005, 21 (14), 6142–44.

[10] Shmalz, G., Uber Glatte und Ebenheit als physikalisches und physiologishes Problem. *Verein Deutscher Ingenieure* 1929, 1461–67.

[11] Becker, H.; Bender, O.; Bergmann, L.; Rost, K.; Zobel, A. Apparatus for measuring surface irregularities. United States Patent number: 2728222, 1955.

[12] Young, R.; Ward, J.; Scire, F., The topografiner: an instrument for measuring surface microtopography. *Review of Scientific Instruments* 1972, 43 (7), 999–1011.

[13] Binnig, G.; Rohrer, H.; Gerber, C.; Weibel, E., Surface studies by scanning tunneling microscopy. *Physical Review Letters* 1982, 49 (1), 57–61.

[14] Binnig, G.; Rohrer, H., Scanning tunneling microscopy. *Helvetica Physica Acta* 1982, 55 (6), 726–35.

[15] Binnig, G.; Rohrer, H., Scanning tunneling microscopy. *Surface Science* 1983, 126 (1–3), 236–44.

[16] Binnig, G.; Rohrer, H.; Gerber, C.; Weibel, E., 7 × 7 reconstruction on Si(111) resolved in real space. *Physical Review Letters* 1983, 50 (2), 120–23.

[17] The Nobel Prize in Physics 1986.

[18] Feenstra, R. M.; Lutz, M. A. *Scanning tunneling microscopy and spectroscopy of the Si(111) 5×5 surface*, Fifth international conference on scanning tunneling microscopy/spectroscopy. AVS: Boston, MA, 1991; pp 716–20.

[19] Binnig, G.; Quate, C. F.; Gerber, C., Atomic force microscope. *Physical Review Letters* 1986, 56 (9), 930–33.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[20] Binnig, G. Atomic force microscope and method for imaging surfaces with atomic resolution. United States Patent number: 4724318, 02/09/1988, 1998.

[21] Binnig, G.; Gerber, C.; Stoll, E.; Albrecht, T. R.; Quate, C. F., Atomic resolution with atomic force microscope. *Europhysics Letters* 1987, 3 (12), 1281–86.

[22] Albrecht, T. R.; Akamine, S.; Carver, T. E.; Quate, C. F., Microfabrication of cantilever styli for the atomic force microscope. *Journal of Vacuum Science & Technology A – Vacuum Surfaces and Films* 1990, 8 (4), 3386–96.

[23] Meyer, G.; Amer, N. M., Novel optical approach to atomic force microscopy. *Applied Physics Letters* 1988, 53 (12), 1045–47.

[24] Alexander, S.; Hellemans, L.; Marti, O.; Schneir, J.; Elings, V.; Hansma, P. K.; Longmire, M.; Gurley, J., An atomic-resolution atomic-force microscope implemented using an optical lever. *Journal of Applied Physics* 1989, 65 (1), 164–67.

[25] Chen, C. J., *Introduction to Scanning Tunneling Microscopy*, second edition. Oxford University Press: Oxford, 2007.

[26] Bonnell, D. A., Scanning tunneling microscopy and spectroscopy of oxide surfaces. *Progress in Surface Science* 1998, 57 (3), 187–252.

[27] Kwon, J.; Hong, J.; Kim, Y. S.; Lee, D. Y.; Lee, K.; Lee, S. M.; Park, S. I., Atomic force microscope with improved scan accuracy, scan speed, and optical vision. *Review of Scientific Instruments* 2003, 74 (10), 4378–83.

[28] Dixson, R.; Koning, R.; Vorburger, T. V.; Fu, J.; Tsai, V. W., Measurement of pitch and width samples with the NIST calibrated atomic force microscope. In *Metrology, Inspection, and Process Control for Microlithography Xii*, Singh, B., Ed. 1998; Vol. 3332, pp 420–32.

[29] Youm, W.; Jung, J.; Lee, S.; Park, K., Control of voice coil motor nanoscanners for an atomic force microscopy system using a loop shaping technique. *Review of Scientific Instruments* 2008, 79 (1), 013707–6.

[30] Xie, H.; Rakotondrabe, M.; Regnier, S., Characterizing piezoscanner hysteresis and creep using optical levers and a reference nanopositioning stage. *Review of Scientific Instruments* 2009, 80 (4), 046102–3.

[31] Barrett, R. C.; Quate, C. F., Optical scan-correction system applied to atomic force microscopy. *Review of Scientific Instruments* 1991, 62 (6), 1393–99.

[32] Cronin, P. J.; Fekete, P. W.; Arnison, M. R.; Cogswell, C. J., Characterization of an open-loop controlled scanning stage using a knife edge optical technique. *Review of Scientific Instruments* 2000, 71 (1), 118–23.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[33] Huang, Q.; Gonda, S.; Misumi, I.; Sato, O.; Keem, T.; Kurosawa, T., Nonlinear and hysteretic influence of piezoelectric actuators in AFMs on lateral dimension measurement *Sensors and Actuators A: Physical* 2006, 125 (2), 590–96.

[34] Ando, T.; Kodera, N.; Takai, E.; Maruyama, D.; Saito, K.; Toda, A., A high-speed atomic force microscope for studying biological macromolecules. *Proceedings of the National Academy of Sciences of the United States of America* 2001, 98 (22), 12468–72.

[35] Picco, L. M.; Bozec, L.; Ulcinas, A.; Engledew, D. J.; Antognozzi, M.; Horton, M. A.; Miles, M. J., Breaking the speed limit with atomic force microscopy. *Nanotechnology* 2007, 18 (4), 044030.

[36] Humphris, A. D. L.; Miles, M. J.; Hobbs, J. K., A mechanical microscope: high-speed atomic force microscopy. *Applied Physics Letters* 2005, 86 (3), 034106.

[37] Ruf, A.; Abraham, M.; Lacher, M.; Mayr, K.; Zetterer, T. *A miniaturised Fabry Perot AFM sensor*, The 8th International Conference on Solid-State Sensors and Actuators, 1995; pp 660–63.

[38] Peng, Z.; West, P., Crystal sensor for microscopy applications. *Applied Physics Letters* 2005, 86 (1), 014107–3.

[39] Kim, M. S.; Choi, J. H.; Park, Y. K.; Kim, J. H., Atomic force microscope cantilever calibration device for quantified force metrology at micro- or nano-scale regime: the nano force calibrator (NFC). *Metrologia* 2006, 43 (5), 389–95.

[40] Tortonese, M.; Yamada, H.; Barrett, R. C.; Quate, C. F. *Atomic force microscopy using a piezoresistive cantilever*, TRANSDUCERS '91. International Conference on Solid-State Sensors and Actuators. Digest of Technical Papers, San Francisco, CA, 1991; pp 448–51.

[41] Putman, C. A. J.; Degrooth, B. G.; Vanhulst, N. F.; Greve, J., A theoretical comparison between interferometric and optical beam deflection technique for the measurement of cantilever displacement in AFM. *Ultramicroscopy* 1992, 42, 1509–13.

[42] Neagu, C.; van der Werf, K. O.; Putman, C. A. J.; Kraan, Y. M.; de Grooth, B. G.; van Hulst, N. F.; Greve, J., Analysis of immunolabeled cells by atomic force microscopy, optical microscopy, and flow cytometry. *Journal of Structural Biology* 1994, 112 (1), 32–40.

[43] Nakano, K., A novel low profile atomic force microscope compatible with optical microscopes. *Review of Scientific Instruments* 1998, 69 (3), 1406.

[44] Clifford, C. A.; Seah, M. P., The determination of atomic force microscope cantilever spring constants via dimensional methods for nanomechanical analysis. *Nanotechnology* 2005, 16 (9), 1666.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[45] Vick, D.; Brett, M. J.; Westra, K., Porous thin films for the characterization of atomic force microscope tip morphology. *Thin Solid Films* 2002, 408 (1–2), 79–86.

[46] DeRose, J. A.; Revel, J. P., Examination of atomic (scanning) force microscopy probe tips with the transmission electron microscope. *Microscopy and Microanalysis* 1997, 3 (3), 203–13.

[47] Chung, K. H.; Kim, D. E., Wear characteristics of diamond-coated atomic force microscope probe. *Ultramicroscopy* 2007, 108 (1), 1–10.

[48] Ramirez-Aguilar, K. A.; Rowlen, K. L., Tip characterization from AFM images of nanometric spherical particles. *Langmuir* 1998, 14 (9), 2562–66.

[49] Zeng, Z.-g.; Zhu, G.-d.; Guo, Z.; Zhang, L.; Yan, X.-j.; Du, Q.-g.; Liu, R., A simple method for AFM tip characterization by polystyrene spheres. *Ultramicroscopy* 2008, 108 (9), 975–80.

[50] Villarrubia, J. S., Scanned probe microscope tip characterization without calibrated tip characterizers. *Journal of Vacuum Science & Technology B* 1996, 14 (2), 1518–21.

[51] Williams, P. M.; Shakesheff, K. M.; Davies, M. C.; Jackson, D. E.; Roberts, C. J.; Tendler, S. J. B., Blind reconstruction of scanning probe image data. *Journal of Vacuum Science & Technology B* 1996, 14 (1557), 1557–62.

[52] Villarrubia, J. S., Morphological estimation of tip geometry for scanned probe microscopy. *Surface Science* 1994, 321 (3), 287–300.

[53] Villarrubia, J. S., Algorithms for scanned probe microscope image simulation, surface reconstruction, and tip estimation. *Journal of Research of the National Institute of Standards and Technology* 1997, 102 (4), 425–54.

[54] Williams, P. M.; Shakesheff, K. M.; Davies, M. C.; Jackson, D. E.; Roberts, C. J.; Tendler, S. J. B., Toward true surface recovery: studying distortions in scanning probe microscopy image data. *Langmuir* 1996, 12 (14), 3468–71.

[55] Dongmo, L. S.; Villarrubia, J. S.; Jones, S. N.; Renegar, T. B.; Postek, M.; Song, J. F., Experimental test of blind tip reconstruction for scanning probe microscopy. *Ultramicroscopy* 2000, 85 (3), 141–53.

[56] Todd, B. A.; Eppell, S. J., A method to improve the quantitative analysis of SFM images at the nanoscale. *Surface Science* 2001, 491 (3), 473–83.

[57] Tranchida, D.; Piccarolo, S.; Deblieck, R. A. C., Some experimental issues of AFM tip blind estimation: the effect of noise and resolution. *Measurement Science and Technology* 2006, 10, 2630–36.

[58] Kitching, S.; Williams, P. M.; Roberts, C. J.; Davies, M. C.; Tendler, S. J. B., Quantifying



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

surface topography and scanning probe image reconstruction. *Journal of Vacuum Science & Technology B* 1999, 17 (2), 273–79.

[59] Emerson, R. J.; Camesano, T. A., On the importance of precise calibration techniques for an atomic force microscope. *Ultramicroscopy* 2006, 106 (4–5), 413–22.

[60] Higgins, M. J.; Proksch, R.; Sader, J. E.; Polcik, M.; Mc Endoo, S.; Cleveland, J. P.; Jarvis, S. P., Noninvasive determination of optical lever sensitivity in atomic force microscopy. *Review of Scientific Instruments* 2006, 77 (1), 013701.

[61] Green, C. P.; Lioe, H.; Cleveland, J. P.; Proksch, R.; Mulvaney, P.; Sader, J. E., Normal and torsional spring constants of atomic force microscope cantilevers. *Review of Scientific Instruments* 2004, 75 (6), 1988–96.

[62] Matei, G. A.; Thoreson, E. J.; Pratt, J. R.; Newell, D. B.; Burnham, N. A., Precision and accuracy of thermal calibration of atomic force microscopy cantilevers. *Review of Scientific Instruments* 2006, 77 (8), 083703.

[63] Burnham, N. A.; Chen, X.; Hodges, C. S.; Matei, G. A.; Thoreson, E. J.; Roberts, C. J.; Davies, M. C.; Tendler, S. J. B., Comparison of calibration methods for atomic-force microscopy cantilevers. *Nanotechnology* 2003, 14 (1), 1–6.

[64] Gibson, C. T.; Smith, D. A.; Roberts, C. J., Calibration of silicon atomic force microscope cantilevers. *Nanotechnology* 2005, 16 (2), 234–38.

[65] Gibson, C. T.; Watson, G. S.; Myhra, S., Scanning force microscopy – Calibrative procedures for 'best practice'. *Scanning* 1997, 19 (8), 564–81.

[66] Sader, J. E.; Chon, J. W. M.; Mulvaney, P., Calibration of rectangular atomic force microscope cantilevers. *Review of Scientific Instruments* 1999, 70 (10), 3967–69.

[67] Sader, J. E.; Larson, I.; Mulvaney, P.; White, L. R., Method for the calibration of atomic force microscope cantilevers. *Review of Scientific Instruments* 1995, 66 (7), 3789–98.

[68] Sader, J. E., Frequency response of cantilever beams immersed in viscous fluids with applications to the atomic force microscope. *Journal of Applied Physics* 1998, 84 (1), 64–76.

[69] Sader, J. E.; Pacifico, J.; Green, C. P.; Mulvaney, P., General scaling law for stiffness measurement of small bodies with applications to the atomic force microscope. *Journal of Applied Physics* 2005, 97 (12), 124903–7.

[70] Cleveland, J. P.; Manne, S.; Bocek, D.; Hansma, P. K., A nondestructive method for determining the spring constant of cantilevers for scanning force microscopy. *Review of Scientific Instruments* 1993, 64 (2), 403–5.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[71] Jing, G. Y.; Ma, J.; Yu, D. P., Calibration of the spring constant of AFM cantilever. *Journal of Electron Microscopy* 2007, 56 (1), 21–25.

[72] Hutter, J. L.; Bechhoefer, J., Calibration of atomic-force microscope tips. *Review of Scientific Instruments* 1993, 64 (7), 1868–73.

[73] Hutter, J. L., Comment on tilt of atomic force microscope cantilevers: effect on spring constant and adhesion measurements. *Langmuir* 2005, 21 (6), 2630–32.

[74] Gates, R. S.; Reitsma, M. G., Precise atomic force microscope cantilever spring constant calibration using a reference cantilever array. *Review of Scientific Instruments* 2007, 78 (8), 086101–3.

[75] Tortonese, M.; Kirk, M., Characterization of application specific probes for SPMs. In *Micromachining and Imaging*, Michalske, T. A.; Wendman, M. A., Eds. SPIE – Int. Soc. Optical Engineering: Bellingham, 1997; Vol. 3009, pp 53–60.

[76] Bogdanovic, G.; Meurk, A.; Rutland, M. W., Tip friction – torsional spring constant determination. *Colloids and Surfaces B: Biointerfaces* 2000, 19 (4), 397–405.

[77] Ogletree, D. F.; Carpick, R. W.; Salmeron, M., Calibration of frictional forces in atomic force microscopy. *Review of Scientific Instruments* 1996, 67 (9), 3298–3306.

[78] Minne, S. C.; Yaralioglu, G.; Manalis, S. R.; Adams, J. D.; Zesch, J.; Atalar, A.; Quate, C. F., Automated parallel high-speed atomic force microscopy. *Applied Physics Letters* 1998, 72 (18), 2340–42.

[79] Viani, M. B.; Schaffer, T. E.; Paloczi, G. T.; Pietrasanta, L. I.; Smith, B. L.; Thompson, J. B.; Richter, M.; Rief, M.; Gaub, H. E.; Plaxco, K. W.; Cleland, A. N.; Hansma, H. G.; Hansma, P. K., Fast imaging and fast force spectroscopy of single biopolymers with a new atomic force microscope designed for small cantilevers. *Review of Scientific Instruments* 1999, 70 (11), 4300–3.

[80] Hansma, P. K.; Schitter, G.; Fantner, G. E.; Prater, C., Applied physics – high-speed atomic force microscopy. *Science* 2006, 314 (5799), 601–2.

[81] Fantner, G. E.; Schitter, G.; Kindt, J. H.; Ivanov, T.; Ivanova, K.; Patel, R.; Holten-Andersen, N.; Adams, J.; Thurner, P. J.; Rangelow, I. W.; Hansma, P. K., Components for high speed atomic force microscopy. *Ultramicroscopy* 2006, 106 (8–9), 881–87.

[82] Viani, M. B.; Schaffer, T. E.; Chand, A.; Rief, M.; Gaub, H. E.; Hansma, P. K., Small cantilevers for force spectroscopy of single molecules. *Journal of Applied Physics* 1999, 86 (4), 2258–62.

[83] Walters, D. A.; Cleveland, J. P.; Thomson, N. H.; Hansma, P. K.; Wendman, M. A.; Gurley, G.; Elings, V., Short cantilevers for atomic force microscopy. *Review of Scientific Instruments* 1996, 67 (10), 3583–90.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[84] Schäffer, T. E.; Hansma, P. K., Characterization and optimization of the detection sensitivity of an atomic force microscope for small cantilevers. *Journal of Applied Physics* 1998, 84 (9), 4661–66.

[85] Burnham, N. A.; Colton, H. M.; Pollock, H. M., Interpretation of force curves in force microscopy. *Nature* 1993, 4, 64–80.

[86] Martin, C.; Murano, F. P.; Dagata, J. A., Measurements of electrical conductivity of a nanometer-scale water meniscus by atomic force microscopy. *2003 Third IEEE Conference on Nanotechnology, Vols One and Two, Proceedings* 2003, 781–84.

[87] Lee, J.; Chae, J.; Kim, C. K.; Kim, H.; Oh, S.; Kuk, Y., Versatile low-temperature atomic force microscope with *in situ* piezomotor controls, charge-coupled device vision, and tip-gated transport measurement capability. *Review of Scientific Instruments* 2005, 76 (9), 093701–5.

[88] Broekmaat, J.; Brinkman, A.; Blank, D. H. A.; Rijnders, G., High temperature surface imaging using atomic force microscopy. *Applied Physics Letters* 2008, 92 (4), 043102–3.

[89] Shao, Z. F.; Zhang, Y. Y., Biological cryo atomic force microscopy: a brief review. *Ultramicroscopy* 1996, 66 (3–4), 141–52.

[90] Han, W. H.; Mou, J. X.; Sheng, J.; Yang, J.; Shao, Z. F., Cryo atomic force microscopy: a new approach for biological imaging at high resolution. *Biochemistry* 1995, 34 (26), 8215–20.

[91] Sheng, S.; Czajkowsky, D. M.; Shao, Z., Localization of linker histone in chromatosomes by cryo-atomic force microscopy. *Biophysical Journal* 2006, 91 (4), L35–37.

[92] Wu, J. J.; Reading, M.; Craig, D. Q. A., Application of calorimetry, sub-ambient atomic force microscopy and dynamic mechanical analysis to the study of frozen aqueous trehalose solutions. *Pharmaceutical Research* 2008, 25 (6), 1396–1404.

[93] Hug, H. J.; Stiefel, B.; van Schendel, P. J. A.; Moser, A.; Martin, S.; Guntherodt, H. J., A low temperature ultrahigh vaccum scanning force microscope. *Review of Scientific Instruments* 1999, 70 (9), 3625–40.

[94] Friedbacher, G.; Fuchs, H., Classification of scanning probe microscopies (Technical report). *Pure and Applied Chemistry* 1999, 71 (7), 1337–57.

[95] Hecht, B.; Sick, B.; Wild, U. P.; Deckert, V.; Zenobi, R.; Martin, O. J. F.; Pohl, D. W., Scanning near-field optical microscopy with aperture probes: fundamentals and applications. *Journal of Chemical Physics* 2000, 112 (18), 7761–74.

[96] Rasmussen, A.; Deckert, V., New dimension in nano-imaging: breaking through the diffraction limit with scanning near-field optical microscopy. *Analytical and Bioanalytical*



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Chemistry* 2005, 381 (1), 165–72.

[97] Zhong, Q.; Inniss, D.; Kjoller, K.; Elings, V. B., Fractured polymer/silica fiber surface studied by tapping mode atomic force microscopy. *Surface Science* 1993, 290 (1–2), L688–L692.

[98] Karrasch, S.; Dolder, M.; Schabert, F.; Ramsden, J.; Engel, A., Covalent binding of biological samples to solid supports for scanning probe microscopy in buffer solution. *Biophysical Journal* 1993, 65 (6), 2437–46.

[99] Mou, J. X.; Czajkowsky, D. M.; Sheng, S. J.; Ho, R. Y.; Shao, Z. F., High resolution surface structure of E-coli GroES oligomer by atomic force microscopy. *FEBS Letters* 1996, 381 (1–2), 161–64.

[100] Gonçalves, R. P.; Busselez, J.; Lévy, D.; Seguin, J.; Scheuring, S., Membrane insertion of Rhodopseudomonas acidophila light harvesting complex 2 investigated by high resolution AFM. *Journal of Structural Biology* 2005, 149 (1), 79–86.

[101] Le Grimellec, C.; Lesniewska, E.; Giocondi, M.-C.; Finot, E.; Vie, V.; Goudonnet, J.-P., Imaging of the surface of living cells by low-force contact-mode atomic force microscopy. *Biophysical Journal* 1998, 75 (2), 695–703.

[102] Müller, D. J.; Schoenenberger, C. A.; Schabert, F.; Engel, A., Structural changes in native membrane proteins monitored at subnanometer resolution with the atomic force microscope: a review. *Journal of Structural Biology* 1997, 119 (2), 149–57.

[103] Murphy, M. F.; Lalor, M. J.; Manning, F. C. R.; Lilley, F.; Crosby, S. R.; Randall, C.; Burton, D. R., Comparative study of the conditions required to image live human epithelial and fibroblast cells using atomic force microscopy. *Microscopy Research and Technique* 2006, 69 (9), 757–65.

[104] Möller, C.; Allen, M.; Elings, V.; Engel, A.; Müller, D. J., Tapping-mode atomic force microscopy produces faithful high-resolution images of protein surfaces. *Biophysical Journal* 1999, 77 (2), 1150–58.

[105] Martin, Y.; Wickramasinghe, H. K., Magnetic imaging by force microscopy with 1000-Å resolution. *Applied Physics Letters* 1987, 50 (20), 1455–57.

[106] Morita, S.; Giessibl, F. J.; Sugawara, Y.; Hosoi, H.; Mukasa, K.; Sasahara, A.; Onishi, H., Noncontact atomic force microscopy and its related topics. In *Nanotribology and Nanomechanics*, 2005; pp 141–83.

[107] Morita, S.; Wiesendanger, R.; Meyer, E., *Noncontact Atomic Force Microscopy*. Springer: 2002.

[108] García, R.; Pérez, R., Dynamic atomic force microscopy methods. *Surface Science Reports* 2002, 47 (6–8), 197–301.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[109] Martin, Y.; Williams, C. C.; Wickramasinghe, H. K., Atomic force microscope–force mapping and profiling on a sub 100 Å scale. *Journal of Applied Physics* 1987, 61 (10), 4723–29.

[110] Ho, H.; West, P., Optimizing AC-mode atomic force microscope imaging. *Scanning* 1996, 18 (5), 339–43.

[111] Giessibl, F. J.; Bielefeldt, H.; Hembacher, S.; Mannhart, J., Calculation of the optimal imaging parameters for frequency modulation atomic force microscopy. *Applied Surface Science* 1999, 140 (3–4), 352–57.

[112] Herminghaus, S.; Fery, A.; Reim, D., Imaging of droplets of aqueous solutions by tapping-mode scanning force microscopy. *Ultramicroscopy* 1997, 69 (3), 211–17.

[113] Checco, A.; Schollmeyer, H.; Daillant, J.; Guenoun, P.; Boukherroub, R., Nanoscale wettability of self-assembled monolayers investigated by noncontact atomic force microscopy. *Langmuir* 2006, 22 (1), 116–26.

[114] Yang, C.-W.; Hwang, I.-S.; Chen, Y. F.; Chang, C. S.; Tsai, D. P., Imaging of soft matter with tapping-mode atomic force microscopy and non-contact-mode atomic force microscopy. *Nanotechnology* 2007, 18 (8), 084009.

[115] Hoogenboom, B. W.; Hug, H. J.; Pellmont, Y.; Martin, S.; Frederix, P. L. T. M.; Fotiadis, D.; Engel, A., Quantitative dynamic-mode scanning force microscopy in liquid. *Applied Physics Letters* 2006, 88 (19), 193109–3.

[116] Zimmermann, H.; Hagedorn, R.; Richter, E.; Fuhr, G., Topography of cell traces studied by atomic force microscopy. *European Biophysics Journal* 1999, 28 (6), 516–25.

[117] Albrecht, T. R.; Grutter, P.; Horne, D.; Rugar, D., Frequency modulation detection using high-Q cantilevers for enhanced force microscope sensitivity. *Journal of Applied Physics* 1991, 69 (2), 668–73.

[118] Sugawara, Y.; Ohta, M.; Ueyama, H.; Morita, S., Defect motion on an InP(110) surface observed with noncontact atomic force microscopy. *Science* 1995, 270 (5242), 1646–48.

[119] Luthi, R.; Meyer, E.; Bammerlin, M.; Baratoff, A.; Lehmann, T.; Howald, L.; Gerber, C.; Guntherodt, H. J., Atomic resolution in dynamic force microscopy across steps on Si(111)7×7. *Zeitschrift Fur Physik B – Condensed Matter* 1996, 100 (2), 165–67.

[120] Sugimoto, Y.; Abe, M.; Konoshita, S.; Morita, S., Direct observation of the vacancy site of the iron silicide c(4 × 8) phase using frequency modulation atomic force microscopy. *Nanotechnology* 2007, 18 (8), 084012.

[121] Seino, Y.; Yoshikawa, S.; Abe, M.; Morita, S., Growth dynamics of insulating SrF2 films on Si(111). *Journal of Physics – Condensed Matter* 2007, 19 (44), 9.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[122] Sugimoto, Y.; Abe, M.; Hirayama, S.; Morita, S., Highly resolved non-contact atomic force microscopy images of the Sn/Si(111)-(2 root 3 × 2 root 3) surface. *Nanotechnology* 2006, 17 (16), 4235–39.

[123] Eaton, P.; Ragusa, A.; Clavel, C.; Rojas, C. T.; Graham, P.; Duran, R. V.; Penades, S., Glyconanoparticle–DNA interactions: an atomic force microscopy study. *IEEE Transactions on Nanobioscience* 2007, 6 (4), 309–18.

[124] Han, W.; Lindsay, S. M.; Jing, T., A magnetically driven oscillating probe microscope for operation in liquids. *Applied Physics Letters* 1996, 69 (26), 4111–13.

[125] Revenko, I.; Proksch, R., Magnetic and acoustic tapping mode microscopy of liquid phase phospholipid bilayers and DNA molecules. *Journal of Applied Physics* 2000, 87 (1), 526–33.

[126] Putman, C. A. J.; Van der Werf, K. O.; De Grooth, B. G.; Van Hulst, N. F.; Greve, J., Tapping mode atomic force microscopy in liquid. *Applied Physics Letters* 1994, 64 (18), 2454–56.

[127] Volkov, A. O.; Burnell-Gray, J. S.; Datta, P. K., Frequency response of atomic force microscope cantilever driven by fluid. *Applied Physics Letters* 2004, 85 (22), 5397–99.

[128] Schäffer, T. E.; Cleveland, J. P.; Ohnesorge, F.; Walters, D. A.; Hansma, P. K., Studies of vibrating atomic force microscope cantilevers in liquid. *Journal of Applied Physics* 1996, 80 (7), 3622–7.

[129] Connell, S. D.; Smith, D. A., The atomic force microscope as a tool for studying phase separation in lipid membranes (review). *Molecular Membrane Biology* 2006, 23 (1), 17–28.

[130] Lantz, M.; Liu, Y. Z.; Cui, X. D.; Tokumoto, H.; Lindsay, S. M. *Dynamic force microscopy in fluid*, 3rd Conference on Development and Industrial Application of Scanning Probe Methods (SXM-3), Switzerland, John Wiley, 1998; pp 354–60.

[131] Rodriguez, T. R.; García, R., Compositional mapping of surfaces in atomic force microscopy by excitation of the second normal mode of the microcantilever. *Applied Physics Letters* 2004, 84 (3), 449–51.

[132] Stark, R. W.; Drobek, T.; Heckl, W. M., Tapping-mode atomic force microscopy and phase-imaging in higher eigenmodes. *Applied Physics Letters* 1999, 74 (22), 3296–98.

[133] Martínez, N. F.; Lozano, J. R.; Herruzo, E. T.; Garcia, F.; Richter, C.; Sulzbach, T.; García, R., Bimodal atomic force microscopy imaging of isolated antibodies in air and liquids. *Nanotechnology* 2008, 19 (38), 384011.

[134] Lozano, J. R.; García, R., Theory of multifrequency atomic force microscopy. *Physical Review Letters* 2008, 1 (7), 076102.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[135] Crittenden, S.; Raman, A.; Reifenberger, R., Probing attractive forces at the nanoscale using higher-harmonic dynamic force microscopy. *Physical Review B* 2005, 72 (23), 235422.

[136] Proksch, R., Multifrequency, repulsive-mode amplitude-modulated atomic force microscopy. *Applied Physics Letters* 2006, 89 (11), 113121–3.

[137] Stark, R. W.; Heckl, W. M., Higher harmonics imaging in tapping-mode atomic-force microscopy. *Review of Scientific Instruments* 2003, 74 (12), 5111–14.

[138] Patil, S.; Martinez, N. F.; Lozano, J. R.; García, R., Force microscopy imaging of individual protein molecules with sub-pico newton force sensitivity. *Journal of Molecular Recognition* 2007, 20, 516–23.

[139] Giessibl, F. J., Higher-harmonic atomic force microscopy. *Surface and Interface Analysis* 2006, 38 (12–13), 1696–1701.

[140] Stroscio, J. A.; Feenstra, R. M.; Fein, A. P., Electronic structure of the Si(111)2 × 1 surface by scanning-tunneling microscopy. *Physical Review Letters* 1986, 57 (20), 2579.

[141] Chen, C. J., Scanning tunneling spectroscopy. In *Introduction to Scanning Tunneling Microscopy*, second edition. Oxford University Press: Oxford, 2008; pp 331–48.

[142] Butt, H.-J.; Cappella, B.; Kappl, M., Force measurements with the atomic force microscope: technique, interpretation and applications. *Surface Science Reports* 2005, 59 (1–6), 1–152.

[143] Hinterdorfer, P.; Baumgartner, W.; Gruber, H. J.; Schilcher, K.; Schindler, H., Detection and localization of individual antibody-antigen recognition events by atomic force microscopy. *Proceedings of the National Academy of Sciences of the United States of America* 1996, 93 (8), 3477–81.

[144] Tromas, C.; Rojo, J.; de la Fuente, J. M.; Barrientos, A. G.; García, R.; Penadés, S., Adhesion forces between Lewis X determinant antigens as measured by atomic force microscopy. *Angewandte Chemie International Edition* 2001, 40 (16), 3052–5.

[145] Clausen-Schaumann, H.; Seitz, M.; Krautbauer, R.; Gaub, H. E., Force spectroscopy with single bio-molecules. *Current Opinion in Chemical Biology* 2000, 4 (5), 524–30.

[146] Eaton, P.; Graham, P.; Smith, J. R.; Smart, J. D.; Nevell, T. G.; Tsibouklis, J., Mapping the surface heterogeneity of a polymer blend: an adhesion-force-distribution study using the atomic force microscope. *Langmuir* 2000, 16 (21), 7887–90.

[147] Subramanian, S.; Sampath, S., Effect of chain length on the adhesion behaviour of n-alkanethiol self-assembled monolayers on Au(111): an atomic force microscopy study. *Pramana – Journal of Physics* 2005, 65 (4), 753–61.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[148] Ralston, J.; Larson, I.; Rutland, M. W.; Feiler, A. A.; Kleijn, M., Atomic force microscopy and direct surface force measurements (IUPAC technical report). *Pure and Applied Chemistry* 2005, 77 (12), 2149–70.

[149] Ducker, W. A.; Senden, T. J.; Pashley, R. M., Direct measurement of colloidal forces using an atomic force microscope. *Nature* 1991, 353 (6341), 239–41.

[150] Butt, H.-J.; Jaschke, M.; Ducker, W., Measuring surface forces in aqueous electrolyte solution with the atomic force microscope. *Bioelectrochemistry and Bioenergetics* 1995, 38 (1), 191–201.

[151] Emerson, R. J.; Camesano, T. A., Nanoscale investigation of pathogenic microbial adhesion to a biomaterial. *Applied and Environmental Microbiology* 2004, 70 (10), 6012–22.

[152] Bowen, W. R.; Lovitt, R. W.; Wright, C. J., Atomic force microscopy study of the adhesion of Saccharomyces cerevisiae. *Journal of Colloid and Interface Science* 2001, 237 (1), 54–61.

[153] Janshoff, A.; Neitzert, M.; Oberdorfer, Y.; Fuchs, H., Force spectroscopy of molecular systems – Single molecule spectroscopy of polymers and biomolecules. *Angewandte Chemie International Edition* 2000, 39 (18), 3213–37.

[154] Butt, H.-J., Measuring local surface-charge densities in electrolyte-solutions with a scanning force microscope. *Biophysical Journal* 1992, 63 (2), 578–82.

[155] Dufrêne, Y. F.; Boonaert, C. J. P.; van der Mei, H. C.; Busscher, H. J.; Rouxhet, P. G., Probing molecular interactions and mechanical properties of microbial cell surfaces by atomic force microscopy. *Ultramicroscopy* 2001, 86 (1–2), 113–20.

[156] Dupres, V.; Menozzi, F. D.; Locht, C.; Clare, B. H.; Abbott, N. L.; Cuenot, S.; Bompard, C.; Raze, D.; Dufrêne, Y. F., Nanoscale mapping and functional analysis of individual adhesins on living bacteria. *Nature Methods* 2005, 2 (7), 515–20.

[157] Müller, D. J., AFM: a nanotool in membrane biology. *Biochemistry* 2008, 47 (31), 7986–98.

[158] Eaton, P.; Fernández Estarlich, F.; Ewen, R. J.; Nevell, T. G.; Smith, J. R.; Tsibouklis, J., Combined nanoindention and adhesion force mapping using the atomic force microscope: investigations of a filled polysiloxane coating. *Langmuir* 2002, 18 (25), 10011–15.

[159] Eaton, P.; Smith, J. R.; Graham, P.; Smart, J. D.; Nevell, T. G.; Tsibouklis, J., Adhesion force mapping of polymer surfaces: factors influencing force of adhesion. *Langmuir* 2002, 18 (8), 3387–89.

[160] Vancso, G. J.; Hillborg, H.; Schonherr, H., Chemical composition of polymer



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

surfaces imaged by atomic force microscopy and complementary approaches. In *Polymer Analysis, Polymer Theory*, Springer, Berlin, 2005; Vol. 182, pp 55–129.

[161] Ducker, W. A.; Senden, T. J.; Pashley, R. M., Measurement of forces in liquids using a force microscope. *Langmuir* 1992, 8 (7), 1831–36.

[162] Gotzinger, M.; Peukert, W., Adhesion forces of spherical alumina particles on ceramic substrates. *Journal of Adhesion* 2004, 80 (3), 223–42.

[163] Lee, G. U.; Kidwell, D. A.; Colton, R. J., Sensing discrete streptavidin-biotin interactions with atomic force microscopy. *Langmuir* 1994, 10 (2), 354–7.

[164] Pelling, A. E.; Li, Y.; Shi, W.; Gimzewski, J. K., Nanoscale visualization and characterization of Myxococcus xanthus cells with atomic force microscopy. *Proceedings of the National Academy of Sciences of the United States of America* 2005, 102 (18), 6484–89.

[165] Duwez, A. S.; Poleunis, C.; Bertrand, P.; Nysten, B., Chemical recognition of antioxidants and uv-light stabilizers at the surface of polypropylene: atomic force microscopy with chemically modified tips. *Langmuir* 2001, 17 (20), 6351–57.

[166] Noy, A.; Vezenov, D. V.; Lieber, C. M., Chemical force microscopy. *Annual Review of Materials Science* 1997, 27, 381–421.

[167] VanLandingham, M. R., Review of instrumented indentation. *Journal of Research of the National Institute of Standards and Technology* 2003, 108 (4), 249–65.

[168] VanLandingham, M. R.; McKnight, S. H.; Palmese, G. R.; Elings, J. R.; Huang, X.; Bogetti, T. A.; Eduljee, R. F.; Gillespie, J. W., Nanoscale indentation of polymer systems using the atomic force microscope. *Journal of Adhesion* 1997, 64 (1–4), 31–59.

[169] Sirghi, L.; Rossi, F., Adhesion and elasticity in nanoscale indentation. *Applied Physics Letters* 2006, 89 (24), 243118–3.

[170] Eaton, P.; Fernandes, J. C.; Pereira, E.; Pintado, M. E.; Malcata, F. X., Atomic force microscopy study of the antibacterial effects of chitosans on *Escherichia coli* and *Staphylococcus aureus*. *Ultramicroscopy* 2008, 108 (10), 1128–34.

[171] Touhami, A.; Nysten, B.; Dufrêne, Y. F., Nanoscale mapping of the elasticity of microbial cells by atomic force microscopy. *Langmuir* 2003, 19 (11), 4539–43.

[172] Vadillo-Rodriguez, V.; Beveridge, T. J.; Dutcher, J. R., Surface viscoelasticity of individual Gram-negative bacterial cells measured using atomic force microscopy. *Journal of Bacteriology* 2008, 190 (12), 4225–32.

[173] Butt, H.-J., Measuring electrostatic, van der Waals, and hydration forces in electrolyte solutions with an atomic force microscope. *Biophysical Journal* 1991, 60 (6),



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

1438–44.

[174] Almqvist, N.; Delamo, Y.; Smith, B. L.; Thomson, N. H.; Bartholdson, Å.; Lal, R.; Brzezinski, M.; Hansma, P. K., Micromechanical and structural properties of a pennate diatom investigated by atomic force microscopy. *Journal of Microscopy* 2001, 202 (3), 518–32.

[175] Ludwig, T.; Kirmse, R.; Poole, K.; Schwarz, U., Probing cellular microenvironments and tissue remodeling by atomic force microscopy. *Pflügers Archiv European Journal of Physiology* 2008, 456 (1), 29–49.

[176] Carl, P.; Schillers, H., Elasticity measurement of living cells with an atomic force microscope: data acquisition and processing. *Pflügers Archiv European Journal of Physiology* 2008, 457 (2), 551–59.

[177] VanLandingham, M. R.; McKnight, S. H.; Palmese, G. R.; Eduljee, R. F.; Gillespie, J. W.; McCulough, R. L., Relating elastic modulus to indentation response using atomic force microscopy. *Journal of Materials Science Letters* 1997, 16 (2), 117–19.

[178] Fernandes, J. C.; Eaton, P.; Gomes, A. M.; Pintado, M. E.; Malcata, F. X., Study of the antibacterial effects of chitosans on *Bacillus cereus* (and its spores) by atomic force microscopy imaging and nanoindentation. *Ultramicroscopy* 2009, 109, 854–60.

[179] Gaillard, Y.; Tromas, C.; Woirgard, J., Quantitative analysis of dislocation pile-ups nucleated during nanoindentation in MgO. *Acta Materialia* 2006, 54 (5), 1409–17.

[180] Gaillard, Y.; Tromas, C.; Woirgard, J., Study of the dislocation structure involved in a nanoindentation test by atomic force microscopy and controlled chemical etching. *Acta Materialia* 2003, 51 (4), 1059–65.

[181] Bischel, M. S.; VanLandingham, M. R.; Eduljee, R. F.; Gillespie, J. W.; Schultz, J. M., On the use of nanoscale indentation with the AFM in the identification of phases in blends of linear low density polyethylene and high density polyethylene. *Journal of Materials Science* 2000, 35 (1), 221–28.

[182] VanLandingham, M. R.; Dagastine, R. R.; Eduljee, R. F.; McCullough, R. L.; Gillespie, J. W., Characterization of nanoscale property variations in polymer composite systems: 1. Experimental results. *Composites Part A – Applied Science and Manufacturing* 1999, 30 (1), 75–83.

[183] Penegar, I.; Toque, C.; Connell, S. D. A.; Smith, J. R.; Campbell, S. A., Nano-indentation measurements of the marine bacteria sphigomonas paucimobilis using the atomic force microscope. *Additional Papers from the 10th International Congress on Marine Corrosion and Fouling*, DSTO Aeronautical and Maritime Research Laboratory, Victoria, Australia, 2001.

[184] Volle, C. B.; Ferguson, M. A.; Aidala, K. E.; Spain, E. M.; Núñez, M. E., Spring



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

constants and adhesive properties of native bacterial biofilm cells measured by atomic force microscopy. *Colloids and Surfaces B: Biointerfaces* 2008, 67 (1), 32–40.

[185] Wampler, H. P.; Ivanisevic, A., Nanoindentation of gold nanoparticles functionalized with proteins. *Micron* 2009, 40 (4), 444–48.

[186] Armini, S.; Vakarelski, I. U.; Whelan, C. M.; Maex, K.; Higashitani, K., Nanoscale indentation of polymer and composite polymer-silica core-shell submicrometer particles by atomic force microscopy. *Langmuir* 2007, 23 (4), 2007–14.

[187] Vakarelski, I. U.; Toritani, A.; Nakayama, M.; Higashitani, K., Effects of particle deformability on interaction between surfaces in solutions. *Langmuir* 2003, 19 (1), 110–17.

[188] Jeon, S.; Braiman, Y.; Thundat, T., Cross talk between bending, twisting, and buckling modes of three types of microcantilever sensors. *Review of Scientific Instruments* 2004, 75 (11), 4841–44.

[189] Gnecco, E.; Bennewitz, R.; Gyalog, T.; Meyer, E., Friction experiments on the nanometre scale. *Journal of Physics – Condensed Matter* 2001, 13 (31), R619–R642.

[190] Babcock, K. L.; Prater, C. B. *Phase Imaging: Beyond Topography*; Veeco Application Note: 1995.

[191] Tamayo, J.; García, R., Deformation, contact time, and phase contrast in tapping mode scanning force microscopy. *Langmuir* 1996, 12 (18), 4430–35.

[192] Schmitz, I.; Schreiner, M.; Friedbacher, G.; Grasserbauer, M., Phase imaging as an extension to tapping mode AFM for the identification of material properties on humidity-sensitive surfaces. *Applied Surface Science* 1997, 115 (2), 190–98.

[193] Nagao, E.; Dvorak, J. A., Phase imaging by atomic force microscopy: analysis of living homoiothermic vertebrate cells. *Biophysical Journal* 1999, 76 (6), 3289–97.

[194] Martínez, N. F.; García, R., Measuring phase shifts and energy dissipation with amplitude modulation atomic force microscopy. *Nanotechnology* 2006, 17 (7), S167–S172.

[195] Tamayo, J.; García, R., Relationship between phase shift and energy dissipation in tapping-mode scanning force microscopy. *Applied Physics Letters* 1998, 73 (20), 2926–28.

[196] García, R.; Tamayo, J.; San Paulo, A., Phase contrast and surface energy hysteresis in tapping mode scanning force microscopy. *Surface and Interface Analysis* 1999, 27 (5–6), 312–16.

[197] García, R.; Gomez, C. J.; Martinez, N. F.; Patil, S.; Dietz, C.; Magerle, R., Identification of nanoscale dissipation processes by dynamic atomic force microscopy.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Physical Review Letters* 2006, 97 (1), 016103.

[198] de Pablo, P. J.; Colchero, J.; Gomez-Herrero, J.; Baro, A. M., Jumping mode scanning force microscopy. *Applied Physics Letters* 1998, 73 (22), 3300–2.

[199] Rosa-Zeiser, A.; Weilandt, E.; Hild, S.; Marti, O., The simultaneous measurement of elastic, electrostatic and adhesive properties by scanning force microscopy: pulsed-force mode operation. *Measurement Science and Technology* 1997, 8 (11), 1333–38.

[200] Sotres, J.; Lostao, A.; Gómez-Moreno, C.; Baró, A. M., Jumping mode AFM imaging of biomolecules in the repulsive electrical double layer. *Ultramicroscopy* 2007, 107, 1207–12.

[201] Moreno-Herrero, F.; de Pablo, P. J.; Colchero, J.; Gómez-Herrero, J.; Baró, A. M., The role of shear forces in scanning force microscopy: a comparison between the jumping mode and tapping mode. *Surface Science* 2000, 453 (1–3), 152–58.

[202] Moreno-Herrero, F.; Colchero, J.; Gómez-Herrero, J.; Baró, A. M., Atomic force microscopy contact, tapping, and jumping modes for imaging biological samples in liquids. *Physical Review E* 2004, 69 (3), 031915.

[203] Moreno-Herrero, F.; de Pablo, P. J.; Alvarez, M.; Colchero, J.; Gómez-Hertero, J.; Baró, A. M., Jumping mode scanning force microscopy: a suitable technique for imaging DNA in liquids. *Applied Surface Science* 2003, 210 (1–2), 22–26.

[204] Moreno-Herrero, F.; de Pablo, P. J.; Fernandez-Sanchez, R.; Colchero, J.; Gómez-Herrero, J.; Baró, A. M., Scanning force microscopy jumping and tapping modes in liquids. *Applied Physics Letters* 2002, 81 (14), 2620–22.

[205] Krüger, S.; Krüger, D.; Janshoff, A., Scanning force microscopy based rapid force curve acquisition on supported lipid bilayers: experiments and simulations using pulsed force mode. *ChemPhysChem* 2004, 5 (7), 989–97.

[206] Krotil, H.-U.; Stifter, T.; Waschipky, H.; Weishaupt, K.; Hild, S.; Marti, O., Pulsed force mode: a new method for the investigation of surface properties. *Surface and Interface Analysis* 1999, 27 (5–6), 336–40.

[207] Holzwarth, M. J.; Gigler, A. M.; Marti, O., Digital pulsed force mode. *Imaging & Microscopy* 2006, 8 (4), 37–38.

[208] Vanderwerf, K. O.; Putman, C. A. J.; Degrooth, B. G.; Greve, J., Adhesion force imaging in air and liquid by adhesion mode atomic-force microscopy. *Applied Physics Letters* 1994, 65 (9), 1195–97.

[209] Martin, Y.; Rugar, D.; Wickramasinghe, H. K., High-resolution magnetic imaging of domains in TbFe by force microscopy. *Applied Physics Letters* 1988, 52 (3), 244–46.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[210] Mamin, H. J.; Rugar, D.; Stern, J. E.; Terris, B. D.; Lambert, S. E., Force microscopy of magnetization patterns in longitudinal recording media. *Applied Physics Letters* 1988, 53 (16), 1563–65.

[211] Hartmann, U., Magnetic force microscopy. *Annual Review of Materials Science* 1999, 29, 53–87.

[212] Abelmann, L.; Porthun, S.; Haast, M.; Lodder, C.; Moser, A.; Best, M. E.; van Schendel, P. J. A.; Stiefel, B.; Hug, H. J.; Heydon, G. P.; Farley, A.; Hoon, S. R.; Pfaffelhuber, T.; Proksch, R.; Babcock, K., Comparing the resolution of magnetic force microscopes using the CAMST reference samples. *Journal of Magnetism and Magnetic Materials* 1998, 190 (1–2), 135–47.

[213] Porthun, S.; Abelmann, L.; Lodder, C., Magnetic force microscopy of thin film media for high density magnetic recording. *Journal of Magnetism and Magnetic Materials* 1998, 182 (1–2), 238–73.

[214] Lin, C. W.; Fan, F.-R. F.; Bard, A. J., High resolution photoelectrochemical etching of n-GaAs with the scanning electrochemical and tunneling microscope. *Journal of the Electrochemical Society* 1987, 134 (4), 1038–39.

[215] Giles, R.; Cleveland, J. P.; Manne, S.; Hansma, P. K.; Drake, B.; Maivald, P.; Boles, C.; Gurley, J.; Elings, V., Noncontact force microscopy in liquids. *Applied Physics Letters* 1993, 63 (5), 617–18.

[216] Hosaka, S.; Kikukawa, A.; Honda, Y.; Hasegawa, T., Just-on-surface magnetic force microscopy. *Applied Physics Letters* 1994, 65 (26), 3407–9.

[217] Raşa, M.; Kuipers, B. W. M.; Philipse, A. P., Atomic force microscopy and magnetic force microscopy study of model colloids. *Journal of Colloid and Interface Science* 2002, 250 (2), 303–15.

[218] Proksch, R.; Skidmore, G. D.; Dahlberg, E. D.; Foss, S.; Schmidt, J. J.; Merton, C.; Walsh, B.; Dugas, M., Quantitative magnetic field measurements with the magnetic force microscope. *Applied Physics Letters* 1996, 69 (17), 2599–2601.

[219] Proksch, R., Recent advances in magnetic force microscopy. *Current Opinion in Solid State & Materials Science* 1999, 4 (2), 231–36.

[220] Suter, A., The magnetic resonance force microscope. *Progress in Nuclear Magnetic Resonance Spectroscopy* 2004, 45 (3–4), 239–74.

[221] Schreiber, S.; Savla, M.; Pelekhov, D. V.; Iscru, D. F.; Selcu, C.; Hammel, P. C.; Agarwal, G., Magnetic force microscopy of superparamagnetic nanoparticles. *Small* 2008, 4 (2), 270–78.

[222] Stern, J. E.; Terris, B. D.; Mamin, H. J.; Rugar, D., Deposition and imaging of localized



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

charge on insulator surfaces using a force microscope. *Applied Physics Letters* 1988, 53 (26), 2717–19.

[223] Ratzke, M.; Reif, H., On the reliability of scanning probe based electrostatic force measurements. *Microelectronic Engineering* 2007, 84 (3), 512–16.

[224] Nonnenmacher, M.; Oboyle, M. P.; Wickramasinghe, H. K., Kelvin probe force microscopy. *Applied Physics Letters* 1991, 58 (25), 2921–23.

[225] Palermo, V.; Palma, M.; Samori, P., Electronic characterization of organic thin films by Kelvin probe force microscopy. *Advanced Materials* 2006, 18 (2), 145–64.

[226] Jacobs, H. O.; Leuchtmann, P.; Homan, O. J.; Stemmer, A., Resolution and contrast in Kelvin probe force microscopy. *Journal of Applied Physics* 1998, 84 (3), 1168–73.

[227] Cui, X.; Freitag, M.; Martel, R.; Brus, L.; Avouris, P., Controlling energy-level alignments at carbon nanotube/Au contacts. *Nano Letters* 2003, 3 (6), 783–87.

[228] Hillner, P. E.; Manne, S.; Gratz, A. J.; Hansma, P. K., AFM images of dissolution and growth on a calcite crystal. *Ultramicroscopy* 1992, 42, 1387–93.

[229] Macpherson, J. V.; Unwin, P. R., Combined scanning electrochemical-atomic force microscopy. *Analytical Chemistry* 2000, 72 (2), 276–85.

[230] Vidu, R.; Ku, J.-R.; Stroeve, P., Growth of ultrathin films of cadmium telluride and tellurium as studied by electrochemical atomic force microscopy. *Journal of Colloid and Interface Science* 2006, 300 (1), 404–12.

[231] Pollock, H. M.; Hammiche, A., Micro-thermal analysis: techniques and applications. *Journal of Physics D: Applied Physics* 2001, 34 (9), R23–R53.

[232] Price, D. M.; Reading, M.; Hammiche, A.; Pollock, H. M., Micro-thermal analysis: scanning thermal microscopy and localised thermal analysis. *International Journal of Pharmaceutics* 1999, 192 (1), 85–96.

[233] Hammiche, A.; Price, D. M.; Dupas, E.; Mills, G.; Kulik, A.; Reading, M.; Weaver, J. M. R.; Pollock, H. M., Two new microscopical variants of thermomechanical modulation: scanning thermal expansion microscopy and dynamic localized thermomechanical analysis. *Journal of Microscopy* 2000, 199 (3), 180–90.

[234] Tsukruk, V. V.; Gorbunov, V. V.; Fuchigami, N., Microthermal analysis of polymeric materials. *Thermochimica Acta* 2003, 395 (1–2), 151–58.

[235] Fischer, H., Calibration of micro-thermal analysis for the detection of glass transition temperatures and melting points – repeatability and reproducibility. *Journal of Thermal Analysis and Calorimetry* 2008, 92 (2), 625–30.

[236] Harding, L.; King, W. P.; Dai, X.; Craig, D. Q. M.; Reading, M., Nanoscale



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

characterisation and imaging of partially amorphous materials using local thermomechanical analysis and heated tip AFM. *Pharmaceutical Research* 2007, 24 (11), 2048–54.

[237] Zhang, J. X.; Roberts, C. J.; Shakesheff, K. M.; Davies, M. C.; Tendler, S. J. B., Micro- and macrothermal analysis of a bioactive surface-engineered polymer formed by physical entrapment of poly(ethylene glycol) into poly(lactic acid). *Macromolecules* 2003, 36 (4), 1215–21.

[238] Mallarino, S.; Chailan, J. F.; Vernet, J. L., Interphase investigation in glass fibre composites by micro-thermal analysis. *Composites Part A – Applied Science and Manufacturing* 2005, 36 (9), 1300–6.

[239] Woodward, I.; Ebbens, S.; Zhang, J.; Luk, S.; Patel, N.; Roberts, C. J., A combined imaging, microthermal and spectroscopic study of a multilayer packaging system. *Packaging Technology and Science* 2004, 17 (3), 129–38.

[240] Bond, L.; Allen, S.; Davies, M. C.; Roberts, C. J.; Shivji, A. P.; Tendler, S. J. B.; Williams, P. M.; Zhang, J. X., Differential scanning calorimetry and scanning thermal microscopy analysis of pharmaceutical materials. *International Journal of Pharmaceutics* 2002, 243 (1–2), 71–82.

[241] Germinario, L. T.; Shang, P. P., Advances in nano thermal analysis of coatings. *Journal of Thermal Analysis and Calorimetry* 2008, 93 (1), 207–11.

[242] Zhang, J. X.; Botterill, N. W.; Roberts, C. J.; Grant, D. M., Micro-thermal analysis of NiTi shape memory alloy thin films. *Thermochimica Acta* 2003, 401 (2), 111–19.

[243] Boroumand, F. A.; Hammiche, A.; Hill, G.; Lidzey, D. G., Characterizing joule heating in polymer light-emitting diodes using a scanning thermal microscope. *Advanced Materials* 2004, 16 (3), 252–56.

[244] Stievenard, D.; Legrand, B., Silicon surface nano-oxidation using scanning probe microscopy. *Progress in Surface Science* 2006, 81 (2–3), 112–40.

[245] Rank, R.; Bruckl, H.; Kretz, J.; Monch, I.; Reiss, G., Nanoscale modification of conducting lines with a scanning force microscope. *Vacuum* 1997, 48 (5), 467–72.

[246] Ginger, D. S.; Zhang, H.; Mirkin, C. A., The evolution of dip-pen nanolithography. *Angewandte Chemie International Edition* 2004, 43 (1), 30–45.

[247] Quate, C. F., Manipulation and modification of nanometer scale objects with the STM. *Highlights in Condensed Matter Physics and Future Prospects* 1991, 285, 573–630.

[248] Day, H. C.; Allee, D. R., Selective area oxidation of silicon with a scanning force microscope. *Applied Physics Letters* 1993, 62 (21), 2691–93.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[249] Xie, X. N.; Chung, H. J.; Sow, C. H.; Wee, A. T. S., Nanoscale materials patterning and engineering by atomic force microscopy nanolithography. *Materials Science & Engineering R-Reports* 2006, 54 (1–2), 1–48.

[250] Martínez, R. V.; Losilla, N. S.; Martinez, J.; Huttel, Y.; García, R., Patterning polymeric structures with 2 nm resolution at 3 nm half pitch in ambient conditions. *Nano Letters* 2007, 7 (7), 1846–50.

[251] Snow, E. S.; Campbell, P. M.; Perkins, F. K., Nanofabrication with proximal probes. *Proceedings of the IEEE* 1997, 85 (4), 601–11.

[252] Snow, E. S.; Campbell, P. M.; Perkins, F. K., High speed patterning of a metal silicide using scanned probe lithography. *Applied Physics Letters* 1999, 75 (10), 1476–78.

[253] Fontaine, P. A.; Dubois, E.; Stievenard, D., Characterization of scanning tunneling microscopy and atomic force microscopy-based techniques for nanolithography on hydrogen-passivated silicon. *Journal of Applied Physics* 1998, 84 (4), 1776–81.

[254] Tello, M.; García, R., Nano-oxidation of silicon surfaces: comparison of noncontact and contact atomic-force microscopy methods. *Applied Physics Letters* 2001, 79 (3), 424–26.

[255] Cavallini, M.; Mei, P.; Biscarini, F.; García, R., Parallel writing by local oxidation nanolithography with submicrometer resolution. *Applied Physics Letters* 2003, 83 (25), 5286–88.

[256] Martínez, R. V.; Losilla, N. S.; Martinez, J.; Tello, M.; García, R., Sequential and parallel patterning by local chemical nanolithography. *Nanotechnology* 2007, 18 (8), 084021.

[257] Minne, S. C.; Adams, J. D.; Yaralioglu, G.; Manalis, S. R.; Atalar, A.; Quate, C. F., Centimeter scale atomic force microscope imaging and lithography. *Applied Physics Letters* 1998, 73 (12), 1742–44.

[258] Held, R.; Vancura, T.; Heinzel, T.; Ensslin, K.; Holland, M.; Wegscheider, W., In-plane gates and nanostructures fabricated by direct oxidation of semiconductor heterostructures with an atomic force microscope. *Applied Physics Letters* 1998, 73 (2), 262–64.

[259] Held, R.; Heinzel, T.; Studerus, P.; Ensslin, K.; Holland, M., Semiconductor quantum point contact fabricated by lithography with an atomic force microscope. *Applied Physics Letters* 1997, 71 (18), 2689–91.

[260] Piner, R. D.; Zhu, J.; Xu, F.; Hong, S. H.; Mirkin, C. A., 'Dip-pen' nanolithography. *Science* 1999, 283 (5402), 661–63.

[261] Weeks, B. L.; Noy, A.; Miller, A. E.; De Yoreo, J. J., Effect of dissolution kinetics on



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

feature size in dip-pen nanolithography. *Physical Review Letters* 2002, 88 (25), 255505.

[262] Christman, K. L.; Enriquez-Rios, V. D.; Maynard, H. D., Nanopatterning proteins and peptides. *Soft Matter* 2006, 2 (11), 928–39.

[263] Noy, A.; Miller, A. E.; Klare, J. E.; Weeks, B. L.; Woods, B. W.; DeYoreo, J. J., Fabrication of luminescent nanostructures and polymer nanowires using dip-pen nanolithography. *Nano Letters* 2002, 2 (2), 109–12.

[264] Agarwal, G.; Sowards, L. A.; Naik, R. R.; Stone, M. O., Dip-pen nanolithography in tapping mode. *Journal of the American Chemical Society* 2003, 125 (2), 580–83.

[265] Fu, L.; Liu, X.; Zhang, Y.; Dravid, V. P.; Mirkin, C. A., Nanopatterning of 'hard' magnetic nanostructures via dip-pen nanolithography and a sol-based ink. *Nano Letters* 2003, 3 (6), 757–60.

[266] Tseng, A. A.; Notargiacomo, A.; Chen, T. P., Nanofabrication by scanning probe microscope lithography: a review. *Journal of Vacuum Science & Technology B* 2005, 23 (3), 877–94.

[267] King, W. P.; Kenny, T. W.; Goodson, K. E.; Cross, G.; Despont, M.; Durig, U.; Rothuizen, H.; Binnig, G. K.; Vettiger, P., Atomic force microscope cantilevers for combined thermomechanical data writing and reading. *Applied Physics Letters* 2001, 78 (9), 1300–2.

[268] Durig, U.; Cross, G.; Despont, M.; Drechsler, U.; Haberle, W.; Lutwyche, M. I.; Rothuizen, H.; Stutz, R.; Widmer, R.; Vettiger, P.; Binnig, G. K.; King, W. P.; Goodson, K. E., 'Millipede' – an AFM data storage system at the frontier of nanotribology. *Tribology Letters* 2000, 9 (1–2), 25–32.

[269] Pozidis, H.; Haberle, W.; Wiesmann, D.; Drechsler, U.; Despont, M.; Albrecht, T. R.; Eleftheriou, E., Demonstration of thermomechanical recording at 641 Gbit/in$^2$. *IEEE Transactions on Magnetics* 2004, 40 (4), 2531–36.

[270] Junno, T.; Deppert, K.; Montelius, L.; Samuelson, L., Controlled manipulation of nanoparticles with an atomic-force microscope. *Applied Physics Letters* 1995, 66 (26), 3627–29.

[271] Hu, J.; Zhang, Y.; Gao, H. B.; Li, M. Q.; Hartmann, U., Artificial DNA patterns by mechanical nanomanipulation. *Nano Letters* 2002, 2 (1), 55–57.

[272] Ternes, M.; Lutz, C. P.; Hirjibehedin, C. F.; Giessibl, F. J.; Heinrich, A. J., The force needed to move an atom on a surface. *Science* 2008, 319 (5866), 1066–69.

[273] Sugimoto, Y.; Abe, M.; Hirayama, S.; Oyabu, N.; Custance, O.; Morita, S., Atom inlays performed at room temperature using atomic force microscopy. *Nature Materials* 2005, 4 (2), 156–59.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[274] Liu, M.; Amro, N. A.; Liu, G. Y., Nanografting for surface physical chemistry. *Annual Review of Physical Chemistry* 2008, 59, 367–86.

[275] Liang, J.; Scoles, G., Nanografting of alkanethiols by tapping mode atomic force microscopy. *Langmuir* 2007, 23 (11), 6142–47.

[276] Wadu-Mesthrige, K.; Xu, S.; Amro, N. A.; Liu, G. Y., Fabrication and imaging of nanometer-sized protein patterns. *Langmuir* 1999, 15 (25), 8580–83.

[277] Xu, S.; Liu, G. Y., Nanometer-scale fabrication by simultaneous nanoshaving and molecular self-assembly. *Langmuir* 1997, 13 (2), 127–29.

[278] Paik, P.; Kar, K. K.; Deva, D.; Sharma, A., Measurement of mechanical properties of polymer nanospheres by atomic force microscopy: effects of particle size. *Micro & Nano Letters* 2007, 2 (3), 72–77.

[279] Abdelhady, H. G.; Allen, S.; Ebbens, S. J.; Madden, C.; Patel, N.; Roberts, C. J.; Zhang, J. X., Towards nanoscale metrology for biomolecular imaging by atomic force microscopy. *Nanotechnology* 2005, 16 (6), 966–73.

[280] De la Fuente, J. M.; Eaton, P.; Barrientos, A. G.; Menendez, M.; Penades, S., Thermodynamic evidence for $Ca^{2+}$-mediated self-aggregation of Lewis X gold glyconanoparticles. A model for cell adhesion via carbohydrate–carbohydrate interaction. *Journal of the American Chemical Society* 2005, 127 (17), 6192–97.

[281] Wang, H.; Tessmer, I.; Croteau, D. L.; Erie, D. A.; Van Houten, B., Functional characterization and atomic force microscopy of a DNA repair protein conjugated to a quantum dot. *Nano Letters* 2008, 8 (6), 1631–37.

[282] Quintana, M.; Haro-Poniatowski, E.; Morales, J.; Batina, N., Synthesis of selenium nanoparticles by pulsed laser ablation. *Applied Surface Science* 2002, 195 (1–4), 175–86.

[283] Pimpha, N.; Rattanonchai, U.; Surassmo, S.; Opanasopit, P.; Rattanarungchai, C.; Sunintaboon, P., Preparation of PMMA/acid-modified chitosan core-shell nanoparticles and their potential as gene carriers. *Colloid and Polymer Science* 2008, 286 (8–9), 907–16.

[284] Garcia, P.; Eaton, P.; Geurts, H. P. M.; Sousa, M.; Gameiro, P.; Feiters, M. C.; Nolte, R. J. M.; Pereira, E.; de Castro, B., AFM and electron microscopy study of the unusual aggregation behavior of metallosurfactants based on iron(II) complexes with bipyridine ligands. *Langmuir* 2007, 23 (15), 7951–57.

[285] Thomson, N. H., Imaging the substructure of antibodies with tapping-mode AFM in air: the importance of a water layer on mica. *Journal of Microscopy* 2005, 217 (3), 193–99.

[286] Bickmore, B. R.; Hochella, M. F.; Bosbach, D.; Charlet, L., Methods for performing atomic force microscopy imaging of clay minerals in aqueous solutions. *Clays and Clay Minerals* 1999, 47 (5), 573–81.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[287] Vesenka, J.; Manne, S.; Giberson, R.; Marsh, T.; Henderson, E., Colloidal gold particles as an incompressible atomic-force microscope imaging standard for assessing the compressibility of biomolecules. *Biophysical Journal* 1993, 65 (3), 992–97.

[288] Doron, A.; Joselevich, E.; Schlittner, A.; Willner, I., AFM characterization of the structure of Au-colloid monolayers and their chemical etching. *Thin Solid Films* 1999, 340 (1–2), 183–88.

[289] Sato, H.; Ohtsu, T.; Komasawa, I., Atomic force microscopy study of ultrafine particles prepared in reverse micelles. *Journal of Colloid and Interface Science* 2000, 230 (1), 200–4.

[290] Vinelli, A.; Primiceri, E.; Brucale, M.; Zuccheri, G.; Rinaldi, R.; Samori, B., Sample preparation for the quick sizing of metal nanoparticles by atomic force microscopy. *Microscopy Research and Technique* 2008, 71 (12), 870–79.

[291] Benoit, M.; Holstein, T.; Gaub, H. E., Lateral forces in AFM imaging and immobilization of cells and organelles. *European Biophysics Journal* 1997, 26 (4), 283–90.

[292] Lobo, R. F. M.; Pereira-da-Silva, M. A.; Raposo, M.; Faria, R. M.; Oliveira Jr., O. N., *In situ* thickness measurements of ultra-thin multilayer polymer films by atomic force microscopy. *Nanotechnology* 1999, 10 (4), 389–93.

[293] Kaczmarek, H.; Chaberska, H., The influence of solvent residue, support type and UV-irradiation on surface morphology of poly(methyl methacrylate) films studied by atomic force microscopy. *Polymer Testing* 2008, 27 (6), 736–42.

[294] Wagner, P., Immobilization strategies for biological scanning probe microscopy. *FEBS Letters* 1998, 430 (1–2), 112–15.

[295] Adamcik, J.; Klinov, D. V.; Witz, G.; Sekatskii, S. K.; Dietler, G., Observation of single-stranded DNA on mica and highly oriented pyrolytic graphite by atomic force microscopy. *FEBS Letters* 2006, 580 (24), 5671–75.

[296] Brett, A. M. O.; Chiorcea, A. M., Atomic force microscopy of DNA immobilized onto a highly oriented pyrolytic graphite electrode surface. *Langmuir* 2003, 19 (9), 3830–39.

[297] Vesenka, J.; Guthold, M.; Tang, C. L.; Keller, D.; Delaine, E.; Bustamante, C., Substrate preparation for reliable imaging of DNA-molecules with the scanning force microscope. *Ultramicroscopy* 1992, 42, 1243–49.

[298] Hansma, H. G.; Laney, D. E., DNA binding to mica correlates with cationic radius: assay by atomic force microscopy. *Biophysical Journal* 1996, 70 (4), 1933–39.

[299] Sanchez-Sevilla, A.; Thimonier, J.; Marilley, M.; Rocca-Serra, J.; Barbet, J., Accuracy of AFM measurements of the contour length of DNA fragments adsorbed on mica in air and in aqueous buffer. *Ultramicroscopy* 2002, 92 (3–4), 151–58.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[300] Lyubchenko, Y. L.; Shlyakhtenko, L. S., AFM for analysis of structure and dynamics of DNA and protein-DNA complexes. *Methods* 2009, 47 (3), 206–13.

[301] Gaczynska, M.; Osmulski, P. A., AFM of biological complexes: what can we learn? *Current Opinion in Colloid & Interface Science* 2008, 13 (5), 351–67.

[302] El Kirat, K.; Burton, I.; Dupres, V.; Dufrêne, Y. F., Sample preparation procedures for biological atomic force microscopy. *Journal of Microscopy* 2005, 218 (3), 199–207.

[303] Cullen, D. C.; Lowe, C. R., AFM studies of protein adsorption. 1. Time-resolved protein adsorption to highly oriented pyrolytic-graphite. *Journal of Colloid and Interface Science* 1994, 166 (1), 102–8.

[304] Viani, M. B.; Pietrasanta, L. I.; Thompson, J. B.; Chand, A.; Gebeshuber, I. C.; Kindt, J. H.; Richter, M.; Hansma, H. G.; Hansma, P. K., Probing protein–protein interactions in real time. *Nature Structural Biology* 2000, 7 (8), 644–47.

[305] Czajkowsky, D. M.; Shao, Z., Inhibition of protein adsorption to muscovite mica by monovalent cations. *Journal of Microscopy* 2003, 211 (1), 1–7.

[306] Klein, D. C. G.; Stroh, C. M.; Jensenius, H.; van Es, M.; Kamruzzahan, A. S. M.; Stamouli, A.; Gruber, H. J.; Oosterkamp, T. H.; Hinterdorfer, P., Covalent immobilization of single proteins on mica for molecular recognition force microscopy. *ChemPhysChem* 2003, 4 (12), 1367–71.

[307] Müller, D. J.; Engel, A., Strategies to prepare and characterize native membrane proteins and protein membranes by AFM. *Current Opinion in Colloid & Interface Science* 2008, 13 (5), 338–50.

[308] Neves, P.; Lopes, S. C. D. N.; Sousa, I.; Garcia, S.; Eaton, P.; Gameiro, P., Characterization of membrane protein reconstitution in LUVs of different lipid composition by fluorescence anisotropy. *Journal of Pharmaceutical and Biomedical Analysis* 2008, 49 (2), 276–81.

[309] Pelling, A. E.; Veraitch, F. S.; Chu, C. P.-K.; Nicholls, B. M.; Hemsley, A. L.; Mason, C.; Horton, M. A., Mapping correlated membrane pulsations and fluctuations in human cells. *Journal of Molecular Recognition* 2007, 20 (6), 467–75.

[310] Espenel, C.; Giocondi, M.-C.; Seantier, B.; Dosset, P.; Milhiet, P.-E.; Le Grimellec, C., Temperature-dependent imaging of living cells by AFM. *Ultramicroscopy* 2008, 108 (10), 1174–80.

[311] Braet, F.; de Zanger, R.; Seynaeve, C.; Baekeland, M.; Wisse, E., A comparative atomic force microscopy study on living skin fibroblasts and liver endothelial cells. *Journal of Electron Microscopy* 2001, 50 (4), 283–90.

[312] Núñez, M. E.; Martin, M. O.; Chan, P. H.; Duong, L. K.; Sindhurakar, A. R.; Spain, E.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

M., Atomic force microscopy of bacterial communities. In *Environmental Microbiology*, Elsevier Academic Press Inc: San Diego, 2005; Vol. 397, pp 256–68.

[313] Vadillo-Rodriguez, V.; Busscher, H. J.; Norde, W.; de Vries, J.; Dijkstra, R. J. B.; Stokroos, I.; van der Mei, H. C., Comparison of atomic force microscopy interaction forces between bacteria and silicon nitride substrata for three commonly used immobilization methods. *Applied and Environmental Microbiology* 2004, 70 (9), 5541–46.

[314] Burks, G. A.; Velegol, S. B.; Paramonova, E.; Lindenmuth, B. E.; Feick, J. D.; Logan, B. E., Macroscopic and nanoscale measurements of the adhesion of bacteria with varying outer layer surface composition. *Langmuir* 2003, 19 (6), 2366–71.

[315] Micic, M.; Hu, D.; Suh, Y. D.; Newton, G.; Romine, M.; Lu, H. P., Correlated atomic force microscopy and fluorescence lifetime imaging of live bacterial cells. *Colloids and Surfaces B: Biointerfaces* 2004, 34 (4), 205–12.

[316] Volle, C. B.; Ferguson, M. A.; Aidala, K. E.; Spain, E. M.; Nuñez, M. E., Quantitative changes in the elasticity and adhesive properties of *Escherichia coli* ZK1056 prey cells during predation by *Bdellovibrio bacteriovorus* 109J. *Langmuir* 2008, 24 (15), 8102–10.

[317] Kailas, L.; Ratcliffe, E. C.; Hayhurst, E. J.; Walker, M. G.; Foster, S. J.; Hobbs, J. K., Immobilizing live bacteria for AFM imaging of cellular processes. *Ultramicroscopy* 2009, 109 (7), 775–80.

[318] Schultze, J. W.; Davepon, B.; Karman, F.; Rosenkranz, C.; Schreiber, A.; Voigt, O., Corrosion and passivation in nanoscopic and microscopic dimensions: the influence of grains and grain boundaries. *Corrosion Engineering, Science and Technology* 2004, 39, 45–52.

[319] Bezanilla, M.; Manne, S.; Laney, D. E.; Lyubchenko, Y. L.; Hansma, H. G., Adsorption of DNA to mica, silylated mica, and minerals – characterization by atomic-force microscopy. *Langmuir* 1995, 11 (2), 655–59.

[320] Müller, D. J.; Janovjak, H.; Lehto, T.; Kuerschner, L.; Anderson, K., Observing structure, function and assembly of single proteins by AFM. *Progress in Biophysics and Molecular Biology* 2002, 79 (1–3), 1–43.

[321] Bystrenova, E.; Radenovic, A.; Libioulle, L.; Dietler, G. *Importance of substrate for biological imaging by AFM at low temperature. Scanning tunneling microscopy/spectroscopy and related techniques: 12th International Conference*. AIP: Eindhoven, Netherlands, 2003; pp 461–66.

[322] Bhushan, B.; Tokachichu, D. R.; Keener, M. T.; Lee, S. C., Morphology and adhesion of biomolecules on silicon based surfaces. *Acta Biomaterialia* 2005, 1 (3), 327–41.

[323] Olbrich, A.; Ebersberger, B.; Boit, C., Conducting atomic force microscopy for nanoscale electrical characterization of thin SiO2. *Applied Physics Letters* 1998, 73 (21),



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

3114–16.

[324] Henke, L.; Nagy, N.; Krull, U. J., An AFM determination of the effects on surface roughness caused by cleaning of fused silica and glass substrates in the process of optical biosensor preparation. *Biosensors & Bioelectronics* 2002, 17 (6–7), 547–55.

[325] Banner, L. T.; Richter, A.; Pinkhassik, E., Pinhole-free large-grained atomically smooth Au(111) substrates prepared by flame-annealed template stripping. *Surface and Interface Analysis* 2009, 41 (1), 49–55.

[326] Rundqvist, J.; Hoh, J. H.; Haviland, D. B., Substrate effects in poly(ethylene glycol) self-assembled monolayers on granular and flame-annealed gold. *Journal of Colloid and Interface Science* 2006, 301 (1), 337–41.

[327] Rundqvist, J.; Hoh, J. H.; Haviland, D. B., Poly(ethylene glycol) self-assembled monolayer island growth. *Langmuir* 2005, 21 (7), 2981–87.

[328] Hegner, M.; Wagner, P.; Semenza, G., Ultralarge atomically flat template-stripped Au surfaces for scanning probe microscopy. *Surface Science* 1993, 291 (1–2), 39–46.

[329] Wagner, P.; Hegner, M.; Guntherodt, H. J.; Semenza, G., Formation and *in-situ* modification of monolayers chemisorbed on ultraflat template-stripped gold surfaces. *Langmuir* 1995, 11 (10), 3867–75.

[330] Mosley, D. W.; Chow, B. Y.; Jacobson, J. M., Solid-state bonding technique for template-stripped ultraflat gold Substrates. *Langmuir* 2006, 22 (6), 2437–40.

[331] Cannara, R. J.; Eglin, M.; Carpick, R. W., Lateral force calibration in atomic force microscopy: a new lateral force calibration method and general guidelines for optimization. *Review of Scientific Instruments* 2006, 77 (5), 053701.

[332] Cain, R. G.; Reitsma, M. G.; Biggs, S.; Page, N. W., Quantitative comparison of three calibration techniques for the lateral force microscope. *Review of Scientific Instruments* 2001, 72 (8), 3304–12.

[333] Prunici, P.; Hess, P., Quantitative characterization of crosstalk effects for friction force microscopy with scan-by-probe SPMs. *Ultramicroscopy* 2008, 108 (7), 642–45.

[334] Leggett, G. J.; Brewer, N. J.; Chonga, K. S. L., Friction force microscopy: towards quantitative analysis of molecular organisation with nanometre spatial resolution. *Physical Chemistry Chemical Physics* 2005, 7 (6), 1107–20.

[335] Xie, H.; Vitard, J.; Haliyo, S.; Regnier, S.; Boukallel, M., Calibration of lateral force measurements in atomic force microscopy with a piezoresistive force sensor. *Review of Scientific Instruments* 2008, 79 (3), 033708.

[336] Cain, R. G.; Biggs, S.; Page, N. W., Force calibration in lateral force microscopy.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Journal of Colloid and Interface Science* 2000, 227 (1), 55–65.

[337] Varenberg, M.; Etsion, I.; Halperin, G., An improved wedge calibration method for lateral force in atomic force microscopy. *Review of Scientific Instruments* 2003, 74 (7), 3362–67.

[338] Ecke, S.; Raiteri, R.; Bonaccurso, E.; Reiner, C.; Deiseroth, H.-J.; Butt, H. J., Measuring normal and friction forces acting on individual fine particles. *Review of Scientific Instruments* 2001, 72 (11), 4164–70.

[339] Asay, D. B.; Kim, S. H., Direct force balance method for atomic force microscopy lateral force calibration. *Review of Scientific Instruments* 2006, 77 (4), 043903.

[340] Schäffer, T. E.; Radmacher, M.; Proksch, R., Magnetic force gradient mapping. *Journal of Applied Physics* 2003, 94 (10), 6525–32.

[341] García, R.; San Paulo, A., Dynamics of a vibrating tip near or in intermittent contact with a surface. *Physical Review B* 2000, 61 (20), 13381–84.

[342] García, R.; San Paulo, A., Amplitude curves and operating regimes in dynamic atomic force microscopy. *Ultramicroscopy* 2000, 82 (1–4), 79–83.

[343] Motamedi, R.; Wood-Adams, P. M., Influence of fluid cell design on the frequency response of AFM microcantilevers in liquid media. *Sensors* 2008, 8 (9), 5927–41.

[344] Kokavecz, J.; Mechler, A., Investigation of fluid cell resonances in intermittent contact mode atomic force microscopy. *Applied Physics Letters* 2007, 91 (2), 023113.

[345] Nnebe, I.; Schneider, J. W., Characterization of distance-dependent damping in tapping-mode atomic force microscopy force measurements in liquid. *Langmuir* 2004, 20 (8), 3195–3201.

[346] Tamayo, J.; Humphris, A. D. L.; Miles, M. J., Piconewton regime dynamic force microscopy in liquid. *Applied Physics Letters* 2000, 77 (4), 582–84.

[347] Kowalewski, T.; Holtzman, D. M. *In situ* atomic force microscopy study of Alzheimer's beta-amyloid peptide on different substrates: new insights into mechanism of beta-sheet formation, *Proceedings of the National Academy of Sciences, of the United States of America* 1999, 96 (7), 3688–93.

[348] Herruzo, E. T.; García, R., Frequency response of an atomic force microscope in liquids and air: magnetic versus acoustic excitation. *Applied Physics Letters* 2007, 91 (14), 143113.

[349] Putman, C. A. J.; Vanderwerf, K. O.; Degrooth, B. G.; Vanhulst, N. F.; Greve, J., Viscoelasticity of living cells allows high resolution imaging by tapping mode atomic force microscopy. *Biophysical Journal* 1994, 67 (4), 1749–53.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[350] Maali, A.; Hurth, C.; Cohen-Bouhacina, T.; Couturier, G.; Aime, J. P., Improved acoustic excitation of atomic force microscope cantilevers in liquids. *Applied Physics Letters* 2006, 88 (16), 163504.

[351] Dcosta, N. P.; Hoh, J. H., Calibration of optical lever sensitivity for atomic force microscopy. *Review of Scientific Instruments* 1995, 66 (10), 5096–97.

[352] Russ, J. C., Correcting image defects. In *The Image Processing Handbook* fifth edition. CRC: 2006; pp 195–268.

[353] Russ, J. C., Human vision. In *The Image Processing Handbook*, fifth edition. CRC: 2006; pp 83–134.

[354] Nguyen, C. V.; Stevens, R. M. D.; Barber, J.; Han, J.; Meyyappan, M.; Sanchez, M. I.; Larson, C.; Hinsberg, W. D., Carbon nanotube scanning probe for profiling of deep-ultraviolet and 193 nm photoresist patterns. *Applied Physics Letters* 2002, 81 (5), 901–3.

[355] Tay, A. B. H.; Thong, J. T. L., High-resolution nanowire atomic force microscope probe grown by a field-emission induced process. *Applied Physics Letters* 2004, 84 (25), 5207–9.

[356] Haycocks, J.; Jackson, K. *Detecting and addressing the surface following errors in the calibration of step heights by atomic force microscopy*, Nanoscale 2006 Seminar, Bern, Switzerland, 2006; IOP Publishing Ltd; pp 469–75.

[357] ISO, ISO 5436-1:2000. In *Geometrical Product Specifications (GPS) – Surface Texture: Profile Method; Measurement Standards – Part 1: Material Measures*, 2000.

[358] Poon, C. Y.; Bhushan, B., Comparison of surface roughness measurements by stylus profiler, AFM and non-contact optical profiler. *Wear* 1995, 190 (1), 76–88.

[359] Ramón-Torregrosa, P. J.; Rodríguez-Valverde, M. A.; Amirfazli, A.; Cabrerizo-Vílchez, M. A., Factors affecting the measurement of roughness factor of surfaces and its implications for wetting studies. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 2008, 323 (1–3), 83–93.

[360] Ohlsson, R.; Wihlborg, A.; Westberg, H. *The accuracy of fast 3D topography measurements*, 8th International Conference on Metrology and Properties of Engineering Surfaces, Huddersfield, UK, 2000; Pergamon-Elsevier Science Ltd: Oxford; pp 1899–1907.

[361] Smith, J. R.; Breakspear, S.; Campbell, S. A., AFM in surface finishing: Part II. Surface roughness. *Transactions of the Institute of Metal Finishing* 2003, 81, B55–B58.

[362] Fang, S. J.; Haplepete, S.; Chen, W.; Helms, C. R.; Edwards, H., Analyzing atomic force microscopy images using spectral methods. *Journal of Applied Physics* 1997, 82 (12), 5891–98.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[363] Thomas, T. R., Amplitude parameters. In *Rough Surfaces*. Imperial College Press: London, 1999.

[364] Gispert, M. P.; Serro, A. P.; Colaço, R.; Pires, E.; Saramago, B., Wear of ceramic coated metal-on-metal bearings used for hip replacement. *Wear* 2007, 263 (7–12), 1060–65.

[365] Patton, S. T.; Bhushan, B., Origins of friction and wear of the thin metallic layer of metal evaporated magnetic tape. *Wear* 1999, 224 (1), 126–40.

[366] Lamolle, S. F.; Monjo, M.; Lyngstadaas, S. P.; Ellingsen, J. E.; Haugen, H. J., Titanium implant surface modification by cathodic reduction in hydrofluoric acid: surface characterization and *in vivo* performance. *Journal of Biomedical Materials Research Part A* 2009, 88A (3), 581–88.

[367] Jähne, B., Segmentation. In *Practical Handbook on Image Processing for Scientific and Technical Applications*. CRC Press: 2004; pp 475–86.

[368] Klapetek, P.; Ohlídal, I.; Franta, D.; Montaigne-Ramil, A.; Bonanni, A.; Stifter, D.; Sitter, H., Atomic force microscopy characterization of ZnTe epitaxial films. *Acta Physica Slovaca* 2003, 53 (3), 223–30.

[369] Beucher, S.; Meyer, F., The morphological approach to segmentation: the watershed transformation. In *Mathematical Morphology in Image Processing* Dougherty, E. R., Ed. CRC Press: 1993; pp 433–81.

[370] El Feninat, F.; Elouatik, S.; Ellis, T. H.; Sacher, E.; Stangel, I., Quantitative assessment of surface roughness as measured by AFM: application to polished human dentin. *Applied Surface Science* 2001, 183 (3–4), 205–15.

[371] Marga, F.; Grandbois, M.; Cosgrove, D. J.; Baskin, T. I., Cell wall extension results in the coordinate separation of parallel microfibrils: evidence from scanning electron microscopy and atomic force microscopy. *Plant Journal* 2005, 43 (2), 181–90.

[372] Gan, Y., Atomic and subnanometer resolution in ambient conditions by atomic force microscopy. *Surface Science Reports* 2009, 64 (3), 99–121.

[373] Bokern, D. G.; Ducker, W. A. C.; Hunter, K. A.; McGrath, K. M., Surface imaging of a natural mineral surface using scanning-probe microscopy. *Journal of Crystal Growth* 2002, 246 (1–2), 139–49.

[374] Bowen, W. R.; Doneva, T. A., Artefacts in AFM studies of membranes: correcting pore images using fast Fourier transform filtering. *Journal of Membrane Science* 2000, 171 (1), 141–47.

[375] Vallieres, K.; Chevallier, P.; Sarra-Bournett, C.; Turgeon, S.; Laroche, G., AFM imaging of immobilized fibronectin: does the surface conjugation scheme affect the



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

protein orientation/conformation? *Langmuir* 2007, 23 (19), 9745–51.

[376] Margeat, E.; Le Grimellec, C.; Royer, C. A., Visualization of trp repressor and its complexes with DNA by atomic force microscopy. *Biophysical Journal* 1998, 75 (6), 2712–20.

[377] Danzebrink, H. U.; Koenders, L.; Wilkening, G.; Yacoot, A.; Kunzmann, H. Advances in scanning force microscopy for dimensional metrology, *CIRP Annals – Manufacturing Technology*, 2006, 55 (2), 841–78.

[378] Taatjes, D. J.; Quinn, A. S.; Lewis, M. R.; Bovill, E. G., Quality assessment of atomic force microscopy probes by scanning electron microscopy: correlation of tip structure with rendered images. *Microscopy Research and Technique* 1999, 44 (5), 312–26.

[379] Chen, Y.; Cai, J. Y.; Liu, M. L.; Zeng, G. C.; Feng, Q.; Chen, Z. W., Research on double-probe, double- and triple-tip effects during atomic force microscopy scanning. *Scanning* 2004, 26 (4), 155–61.

[380] Nie, H.-Y.; Walzak, M. J.; Mcintyre, N. S., Use of biaxially oriented polypropylene film for evaluating and cleaning contaminated atomic force microscopy probe tips: an application to blind reconstruction. *Review of Scientific Instruments* 2002, 73 (11), 3831–36.

[381] Nowakowski, R.; Luckham, P.; Winlove, P., Imaging erythrocytes under physiological conditions by atomic force microscopy. *Biochimica et Biophysica Acta – Biomembranes* 2001, 1514 (2), 170–76.

[382] Velegol, S. B.; Pardi, S.; Li, X.; Velegol, D.; Logan, B. E., AFM imaging artifacts due to bacterial cell height and AFM tip geometry. *Langmuir* 2003, 19 (3), 851–57.

[383] Gruber, A.; Gspann, J.; Hoffmann, H., Nanostructures produced by cluster beam lithography. *Applied Physics A: Materials Science & Processing* 1999, 68 (2), 197–201.

[384] Stuart, B. H., Scanning probe microscopy. In *Analytical Techniques in Materials Conservation*, John Wiley and Sons: 2007; pp 100–03.

[385] Ploeger, R.; Murray, A.; Hesp, S.; Scalarone, D. *An investigation of the chemical changes of artists' acrylic paint films when exposed to water*, 7th Symposium on Materials Issues in Art and Archaeology, held at the 2004 MRS Fall Meeting, Boston, MA, 2004; Vandiver, P. B.; Mass, J. L.; Murray, A., Eds. Materials Research Society: pp 49–56.

[386] Steele, A.; Goddard, D.; Beech, I. B.; Tapper, R. C.; Stapleton, D.; Smith, J. R., Atomic force microscopy imaging of fragments from the Martian meteorite ALH84001. *Journal of Microscopy* 1998, 189 (1), 2–7.

[387] Nagy, K. L.; Blum, A. E., *Scanning Probe Microscopy of Clay Minerals*. Clay Minerals Society: 1994.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[388] Morris, V. J.; Gunning, A. P., Microscopy, microstructure and displacement of proteins from interfaces: implications for food quality and digestion. *Soft Matter* 2008, 4 (5), 943–51.

[389] Yang, H.; Wang, Y.; Lai, S.; An, H.; Li, Y.; Chen, F., Application of atomic force microscopy as a nanotechnology tool in food science. *Journal of Food Science* 2007, 72 (4), R65–R75.

[390] Ward, M. D., Bulk crystals to surfaces: combining X-ray diffraction and atomic force microscopy to probe the structure and formation of crystal interfaces. *Chemical Reviews* 2001, 101 (6), 1697–1725.

[391] Meyer, E.; Hug, H. J.; Bennewitz, R., Force microscopy. In *Scanning Probe Microscopy: The Lab on a Tip*. Springer: 2003; pp 45–92.

[392] Masaki, N.; Machida, K.; Kado, H.; Yokoyama, K.; Tohda, T., Molecular-resolution images of aspirin crystals with atomic force microscopy. *Ultramicroscopy* 1992, 42, 1148–54.

[393] Samori, P., Exploring supramolecular interactions and architectures by scanning force microscopies. *Chemical Society Reviews* 2005, 34 (7), 551–61.

[394] Carpick, R. W.; Salmeron, M., Scratching the surface: fundamental investigations of tribology with atomic force microscopy. *Chemical Reviews* 1997, 97 (4), 1163–94.

[395] Bhushan, B., Nanotribology and nanomechanics in nano/biotechnology. *Philosophical Transactions of the Royal Society A – Mathematical Physical and Engineering Sciences* 2008, 366 (1870), 1499–1537.

[396] Assender, H.; Bliznyuk, V.; Porfyrakis, K., How surface topography relates to materials' properties. *Science* 2002, 297 (5583), 973–76.

[397] Neogi, P., Length scales and roughness on a growing solid surface: a review. *Journal of Electroanalytical Chemistry* 2006, 595 (1), 1–10.

[398] Jandt, K. D., Atomic force microscopy of biomaterials surfaces and interfaces. *Surface Science* 2001, 491 (3), 303–32.

[399] Agnihotri, A.; Garrett, J. T.; Runt, J.; Siedlecki, C. A., Atomic force microscopy visualization of poly(urethane urea) microphase rearrangements under aqueous environment. *Journal of Biomaterials Science – Polymer Edition* 2006, 17 (1–2), 227–38.

[400] Marti, O.; Stifter, T.; Waschipky, H.; Quintus, M.; Hild, S., Scanning probe microscopy of heterogeneous polymers. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 1999, 154 (1–2), 65–73.

[401] Simon, A.; Durrieu, M. C., Strategies and results of atomic force microscopy in the



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

study of cellular adhesion. *Micron* 2006, 37 (1), 1–13.

[402] Tak, Y.-H.; Kim, K.-B.; Park, H.-G.; Lee, K.-H.; Lee, J.-R., Criteria for ITO (indium-tin-oxide) thin film as the bottom electrode of an organic light emitting diode. *Thin Solid Films* 2002, 411 (1), 12–16.

[403] Whitehead, K. A.; Verran, J. The effect of surface topography on the retention of microorganisms, *Food and Bioproducts Processing* 2006, 84 (4), 253–59.

[404] Mitik-Dineva, N.; Wang, J.; Truong, V. K.; Stoddart, P.; Malherbe, F.; Crawford, R. J.; Ivanova, E. P., *Escherichia coli, Pseudomonas aeruginosa*, and *Staphylococcus aureus* attachment patterns on glass surfaces with nanoscale roughness. *Current Microbiology* 2009, 58 (3), 268–73.

[405] Swerts, J.; Temst, K.; Van Bael, M. J.; Van Haesendonck, C.; Bruynseraede, Y., Magnetic domain wall trapping by in-plane surface roughness modulation. *Applied Physics Letters* 2003, 82 (8), 1239–41.

[406] Cai, K. Y.; Muller, M.; Bossert, J.; Rechtenbach, A.; Jandt, K. D., Surface structure and composition of flat titanium thin films as a function of film thickness and evaporation rate. *Applied Surface Science* 2005, 250 (1–4), 252–67.

[407] Yu, E. T., Nanoscale characterization of semiconductor materials and devices using scanning probe techniques. *Materials Science & Engineering R-Reports* 1996, 17 (4–5), 147–206.

[408] Walther, F.; Heckl, W. M.; Stark, R. W., Evaluation of nanoscale roughness measurements on a plasma treated SU-8 polymer surface by atomic force microscopy. *Applied Surface Science* 2008, 254 (22), 7290–95.

[409] Shellenberger, K.; Logan, B. E., Effect of molecular scale roughness of glass beads on colloidal and bacterial deposition. *Environmental Science & Technology* 2002, 36 (2), 184–89.

[410] Smith, J. R.; Swift, J. A., Maple syrup urine disease hair reveals the importance of 18-methyleicosanoic acid in cuticular delamination. *Micron* 2005, 36 (3), 261–66.

[411] Cacciafesta, P.; Hallam, K. R.; Watkinson, A. C.; Allen, G. C.; Miles, M. J.; Jandt, K. D., Visualisation of human plasma fibrinogen adsorbed on titanium implant surfaces with different roughness. *Surface Science* 2001, 491 (3), 405–20.

[412] Cacciafesta, P.; Hallam, K. R.; Oyedepo, C. A.; Humphris, A. D. L.; Miles, M. J.; Jandt, K. D., Characterization of ultraflat titanium oxide surfaces. *Chemistry of Materials* 2002, 14 (2), 777–89.

[413] MacDonald, D. E.; Markovic, B.; Allen, M.; Somasundaran, P.; Boskey, A. L., Surface analysis of human plasma fibronectin adsorbed to commercially pure titanium materials.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Journal of Biomedical Materials Research* 1998, 41 (1), 120–30.

[414] Larsson, C.; Thomsen, P.; Aronsson, B. O.; Rodahl, M.; Lausmaa, J.; Kasemo, B.; Ericson, L. E., Bone response to surface-modified titanium implants: studies on the early tissue response to machined and electropolished implants with different oxide thicknesses. *Biomaterials* 1996, 17 (6), 605–16.

[415] Méndez-Vilas, A.; Bruque, J. M.; Gonzalez-Martin, M. L., Sensitivity of surface roughness parameters to changes in the density of scanning points in multi-scale AFM studies. Application to a biomaterial surface. *Ultramicroscopy* 2007, 107 (8), 617–25.

[416] Macdonald, W.; Campbell, P.; Fisher, J.; Wennerberg, A., Variation in surface texture measurements. *Journal of Biomedical Materials Research B, Applied Biomaterials* 2004, 70B (2), 262–69.

[417] Hues, S. M.; Draper, C. F.; Colton, R. J. Measurement of nanomechanical properties of metals using the atomic force microscope, *Journal of Vacuum Science and Technology B* 1994, 13 (3), 2211–14.

[418] Bhushan, B.; Koinkar, V. N. Microtribological studies of doped single-crystal silicon and polysilicon films for MEMS devices, *Sensors and Actuators A: Physical*, 1996, 57(2), 91–102.

[419] Withers, J. R.; Aston, D. E., Nanomechanical measurements with AFM in the elastic limit. *Advances in Colloid and Interface Science* 2006, 120 (1–3), 57–67.

[420] Wen, J., Some mechanical properties of typical polymer-based composites. In *Physical Properties of Polymers Handbook*, Mark, J. E., Ed. Springer: 2007; pp 487–97.

[421] Bullock, S.; Johnston, E. E.; Willson, T.; Gatenholm, P.; Wynne, K. J., Surface science of a filled polydimethylsiloxane-based alkoxysilane-cured elastomer: RTV11. *Journal of Colloid and Interface Science* 1999, 210 (1), 18–36.

[422] Raghavan, D.; Gu, X.; Nguyen, T.; VanLandingham, M.; Karim, A., Mapping polymer hetereogeneity using AFM phase imaging and nanoscale indentation. *Macromolecules* 2000, 69, 2573–83.

[423] Achalla, P.; McCormick, J.; Hodge, T.; Moreland, C.; Esnault, P.; Karim, A.; Raghavan, D., Characterization of elastomeric blends by atomic force microscopy. *Journal of Polymer Science Part B – Polymer Physics* 2006, 44 (3), 492–503.

[424] Sugimoto, Y.; Namikawa, T.; Abe, M.; Morita, S., Mapping and imaging for rapid atom discrimination: a study of frequency modulation atomic force microscopy. *Applied Physics Letters* 2009, 94 (2), 023108.

[425] Giessibl, F. J., Advances in atomic force microscopy. *Reviews of Modern Physics* 2003, 75 (3), 949–83.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[426] Kuwahara, Y., Comparison of the surface structure of the tetrahedral sheets of muscovite and phlogopite by AFM. *Physics and Chemistry of Minerals* 2001, 28 (1), 1–8.

[427] Jaschke, M.; Schonherr, H.; Wolf, H.; Butt, H.-J.; Bamberg, E.; Besocke, M. K.; Ringsdorf, H., Structure of alkyl and perfluoroalkyl disulfide and azobenzenethiol monolayers on gold(111) Revealed by atomic force microscopy. *Journal of Physical Chemistry* 1996, 100 (6), 2290–2301.

[428] Hembacher, S.; Giessibl, F. J.; Mannhart, J.; Quate, C. F., Revealing the hidden atom in graphite by low-temperature atomic force microscopy. *Proceedings of the National Academy of Sciences of the United States of America* 2003, 100 (22), 12539–42.

[429] Ohnesorge, F.; Binnig, G., True atomic-resolution by atomic force microscopy through repulsive and attractive forces. *Science* 1993, 260 (5113), 1451–56.

[430] Fukuma, T., Wideband low-noise optical beam deflection sensor with photothermal excitation for liquid-environment atomic force microscopy. *Review of Scientific Instruments* 2009, 80 (2), 023707–8.

[431] Enevoldsen, G. H.; Pinto, H. P.; Foster, A. S.; Jensen, M. C. R.; Kuhnle, A.; Reichling, M.; Hofer, W. A.; Lauritsen, J. V.; Besenbacher, F., Detailed scanning probe microscopy tip models determined from simultaneous atom-resolved AFM and STM studies of the $TiO_2$(110) surface. *Physical Review B* 2008, 78 (4), 045416.

[432] Enevoldsen, G. H.; Foster, A. S.; Christensen, M. C.; Lauritsen, J. V.; Besenbacher, F., Noncontact atomic force microscopy studies of vacancies and hydroxyls of $TiO_2$(110): experiments and atomistic simulations. *Physical Review B* 2007, 76 (20), 205415.

[433] Maier, S.; Pfeiffer, O.; Glatzel, T.; Meyer, E.; Filleter, T.; Bennewitz, R., Asymmetry in the reciprocal epitaxy of NaCl and KBr. *Physical Review B* 2007, 75, 195408.

[434] Giessibl, F. J.; Quate, C. F., Exploring the nanoworld with atomic force microscopy. *Physics Today* 2006, 59 (12), 44–50.

[435] Giessibl, F. J.; Hembacher, S.; Bielefeldt, H.; Mannhart, J., Subatomic features on the silicon (111)-(7×7) surface observed by atomic force microscopy. *Science* 2000, 289 (5478), 422–25.

[436] Feenstra, R. M.; Stroscio, J. A.; Tersoff, J.; Fein, A. P., Atom-selective imaging of the GaAs(110) surface. *Physical Review Letters* 1987, 58 (12), 1192–95.

[437] Zeinalipour-Yazdi, C. D.; Pullman, D. P., A new interpretation of the scanning tunneling microscope image of graphite. *Chemical Physics* 2008, 348 (1–3), 233–36.

[438] Albrecht, T. R.; Mizes, H. A.; Nogami, J.; Park, S. I.; Quate, C. F., Observation of tilt boundaries in graphite by scanning tunneling microscopy and associated multiple tip effects. *Applied Physics Letters* 1988, 52 (5), 362–64.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[439] Ashino, M.; Schwarz, A.; Hölsher, H.; Schwarz, U. D.; Wiesendanger, R., Interpretation of the atomic scale contrast obtained on graphite and single-walled carbon nanotubes in the dynamic mode of atomic force microscopy. *Nanotechnology* 2005, 16 (3), S134–S137.

[440] Mizes, H. A.; Park, S.; Harrison, W. A., multiple-tip interpretation of anomalous scanning-tunneling-microscopy images of layered materials. *Physical Review B* 1987, 36 (8), 4491–94.

[441] Tomanek, D.; Louie, S. G.; Mamin, H. J.; Abraham, D. W.; Thomson, R. E.; Ganz, E.; Clarke, J., Theory and observation of highly asymmetric atomic-structure in scanning-tunneling-microscopy images of graphite. *Physical Review B* 1987, 35 (14), 7790–93.

[442] Szlufarska, I.; Chandross, M.; Carpick, R. W., Recent advances in single-asperity nanotribology. *Journal of Physics D – Applied Physics* 2008, 41 (12), 123001.

[443] Mate, C. M., Force microscopy studies of the molecular origins of friction and lubrication. *IBM Journal of Research and Development* 1995, 39 (6), 617–27.

[444] Zhang, Q.; Archer, L. A., Interfacial friction of surfaces grafted with one- and two-component self-assembled monolayers. *Langmuir* 2005, 21 (12), 5405–13.

[445] Martinez-Martinez, D.; Kolodziejczyk, L.; Sánchez-López, J. C.; Fernández, A., Tribological carbon-based coatings: An AFM and LFM study. *Surface Science* 2009, 603 (7), 973–79.

[446] Oncins, G.; Garcia-Manyes, S.; Sanz, F., Study of frictional properties of a phospholipid bilayer in a liquid environment with lateral force microscopy as a function of NaCl concentration. *Langmuir* 2005, 21 (16), 7373–79.

[447] Martinez-Martinez, D.; Sanchez-Lopez, J. C.; Rojas, T. C.; Fernandez, A.; Eaton, P.; Belin, M., Structural and microtribological studies of Ti-C-N based nanocomposite coatings prepared by reactive sputtering. *Thin Solid Films* 2005, 472 (1–2), 64–70.

[448] Leggett, G. J., Friction force microscopy of self-assembled monolayers: probing molecular organisation at the nanometre scale. *Analytica Chimica Acta* 2003, 479 (1), 17–38.

[449] Krausch, G.; Hipp, M.; Boeltau, M.; Marti, O.; Mlynek, J., High-resolution imaging of polymer surfaces with chemical sensitivity. *Macromolecules* 1995, 28 (1), 260–63.

[450] Cyganik, P.; Budkowski, A.; Raczkowska, J.; Postawa, Z., AFM/LFM surface studies of a ternary polymer blend cast on substrates covered by a self-assembled monolayer. *Surface Science* 2002, 507–10, 700–6.

[451] Salaita, K.; Amarnath, A.; Maspoch, D.; Higgins, T. B.; Mirkin, C. A., Spontaneous 'phase separation' of patterned binary alkanethiol mixtures. *Journal of the American*



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Chemical Society* 2005, 127 (32), 11283–87.

[452] Hampton, J. R.; Dameron, A. A.; Weiss, P. S., Transport rates vary with deposition time in dip-pen nanolithography. *Journal of Physical Chemistry B* 2005, 109 (49), 23118–20.

[453] Gnecco, E.; Bennewitz, R.; Gyalog, T.; Loppacher, C.; Bammerlin, M.; Meyer, E.; Güntherodt, H. J., Velocity dependence of atomic friction. *Physical Review Letters* 2000, 84 (6), 1172.

[454] Brewer, N. J.; Leggett, G. J., Chemical force microscopy of mixed self-assembled monolayers of alkanethiols on gold: evidence for phase separation. *Langmuir* 2004, 20 (10), 4109–15.

[455] Tamayo, J.; Gonzalez, L.; Gonzalez, Y.; García, R., Compositional mapping of semiconductor structures by friction force microscopy. *Applied Physics Letters* 1996, 68 (16), 2297–99.

[456] Hay, M. B.; Workman, R. K.; Manne, S., Mechanisms of metal ion sorption on calcite: Composition mapping by lateral force microscopy. *Langmuir* 2003, 19 (9), 3727–40.

[457] Overney, R. M.; Meyer, E.; Frommer, J.; Brodbeck, D.; Luthi, R.; Howald, L.; Guntherodt, H. J.; Fujihira, M.; Takano, H.; Gotoh, Y., Friction measurements on phase-separated thin-films with a modified atomic force microscope. *Nature* 1992, 359 (6391), 133–35.

[458] Dufrêne, Y. F.; Barger, W. R.; Green, J. B. D.; Lee, G. U., Nanometer-scale surface properties of mixed phospholipid monolayers and bilayers. *Langmuir* 1997, 13 (18), 4779–84.

[459] Tocha, E.; Schonherr, H.; Vancso, G. J., Quantitative nanotribology by AFM: a novel universal calibration platform. *Langmuir* 2006, 22 (5), 2340–50.

[460] Scandella, L.; Meyer, E.; Howald, L.; Luthi, R.; Guggisberg, M.; Gobrecht, J.; Guntherodt, H. J. Friction forces on hydrogen passivated (110) silicon and silicon dioxide studied by scanning force microscopy, *Journal of Vacuum Science and Technology B*, 1996, 14 (2), 1255–58.

[461] Beake, B. D.; Leggett, G. J.; Shipway, P. H., Frictional, adhesive and mechanical properties of polyester films probed by scanning force microscopy. *Surface and Interface Analysis* 1999, 27 (12), 1084–91.

[462] Basnar, B.; Friedbacher, G.; Brunner, H.; Vallant, T.; Mayer, U.; Hoffmann, H., Analytical evaluation of tapping mode atomic force microscopy for chemical imaging of surfaces. *Applied Surface Science* 2001, 171 (3–4), 213–25.

[463] Ciccotti, M.; George, M.; Ranieri, V.; Wondraczek, L.; Marliere, C. Dynamic



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

condensation of water at crack tips in fused silica glass, *Journal of Non-Crystalline Solids* 2008, 354 (2–9), 564–68.

[464] Wondraczek, L.; Dittmar, A.; Oelgardt, C.; Celarie, F.; Ciccotti, M.; Marliere, C., Real-time observation of a non-equilibrium liquid condensate confined at tensile crack tips in oxide glasses. *Journal of the American Ceramic Society* 2006, 89 (2), 746–49.

[465] Dong, R.; Yu, L. Y. E., Investigation of surface changes of nanoparticles using TM-AFM phase imaging. *Environmental Science & Technology* 2003, 37 (12), 2813–19.

[466] Xu, J.; Guo, B.-H.; Zhang, Z.-M.; Zhou, J.-J.; Jiang, Y.; Yan, S.; Li, L.; Wu, Q.; Chen, G.-Q.; Schultz, J. M., Direct AFM observation of crystal twisting and organization in banded spherulites of chiral poly(3-hydroxybutyrate-co-3-hydroxyhexanoate). *Macromolecules* 2004, 37 (11), 4118–23.

[467] Bar, G.; Thomann, Y.; Brandsch, R.; Cantow, H. J.; Whangbo, M. H., Factors affecting the height and phase images in tapping mode atomic force microscopy. Study of phase-separated polymer blends of poly(ethene-co-styrene) and poly(2,6-dimethyl-1,4-phenylene oxide). *Langmuir* 1997, 13 (14), 3807–12.

[468] Bar, G.; Ganter, M.; Brandsch, R.; Delineau, L.; Whangbo, M. H., Examination of butadiene/styrene-co-butadiene rubber blends by tapping mode atomic force microscopy. Importance of the indentation depth and reduced tip-sample energy dissipation in tapping mode atomic force microscopy study of elastomers. *Langmuir* 2000, 16 (13), 5702–11.

[469] Peponi, L.; Tercjak, A.; Gutierrez, J.; Stadler, H.; Torre, L.; Kenny, J. M.; Mondragon, I., Self-assembling of SBS block copolymers as templates for conductive silver nanocomposites. *Macromolecular Materials and Engineering* 2008, 293 (7), 568–73.

[470] Holland, N. B.; Marchant, R. E., Individual plasma proteins detected on rough biomaterials by phase imaging AFM. *Journal of Biomedical Materials Research* 2000, 51 (3), 307–15.

[471] Deleu, M.; Nott, K.; Brasseur, R.; Jacques, P.; Thonart, P.; Dufrêne, Y. F., Imaging mixed lipid monolayers by dynamic atomic force microscopy. *Biochimica et Biophysica Acta – Biomembranes* 2001, 1513 (1), 55–62.

[472] Crampton, N.; Bonass, W. A.; Kirkham, J.; Thomson, N. H., Studying silane mobility on hydrated mica using ambient AFM. *Ultramicroscopy* 2006, 106 (8–9), 765–70.

[473] García, R.; Magerle, R.; Perez, R., Nanoscale compositional mapping with gentle forces. *Nature Materials* 2007, 6 (6), 405–11.

[474] Tan, S.; Sherman, R. L.; Qin, D.; Ford, W. T., Surface heterogeneity of polystyrene latex particles determined by dynamic force microscopy. *Langmuir* 2005, 21 (1), 43–49.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[475] Dorobantu, L. S.; Bhattacharjee, S.; Foght, J. M.; Gray, M. R., Atomic force microscopy measurement of heterogeneity in bacterial surface hydrophobicity. *Langmuir* 2008, 24 (9), 4944–51.

[476] Ando, T.; Uchihashi, T.; Fukuma, T., High-speed atomic force microscopy for nano-visualization of dynamic biomolecular processes. *Progress in Surface Science* 2008, 83 (7–9), 337–437.

[477] Uchihashi, T.; Ando, T.; Yamashita, H., Fast phase imaging in liquids using a rapid scan atomic force microscope. *Applied Physics Letters* 2006, 89 (21), 213112.

[478] Argaman, M.; Golan, R.; Thomson, N. H.; Hansma, H. G., Phase imaging of moving DNA molecules and DNA molecules replicated in the atomic force microscope. *Nucleic Acids Research* 1997, 25 (21), 4379–84.

[479] Kienberger, F.; Costa, L. T.; Zhu, R.; Kada, G.; Reithmayer, M.; Chtcheglova, L.; Rankl, C.; Pacheco, A. B. F.; Thalhammer, S.; Pastushenko, V.; Heckl, W. M.; Blaas, D.; Hinterdorfer, P., Dynamic force microscopy imaging of plasmid DNA and viral RNA. *Biomaterials* 2007, 28 (15), 2403–11.

[480] Hoo, C.; Starostin, N.; West, P.; Mecartney, M., A comparison of atomic force microscopy (AFM) and dynamic light scattering (DLS) methods to characterize nanoparticle size distributions. *Journal of Nanoparticle Research* 2008, 10 (Supplement 1), 89–96.

[481] Schwarz, A.; Wiesendanger, R., Magnetic sensitive force microscopy. *Nano Today* 2008, 3 (1–2), 28–39.

[482] Han, X. D.; Zhang, Z.; Wang, Z. L., Experimental nanomechanics of one-dimensional nanomaterials by in situ microscopy. *NANO: Brief Reports and Reviews* 2007, 2 (5), 249–71.

[483] Dabbousi, B. O.; Rodriguez-Viejo, J.; Mikulec, F. V.; Heine, J. R.; Mattoussi, H.; Ober, R.; Jensen, K. F.; Bawendi, M. G., (CdSe)ZnS core-shell quantum dots: synthesis and characterization of a size series of highly luminescent nanocrystallites. *Journal of Physical Chemistry B* 1997, 101 (46), 9463–75.

[484] Maye, M. M.; Luo, J.; Han, L.; Zhong, C. J., Probing Ph-tuned morphological changes in core-shell nanoparticle assembly using atomic force microscopy. *Nano Letters* 2001, 1 (10), 575–79.

[485] Eaton, P.; Doria, G.; Pereira, E.; Baptista, P. V.; Franco, R., Imaging gold nanoparticles for DNA sequence recognition in biomedical applications. *IEEE Transactions on Nanobioscience* 2007, 6, 282–88.

[486] Miura, A.; Tanaka, R.; Uraoka, Y.; Matsukawa, N.; Yamashita, I.; Fuyuki, T., The characterization of a single discrete bionanodot for memory device applications.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Nanotechnology* 2009, 20 (12), 125702.

[487] Corduneanu, O.; Diculescu, V. C.; Chiorcea-Paquim, A. M.; Oliveira-Brett, A. M., Shape-controlled palladium nanowires and nanoparticles electrodeposited on carbon electrodes. *Journal of Electroanalytical Chemistry* 2008, 624 (1–2), 97–108.

[488] Bonanni, B.; Cannistraro, S., Gold nanoparticles on modified glass surface as height calibration standard for atomic force microscopy operating in contact and tapping mode. *Journal of Nanotechnology Online* 2005, 1, 1–14.

[489] Stiger, R. M.; Gorer, S.; Craft, B.; Penner, R. M., Investigations of electrochemical silver nanocrystal growth on hydrogen-terminated silicon(100). *Langmuir* 1999, 15 (3), 790–98.

[490] Hirai, M.; Kumar, A., Wavelength tuning of surface plasmon resonance by annealing silver-copper nanoparticles. *Journal of Applied Physics* 2006, 100 (1), 014309.

[491] Raşa, M.; Philipse, A. P., Scanning probe microscopy on magnetic colloidal particles. *Journal of Magnetism and Magnetic Materials* 2002, 252 (1–3), 101–3.

[492] Sweetman, A.; Sharp, P.; Stannard, A.; Gangopadhyay, S.; Moriarty, P. J. *AFM of self-organised nanoparticle arrays: frequency modulation, amplitude modulation, and force spectroscopy*, Conference on Nanostructured Thin Films, SPIE: San Diego, CA, 2008; pp 704102–11.

[493] Gomes, I.; Santos, N. C.; Oliveira, L. M. A.; Quintas, A.; Eaton, P.; Pereira, E.; Franco, R., Probing surface properties of cytochrome c@Au bionanoconjugates. *Journal of Physical Chemistry C* 2008, 112 (42), 16340–47.

[494] Katz, E.; Willner, I., Integrated nanoparticle-biomolecule hybrid systems: synthesis, properties, and applications. *Angewandte Chemie International Edition* 2004, 43 (45), 6042–6108.

[495] Joralemon, M. J.; Murthy, K. S.; Remsen, E. E.; Becker, M. L.; Wooley, K. L., Synthesis, characterization, and bioavailability of mannosylated shell cross-linked nanoparticles. *Biomacromolecules* 2004, 5 (3), 903–13.

[496] Dukette, T. E.; Mackay, M. E.; Van Horn, B.; Wooley, K. L.; Drockenmuller, E.; Malkoch, M.; Hawker, C. J., Conformation of intramolecularly cross-linked polymer nanoparticles on solid substrates. *Nano Letters* 2005, 5 (9), 17049.

[497] Wei, Z. Q.; Mieszawska, A. J.; Zamborini, F. P., Synthesis and manipulation of high aspect ratio gold nanorods grown directly on surfaces. *Langmuir* 2004, 20 (11), 4322–26.

[498] Hsieh, S. C.; Meltzer, S.; Wang, C. R. C.; Requicha, A. A. G.; Thompson, M. E.; Koel, B. E., Imaging and manipulation of gold nanorods with an atomic force microscope. *Journal of Physical Chemistry B* 2002, 106 (2), 231–34.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[499] Fu, Y.; Ferdos, F.; Sadeghi, M.; Wang, S. M.; Larsson, A., Photoluminescence of an assembly of size-distributed self–assembled InAs quantum dots. *Journal of Applied Physics* 2002, 92 (6), 3089–92.

[500] Wang, Y.; Wei, W.; Maspoch, D.; Wu, J.; Dravid, V. P.; Mirkin, C. A., Superparamagnetic sub-5 nm Fe@C nanoparticles: isolation, structure, magnetic properties, and directed assembly. *Nano Letters* 2008, 8 (11), 3761–65.

[501] Wu, B.; Heidelberg, A.; Boland, J. J., Mechanical properties of ultrahigh-strength gold nanowires. *Nature Materials* 2005, 4 (7), 525–29.

[502] Falvo, M. R.; Clary, G. J.; Taylor, R. M.; Chi, V.; Brooks, F. P.; Washburn, S.; Superfine, R., Bending and buckling of carbon nanotubes under large strain. *Nature* 1997, 389 (6651), 582–84.

[503] Treacy, M. M. J.; Ebbesen, T. W.; Gibson, J. M., Exceptionally high Young's modulus observed for individual carbon nanotubes. *Nature* 1996, 381 (6584), 678–80.

[504] Bellucci, S., Carbon nanotubes: physics and applications. *physica status solidi (c)* 2005, 2 (1), 34–47.

[505] Yap, H. W.; Lakes, R. S.; Carpick, R. W., Mechanical instabilities of individual multiwalled carbon nanotubes under cyclic axial compression. *Nano Letters* 2007, 7 (5), 1149–54.

[506] Wong, E. W.; Sheehan, P. E.; Lieber, C. M., Nanobeam mechanics: elasticity, strength, and toughness of nanorods and nanotubes. *Science* 1997, 277 (5334), 1971–75.

[507] Song, J. H.; Wang, X. D.; Riedo, E.; Wang, Z. L., Elastic property of vertically aligned nanowires. *Nano Letters* 2005, 5 (10), 1954–58.

[508] Marszalek, P. E.; Greenleaf, W. J.; Li, H. B.; Oberhauser, A. F.; Fernandez, J. M., Atomic force microscopy captures quantized plastic deformation in gold nanowires. *Proceedings of the National Academy of Sciences of the United States of America* 2000, 97 (12), 6282–86.

[509] Tan, E. P. S.; Lim, C. T., Mechanical characterization of nanofibers – a review. *Composites Science and Technology* 2006, 66 (9), 1102–11.

[510] Zhu, Y.; Ke, C.; Espinosa, H. D., Experimental techniques for the mechanical characterization of one-dimensional nanostructures. *Experimental Mechanics* 2007, 47 (1), 7–24.

[511] Bigioni, T. P.; Cruden, B. A., Atomic force and optical microscopy characterization of the deformation of individual carbon nanotubes and nanofibers. *Journal of Nanomaterials* 2008, 352109.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[512] Yap, H. W.; Lakes, R. S.; Carpick, R. W., Negative stiffness and enhanced damping of individual multiwalled carbon nanotubes. *Physical Review B* 2008, 77 (4), 045423.

[513] Iijima, S.; Brabec, C.; Maiti, A.; Bernholc, J., Structural flexibility of carbon nanotubes. *Journal of Chemical Physics* 1996, 104 (5), 2089–92.

[514] Lee, C.; Wei, X. D.; Kysar, J. W.; Hone, J., Measurement of the elastic properties and intrinsic strength of monolayer graphene. *Science* 2008, 321 (5887), 385–8.

[515] Garcia-Sanchez, D.; van der Zande, A. M.; Paulo, A. S.; Lassagne, B.; McEuen, P. L.; Bachtold, A., Imaging mechanical vibrations in suspended graphene sheets. *Nano Letters* 2008, 8 (5), 1399–1403.

[516] Frank, I. W.; Tanenbaum, D. M.; Van der Zande, A. M.; McEuen, P. L., Mechanical properties of suspended graphene sheets. *Journal of Vacuum Science & Technology B* 2007, 25 (6), 2558–61.

[517] Edwards, S., The visionaries. In *The Nanotech Pioneers: Where Are They Taking Us?*, Wiley-VCH: 2006; pp 15–18.

[518] Luan, B.; Robbins, M. O., The breakdown of continuum models for mechanical contacts. *Nature* 2005, 435 (7044), 929–32.

[519] Li, G.; Xi, N.; Wang, D. H., *In situ* sensing and manipulation of molecules in biological samples using a nanorobotic system. *Nanomedicine: Nanotechnology, Biology and Medicine* 2005, 1 (1), 31–40.

[520] Sitti, M.; Hashimoto, H., Tele-nanorobotics using an atomic force microscope as a nanorobot and sensor. *Advanced Robotics* 1999, 13 (4), 417–36.

[521] Taylor II, R. M.; Superfine, R., Advanced interfaces to scanned-probe microscopes. In *Handbook of Nanostructured Materials and Nanotechnology*, Nalwa, H. S., Ed. Academic Press, New York, 1999; Vol. 1, pp 271–308.

[522] Ho-Yin, C.; Ning, X.; Jiangbo, Z.; Guangyong, L. *A deterministic process for fabrication and assembly of single carbon nanotube based devices*, 5th IEEE Conference on Nanotechnology 2005; pp 713–16.

[523] Carlsson, S. B.; Junno, T.; Montelius, L.; Samuelson, L., Mechanical tuning of tunnel gaps for the assembly of single-electron transistors. *Applied Physics Letters* 1999, 75 (10), 1461–63.

[524] Junno, T.; Carlsson, S. B.; Xu, H. Q.; Montelius, L.; Samuelson, L., Fabrication of quantum devices by angstrom-level manipulation of nanoparticles with an atomic force microscope. *Applied Physics Letters* 1998, 72 (5), 548–50.

[525] Harel, E.; Meltzer, S. E.; Requicha, A. A. G.; Thompson, M. E.; Koel, B. E.,



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

Fabrication of polystyrene latex nanostructures by nanomanipulation and thermal processing. *Nano Letters* 2005, 5 (12), 2624–29.

[526] Hansen, L. T.; Kuhle, A.; Sorensen, A. H.; Bohr, J.; Lindelof, P. E., A technique for positioning nanoparticles using an atomic force microscope. *Nanotechnology* 1998, 9 (4), 337–42.

[527] Meltzer, S.; Resch, R.; Koel, B. E.; Thompson, M. E.; Madhukar, A.; Requicha, A. A. G.; Will, P., Fabrication of nanostructures by hydroxylamine seeding of gold nanoparticle templates. *Langmuir* 2001, 17 (5), 1713–18.

[528] Resch, R.; Baur, C.; Bugacov, A.; Koel, B. E.; Madhukar, A.; Requicha, A. A. G.; Will, P., Building and manipulating three-dimensional and linked two- dimensional structures of nanoparticles using scanning force microscopy. *Langmuir* 1998, 14 (23), 6613–16.

[529] Xie, H.; Haliyo, D. S.; Regnier, S., Parallel imaging/manipulation force microscopy. *Applied Physics Letters* 2009, 94 (15), 153106–3.

[530] Palacio, M.; Bhushan, B., A nanoscale friction investigation during the manipulation of nanoparticles in controlled environments. *Nanotechnology* 2008, 19 (31), 315710.

[531] Tranvouez, E.; Orieux, A.; Boer-Duchemin, E.; Devillers, C. H.; Huc, V.; Comtet, G.; Dujardin, G., Manipulation of cadmium selenide nanorods with an atomic force microscope. *Nanotechnology* 2009, 20 (16), 165304.

[532] Rubio-Sierra, F. J.; Heckl, W. M.; Stark, R. W., Nanomanipulation by atomic force microscopy. *Advanced Engineering Materials* 2005, 7 (4), 193–96.

[533] Stark, R. W.; Rubio-Sierra, F. J.; Thalhammer, S.; Heckl, W. M., Combined nanomanipulation by atomic force microscopy and UV-laser ablation for chromosomal dissection. *European Biophysics Journal* 2003, 32 (1), 33–9.

[534] Baptista, P.; Pereira, E.; Eaton, P.; Doria, G.; Miranda, A.; Gomes, I.; Quaresma, P.; Franco, R., Gold nanoparticles for the development of clinical diagnosis methods. *Analytical and Bioanalytical Chemistry* 2008, 391 (3), 943–50.

[535] Biju, V.; Itoh, T.; Anas, A.; Sujith, A.; Ishikawa, M., Semiconductor quantum dots and metal nanoparticles: syntheses, optical properties, and biological applications. *Analytical and Bioanalytical Chemistry* 2008, 391 (7), 2469–95.

[536] Pankhurst, Q. A.; Connolly, J.; Jones, S. K.; Dobson, J., Applications of magnetic nanoparticles in biomedicine. *Journal of Physics D – Applied Physics* 2003, 36 (13), R167–R181.

[537] Sperling, R. A.; Rivera Gil, P.; Zhang, F.; Zanella, M.; Parak, W. J., Biological applications of gold nanoparticles. *Chemical Society Reviews* 2008, 37 (9), 1896–1908.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[538] Pellegrino, T.; Kudera, S.; Liedl, T.; Javier, A. M.; Manna, L.; Parak, W. J., On the development of colloidal nanoparticles towards multifunctional structures and their possible use for biological applications. *Small* 2005, 1 (1), 48–63.

[539] Wei, G.; Wang, L.; Zhou, H. L.; Liu, Z. G.; Song, Y. H.; Li, Z. A., Electrostatic assembly of CTAB-capped silver nanoparticles along predefined gimel-DNA template. *Applied Surface Science* 2005, 252 (5), 1189–96.

[540] Nakao, H.; Shiigi, H.; Yamamoto, Y.; Tokonami, S.; Nagaoka, T.; Sugiyama, S.; Ohtani, T., Highly ordered assemblies of Au nanoparticles organized on DNA. *Nano Letters* 2003, 3 (10), 1391–94.

[541] Jaganathan, H.; Ivanisevic, A., Heterostructured DNA templates: a combined magnetic force microscopy and circular dichroism study. *Applied Physics Letters* 2008, 93 (26), 263104–3.

[542] Braun, E.; Eichen, Y.; Sivan, U.; Ben-Yoseph, G., DNA-templated assembly and electrode attachment of a conducting silver wire. *Nature* 1998, 391 (6669), 775–78.

[543] Gu, Q.; Cheng, C. D.; Suryanarayanan, S.; Dai, K.; Haynie, D. T., DNA-templated fabrication of nickel nanocluster chains. *Physica E – Low-Dimensional Systems & Nanostructures* 2006, 33 (1), 92–98.

[544] Sun, L. L.; Sun, Y. J.; Xu, F. G.; Zhang, Y.; Yang, T.; Guo, C. L.; Liu, Z. L.; Li, Z., Atomic force microscopy and surface-enhanced Raman scattering detection of DNA based on DNA-nanoparticle complexes. *Nanotechnology* 2009, 20 (12), 125502.

[545] Ebenstein, Y.; Gassman, N.; Kim, S.; Antelman, J.; Kim, Y.; Ho, S.; Samuel, R.; Michalet, X.; Weiss, S., Lighting up individual DNA binding proteins with quantum dots. *Nano Letters* 2009, 9 (4), 1598–1603.

[546] Patolsky, F.; Weizmann, Y.; Lioubashevski, O.; Willner, I., Au-nanoparticle nanowires based on DNA and polylysine templates. *Angewandte Chemie International Edition* 2002, 41 (13), 2323–27.

[547] Braun, G.; Inagaki, K.; Estabrook, R. A.; Wood, D. K.; Levy, E.; Cleland, A. N.; Strouse, G. F.; Reich, N. O., Gold nanoparticle decoration of DNA on silicon. *Langmuir* 2005, 21 (23), 10699–701.

[548] Zhao, W.; Brook, M. A.; Li, Y. F., Design of gold nanoparticle-based colorimetric biosensing assays. *ChemBioChem* 2008, 9 (15), 2363–71.

[549] Braun, G.; Diechtierow, M.; Wilkinson, S.; Schmidt, F.; Hüben, M.; Weinhold, E.; Reich, N. O., Enzyme-directed positioning of nanoparticles on large DNA templates. *Bioconjugate Chemistry* 2008, 19 (2), 476–79.

[550] Zdrojek, M.; Melin, T.; Diesinger, H.; Stievenard, D.; Gebicki, W.; Adamowicz, L.,



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

Charging and discharging processes of carbon nanotubes probed by electrostatic force microscopy. *Journal of Applied Physics* 2006, 100 (11), 114326.

[551] Yaish, Y.; Park, J. Y.; Rosenblatt, S.; Sazonova, V.; Brink, M.; McEuen, P. L., Electrical nanoprobing of semiconducting carbon nanotubes using an atomic force microscope. *Physical Review Letters* 2004, 92 (4), 046401.

[552] Bachtold, A.; Fuhrer, M. S.; Plyasunov, S.; Forero, M.; Anderson, E. H.; Zettl, A.; McEuen, P. L., Scanned probe microscopy of electronic transport in carbon nanotubes. *Physical Review Letters* 2000, 84 (26), 6082–85.

[553] Park, J. Y., Electrically tunable defects in metallic single-walled carbon nanotubes. *Applied Physics Letters* 2007, 90 (2), 023112.

[554] Lu, W.; Wang, D.; Chen, L., Near-static dielectric polarization of individual carbon nanotubes. *Nano Letters* 2007, 7 (9), 2729–33.

[555] Park, J. Y.; Yaish, Y.; Brink, M.; Rosenblatt, S.; McEuen, P. L., Electrical cutting and nicking of carbon nanotubes using an atomic force microscope. *Applied Physics Letters* 2002, 80 (23), 4446–48.

[556] Bozovic, D.; Bockrath, M.; Hafner, J. H.; Lieber, C. M.; Park, H.; Tinkham, M., Electronic properties of mechanically induced kinks in single-walled carbon nanotubes. *Applied Physics Letters* 2001, 78 (23), 3693–95.

[557] Bozovic, D.; Bockrath, M.; Hafner, J. H.; Lieber, C. M.; Park, H.; Tinkham, M., Plastic deformations in mechanically strained single-walled carbon nanotubes. *Physical Review B* 2003, 67 (3), 033407.

[558] Barboza, A. P. M.; Gomes, A. P.; Archanjo, B. S.; Araujo, P. T.; Jorio, A.; Ferlauto, A. S.; Mazzoni, M. S. C.; Chacham, H.; Neves, B. R. A., Deformation induced semiconductor-metal transition in single wall carbon nanotubes probed by electric force microscopy. *Physical Review Letters* 2008, 100 (25), 256804.

[559] Woodside, M. T.; McEuen, P. L., Scanned probe imaging of single-electron charge states in nanotube quantum dots. *Science* 2002, 296 (5570), 1098–1101.

[560] Tanaka, I.; Kamiya, I.; Sakaki, H.; Qureshi, N.; Allen, J. S. J.; Petroff, P. M., Imaging and probing electronic properties of self-assembled InAs quantum dots by atomic force microscopy with conductive tip. *Applied Physics Letters* 1999, 74 (6), 844–46.

[561] Birjukovs, P.; Petkov, N.; Xu, J.; Svirksts, J.; Boland, J. J.; Holmes, J. D.; Erts, D., Electrical characterization of bismuth sulfide nanowire arrays by conductive atomic force microscopy. *Journal of Physical Chemistry C* 2008, 112 (49), 19680–85.

[562] Pan, N.; Wang, X. P.; Zhang, K.; Hu, H. L.; Xu, B.; Li, F. Q.; Hou, J. G., An approach to control the tip shapes and properties of ZnO nanorods. *Nanotechnology* 2005, 16 (8),



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

1069–72.

[563] He, J. H.; Ho, S. T.; Wu, T. B.; Chen, L. J.; Wang, Z. L., Electrical and photoelectrical performances of nano-photodiode based on ZnO nanowires. *Chemical Physics Letters* 2007, 435 (1–3), 119–22.

[564] Lucchesi, M.; Privitera, G.; Labardi, M.; Prevosto, D.; Capaccioli, S.; Pingue, P., Electrostatic force microscopy and potentiometry of realistic nanostructured systems. *Journal of Applied Physics* 2009, 105 (5), 54301.

[565] Erts, D.; Polyakov, B.; Dalyt, B.; Morris, M. A.; Ellingboe, S.; Boland, J.; Holmes, J. D., High density germanium nanowire assemblies: contact challenges and electrical characterization. *Journal of Physical Chemistry B* 2006, 110 (2), 820–26.

[566] Kalinin, S. V.; Shin, J.; Jesse, S.; Geohegan, D.; Baddorf, A. P.; Lilach, Y.; Moskovits, M.; Kolmakov, A., Electronic transport imaging in a multiwire SnO2 chemical field-effect transistor device. *Journal of Applied Physics* 2005, 98 (4), 044503.

[567] Xu, D. G.; Watt, G. D.; Harb, J. N.; Davis, R. C., Electrical conductivity of ferritin proteins by conductive AFM. *Nano Letters* 2005, 5 (4), 571–77.

[568] Axford, D. N.; Davis, J. J., Electron flux through apo-and holoferritin. *Nanotechnology* 2007, 18 (14), 145502.

[569] Zhao, J. W.; Davis, J. J., Molecular electron transfer of protein junctions characterised by conducting atomic force microscopy. *Colloids and Surfaces B: Biointerfaces* 2005, 40 (3–4), 189–94.

[570] MacCuspie, R. I.; Nuraje, N.; Lee, S.-Y.; Runge, A.; Matsui, H., Comparison of electrical properties of viruses studied by AC capacitance scanning probe microscopy. *Journal of the American Chemical Society* 2008, 130 (3), 887–91.

[571] Luo, E. Z.; Wilson, I. H.; Yan, X.; Xu, J. B., Probing electron conduction at the microscopic level in percolating nanocomposites by conducting atomic-force microscopy. *Physical Review B* 1998, 57 (24), R15120.

[572] Olbrich, A.; Ebersberger, B.; Boit, C.; Vancea, J.; Hoffmann, H., A new AFM-based tool for testing dielectric quality and reliability on a nanometer scale. *Microelectronics Reliability* 1999, 39 (6–7), 941–46.

[573] Aliev, A. E.; Oh, J.; Kozlov, M. E.; Kuznetsov, A. A.; Fang, S.; Fonseca, A. F.; Ovalle, R.; Lima, M. D.; Haque, M. H.; Gartstein, Y. N.; Zhang, M.; Zakhidov, A. A.; Baughman, R. H., Giant-stroke, superelastic carbon nanotube aerogel muscles. *Science* 2009, 323 (5921), 1575–78.

[574] Zdrojek, M.; Melin, T.; Boyaval, C.; Stievenard, D.; Jouault, B.; Wozniak, M.; Huczko, A.; Gebicki, W.; Adamowicz, L., Charging and emission effects of multiwalled



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

carbon nanotubes probed by electric force microscopy. *Applied Physics Letters* 2005, 86 (21), 213114.

[575] Vitali, L.; Burghard, M.; Wahl, P.; Schneider, M. A.; Kern, K., Local pressure-induced metallization of a semiconducting carbon nanotube in a crossed junction. *Physical Review Letters* 2006, 96 (8), 086804.

[576] Hansma, P. K.; Cleveland, J. P.; Radmacher, M.; Walters, D. A.; Hillner, P. E.; Bezanilla, M.; Fritz, M.; Vie, D.; Hansma, H. G.; Prater, C. B.; Massie, J.; Fukunaga, L.; Gurley, J.; Elings, V., Tapping mode atomic-force microscopy in liquids. *Applied Physics Letters* 1994, 64 (13), 1738–40.

[577] Morris, V. J.; Kirby, A. R.; Gunning, A. P., *Atomic Force Microscopy for Biologists*. Imperial College Press: London, 1999.

[578] Jena, B. P.; Hörber, J. K. H., *Atomic Force Microscopy in Cell Biology*. Academic Press: San Diego, 2002; Vol. 68.

[579] Parot, P.; Dufrêne, Y. F.; Hinterdorfer, P.; Grimellec, C. L.; Navajas, D.; Pellequer, J.-L.; Scheuring, S., Past, present and future of atomic force microscopy in life sciences and medicine. *Journal of Molecular Recognition* 2007, 20 (6), 418–31.

[580] Fuss, M.; Luna, M.; Alcantara, D.; de la Fuente, J. M.; Enriquez-Navas, P. M.; Angulo, J.; Penades, S.; Briones, F., Carbohydrate–carbohydrate interaction prominence in 3D supramolecular self-assembly. *Journal of Physical Chemistry B* 2008, 112 (37), 11595–600.

[581] De la Fuente, J. M.; Alcantara, D.; Eaton, P.; Crespo, P.; Rojas, T. C.; Fernandez, A.; Hernando, A.; Penades, S., Gold and gold-iron oxide magnetic glyconanoparticles: synthesis, characterization and magnetic properties. *Journal of Physical Chemistry B* 2006, 110 (26), 13021–28.

[582] Kirby, A. R.; Gunning, A. P.; Morris, V. J., Imaging polysaccharides by atomic force microscopy. *Biopolymers* 1996, 38 (3), 355–66.

[583] Adams, E. L.; Kroon, P. A.; Williamson, G.; Morris, V. J., Characterisation of heterogeneous arabinoxylans by direct imaging of individual molecules by atomic force microscopy. *Carbohydrate Research* 2003, 338 (8), 771–80.

[584] Misevic, G. N., Atomic force microscopy measurements – measurements of binding strength between a single pair of molecules in physiological solutions. *Molecular Biotechnology* 2001, 18 (2), 149–53.

[585] Stolz, M.; Stoffler, D.; Aebi, U.; Goldsbury, C., Monitoring biomolecular interactions by time-lapse atomic force microscopy. *Journal of Structural Biology* 2000, 131 (3), 171–80.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[586] Forman, J. R.; Clarke, J., Mechanical unfolding of proteins: insights into biology, structure and folding. *Current Opinion in Structural Biology* 2007, 17 (1), 58–66.

[587] Zhao, J. W.; Davis, J. J.; Sansom, M. S. P.; Hung, A., Exploring the electronic and mechanical properties of protein using conducting atomic force microscopy. *Journal of the American Chemical Society* 2004, 126 (17), 5601–9.

[588] Vinckier, A.; Gervasoni, P.; Zaugg, F.; Ziegler, U.; Lindner, P.; Groscurth, P.; Pluckthun, A.; Semenza, G., Atomic force microscopy detects changes in the interaction forces between GroEL and substrate proteins. *Biophysical Journal* 1998, 74 (6), 3256–63.

[589] Krishna, K. A.; Rao, G. V.; Rao, K., Chaperonin GroEL: structure and reaction cycle. *Current Protein and Peptide Science* 2007, 8 (5), 418–25.

[590] Mou, J. X.; Sheng, S. T.; Ho, R. Y.; Shao, Z. F., Chaperonins GroEL and GroES: views from atomic force microscopy. *Biophysical Journal* 1996, 71 (4), 2213–21.

[591] Leung, C.; Palmer, R. E., Adsorption of a model protein, the GroEL chaperonin, on surfaces. *Journal of Physics – Condensed Matter* 2008, 20 (35), 353001.

[592] Valle, F.; DeRose, J. A.; Dietler, G.; Kawe, M.; Pluckthun, A.; Semenza, G., AFM structural study of the molecular chaperone GroEL and its two-dimensional crystals: an ideal 'living' calibration sample. *Ultramicroscopy* 2002, 93 (1), 83–89.

[593] Yokokawa, M.; Wada, C.; Ando, T.; Sakai, N.; Yagi, A.; Yoshimura, S. H.; Takeyasu, K., Fast-scanning atomic force microscopy reveals the ATP/ADP-dependent conformational changes of GroEL. *EMBO Journal* 2006, 25 (19), 4567–76.

[594] Sit, P. S.; Marchant, R. E., Surface-dependent differences in fibrin assembly visualized by atomic force microscopy, *Surface Science* 2001, 491 (3), 421–32.

[595] Baselt, D. R.; Revel, J. P.; Baldeschwieler, J. D., Subfibrillar structure of type-I collagen observed by atomic-force microscopy. *Biophysical Journal* 1993, 65 (6), 2644–55.

[596] Gale, M.; Pollanen, M. S.; Markiewicz, P.; Goh, M. C., Sequential assembly of collagen revealed by atomic-force microscopy. *Biophysical Journal* 1995, 68 (5), 2124–8.

[597] Paige, M. F.; Rainey, J. K.; Goh, M. C., A study of fibrous long spacing collagen ultrastructure and assembly by atomic force microscopy. *Micron* 2001, 32 (3), 341–53.

[598] Abraham, L. C.; Zuena, E.; Perez-Ramirez, B.; Kaplan, D. L., Guide to collagen characterization for biomaterial studies. *Journal of Biomedical Materials Research B, Applied Biomaterials* 2008, 87 (1), 264–85.

[599] Revenko, I.; Sommer, F.; Minh, D. T.; Garrone, R.; Franc, J. M., Atomic-force



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

microscopy study of the collagen fiber structure. *Biology of the Cell* 1994, 80 (1), 67–9.

[600] Fotiadis, D.; Scheuring, S.; Müller, S. A.; Engel, A.; Müller, D. J., Imaging and manipulation of biological structures with the AFM. *Micron* 2002, 33 (4), 385–97.

[601] Anselmetti, D.; Luthi, R.; Meyer, E.; Richmond, T.; Dreier, M.; Frommer, J. E.; Guntherodt, H. J., Attractive-mode imaging of biological materials with dynamic force microscopy. *Nanotechnology* 1994, 5 (2), 87–94.

[602] Hansma, H. G.; Revenko, I.; Kim, K.; Laney, D. E., Atomic force microscopy of long and short double-stranded, single-stranded and triple-stranded nucleic acids. *Nucleic Acids Research* 1996, 24 (4), 713–20.

[603] Palacios-Lidón, E.; Pérez-García, B.; Colchero, J., Enhancing dynamic scanning force microscopy in air: as close as possible. *Nanotechnology* 2009, 20 (8), 085707.

[604] Giro, A.; Bergia, A.; Zuccheri, G.; Bink, H. H. J.; Pleij, C. W. A.; Samori, B., Single molecule studies of RNA secondary structure: AFM of TYMV viral RNA. *Microscopy Research and Technique* 2004, 65 (4–5), 235–45.

[605] Bonin, M.; Oberstrass, J.; Lukacs, N.; Ewert, K.; Oesterschulze, E.; Kassing, R.; Nellen, W., Determination of preferential binding sites for anti-dsRNA antibodies on double-stranded RNA by scanning force microscopy. *RNA – Publication of the RNA Society* 2000, 6 (4), 563–70.

[606] Bonin, M.; Oberstrass, J.; Vogt, U.; Wassenegger, M.; Nellen, W., Binding of IRE-BP to its cognate RNA sequence: SFM studies on a universal RNA backbone for the analysis of RNA-protein interaction. *Biological Chemistry* 2001, 382 (8), 1157–62.

[607] Asami, Y.; Murakami, M.; Shimizu, M.; Pisani, F. M.; Hayata, I.; Nohmi, T., Visualization of the interaction between archaeal DNA polymerase and uracil-containing DNA by atomic force microscopy. *Genes to Cells* 2006, 11 (1), 3–11.

[608] Kasas, S.; Thomson, N. H.; Smith, B. L.; Hansma, H. G.; Zhu, X. S.; Guthold, M.; Bustamante, C.; Kool, E. T.; Kashlev, M.; Hansma, P. K., *Escherichia coli* RNA polymerase activity observed using atomic force microscopy. *Biochemistry* 1997, 36 (3), 461–8.

[609] Engel, A.; Müller, D. J., Observing single biomolecules at work with the atomic force microscope. *Nature Structural Biology* 2000, 7 (9), 715–18.

[610] Thomson, N. H., Atomic force microscopy of DNA structure and function. In *Applied Scanning Probe Methods, Vol VI: Characterization*, Bhushan, B.; Fuchs, H.; Hosaka, S., Eds. Springer-Verlag: Berlin, 2006.

[611] Gaboriaud, F.; Dufrêne, Y. F., Atomic force microscopy of microbial cells: application to nanomechanical properties, surface forces and molecular recognition forces. *Colloids and Surfaces B: Biointerfaces* 2007, 54 (1), 10–19.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[612] Schmid, T.; Burkhard, J.; Yeo, B. S.; Zhang, W. H.; Zenobi, R., Towards chemical analysis of nanostructures in biofilms I: imaging of biological nanostructures. *Analytical and Bioanalytical Chemistry* 2008, 391 (5), 1899–1905.

[613] Zhao, L. M.; Schaefer, D.; Marten, M. R., Assessment of elasticity and topography of *Aspergillus nidulans* spores *via* atomic force microscopy. *Applied and Environmental Microbiology* 2005, 71 (2), 955–60.

[614] Plomp, M.; Leighton, T. J.; Wheeler, K. E.; Hill, H. D.; Malkin, A. J., *In vitro* high-resolution structural dynamics of single germinating bacterial spores. *Proceedings of the National Academy of Sciences of the United States of America* 2007, 104 (23), 9644–9.

[615] Plomp, M.; Malkin, A. J., Mapping of proteomic composition on the surfaces of *Bacillus* spores by atomic force microscopy-based immunolabeling. *Langmuir* 2009, 25 (1), 403–9.

[616] Das, S. K.; Das, A. R.; Guha, A. K., Adsorption behavior of mercury on functionalized *Aspergillus versicolor* mycelia: an atomic force microscopic study. *Langmuir* 2009, 25 (1), 360–66.

[617] Ma, H.; Snook, L. A.; Tian, C.; Kaminskyj, S. G. W.; Dahms, T. E. S., Fungal surface remodelling visualized by atomic force microscopy. *Mycological Research* 2006, 110 (8), 879–86.

[618] Bui, V. C.; Kim, Y. U.; Choi, S. S., Physical characteristics of *Saccharomyces cerevisiae. Surface and Interface Analysis* 2008, 40 (10), 1323–27.

[619] Schmatulla, A.; Maghelli, N.; Marti, O., Micromechanical properties of tobacco mosaic viruses. *Journal of Microscopy* 2007, 225 (3), 264–68.

[620] Francius, G.; Tesson, B.; Dague, E.; Martin-Jézéquel, V.; Dufrêne, Y. F., Nanostructure and nanomechanics of live *Phaeodactylum tricornutum* morphotypes. *Environmental Microbiology* 2008, 10 (5), 1344–56.

[621] Bolshakova, A. V.; Kiselyova, O. I.; Filonov, A. S.; Frolova, O. Y.; Lyubchenko, Y. L.; Yaminsky, I. V., Comparative studies of bacteria with an atomic force microscope operating in different modes. *Ultramicroscopy* 2001, 86 (1–2), 121–28.

[622] Méndez-Vilas, A.; Gallardo-Moreno, A. M.; Calzado-Montero, R.; González-Martín, M. L., AFM probing in aqueous environment of *Staphylococcus epidermidis* cells naturally immobilised on glass: physico-chemistry behind the successful immobilisation. *Colloids and Surfaces B: Biointerfaces* 2008, 63 (1), 101–9.

[623] Cross, S. E.; Kreth, J.; Zhu, L.; Qi, F. X.; Pelling, A. E.; Shi, W. Y.; Gimzewski, J. K., Atomic force microscopy study of the structure-function relationships of the biofilm-forming bacterium *Streptococcus mutans. Nanotechnology* 2006, 17 (4), S1–S7.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[624] Braga, P. C.; Ricci, D., Differences in the susceptibility of *Streptococcus pyogenes* to rokitamycin and erythromycin A revealed by morphostructural atomic force microscopy. *Journal of Antimicrobial Chemotherapy* 2002, 50 (4), 457–60.

[625] Suo, Z.; Yang, X.; Avci, R.; Kellerman, L.; Pascual, D. W.; Fries, M.; Steele, A., HEPES-stabilized encapsulation of *Salmonella typhimurium*. *Langmuir* 2007, 23 (3), 1365–74.

[626] Jonas, K.; Tomenius, H.; Kader, A.; Normark, S.; Romling, U.; Belova, L.; Melefors, O., Roles of curli, cellulose and BapA in *Salmonella* biofilm morphology studied by atomic force microscopy. *BMC Microbiology* 2007, 7, 70.

[627] Martinez, J. L.; Fajardo, A.; Garmendia, L.; Hernandez, A.; Linares, J. F.; Martínez-Solano, L.; Sánchez, M. B., A global view of antibiotic resistance. *FEMS Microbiology Reviews* 2009, 33 (1), 44–65.

[628] Braga, P. C.; Ricci, D., Atomic force microscopy: application to investigation of *Escherichia coli* morphology before and after exposure to cefodizime. *Antimicrobial Agents and Chemotherapy* 1998, 42 (1), 18–22.

[629] Mortensen, N. P.; Fowlkes, J. D.; Sullivan, C. J.; Allison, D. P.; Larsen, N. B.; Molin, S.; Doktycz, M. J., Effects of colistin on surface ultrastructure and nanomechanics of *Pseudomonas aeruginosa* cells. *Langmuir* 2009, 25 (6), 3728–33.

[630] Meincken, M.; Holroyd, D. L.; Rautenbach, M., Atomic force microscopy study of the effect of antimicrobial peptides on the cell envelope of *Escherichia coli*. *Antimicrobial Agents and Chemotherapy* 2005, 49 (10), 4085–92.

[631] Boyle-Vavra, S.; Hahm, J.; Sibener, S. J.; Daum, R. S., Structural and topological differences between a glycopeptide-intermediate clinical strain and glycopeptide-susceptible strains of *Staphylococcus aureus* revealed by atomic force microscopy. *Antimicrobial Agents and Chemotherapy* 2000, 44 (12), 3456–60.

[632] Francius, G.; Domenech, O.; Mingeot-Leclercq, M. P.; Dufrêne, Y. F., Direct observation of *Staphylococcus aureus* cell wall digestion by lysostaphin. *Journal of Bacteriology* 2008, 190 (24), 7904–9.

[633] Qin, Z.; Zhang, J.; Hu, Y.; Chi, Q.; Mortensen, N. P.; Qu, D.; Molin, S.; Ulstrup, J., Organic compounds inhibiting *S. epidermidis* adhesion and biofilm formation. *Ultramicroscopy* 2009, 109 (8), 881–88.

[634] Deupree, S. M.; Schoenfisch, M. H., Morphological analysis of the antimicrobial action of nitric oxide on Gram-negative pathogens using atomic force microscopy. *Acta Biomaterialia* 2009, 5 (5), 1405–15.

[635] Beckmann, M. A.; Venkataraman, S.; Doktycz, M. J.; Nataro, J. P.; Sullivan, C. J.; Morrell-Falvey, J. L.; Allison, D. P., Measuring cell surface elasticity on enteroaggregative



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

*Escherichia coli* wild type and dispersin mutant by AFM. *Ultramicroscopy* 2006, 106 (8–9), 695–702.

[636] Schaer-Zammaretti, P.; Ubbink, J., Imaging of lactic acid bacteria with AFM-elasticity and adhesion maps and their relationship to biological and structural data. *Ultramicroscopy* 2003, 97 (1–4), 199–208.

[637] Wright, C. J.; Armstrong, I., The application of atomic force microscopy force measurements to the characterisation of microbial surfaces. *Surface and Interface Analysis* 2006, 38 (11), 1419–28.

[638] Dague, E.; Alsteens, D.; Latge, J.-P.; Verbelen, C.; Raze, D.; Baulard, A. R.; Dufrêne, Y. F., Chemical force microscopy of single live cells. *Nano Letters* 2007, 7 (10), 3026–30.

[639] Francius, G.; Lebeer, S.; Alsteens, D.; Wildling, L.; Gruber, H. J.; Hols, P.; De Keersmaecker, S.; Vanderleyden, J.; Dufrêne, Y. F., Detection, localization and conformational analysis of single polysaccharide molecules on live bacteria. *ACS Nano* 2008, 2 (9), 1921–29.

[640] Deupree, S. M.; Schoenfisch, M. H., Quantitative method for determining the lateral strength of bacterial adhesion and application for characterizing adhesion kinetics. *Langmuir* 2008, 24 (9), 47007.

[641] Boyd, R. D.; Verran, J.; Jones, M. V.; Bhakoo, M., Use of the atomic force microscope to determine the effect of substratum surface topography on bacterial adhesion. *Langmuir* 2002, 18 (6), 2343–46.

[642] Lower, S. K.; Hochella, M. F., Jr.; Beveridge, T. J., Bacterial recognition of mineral surfaces: nanoscale interactions between *Shewanella* and α-FeOOH. *Science* 2001, 292 (5520), 1360–63.

[643] Razatos, A.; Ong, Y. L.; Sharma, M. M.; Georgiou, G., Evaluating the interaction of bacteria with biomaterials using atomic force microscopy. *Journal of Biomaterials Science – Polymer Edition* 1998, 9 (12), 1361–73.

[644] Ong, Y. L.; Razatos, A.; Georgiou, G.; Sharma, M. M., Adhesion forces between *E. coli* bacteria and biomaterial surfaces. *Langmuir* 1999, 15 (8), 2719–25.

[645] Camesano, T. A.; Liu, Y.; Datta, M., Measuring bacterial adhesion at environmental interfaces with single-cell and single-molecule techniques. *Advances in Water Resources* 2007, 30 (6–7), 1470–91.

[646] Jass, J.; Tjarnhage, T.; Puu, G., From liposomes to supported, planar bilayer structures on hydrophilic and hydrophobic surfaces: an atomic force microscopy study. *Biophysical Journal* 2000, 79 (6), 3153–63.

[647] Jeuken, L. J. C.; Connell, S. D.; Henderson, P. J. F.; Gennis, R. B.; Evans, S. D.;



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

Bushby, R. J., Redox enzymes in tethered membranes. *Journal of the American Chemical Society* 2006, 128 (5), 1711–16.

[648] Hui, S. W.; Viswanathan, R.; Zasadzinski, J. A.; Israelachvili, J. N., The structure and stability of phospholipid bilayers by atomic force microscopy. *Biophysical Journal* 1995, 68 (1), 171–78.

[649] Egawa, H.; Furusawa, K., Liposome adhesion on mica surface studied by atomic force microscopy. *Langmuir* 1999, 15 (5), 16606.

[650] Ohler, B.; Revenko, I.; Husted, C., Atomic force microscopy of nonhydroxy-galactocerebroside nanotubes and their self-assembly at the air-water interface, with applications to myelin. *Journal of Structural Biology* 2001, 133 (1), 1–9.

[651] Simons, K.; Ikonen, E., Functional rafts in cell membranes. *Nature* 1997, 387 (6633), 569–72.

[652] Dufrêne, Y. F.; Lee, G. U., Advances in the characterization of supported lipid films with the atomic force microscope. *Biochimica et Biophysica Acta – Biomembranes* 2000, 1509 (1–2), 14–41.

[653] Eeman, M.; Deleu, M.; Paquot, M.; Thonart, P.; Dufrêne, Y. F., Nanoscale properties of mixed fengycin/ceramide monolayers explored using atomic force microscopy. *Langmuir* 2005, 21 (6), 2505–11.

[654] Schneider, J.; Dufrêne, Y. F.; Barger Jr, W. R.; Lee, G. U., Atomic force microscope image contrast mechanisms on supported lipid bilayers. *Biophysical Journal* 2000, 79 (2), 1107–18.

[655] Nicolini, C.; Baranski, J.; Schlummer, S.; Palomo, J.; Lumbierres-Burgues, M.; Kahms, M.; Kuhlmann, J.; Sanchez, S.; Gratton, E.; Waldmann, H.; Winter, R., Visualizing association of N-Ras in lipid microdomains: influence of domain structure and interfacial adsorption. *Journal of the American Chemical Society* 2006, 128 (1), 192–201.

[656] Butt, H.-J.; Franz, V., Rupture of molecular thin films observed in atomic force microscopy. I. Theory. *Physical Review E* 2002, 66 (3), 031601.

[657] Sanderson, J. M., Peptide lipid interactions: insights and perspectives. *Organic & Biomolecular Chemistry* 2005, 3 (2), 201–12.

[658] El Kirat, K.; Lins, L.; Brasseur, R.; Dufrêne, Y. F., Fusogenic tilted peptides induce nanoscale holes in supported phosphatidylcholine bilayers. *Langmuir* 2005, 21 (7), 3116–21.

[659] García-Sáez, A. J.; Chiantia, S.; Salgado, J.; Schwille, P., Pore formation by a Bax-derived peptide: effect on the line tension of the membrane probed by AFM. *Biophysical Journal* 2007, 93 (1), 103–12.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[660] El Kirat, K.; Dufrêne, Y. F.; Lins, L.; Brasseur, R., The SIV tilted peptide induces cylindrical reverse micelles in supported lipid bilayers. *Biochemistry* 2006, 45 (30), 9336–41.

[661] Grandbois, M.; Clausen-Schaumann, H.; Gaub, H., Atomic force microscope imaging of phospholipid bilayer degradation by phospholipase A(2). *Biophysical Journal* 1998, 74 (5), 2398–2404.

[662] Milhiet, P.-E.; Gubellini, F.; Berquand, A.; Dosset, P.; Rigaud, J. L.; Le Grimellec, C.; Levy, D., High-resolution AFM of membrane proteins directly incorporated at high density in planar lipid bilayer. *Biophysical Journal* 2006, 91 (9), 3268–75.

[663] Domke, J.; Parak, W. J.; George, M.; Gaub, H. E.; Radmacher, M., Mapping the mechanical pulse of single cardiomyocytes with the atomic force microscope. *European Biophysics Journal* 1999, 28 (3), 179–86.

[664] Friedrichs, J.; Taubenberger, A.; Franz, C. M.; Müller, D. J., Cellular remodelling of individual collagen fibrils visualized by time-lapse AFM. *Journal of Molecular Biology* 2007, 372 (3), 594–607.

[665] Weyn, B.; Kalle, W.; Kumar-Singh, S.; Marck, E. V.; Tanke, H.; Jacob, W., Atomic force microscopy: influence of air drying and fixation on the morphology and viscoelasticity of cultured cells. *Journal of Microscopy* 1998, 189 (2), 172–80.

[666] You, H. X.; Lau, J. M.; Zhang, S. W.; Yu, L., Atomic force microscopy imaging of living cells: a preliminary study of the disruptive effect of the cantilever tip on cell morphology, *Ultramicroscopy* 2000, 82 (1–4), 297–305.

[667] Yokokawa, M.; Takeyasu, K.; Yoshimura, S. H., Mechanical properties of plasma membrane and nuclear envelope measured by scanning probe microscope. *Journal of Microscopy* 2008, 232 (1), 82–90.

[668] Rotsch, C.; Radmacher, M., Drug-induced changes of cytoskeletal structure and mechanics in fibroblasts: an atomic force microscopy study. *Biophysical Journal* 2000, 78 (1), 520–35.

[669] Kim, S. J.; Kim, S.; Shin, H.; Uhm, C. S., Intercellular interaction observed by atomic force microscopy. *Ultramicroscopy* 2008, 108 (10), 1148–51.

[670] Braet, F.; Soon, L.; Kelly, T. F.; Larson, D. J.; Ringer, S. P., Live cell imaging. In *Nanosystem Characterization Tools in the Life Sciences*, Kumar, C. S. S. R., Ed. Wiley-VCH: 2006; pp 309–312.

[671] Puech, P.-H.; Poole, K.; Knebel, D.; Müller, D. J., A new technical approach to quantify cell-cell adhesion forces by AFM. *Ultramicroscopy* 2006, 106 (8–9), 637–44.

[672] Lehenkari, P. P.; Charras, G. T.; Nykänen, A.; Horton, M. A., Adapting atomic force



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

microscopy for cell biology. *Ultramicroscopy* 2000, 82 (1–4), 289–95.

[673] Folprecht, G.; Schneider, S.; Oberleithner, H., Aldosterone activates the nuclear pore transporter in cultured kidney cells imaged with atomic force microscopy. *Pflügers Archiv European Journal of Physiology* 1996, 432 (5), 831–38.

[674] Pandey, V.; Vijayakumar, M. V.; Kaul-Ghanekar, R.; Mamgain, H.; Paknikar, K.; Bhat, M. K., Atomic force microscopy, biochemical analysis of 3T3-L1 cells differentiated in the absence and presence of insulin. *Biochimica et Biophysica Acta* 2009, 1790 (1), 57–64.

[675] Schneider, S.; Sritharan, K.; Geibel, J. P.; Oberleithner, H.; Jena, B., Surface dynamics in living acinar cells imaged by atomic force microscopy: identification of plasma membrane structures involved in exocytosis. *Proceedings of the National Academy of Sciences of the United States of America* 1997, 94 (1), 316–21.

[676] You, H. X.; Yu, L., Atomic force microscopy imaging of living cells: progress, problems and prospects. *Methods in Cell Science* 1999, 21 (1), 1–17.

[677] Li, Q. S.; Lee, G. Y. H.; Ong, C. N.; Lim, C. T., AFM indentation study of breast cancer cells. *Biochemical and Biophysical Research Communications* 2008, 374 (4), 609–13.

[678] Domke, J.; Dannohl, S.; Parak, W. J.; Muller, O.; Aicher, W. K.; Radmacher, M., Substrate dependent differences in morphology and elasticity of living osteoblasts investigated by atomic force microscopy. *Colloids and Surfaces B: Biointerfaces* 2000, 19 (4), 367–79.

[679] Haga, H.; Nagayama, M.; Kawabata, K., Imaging mechanical properties of living cells by scanning probe microscopy. *Current Nanoscience* 2007, 3 (1), 97–103.

[680] Cross, S. E.; Jin, Y. S.; Tondre, J.; Wong, R.; Rao, J.; Gimzewski, J. K., AFM-based analysis of human metastatic cancer cells. *Nanotechnology* 2008, 19 (38), 384003.

[681] Cross, S. E.; Jin, Y. S.; Rao, J.; Gimzewski, J. K., Nanomechanical analysis of cells from cancer patients. *Nature Nanotechnology* 2007, 2 (12), 7803.

[682] Lekka, M.; Laidler, P.; Gil, D.; Lekki, J.; Stachura, Z.; Hrynkiewicz, A. Z., Elasticity of normal and cancerous human bladder cells studied by scanning force microscopy. *European Biophysics Journal* 1999, 28 (4), 312–16.

[683] Gutsmann, T.; Fantner, G. E.; Kindt, J. H.; Venturoni, M.; Danielsen, S.; Hansma, P. K., Force spectroscopy of collagen fibers to investigate their mechanical properties and structural organization. *Biophysical Journal* 2004, 86 (5), 3186–93.

[684] Lee, C. K.; Wang, Y. M.; Huang, L. S.; Lin, S. M., Atomic force microscopy: determination of unbinding force, off rate and energy barrier for protein-ligand interaction. *Micron* 2007, 38 (5), 446–61.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[685] Chtcheglova, L. A.; Haeberli, A.; Dietler, G., Force spectroscopy of the fibrin(ogen) – Fibrinogen interaction. *Biopolymers* 2008, 89 (4), 292–301.

[686] Barattin, R.; Voyer, N., Chemical modifications of AFM tips for the study of molecular recognition events. *Chemical Communications* 2008, 13, 1513–32.

[687] Ebner, A.; Wildling, L.; Kamruzzahan, A. S. M.; Rankl, C.; Wruss, J.; Hahn, C. D.; Holzl, M.; Zhu, R.; Kienberger, F.; Blaas, D.; Hinterdorfer, P.; Gruber, H. J., A new, simple method for linking of antibodies to atomic force microscopy tips. *Bioconjugate Chemistry* 2007, 18 (4), 1176–84.

[688] Lee, I.; Marchant, R. E., Molecular interaction studies of hemostasis: fibrinogen ligand-human platelet receptor interactions. *Ultramicroscopy* 2003, 97 (1–4), 341–52.

[689] Schwesinger, F.; Ros, R.; Strunz, T.; Anselmetti, D.; Guntherodt, H. J.; Honegger, A.; Jermutus, L.; Tiefenauer, L.; Pluckthun, A., Unbinding forces of single antibody-antigen complexes correlate with their thermal dissociation rates. *Proceedings of the National Academy of Sciences of the United States of America* 2000, 97 (18), 9972–77.

[690] Merkel, R.; Nassoy, P.; Leung, A.; Ritchie, K.; Evans, E., Energy landscapes of receptor-ligand bonds explored with dynamic force spectroscopy. *Nature* 1999, 397 (6714), 50–3.

[691] Moy, V. T.; Florin, E. L.; Gaub, H. E., Intermolecular forces and energies between ligands and receptors. *Science* 1994, 266 (5183), 257–59.

[692] Allen, S.; Davies, J.; Dawkes, A. C.; Davies, M. C.; Edwards, J. C.; Parker, M. C.; Roberts, C. J.; Sefton, J.; Tendler, S. J. B.; Williams, P. M., *In situ* observation of streptavidin-biotin binding on an immunoassay well surface using an atomic force microscope. *FEBS Letters* 1996, 390 (2), 161–64.

[693] Ebner, A.; Madl, J.; Kienberger, F.; Chtcheglova, L. A.; Puntheeranurak, T.; Zhu, R.; Tang, J. L.; Gruber, H. J.; Schutz, G. J.; Hinterdorfer, P., Single molecule force microscopy on cells and biological membranes. *Current Nanoscience* 2007, 3 (1), 49–56.

[694] Kienberger, F.; Kada, G.; Mueller, H.; Hinterdorfer, P., Single molecule studies of antibody-antigen interaction strength *versus* intra-molecular antigen stability. *Journal of Molecular Biology* 2005, 347 (3), 597–606.

[695] Allen, S.; Chen, X. Y.; Davies, J.; Davies, M. C.; Dawkes, A. C.; Edwards, J. C.; Roberts, C. J.; Sefton, J.; Tendler, S. J. B.; Williams, P. M., Detection of antigen-antibody binding events with the atomic force microscope. *Biochemistry* 1997, 36 (24), 7457–63.

[696] Soman, P.; Rice, Z.; Siedlecki, C. A., Measuring the time-dependent functional activity of adsorbed fibrinogen by atomic force microscopy. *Langmuir* 2008, 24 (16), 88016.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[697] Rankl, C.; Kienberger, F.; Wildling, L.; Wruss, J.; Gruber, H. J.; Blaas, D.; Hinterdorfer, P., Multiple receptors involved in human rhinovirus attachment to live cells. *Proceedings of the National Academy of Sciences of the United States of America* 2008, 105 (46), 17778–83.

[698] Zhang, X.; Chen, A.; De Leon, D.; Li, H.; Noiri, E.; Moy, V. T.; Goligorsky, M. S., Atomic force microscopy measurement of leukocyte-endothelial interaction. *American Journal of Physiology – Heart and Circulatory Physiology* 2004, 286 (1), 359–67.

[699] Lamontagne, C.-A.; Cuerrier, C.; Grandbois, M., AFM as a tool to probe and manipulate cellular processes. *Pflügers Archiv European Journal of Physiology* 2008, 456 (1), 61–70.

[700] Heinz, W. F.; Hoh, J. H., Spatially resolved force spectroscopy of biological surfaces using the atomic force microscope. *Trends In Biotechnology* 1999, 17 (4), 143–50.

[701] Yersin, A.; Steiner, P., Receptor trafficking and AFM. *Pflügers Archiv European Journal of Physiology* 2008, 456 (1), 189–98.

[702] Kim, H.; Arakawa, H.; Hatae, N.; Sugimoto, Y.; Matsumoto, O.; Osada, T.; Ichikawa, A.; Ikai, A., Quantification of the number of EP3 receptors on a living CHO cell surface by the AFM. *Ultramicroscopy* 2006, 106 (8–9), 652–62.

[703] Gad, M.; Itoh, A.; Ikai, A., Mapping cell wall polysaccharides of living microbial cells using atomic force microscopy. *Cell Biology International* 1997, 21 (11), 697–706.

[704] Verbelen, C.; Christiaens, N.; Alsteens, D.; Dupres, V.; Baulard, A. R.; Dufrêne, Y. F., Molecular mapping of lipoarabinomannans on mycobacteria. *Langmuir* 2009, 25 (8), 4324–27.

[705] Gilbert, Y.; Deghorain, M.; Wang, L.; Xu, B.; Pollheimer, P. D.; Gruber, H. J.; Errington, J.; Hallet, B.; Haulot, X.; Verbelen, C.; Hols, P.; Dufrêne, Y. F., Single-molecule force spectroscopy and imaging of the vancomycin/D-Ala-D-Ala interaction. *Nano Letters* 2007, 7 (3), 796–801.

[706] Dufrêne, Y.; Hinterdorfer, P., Recent progress in AFM molecular recognition studies. *Pflügers Archiv European Journal of Physiology* 2008, 456 (1), 237–45.

[707] Chtcheglova, L. A.; Waschke, J.; Wildling, L.; Drenckhahn, D.; Hinterdorfer, P., Nano-scale dynamic recognition imaging on vascular endothelial cells. *Biophysical Journal* 2007, 93 (2), L11–3.

[708] Stroh, C. M.; Ebner, A.; Geretschläger, M.; Freudenthaler, G.; Kienberger, F.; Kamruzzahan, A. S. M.; Smith-Gill, S. J.; Gruber, H. J.; Hinterdorfer, P., Simultaneous topography and recognition imaging using force microscopy. *Biophysical Journal* 2004, 87 (3), 1981–90.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[709] Kienberger, F.; Ebner, A.; Gruber, H. J.; Hinterdorfer, P., Molecular recognition imaging and force spectroscopy of single biomolecules. *Accounts of Chemical Research* 2006, 39 (1), 29–36.

[710] Grandbois, M.; Dettmann, W.; Benoit, M.; Gaub, H. E., Affinity imaging of red blood cells using an atomic force microscope. *Journal of Histochemistry & Cytochemistry* 2000, 48 (5), 719–24.

[711] Lee, G. U.; Chrisey, L. A.; Colton, R. J., Direct measurement of the forces between complementary strands of DNA. *Science* 1994, 266 (5186), 771–73.

[712] Bonin, M.; Zhu, R.; Klaue, Y.; Oberstrass, J.; Oesterschulze, E.; Nellen, W., Analysis of RNA flexibility by scanning force spectroscopy. *Nucleic Acids Research* 2002, 30 (16), e81.

[713] Mitsui, K.; Hara, M.; Ikai, A., Mechanical unfolding of alpha(2)-macroglobulin molecules with atomic force microscope. *FEBS Letters* 1996, 385 (1–2), 29–33.

[714] Oberhauser, A. F.; Marszalek, P. E.; Erickson, H. P.; Fernandez, J. M., The molecular elasticity of the extracellular matrix protein tenascin. *Nature* 1998, 393 (6681), 181–85.

[715] Rief, M.; Gautel, M.; Oesterhelt, F.; Fernandez, J. M.; Gaub, H. E., Reversible unfolding of individual titin immunoglobulin domains by AFM. *Science* 1997, 276 (5315), 1109–12.

[716] Brockwell, D. J., Force denaturation of proteins – an unfolding story. *Current Nanoscience* 2007, 3 (1), 3–15.

[717] Borgia, A.; Williams, P. M.; Clarke, J., Single-molecule studies of protein folding. *Annual Review of Biochemistry* 2008, 77, 101–25.

[718] Carrion-Vazquez, M.; Oberhauser, A. F.; Fowler, S. B.; Marszalek, P. E.; Broedel, S. E.; Clarke, J.; Fernandez, J. M., Mechanical and chemical unfolding of a single protein: a comparison. *Proceedings of the National Academy of Sciences of the United States of America* 1999, 96 (7), 3694–99.

[719] Ng, S. P.; Rounsevell, R. W. S.; Steward, A.; Geierhaas, C. D.; Williams, P. M.; Paci, E.; Clarke, J., Mechanical unfolding of TNfn3: the unfolding pathway of a fnIII domain probed by protein engineering, AFM and MD simulation. *Journal of Molecular Biology* 2005, 350 (4), 776–89.

[720] Oberhauser, A. F.; Hansma, P. K.; Carrion-Vazquez, M.; Fernandez, J. M., Stepwise unfolding of titin under force-clamp atomic force microscopy. *Proceedings of the National Academy of Sciences of the United States of America* 2001, 98 (2), 468–72.

[721] Schlierf, M.; Li, H. B.; Fernandez, J. M., The unfolding kinetics of ubiquitin captured



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

with single-molecule force-clamp techniques. *Proceedings of the National Academy of Sciences of the United States of America* 2004, 101 (19), 7299–7304.

[722] Bippes, C. A.; Janovjak, H.; Kedrov, A.; Müller, D. J., Digital force-feedback for protein unfolding experiments using atomic force microscopy. *Nanotechnology* 2007, 18 (4), 044022.

[723] Schäffer, T. E., Calculation of thermal noise in an atomic force microscope with a finite optical spot size. *Nanotechnology* 2005, 16 (6), 664–70.

[724] Chinga-Carrasco, G.; Kauko, H.; Myllys, M.; Timonen, J.; Wang, B.; Zhou, M.; Fossum, J. O., New advances in the 3D characterization of mineral coating layers on paper. *Journal of Microscopy* 2008, 232 (2), 212–24.

[725] Di Risio, S.; Yan, N., Characterizing coating layer z-directional binder distribution in paper using atomic force microscopy. *Colloids and Surfaces A: Physicochemical and Engineering Aspects* 2006, 289 (1–3), 65–74.

[726] Sadaie, M.; Nishikawa, N.; Ohnishi, S.; Tamada, K.; Yase, K.; Hara, M., Studies of human hair by friction force microscopy with the hair-model-probe. *Colloids and Surfaces B: Biointerfaces* 2006, 51 (2), 120–29.

[727] Swift, J. A.; Smith, J. R., Atomic force microscopy of human hair. *Scanning* 2000, 22 (5), 310–18.

[728] Breakspear, S.; Smith, J. R.; Luengo, G., Effect of the covalently linked fatty acid 18-MEA on the nanotribology of hair's outermost surface. *Journal of Structural Biology* 2005, 149 (3), 235–42.

[729] Chen, N.; Bhushan, B., Morphological, nanomechanical and cellular structural characterization of human hair and conditioner distribution using torsional resonance mode with an atomic force microscope. *Journal of Microscopy* 2005, 220 (2), 96–112.

[730] Knight, S.; Dixson, R.; Jones, R. L.; Lin, E. K.; Orji, N. G.; Silver, R.; Villarrubia, J. S.; Vladar, A. E.; Wu, W. L., Advanced metrology needs for nanoelectronics lithography. *Comptes Rendus Physique* 2006, 7 (8), 931–41.

[731] Foucher, J.; Ernst, T.; Pargon, E.; Martin, M. Critical dimension metrology: perspectives and future trends. .

[732] Kwon, J.; Kim, Y.-S.; Yoon, K.; Lee, S.-M.; Park, S.-i., Advanced nanoscale metrology of pole-tip recession with AFM. *Ultramicroscopy* 2005, 105 (1–4), 51–56.

[733] Gupta, B. K.; Young, K.; Chilamakuri, S.; Menon, A. K., Head design considerations for lower thermal pole tip recession and alumina overcoat protrusion. *Tribology International* 2000, 33 (5–6), 309–14.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015

[734] Choi, M.; Yang, J. M.; Lim, J.; Lee, N.; Kang, S., Measurement and analysis of magnetic domain properties of high-density patterned media by magnetic force microscopy, IEEE Transactions on Magnetics 2009, 45 (5), 2308–11.

[735] Breakspear, S.; Smith, J. R.; Nevell, T. G.; Tsibouklis, J., Friction coefficient mapping using the atomic force microscope. *Surface and Interface Analysis* 2004, 36 (9), 1330–34.

[736] Nie, H.-Y.; McIntyre, N. S., A simple and effective method of evaluating atomic force microscopy tip performance. *Langmuir* 2001, 17 (2), 432–36.

[737] Bolhuis, T.; Pasop, J. R.; Abelmann, L.; Lodder, J. C. *Scanning probe microscopy markup language*, Scanning Tunneling Microscopy/Spectroscopy and Related Techniques: 12th International Conference. AIP: Eindhoven, 2003; pp 271–8.

[738] Horcas, I.; Fernandez, R.; Gómez-Rodriguez, J. M.; Colchero, J.; Gomez-Herrero, J.; Baró, A. M., WSXM: A software for scanning probe microscopy and a tool for nanotechnology. *Review of Scientific Instruments* 2007, 78 (1), 013705.



PRINTED FROM OXFORD SCHOLARSHIP ONLINE (www.oxfordscholarship.com). (c) Copyright Oxford University Press, 2014. All Rights Reserved. Under the terms of the licence agreement, an individual user may print out a PDF of a single chapter of a monograph in OSO for personal use (for details see http://www.oxfordscholarship.com/page/privacy-policy). Subscriber: UC - Berkeley Library; date: 20 February 2015