Sampson's Monks

In this project, you will analyze and model Sampson's Monks dataset, a classic dataset in social network analysis.

By completing this project, you will:

- Work with matrices and lists in applied settings
- Practice row/column operations for network statistics
- Use functions, control flow, and libraries
- Understand the contrast between random vs. real-world networks

You will submit:

- A .R file with your code (well commented)
- A README.md describing your process, results, and reflections

Both files should be pushed to our GitHub Classroom by the due date (October 1 at 11:59PM).

Part 0 - Setting Up

Open your R app and install and load the necessary packages for this project: `lda`, `igraph`, and `networkD3`. `lda` contains the monks data.

Part 1 - Visualizing the Network

Create two network visualizations:

1. A static plot using `igraph::plot.igraph()`
2. An interactive plot using `networkD3::forceNetwork()`

Before plotting, check what data structure your plotting function accepts: `igraph` accepts an adjacency matrix. `networkD3` needs dataframes of nodes and edges, not an adjacency matrix. You will need to write code to transform the matrix into that format.

Part 2 - Summary Statistics on a Sociomatrix

Now that we have our sociomatrix, we can find summary statistics on it to better understand our data. Choose one sociomatrix (other than SAMPLK1, the example used in class) from the dataset. **Compute summary measures**:

1. Out-degree
2. In-degree
3. Mean tie strength
4. Store results in a list that keeps track of different measures.

5. Make a barplot of the in-degree statistic.
6. Which monk is most liked? Which monk is least liked?

Part 3 - A simple model of a social network

One way to learn more about the social dynamics underlying the monk's network is to compare it to a network generated using a simple but well-understood mechanism; that is to say: a model.

Write a function that will generate a network according to the rule that each monk assigns their likes (or dislikes) completely at random. This function should be general enough to allow the user to generate a network of any size. *(Hint: for loops can be helpful here)*

Feel free to add additional complexity into your model (for example, assigning the likes randomly but with unequal probabilities).

Part 4 - Comparison: Model vs Observations

Apply the same techniques you used in parts 1 and 2 (visualization and summary statistics) to **describe the structure of the network that was simulated by your model**. In 3-5 sentences, **compare these networks**: In what ways is the observed network `monk_mat` similar to your generated network? In what ways is it different? What patterns appear in the observed network that are missing from your generated one?

Submission

On GitHub Classroom, submit:

- `project.R` — your R code with comments explaining each part
- `README.md` — with your answers, screenshots of plots, and reflections
  - include the short reflection from Part 4