## STAT151A Quiz 2.5 (Feb 22nd)

Please write your full name and email address:

For this quiz, we'll consider the linear models

$$y_n = \boldsymbol{\beta}^{\intercal} \boldsymbol{x}_n + \varepsilon_n$$
 and  $y_n = \boldsymbol{\gamma}^{\intercal} \boldsymbol{z}_n + \eta_n$ 

with

$$\mathbf{x}_n = (x_{n1}, x_{n2})^{\mathsf{T}}$$
 and  $\mathbf{z}_n = (z_{n1}, z_{n2})^{\mathsf{T}}$  where  $z_{n1} := x_{n1} - x_{n2}$  and  $z_{n2} := x_{n1} + x_{n2}$ 

Let X denote the  $N \times 2$  matrix whose n-th row is  $\boldsymbol{x}_n^\intercal$ , and Z denote the  $N \times 2$  matrix whose n-th row is  $\boldsymbol{z}_n^\intercal$ .

Assume that the matrix X is full rank.

Recall that the inverse of a 2x2 matrix is given by

$$\begin{pmatrix} a & b \\ c & d \end{pmatrix}^{-1} = \frac{1}{ad - bc} \begin{pmatrix} d & -b \\ -c & a \end{pmatrix}.$$

You have 20 minutes for this quiz.

There are three parts, (a), (b), and (c), each weighted equally...

(a)

Using the definitions given on the first page, find a  $2 \times 2$  matrix  $\boldsymbol{A}$  such that  $\boldsymbol{Z} = \boldsymbol{X}\boldsymbol{A}$ .

## (b)

Use the definitions given on the first page of the quiz. Suppose I tell you that the OLS estimate of  $\beta$  is given by  $\hat{\beta}=(2,4)$ . What is the value of  $\hat{\gamma}$ , the OLS estimate of  $\gamma$ ?

(c)

Use the definitions given on the first page of the quiz. Consider the residual variance estimators for the two regressions:

$$\hat{\sigma}_x^2 := \frac{1}{N} \sum_{n=1}^N \hat{\varepsilon}_n^2 = \frac{1}{N} \sum_{n=1}^N (y_n - \boldsymbol{x}_n^\intercal \hat{\beta})^2 \quad \text{and} \quad \hat{\sigma}_z^2 := \frac{1}{N} \sum_{n=1}^N \hat{\eta}_n^2 = \frac{1}{N} \sum_{n=1}^N (y_n - \boldsymbol{z}_n^\intercal \hat{\gamma})^2.$$

Please select which of (a), (b), (c), or (d) is correct:

- a) It is always the case that  $\hat{\sigma}_x^2 > \hat{\sigma}_z^2$ b) It is always the case that  $\hat{\sigma}_x^2 < \hat{\sigma}_z^2$ c) It is always the case that  $\hat{\sigma}_x^2 = \hat{\sigma}_z^2$ d) In general, we cannot determine the relationship between  $\hat{\sigma}_x^2$  and  $\hat{\sigma}_z^2$  using the information provided.

Briefly justify your answer.