Beacon Digest -- 2026-10-23

Linux

[$] The end of __get_user() and __put_user()

Source: LWN.net

> Linus Torvalds rarely writes significant amounts of kernel code these days, so the merging of a 48-part patch series from him is an unusual event. This series, destined for the 7.4 kernel release, performs some long-delayed kernel cleanup by removing a couple of the primitives used to access user-sp...

KeePassXC 2.8.0 released

Source: LWN.net

> Version 2.8.0 of the KeePassXC password-management application has been released. The new release brings a lot of long-awaited new features, many bugfixes, and several security updates. Among the major features are the migration from Qt5 to Qt6, Auto-Type on Wayland (Linux), configurable keyboard sh...

[$] Rust features in the future

Source: LWN.net

> There are several Rust features that kernel developers have been hoping to stabilize, but Josh Triplett wanted to describe all of the other features that the Rust project is currently working on. He spoke about the topic at Kangrejos 2026, leaving the assembled kernel developers with several ideas a...

Security updates for Thursday

Source: LWN.net

> Security updates have been issued by AlmaLinux (.NET 10.0, .NET 8.0, .NET 9.0, cockpit-files, cockpit-machines, fetchmail, glycin-loaders, go-toolset:rhel8, golang, hostapd, jackson-core, kernel, kernel-rt, librsvg2, lrzsz, mariadb11.8, openexr, openssh, openssl, perl-DBI:1.641, python-urllib3, pyth...

Friday Five — October 23, 2026 | Red Hat

Source: Red Hat Blog

> Red Hat AI Factory with NVIDIA Accelerates Agentic AI Security Capabilities Across the Open Hybrid CloudRed Hat and NVIDIA expanded their collaboration around

> Red Hat AI Factory with NVIDIA, spanning agent security through OpenShell, optimized open weights inference, and Day 0 enablement for NVIDIA...

An IT manager’s guide to leading an automation-driven culture

Source: Red Hat Blog

> Modern IT engineering organizations face a new reality: the mindset of people relying on “manual” work is simply no longer valid. Furthermore, the rapid rise of artificial intelligence (AI) has introduced an entirely new layer of complexity and urgency to the operational landscape. AI is fundamental...

Simplifying TLS certificate management on Red Hat OpenShift with NEC

Source: Red Hat Blog

> Red Hat OpenShift uses TLS certificates across many platform components to establish trust and secure communications. As platforms grow and evolve over years of operation, managing these certificates consistently becomes increasingly difficult.For years, Red Hat and NEC have worked together to under...

From buzzword to blueprint: Implementing zero trust on Red Hat OpenShift with the Layered Zero Trust Validated Pattern

Source: Red Hat Blog

> Part 4 of a series on implementing zero trust security in Red Hat OpenShift with the Layered Zero Trust Validated Pattern.Zero trust is easy to describe. The hard part is making it repeatable.Zero trust is often described succinctly in a memorable sentence: never trust, always verify. The principle...

The PHP Bug That Broke The Internet

Source: Mental Outlaw

> In this video I discuss the PHP2Shell Bug which is most severe PHP RCE bug to be discovered this decade, and because of it's poor disclosure process hundreds of websites had to be taken offline while the engineers responsible for their security waited for emergency patches to drop a day earlier than...

Security

Researchers Demonstrate Node2Shell RCE Exploit on Node.js Build Using Crafted Brotli Data

Source: The Hacker News

> Malicious Brotli data can make an application on an official build of Node.js run attacker-supplied code, security researchers at Imperva have demonstrated. Their "Node2Shell" proof of concept ran code on the official Node.js 24.22.0 image for Linux arm64, with no debugger or custom build, by feedin...

Critical x402 SDK Flaw Could Let Malicious APIs Drain AI Agents' Token Balances

Source: The Hacker News

> AI agents paying for API calls with the x402 SDKs could sign a payment for their full balance of a supported token if a malicious API asked for it, security firm V12 said on October 22. The cause was the SDKs' default client, which set no spending limit until releases on August 18 added one. The ris...

PHP2Shell Exploit Attempts Hit Millions as Attackers Try to Deploy Mirai Malware

Source: The Hacker News

> Threat actors have been observed unsuccessfully attempting to exploit the newly disclosed PHP2Shell vulnerabilities to rope infected systems into a Mirai botnet variant called Potassium, as it emerges that weaponizing the flaws may be harder than previously thought. The attacks aim to exploit CVE-20...

The AI Agent Nobody Owns: Watch Expert Webinar On Your Newest Insider Threat

Source: The Hacker News

> Right now, there is probably an AI agent running on a laptop somewhere in your network. It stores API keys and database passwords, can access your internal systems, and works without anyone watching. Nobody reviewed its access. Nobody owns it. If an employee had that much reach with that little over...

Arista Warns of Critical VeloCloud SQL Injection Zero-Day Exploited in Attacks

Source: The Hacker News

> Attackers are exploiting a zero-day SQL injection flaw in Arista's VeloCloud Orchestrator (VCO), the central management system for VeloCloud SD-WAN networks, the company said in an advisory on October 22. The flaw lets anyone who can log in to the orchestrator, even with a read-only customer account...

eMudhra to Exit Global SSL/TLS Business After 8 Intermediate CA Keys Found Easily Guessable

Source: The Hacker News

> eMudhra, an Indian certificate authority (CA), will withdraw from its global SSL/TLS certificate business, its board decided on Thursday. The decision came five days after a researcher reported recovering the private keys of eight of its intermediate CA certificates. eMudhra said it will replace aff...

ThreatsDay: AI Secrets Leak, PingCAP Source Theft, Signal Hang-Up Flaw, Laravel Auth Bypass + 21 More

Source: The Hacker News

> This week has already been rough for cybersecurity. Critical PHP and GitLab RCE flaws, serious Linux security bugs, compromised eMudhra certificates, a Node.js RCE flaw, a hacked LiteLLM release, and hundreds of hijacked Tor relays. That's a lot to deal with in just a few days. And the week isn't ev...

Two CVSS 9.0 Linux KSMBD RCE Flaws Disclosed on Public Mailing Lists Before Kernel Fixes

Source: The Hacker News

> Linux servers running KSMBD, the kernel's built-in SMB server, are exposed to two publicly reported remote code execution flaws rated 9.0 by Trend Micro's Zero Day Initiative, with no fix yet in the mainline kernel. One of them, ZDI-CAN-33774, can be triggered before any network authentication. The...

Meta Ordered to Pay $25 Billion After Court Finds 43 Million Privacy Violations

Source: The Hacker News

> Social media giant Meta was ordered to pay 25 billion in penalties by a New Mexico court on Wednesday as part of a data privacy lawsuit that sprang from the company's Cambridge Analytica data scandal, which came to light in 2018. According to multiple reports from the Associated Press, the New York...

INTERPOL Arrests 1,462 Suspects, Disrupts 10,909 Cybercrime Networks in Global Crackdown

Source: The Hacker News

> INTERPOL on Thursday announced that a coordinated law enforcement action has disrupted 10,909 malicious networks and recovered more than $105 million in illicit funds. In tandem, the effort saw law enforcement agencies from 21 countries arrest 1,462 suspects. Codenamed Operation Serengeti III, the c...

Railway Says Intruder May Have Accessed Customer Secrets, Urges Credential Rotation

Source: The Hacker News

> Platform-as-a-Service (PaaS) provider Railway on Wednesday disclosed "anomalous activity" related to systems that store customer environment variables. Upon further investigation, the company found that an unauthorized third party may have gained access to encrypted environment variables, and, in so...

OpenCode Flaw Lets Malicious MCP Servers Execute Code During Sign-In on Windows and WSL

Source: The Hacker News

> A flaw in the OpenCode AI coding agent allowed a malicious or hijacked MCP server to run code on a developer's Windows or WSL machine when the developer signed in. OpenCode connects to MCP (Model Context Protocol) servers to add outside tools, and such code would run with the developer's own access....

General Tech

I Did This Without Your Knowledge

Source: Hacker News (Top 20)

> Article URL: https://www.lesswrong.com/posts/3375SZNGA5dKHQMie/i-did-this-without-your-knowledge Comments URL: https://news.ycombinator.com/item?id=50204926 Points: 22 # Comments: 9

This I Believe (1952)

Source: Hacker News (Top 20)

> Article URL: https://www.awakin.org/v2/read/view.php?tid=468 Comments URL: https://news.ycombinator.com/item?id=50203759 Points: 85 # Comments: 32

The foolishness of "natural language programming" (1978)

Source: Hacker News (Top 20)

> Article URL: https://www.cs.utexas.edu/~EWD/transcriptions/EWD06xx/EWD667.html Comments URL: https://news.ycombinator.com/item?id=50203161 Points: 170 # Comments: 98

Show HN: Making a smart TV dumb and then smart

Source: Hacker News (Top 20)

> A recent (unwanted) webOS update that got installed on TV prompted me to start going down the rabbit hole of writing new TV software. After a couple of weekends and massive help from 4 different models, finally managed to get v1 working. My daughter enjoys navigating TV through speech while I get to...

Jank – The native Clojure dialect with seamless C++ interop

Source: Hacker News (Top 20)

> Article URL: https://jank-lang.org/ Comments URL: https://news.ycombinator.com/item?id=50202762 Points: 101 # Comments: 11

Docker is weird

Source: Hacker News (Top 20)

> Article URL: https://codeandcake.dev/posts/2026-10-22-docker-is-weird Comments URL: https://news.ycombinator.com/item?id=50202681 Points: 467 # Comments: 216

We have traits at home

Source: Hacker News (Top 20)

> Article URL: https://www.axelmagn.com/blog/202610-zig-traits/ Comments URL: https://news.ycombinator.com/item?id=50202482 Points: 16 # Comments: 3

Local Wikipedia: Wikipedia, but only for things a half hour walk from you

Source: Hacker News (Top 20)

> Article URL: https://edjefferson.com/localwiki/ Comments URL: https://news.ycombinator.com/item?id=50202285 Points: 360 # Comments: 89

LLMs are making formal software verification feasible at a much larger scale

Source: Hacker News (Top 20)

> Article URL: https://www.anthropic.com/research/formal-verification Comments URL: https://news.ycombinator.com/item?id=50202217 Points: 344 # Comments: 201

Rule 30: one black cell

Source: Hacker News (Top 20)

> Article URL: https://www.wolframcollatzmahler.com/rule30/index.html Comments URL: https://news.ycombinator.com/item?id=50201842 Points: 15 # Comments: 4

How does Fable 5.1 hide messages in images?

Source: Hacker News (Top 20)

> Article URL: https://www.lesswrong.com/posts/WHEQps5PK8LrrcTAb/how-does-fable-5-1-hide-messages-in-images Comments URL: https://news.ycombinator.com/item?id=50201445 Points: 84 # Comments: 23

Railpass

Source: Hacker News (Top 20)

> Article URL: https://train.samismith.com/ Comments URL: https://news.ycombinator.com/item?id=50201414 Points: 101 # Comments: 24

Ask HN: If the models are so good, why doesn't OpenAI just start 100 companies?

Source: Hacker News (Top 20)

> Title is a bit of an exaggeration but the question is more: if the frontier models are so good, why even sell them as your primary money maker? Couldn't OpenAI or Anthropic make a lot more money by just starting companies themselves that leverage the models and building their own products? Is sellin...

The HTML-in-Canvas API origin trial

Source: Hacker News (Top 20)

> Article URL: https://developer.chrome.com/blog/html-in-canvas-origin-trial Comments URL: https://news.ycombinator.com/item?id=50200164 Points: 43 # Comments: 19

Hedra is a 3D open world game I wrote from scratch while in highschool

Source: Hacker News (Top 20)

> Article URL: https://github.com/maxilevi/project-hedra/tree/pre-ai Comments URL: https://news.ycombinator.com/item?id=50199389 Points: 196 # Comments: 39

OpenShell – A safe, private runtime for fleets of autonomous AI agents

Source: Hacker News (Top 20)

> Article URL: https://github.com/NVIDIA/OpenShell Comments URL: https://news.ycombinator.com/item?id=50198675 Points: 393 # Comments: 193

Getting ready to operate GNU Taler in Germany

Source: Hacker News (Top 20)

> Article URL: https://www.taler.net/en/news/2026-13.html Comments URL: https://news.ycombinator.com/item?id=50197404 Points: 291 # Comments: 122

Every AI model has the same "controversial" take on humans

Source: Hacker News (Top 20)

> Article URL: https://www.modelcompare.ai/blog/ai-models-controversial-take-on-humans Comments URL: https://news.ycombinator.com/item?id=50197313 Points: 417 # Comments: 419

Run full iOS 16.5 firmware on Android Devices

Source: Hacker News (Top 20)

> https://hackios-web.vercel.app/en Comments URL: https://news.ycombinator.com/item?id=50196718 Points: 435 # Comments: 149

Quad9 to exit France

Source: Hacker News (Top 20)

> Article URL: https://quad9.net/news/blog/au-revoir-france/ Comments URL: https://news.ycombinator.com/item?id=50195959 Points: 1204 # Comments: 408