

Appendix to "C19EpidemiologyGraphs: A Spatial Graph Database with Global COVID-19 Epidemiological Vertex Features"

Artur B. Torres, Gladston J. P. Moreira¹

¹Computing Department – Universidade Federal de Ouro Preto (UFOP)
Ouro Preto, MG – Brazil

arturtorres@proton.me, gladston@ufop.edu.br

Abstract. *This file contains two tables that had to be left out of the paper "C19EpidemiologyGraphs: A Spatial Graph Database with Global COVID-19 Epidemiological Vertex Features" [Torres and Moreira 2026] due to space constraints. It serves as an appendix.*

1. Matches per country

Below there are two tables, informing the total number of locations in COVID-19 Open Dataset¹ [Wahltinez et al. 2022] and the number matches/connections that were done with it and GADM², respectively for levels 1 and 2, both grouped by country. If a country is absent, it means the total possible matches to be had in COVID-19 Open Dataset is zero.

Table 1. Number of matches in level 1 grouped by country

Country	Total	Matched	Percentage
Afghanistan	34	34	100.0%
Argentina	24	24	100.0%
Australia	8	8	100.0%
Austria	9	9	100.0%
Bangladesh	8	8	100.0%
Belgium	11	11	100.0%
Bolivia	9	9	100.0%
Brazil	27	27	100.0%
Bulgaria	28	28	100.0%
Canada	13	10	76.92%
Chile	16	16	100.0%
China	31	31	100.0%
Colombia	33	33	100.0%

¹Available at: <https://health.google.com/covid-19/open-data/>

²Available at: <https://gadm.org>

Costa Rica	7	7	100.0%
Cuba	17	15	88.24%
Czech Republic	14	14	100.0%
Democratic Republic of the Congo	30	26	86.67%
Dominican Republic	32	32	100.0%
Ecuador	24	24	100.0%
El Salvador	14	14	100.0%
Estonia	15	15	100.0%
France	21	20	95.24%
Germany	16	16	100.0%
Guatemala	22	22	100.0%
Haiti	10	10	100.0%
Honduras	18	18	100.0%
India	37	35	94.59%
Indonesia	34	34	100.0%
Iraq	19	16	84.21%
Israel	7	7	100.0%
Italy	21	20	95.24%
Japan	47	47	100.0%
Kenya	47	47	100.0%
Libya	29	22	75.86%
Malaysia	16	16	100.0%
Mexico	32	32	100.0%
Mozambique	11	11	100.0%
Netherlands	12	12	100.0%
Nicaragua	17	17	100.0%
Norway	13	13	100.0%
Pakistan	5	5	100.0%
Panama	13	13	100.0%
Paraguay	18	18	100.0%
Peru	26	26	100.0%
Philippines	17	0	0.0%
Poland	16	16	100.0%

Portugal	7	0	0.0%
Romania	42	42	100.0%
Russia	84	83	98.81%
Sierra Leone	5	4	80.0%
Slovakia	8	8	100.0%
Slovenia	12	12	100.0%
South Africa	9	9	100.0%
South Korea	17	17	100.0%
Spain	19	17	89.47%
Sudan	18	18	100.0%
Sweden	21	21	100.0%
Switzerland	26	26	100.0%
Taiwan	22	22	100.0%
Thailand	77	77	100.0%
Ukraine	25	25	100.0%
United Kingdom	13	4	30.77%
United States of America	56	55	98.21%
Uruguay	19	19	100.0%
Venezuela	24	24	100.0%

References

- Torres, A. and Moreira, G. (2026). C19epidemiologygraphs: A spatial graph database with global covid-19 epidemiological vertex features. In *SBBD 2026 - DSW* ().
- Wahlteinez, O., Cheung, A., Alcantara, R., Cheung, D., Daswani, M., Erlinger, A., Lee, M., Yawalkar, P., Lê, P., Navarro, O. P., Brenner, M., and Murphy, K. (2022). Covid-19 open-data: a global-scale spatially granular meta-dataset for coronavirus disease. *Scientific Data*.

Table 2. Number of matches in level 2 grouped by country

Country	Total	Matched	Percentage
Argentina	520	482	92.69%
Austria	94	94	100.0%
Bangladesh	64	64	100.0%
Brazil	5571	5567	99.93%
Canada	92	0	0.0%
Chile	346	344	99.42%
Colombia	1122	1114	99.29%
Czech Republic	77	76	98.7%
France	96	87	90.62%
Germany	412	399	96.84%
India	716	633	88.41%
Indonesia	514	482	93.77%
Israel	1478	0	0.0%
Italy	103	102	99.03%
Libya	18	0	0.0%
Mexico	2465	2064	83.73%
Netherlands	355	350	98.59%
Peru	1874	1797	95.89%
Philippines	112	70	62.5%
Poland	380	378	99.47%
Sierra Leone	16	14	87.5%
South Africa	52	52	100.0%
Spain	1369	0	0.0%
United Kingdom	182	121	66.48%
United States of America	3225	3132	97.12%