






**T Paired lipid pathway activity changes across cell types**

Red ↑ higher at surgery · blue ↓ lower · number = patients of seven · * nominal paired P<0.05

Outlined: epithelial activation (L–M); myeloid activation, oxidation and shuttle (N)

| | CAF | Endothelial | Epithelial | Myeloid | PVL | T cells |
|---|---|---|---|---|---|---|
| **Fatty acid activation · cytosolic** | 5↑ | **6↑*** | **7↑*** | **6↑*** | **7↑*** | **7↑*** |
| **Fatty acid activation · ER** | **6↑** | **6↑*** | **7↑*** | **6↑*** | **6↑*** | **7↑*** |
| Fatty acid metabolism | **6↓** | 4↓ | 4↓ | **6↓** | 4↑ | 4↓ |
| Fatty acid biosynthesis | **6↓** | **6↓*** | 5↓ | **6↓*** | 5↓ | **7↓*** |
| Fatty acid elongation | **6↓** | 4↓ | 4↑ | **6↓*** | 4↓ | 4↓ |
| **Fatty acid oxidation** | 4↓ | 4↓ | 4↑ | **6↓** | 4↓ | 4↑ |
| **Peroxisomal carnitine shuttle** | 5↓ | 5↑ | 4↓ | **6↓*** | 5↑ | 4↓ |
| Glycerolipid metabolism | 5↑ | **6↑** | 5↑ | 5↓ | 4↑ | 5↑ |
| Glycerophospholipid metabolism | **6↑** | **6↑*** | 5↑ | 5↑ | 5↑ | **7↑*** |
| Sphingolipid metabolism | 4↓ | 4↑ | 4↓ | **6↑** | 4↑ | 4↑ |
| Ether lipid metabolism | **7↑*** | **7↑*** | **7↑*** | 5↑ | **7↑*** | **7↑*** |
| Cholesterol metabolism | 4↓ | 4↓ | 4↓ | **6↓*** | 5↓ | 5↓ |

Median paired log₂(Surg./Bx)

P1 P2 P3 P4 P5 P6 P7