



"FCL e-book": Table of Contents.

0. Introduction

1. Pre-requisites for Full Closed Loop

- 1.1 Well tuned hybrid closed loop
- 1.2 Fast insulin
- 1.3 Reliable insulin delivery from pump and cannula
- 1.4 Excellent CGM
- 1.5 Meal-related limitations?
- 1.6 Lifestyle-related limitations?
- 1.7 Time required for setting-up

Case study 1.1: Occlusion

Case study 1.2: Comparing insulins for FCL

Case study 1.3: Jumpy CGM

Case study 1.4: Lost pump connection

Case study 1.5: Permanent CGM values w/ 2x G6

Case study 1.6: When catastrophe strikes

Case study 1.7: MDI when the loop dies...

Case study 1.8: (placeholder for a Libre3 / 1.-minute case)...

...

2. General Settings for Full Closed Loop

- 2.1 SMB range extension
- 2.2 Max and min autoISF ratio
- 2.3 SMB delivery ratio
- 2.4 iobTH (iob_threshold_percent)
- 2.5 Eating Soon TT?
- 2.6 General settings in AAPS/Preferences

3. Description of autoISF / guidance by developers

- 3.1 Overview
- 3.2 ISF modulation flowcharts
- 3.3 Exercise mode and dynamic iobTH
- 3.4 Automation options with autoISF parameters
- 3.5 Activity monitor
- 3.6 Using one-minute CGM (Libre 3)
- 3.7 AutoISF parameters overview table
- 3.8 Emulator for logfile analysis and tuning
- 3.9 Links to related case studies/detailed doc.s

4. Meals: Setting ISF_weights in AAPS/Preferences

- 4.1 Getting started
- 4.2 bgAccel_ISF_weight
- 4.3 pp_ISF_weight
- 4.4 bgBrake_ISF_weight
- 4.5 dura_ISF and bg_ISF
- 4.6 Tuning your initial settings
- 4.7 Complex scenarios
- 4.8 Profile helper

Case study 4.1: Pizza

Case study 4.2: Low carb meals

Case study 4.3: Hands-off FCL around Christmas

5. Temp. modulation of autoISF aggressiveness

5.1 Automatic modulation of loop aggressiveness

- 5.1.1 autoISF off outside of meal windows

- 5.1.2 SMB off @ odd profile target
- 5.1.3 SMB off @ odd temp. target
- 5.1.4 Automatic diff. of FCL aggressiveness via Automations
- 5.1.5 Automatic diff. of FCL aggressiveness via Activity Monitor
- 5.1.6 Diff. of aggressiveness using "Automation State"
- 5.1.7 Pro/con completely hands-off FCL

5.2 Manual modulation of FCL aggressiveness via DIY cockpit

- 5.2.1 Status recognition
- 5.2.2 Manual interventions from DIY cockpit
 - 5.2.2.1 Temp. %profile or TT settings
 - 5.2.2.2 Temp. settings in /preferences
 - 5.2.2.3 Grey DIY cockpit buttons for pre-programmed FCL responses
- 5.2.3 Temporary exit from FCL

5.3 Recognizing loop state from the AAPS home screen

- 5.3.1 Modulated loop aggressiveness (3 top buttons)
- 5.3.2 Color scheme of the top 3 buttons
- 5.3.3 Active Automations
- 5.3.4 FCL related indicator fields
- 5.3.5 Overall **AAPS home screen**
- 5.3.6 Extra graphs for autoISF
- 5.3.7 Info given every 5 minutes in the **SMB tab**
- 5.3.8 Info about last 15 autoISF decisions
- 5.3.9. **SMB tab info when operating 1-minute Libre**

Summary: Your personal FCL cockpit

Case study 5.2: Sweet snacks / Glühwein w/ DIY cockpit

Case study 5.3: Compression low

6. Temp. modulation for exercise and light (In-)activity

6.1 Dynamic iobTH and sensitivity ratio

- 6.1.1 Manual (direct) iobTH modulation
- 6.1.2 Automations for iobTH modulation
- 6.1.3 Dynamic iobTH

6.2 Temp. % profile switch

6.3 DIY cockpit based on User action Automations

6.4 Improved FCL cockpit

- 6.4.1 Manual (direct) iobTH modulation
- 6.4.2 pre-set 4 kinds of exercise
- 6.4.3 optional meal pre-sets
- 6.4.4 optional hypo management pre-sets

Skip what is in green writing:

= Drafted fragments or
not implemented ideas.
(Might be weeded out soon, many things
not really needed)

6.5 Mastering the exercise after meal challenge

- 6.5.1 Manual mode
- 6.5.2 DIY cockpit button for User action Automation

6.5.3 Using pre-sets in improved FCL cockpit

6.6 Activity monitor based on step-counter

Case study 6.2 Biking day with hi carb lunch; DIY cockpit

7. Advanced HCL (meal announcement via pre-bolus)

- 7.1 Hurdles for FCL
- 7.2 Getting ready to advance from HCL
- 7.3 Reduced pre-bolus
- 7.4 Tuning autoISF in HCL
- 7.5 Dealing with disturbances/ins. sens/resistance
- 7.6 Exercise management
- 7.7 Remote control (small children) (fragment, to be completed /NN)
- 7.8 Other methods w/ meal announcement (MA)

Case study 7.1: Meal Announcement (5y old)

115	
116	8. Performance monitoring and tuning
117	Case study 8.2: Futility of tuning based on 1 extreme meal
118	
119	9. Trouble shooting
120	Case study 9.1: Un-intended loss of loop aggressiveness
121	
122	10. Emulator on PC to determine settings
123	10.1 Installing the Emulator on your PC
124	10.2 Analyzing loop decisions in logfiles
125	10.3 What-if analysis
126	
127	11. Emulator on the smartphone
128	11.1 Installing the emulator on your smartphone
129	11.2 Checking loop decisions on the smartphone
130	11.3 Options available on i-Phone (for Trio or iAPS)
131	11.4 Real-time checking a „what-if“ question using speech synthesis
132	
133	12. Remarks for users of previous autoISF version
134	
135	13. Other avenues to Full Closed Loop
136	13.1 FCL using AAPS Master and Automations
137	Case study 13.1: Comparison: 1 month FCL, using Automation vs autoISF
138	13.2 dynamicISF used for Full Closed Loop
139	Case study 13.2: Using dynISF for FCL (sorry, nobody provided interpretable data yet)
140	13.3 Methods involving simple meal announcement that might be stretched into a FCL
141	13.3.1 Boost
142	Case study 13.3: Boost-based FCL for a child
143	13.3.2 AIMI,
144	13.3.3 EatingNow
145	13.3.4 Tsunami
146	13.4 No-bolus looping with precise carb inputs
147	13.5 Machine Learning (AI)
148	13.6 Dual hormone systems
149	13.7 Co-Medications that might facilitate FCL