El Santa Cruz Wonders: An Online Tourism Portal Developed with PHP Web Scripting Language

A Project

Presented to the Faculty of the

School of Information and Computing Sciences

Bachelor in Information Technology

Marinduque State College

In Partial Fulfillment

of the Requirements for the subject

INTEGRATIVE PROGRAMMING & TECHNOLOGIES

By:

Vienna Piguerra
Berniel Zulueta

WILMER M. PASCUAL
Faculty

May 2023

TABLE OF CONTENTS

		Page
Title Page	…….	1
Table of Contents	…….	2
Rubrics for Project Evaluation	…….	3
Project Overview	…….	5
Objectives	…….	6
Audience	……	7
Scope	……	8
Features	……..	9
Functionality	…….	10
Project Documentation	…….	11
Web Page Navigation	…….	11
Web Interface Screenshot	…….	12
Technical Documentation	……	20
Source Code	……	21
Flowchart	……	51
References	……	52

RUBRICS FOR INTEGRATIVE PROGRAMMING –FINAL HANDS-ON EXAM

Schedule: *1:50 – 2:30*	**Date:** *May 29, 2023*
Project title: El Sta Cruz Wonders: An Online Tourism Portal Developed with PHP Web Scripting Language	

PROJECT CRITERIA	Highly Implemented 5	Satisfactory Implemented 4	Fairly Implemented 3	Partially Implemented 2	Not Implemented 1
PROGRAM SOURCE CODES					
Syntax Ability to understand and follow the rules of writing PHP programs (20%)	The application correctly executes all functions.	The program executes, but there are unnecessary codes within the program.	Some parts of the program execute, and some parts are not.	The program doesn't execute but can be fixed easily (missing semicolon, wrong names, etc.).	Program does not execute
Logic Ability to determine appropriate conditions and the overall flow of the program (15%)	Program logic is correct.	Program is correct but program logic contains errors and redundancy.	Program has some logical errors that may just be miscalculations on conditions.	Program logic does not conform to the directions.	No logic is applied to the program at all.
Correctness Ability to write appropriate algorithms that give the correct output. (20%)	Program produces the correct output based on the input given	Program produces correct output on most inputs.	Program output are almost correct and has some minor miscalculations	Very few correct outputs are found.	Program output is incorrect. Needs major rework in calculations.
Program Design Ability to design a proper UI for the users to interact with the program. (30%)	Design is well thought. Design doesn't hinder the user experience.	Design is well-thought and is aesthetically pleasing	Design is lacking in places	The design is inappropriate to the topic	Design needs improvement and the program is not user friendly
Code Organization Ability to write well-organized and structured	Objects are named descriptivel	Objects are mostly named	Objects are fairly named appropriately	Objects are inconsistentl y or poorly	Object names are unclear or use default

code. (10%)	y and appropriatel y for their purpose; code is consistently and clearly organized, commented, and indented..	appropriatel y, but some could be more descriptive; code is mostly organized, commented, and indented, with a few minor issues such as inconsistent indentation or naming conventions	, but some could be most descriptive; code is mostly organized, commented, and indented, with a few minor issues such as inconsistent indentation or naming conventions	named, making their purpose unclear; code is generally unorganize d and difficult to follow, with issues such as poor indentation, inconsistent naming conventions , and few or no comments	names, making it difficult to understand their purpose; code is disorganized and unreadable, with little or no indentation, no comments, and inconsistent naming conventions.
DOCUMENTATION					
Completeness/Correctn ess Ability to present the required document correctly. (5%)	All the required parts of the document are present and correct.	All parts of the documents are present with minimal incorrect parts.	Some parts of the document are missing.	Most parts of the documents are missing and a lot of incorrect parts were observed.	No documentati on was presented at all.
TOTAL					
REMARKS					

Name of Student	Presentation/Q&A 50%	Project Rating 50%	Total Rating 100%
1. **PIGUERRA, VIENNA L.** 2. **ZULUETA, BERNIEL P.**			

Evaluated by:

_____

WILMER M. PASCUAL

I. PROJECT OVERVIEW

Nowadays, we tend to rely to technology with regards with our tourist places and accommodation for vacation, different restaurant to eat and delicacies of a specific place as well its history. This change our way of exploring places as in old times, we rely on local tourist guide and now they are all in internet and easily access by anyone. Many had change as we are now in digital era to go with and access information updated.

However, despite of the presence of information in different sites about Sta Cruz town delicacies, tourist spots, restaurant and its history, it is still hard to choose with all recommended sites. So, the researchers came up with the idea that would help enhancing tourism industry in Sta Cruz with online tourism portal that will attract more tourists. The tourism industry and academics have been paying attention to social media as a new marketing tool for travel destinations and its mechanism of effect of online travel information on destination image creation. (Lam et al., 2020). Also, according to the helpful information offered by online social media not only enables new marketing of goods, services, and communication but also alters how individuals choose to travel. (Khan, 2017). In addition to that, the number of visitors to a site is impacted by its image, assert Leung et al. (2017). So, the place will capture the traveler's interest. In that situation, they will also tell their friends and relatives about the location, boosting the number of travelers to the location.

The objective of the Sta Cruz Tourism PHP Scripting project is to improve the Sta Cruz, Marinduque tourism business by developing a user-friendly and effective website that allows visitors to find out about the province's sights, lodging options, dining options, and other travel-related information. The website will be created using PHP scripting, a well-known server-side scripting language that can create dynamic and interactive web pages with the feature of a user-friendly interface with easy navigation and search functions, enabling tourists to quickly find the information they need to plan their trip to Marinduque. The second extension of this study is its presentation of Sta Cruz's distinctive cultural heritage and natural attractiveness. Photos and videos of the town's attractions will be included, along with tales and reviews from travelers who have been to Marinduque. This will aid in promoting Marinduque as a must-see location, both in the Philippines and on the international tourism industry. Overall, the El Sta Cruz Wonders is an important step in advancing and maintaining the Sta Cruz, Marinduque, tourist sector, generating new possibilities and jobs for the community, and showcasing the town's rich cultural legacy to the outside world. Finally, the website will support efficient online tourism marketing promotion by assisting destination marketers in understanding accurate online tourist facts.

Objectives

The El Santa Cruz Wonders tourism PHP scripting project aims to advance the local travel and tourism sector in a number of ways. The main goal is to create an easily navigable website that offers thorough and current information about the town's sights, lodging options, dining options, and other travel-related information. With content available in English language and easily accessible through search features and simple navigation, this platform will be able to meet the demands of both domestic and foreign travelers. This website even though showcases its content features in screen only but still performed its main goal to its viewer of promoting local beauty by proving that there is more to locals.

The website will also highlight Sta Cruz's distinctive cultural heritage and natural beauty through images, motion pictures and other multimedia. The project's goal is to promote Sta Cruz as a must-see location in the Philippines and worldwide in order to draw more tourists and provide jobs and other economic possibilities for the local population. Through social media integration, the website will also improve the Sta Cruz tourist industry's online presence and advertise its attractions and services to a larger audience.

Finally, the project seeks to develop a long-term, sustainable strategy for increasing tourism in Sta Cruz, Marinduque. The initiative guarantees that the website reflects the most recent developments and changes in the local tourist industry by encouraging collaboration between local tourism stakeholders and the Marinduque tourism Office. This strategy will aid in the expansion and development of the province while safeguarding its distinctive natural and cultural history for next generations. Overall, the El Sta Cruz Wonders tourism project has several of objectives that will support the expansion and improvement of Sta Cruz, Marinduque's tourist business and produce long-term advantages for the neighborhood.

Audience

Tourists that are interested in visiting Sta Cruz, Marinduque, make up the majority of the target market for the El Sta Cruz Wonders tourism project. The website will include details on the town's sights, lodging options, dining options, and other travel-related information for both domestic and foreign visitors. English language will be supported by the website, enabling visitors to readily obtain the data they require to organize their vacation to Sta Cruz.

The Santa Cruz tourism industry's local businesses and service providers are also part of the project's target demographic in addition to visitors. The initiative intends to provide employment and economic prospects for the neighborhood by improving the local tourism industry's internet presence and showcasing its attractions and services to a larger audience. In order to ensure that the website accurately represents the most recent advancements and changes in the regional tourist business, the project also promotes collaboration between local tourism stakeholders and the Sta Cruz tourism Office.

The audience for the El Sta Cruz Wonders tourism project also includes people and groups interested in promoting sustainable tourism and maintaining the distinctive cultural and natural heritage of Sta Cruz. The initiative seeks to support the growth and development of the province while maintaining its distinctive cultural and natural history for future generations by building a long-term, sustainable strategy to tourist promotion in Marinduque. The El Sta Cruz Wonders tourism initiative is aimed at a broad variety of stakeholders who all have a stake in developing and sustaining the Sta Cruz tourism business.

Scope

The El Santa Cruz Wonders tourism project's target includes the creation of a user-friendly website that offers thorough and current information on the attractions, hotels, eating, and other travel-related alternatives in Sta Cruz's town. The website's material will be accessible in English language to accommodate both domestic and foreign visitors. The initiative also involves producing multimedia content, such pictures and motion pictures that highlights Sta. Cruz's distinctive heritage of culture and natural beauty. The website will promote Marinduque's tourist business to a larger audience by being search engine optimized and connected with social media platforms. In order to ensure that the website accurately represents the most recent advancements and changes in the local tourism sector, the project also intends to promote collaboration between local tourism stakeholders and the Sta Cruz tourism Office. Finally, the initiative seeks to create a long-term, sustainable strategy for marketing tourism in Sta Cruz, helping the town grow and prosper while safeguarding its distinctive cultural and natural history for future generations.

Features

The El Santa Cruz Wonders project will provide a range of services that will improve user experience and advertise Sta Cruz's travel and tourism sector. These characteristics include a user-friendly design that makes it simple to get information on the attractions, hotels, restaurants, and other travel-related possibilities in the area. The website will allow its visitor to leave their feedback and make ratings regarding in line with their screen visits to the contents and information that El SanTa Cruz Wonders feature. Additionally, the website will provide multimedia content, including as pictures and motion pictures that highlight Sta Cruz's distinctive heritage of culture and natural beauty. The website's material will be English language. The website will also incorporate social media platforms, enabling visitors to the town to share their experiences with others and draw in more tourists. By encouraging cooperation between the local tourism stakeholders and the Sta Cruz Tourism Office, the project also aims to establish a long-term and sustainable approach to promoting tourism in Marinduque. This will ensure that the website reflects the latest developments and updates in the local tourism industry. The El Sta Cruz Wonders tourism initiative will, in general, offer a thorough and user-friendly platform that highlights Sta Cruz's distinctive features and advertises its tourist business to a larger audience.

Functionality

In order to create a smooth user experience and promote Sta Cruz's tourist business, the El Sta Cruz Wonders tourism project will offer a variety of features. The website will have a log-in or sign up form to a better access of the website features. The website will also have an interactive scroll down of the list of contents that visitors may use to explore Marinduque's natural and cultural history as well as the city's tourism attractions. The project will also contain a content management system that enables the Sta Cruz tourist Office and local tourist stakeholders to edit and contribute new information to the website, ensuring that the content is always current and interesting. The El Sta Cruz Wonders tourism project will, in general, offer a variety of features that improve user experience and advertise Marinduque's tourist sector to a larger audience.

II. PROJECT NAVIGATION

The navigation for the website would likely include a menu bar with dropdown options for different categories, such as tourist attractions, accommodations, foods and others.

The web page interface for each category could feature a list of options, such as different tourist attractions or accommodations, along with a short description and relevant details, such as location, hours of operation, and contact information. Each option could also include a link to a dedicated web page with more detailed information and multimedia content, such as photos and videos.

The web pages themselves could be designed to showcase Sta Cruz's unique cultural and natural heritage, with multimedia content and interactive features, such as rating procedure and feedback mechanisms. The web pages could also include calls to action, encouraging users to book a trip or share their experiences on social media.

Overall, the El Santa Cruz Wonders tourism project's navigation and web page interface would be created to offer a smooth user experience and advertise Sta Cruz's tourist sector to a larger audience.

Interface



Figure 1. The Home Page of the El Santa Cruz Wonders

Figure 1 shows the home page of the built web application. In this area this will serves as the primary web page that the visitor could view to navigate the functions of the website since this is also the landing page to attract visitors. Visitors could see the website applications name or title, the navigation buttons like "Explore","About","Contact" and "Log-Ins".



Figure 2. Explore Button

Figure 2 shows the content of the built web application. In this image, the website only gives some preview of the contents. However if the viewer wish to see more of its details and the other contents, the buttons of "view" and "see more" will allow them to do so. Reaching this page content is the core goal of the web-application which is for the viewers to know and learn to the wonders that Santa Cruz Marinduque is willing to offer and make them experience.



Figure 2.1. Display of the List of Content after clicking its "See More" Button

Figure 2.1 show the list of contents that the web-application features and offers. Using the scroll bar, the visitor could see the different places, foods, restaurants that the El Santa Cruz wonders features. A little detail about the content is displayed and to further view more of its details the visitor could click the "details" button.



Figure 2.2. Display of the Specific Content after clicking its "View"

Figure 2.2 shows the information of a specific content of the website. The viewers could learn more of this content such that it displays more of its information and details. Inside of this, a review and rate actions could be done also to show how the visitor find the given details of the content. As what we can see in this figure, a visitor has already rated this particular featured content and was also able to put some comment or review about it.



Figure 2.3. Booking Procedure

Figure 2.2 shows the figures of actions that could happen in when a viewer booked for a specific content of the web application. It show two different action, first is the date of booking while the second shows or displayed the booking activity of the visitor wherein the date and time is displayed, to what packaged it booked for, and its booking status.



Figure 3. About Us Button

Figure 3 shows the content of the description of the web application. This page will talk about the goal of the website, its functionality, contents nature and the likes. This will also give some information about the main admins of the website for them to be able to show authenticity to their viewers.



Figure 4. Contact Us Button

Figure 4 shows the Contact Button of the web application. In this page area, a contact form will be displayed for the visitors who are will to give message to the web application's admins. The given form will ask for the visitor's name, their email address and the subject of his message. On the right side also is where the visitor could type in his message to the administrator of the page. The message that the visitor could write I this section could be about his queries or concern about the page or the likes.



Figure 5. User Log-In or Sign-up

Figure 5 shows the log in forms of the built web application for its users. In this button, the visitor could log-in or sign-up for an account to the web application for better experience to its features. The form will ask for the users authentic information to use this includes its full name, email address and its password. After the user to fill up the form, next is to submit the information by registering it.

III. TECHNICAL DOCUMENTATION



Figure 1. Flow Chart of Project

Figure 1 shows the flowchart of the built web application El Santa Cruz Wonders. In this figure, the navigation flow of the website can be seen in order for the visitors to clearly navigate what is inside the website.

Source Code

Login Procedure

```
<style>

    #uni_modal .modal-content>.modal-footer,#uni_modal .modal-content>.modal-
header{

        display:none;

    }

</style>

<div class="container-fluid">

    <h3 class="float-left">

        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">

          <span aria-hidden="true">&times;</span>

        </button>

    </h3>

    <div class="row">

        <div class="col-lg-5 border-right">

            <h3 class="text-center">Login</h3>

            <hr>

            <form action="" id="login-form">

                <div class="form-group">

                    <label for="" class="control-label">Username</label>

                    <input type="text" class="form-control form" name="username"
required>

                </div>

                <div class="form-group">

                    <label for="" class="control-label">Password</label>
```

```
                    <input type="password" class="form-control form"
name="password" required>

                </div>

                <div class="form-group d-flex justify-content-end">

                    <button class="btn btn-primary btn-flat">Login</button>

                </div>

            </form>

        </div>

        <div class="col-lg-7">

        <h3 class="text-center">Create New Account</h3>

        <hr class='border-primary'>

            <form action="" id="registration">

                <div class="form-group">

                    <label for="" class="control-label">Firstname</label>

                    <input type="text" class="form-control form-control-sm form"
name="firstname" required>

                </div>

                <div class="form-group">

                    <label for="" class="control-label">Lastname</label>

                    <input type="text" class="form-control form-control-sm form"
name="lastname" required>

                </div>

                <div class="form-group">

                    <label for="" class="control-label">Username</label>

                    <input type="text" class="form-control form-control-sm form"
name="username" required>

                </div>
```

```
                <div class="form-group">
                    <label for="" class="control-label">Password</label>
                    <input type="password" class="form-control form-control-sm
form" name="password" required>
                </div>
                <div class="form-group d-flex justify-content-end">
                    <button class="btn btn-primary btn-flat">Register</button>
                </div>
            </form>
        </div>
    </div>
</div>
<script>
    $(function(){
        $('#registration').submit(function(e){
            e.preventDefault();
            start_loader()
            if($('.err-msg').length > 0)
                $('.err-msg').remove();
            $.ajax({
                url:_base_url_+"classes/Master.php?f=register",
                method:"POST",
                data:$(this).serialize(),
                dataType:"json",
                error:err=>{
                    console.log(err)
```

```
                    alert_toast("an error occured",'error')
                    end_loader()
                },
                success:function(resp){
                    if(typeof resp == 'object' && resp.status == 'success'){
                        alert_toast("Account succesfully registered",'success')
                        setTimeout(function(){
                            location.reload()
                        },2000)
                    }else if(resp.status == 'failed' && !!resp.msg){
                        var _err_el = $('<div>')
                            _err_el.addClass("alert alert-danger err-
msg").text(resp.msg)
                        $('#registration').prepend(_err_el)
                        end_loader()


                    }else{
                        console.log(resp)
                        alert_toast("an error occured",'error')
                        end_loader()
                    }
                }
            })
        })
        $('#login-form').submit(function(e){
            e.preventDefault();
```

```
            start_loader()
            if($('.err-msg').length > 0)
                $('.err-msg').remove();
            $.ajax({
                url:_base_url_+"classes/Login.php?f=login_user",
                method:"POST",
                data:$(this).serialize(),
                dataType:"json",
                error:err=>{
                    console.log(err)
                    alert_toast("an error occured",'error')
                    end_loader()
                },
                success:function(resp){
                    if(typeof resp == 'object' && resp.status == 'success'){
                        alert_toast("Login Successfully",'success')
                        setTimeout(function(){
                            location.reload()
                        },2000)
                    }else if(resp.status == 'incorrect'){
                        var _err_el = $('<div>')
                            _err_el.addClass("alert alert-danger err-
msg").text("Incorrect Credentials.")
                        $('#login-form').prepend(_err_el)
                        end_loader()
```

```
                    }else{
                        console.log(resp)
                        alert_toast("an error occured",'error')
                        end_loader()
                    }
                }
            })
        })
    })
</script>
```

Edit Account

```
<section class="page-section">
  <div class="container">
  <div class="w-100 justify-content-between d-flex">
    <h4><b>Update Account Details</b></h4>
    <a href="./?page=my_account" class="btn btn btn-primary btn-flat"><div class="fa fa-angle-left"></div> Back to Booking List</a>
  </div>
    <hr class="border-warning">
    <div class="col-md-6">
      <form action="" id="update_account">
      <input type="hidden" name="id" value="<?php echo $_settings->userdata('id') ?>">
        <div class="form-group">
          <label for="firstname" class="control-label">Firstname</label>
          <input type="text" name="firstname" class="form-control form" value="<?php echo $_settings->userdata('firstname') ?>" required>
```

```
            </div>
            <div class="form-group">
                <label for="lastname" class="control-label">Lastname</label>
                <input type="text" name="lastname" class="form-control form" value="<?php echo
$_settings->userdata('lastname') ?>" required>
            </div>
            <div class="form-group">
                <label for="username" class="control-label">Username</label>
                <input type="text" name="username" class="form-control form" value="<?php echo
$_settings->userdata('username') ?>" required>
            </div>
            <div class="form-group">
                <label for="password" class="control-label">New Password</label>
                <input type="password" name="password" class="form-control form" value=""
placeholder="(Enter value to change password)">
            </div>
            <div class="form-group">
                <label for="cpassword" class="control-label">Current Password</label>
                <input type="password" name="cpassword" class="form-control form" value=""
placeholder="(Enter value to change password)">
            </div>
            <div class="form-group d-flex justify-content-end">
                <button class="btn btn-primary btn-flat">Update</button>
            </div>
        </form>
    </div>
```

```
  </div>
</section>
<script>
$(function(){
    $('#update_account [name="password"],#update_account [name="cpassword"]').on('input',function(){
        if($('#update_account [name="password"]').val() != '' || $('#update_account [name="cpassword"]').val() != '')
        $('#update_account [name="password"],#update_account [name="cpassword"]').attr('required',true);
        else
        $('#update_account [name="password"],#update_account [name="cpassword"]').attr('required',false);
    })
    $('#update_account').submit(function(e){
        e.preventDefault();
        start_loader()
        if($('.err-msg').length > 0)
            $('.err-msg').remove();
        $.ajax({
            url:_base_url_+"classes/Master.php?f=update_account",
            method:"POST",
            data:$(this).serialize(),
            dataType:"json",
            error:err=>{
                console.log(err)
```

```
            alert_toast("an error occured",'error')
            end_loader()
        },
        success:function(resp){
            if(typeof resp == 'object' && resp.status == 'success'){
                alert_toast("Account succesfully updated",'success');
                $('#update_account [name="password"],#update_account
[name="cpassword"]').attr('required',false);
                $('#update_account [name="password"],#update_account [name="cpassword"]').val('');
            }else if(resp.status == 'failed' && !!resp.msg){
                var _err_el = $('<div>')
                    _err_el.addClass("alert alert-danger err-msg").text(resp.msg)
                $('#update_account').prepend(_err_el)
                end_loader()

            }else{
                console.log(resp)
                alert_toast("an error occured",'error')
            }
            end_loader()
        }
      })
    })
  })
</script>
```

My Account

```
</section>

<section class="page-section">

    <div class="container">

    <div class="w-100 justify-content-between d-flex">

        <h4><b>Booked Packages</b></h4>

        <a href="./?page=edit_account" class="btn btn btn-primary btn-flat"><div
class="fa fa-user-cog"></div> Manage Account</a>

    </div>

        <hr class="border-warning">

        <table class="table table-stripped text-dark">

            <colgroup>

                <col width="5%">

                <col width="10">

                <col width="25">

                <col width="25">

                <col width="15">

                <col width="10">

            </colgroup>

            <thead>

                <tr>

                    <th>#</th>

                    <th>DateTime</th>

                    <th>Package</th>
```

```
                    <th>Schedule</th>

                    <th>Status</th>

                    <th>Action</th>

                </tr>

            </thead>

            <tbody>

                <?php

                $i=1;

                    $qry = $conn->query("SELECT b.*,p.title FROM book_list b
inner join `packages` p on p.id = b.package_id where b.user_id ='".$_settings-
>userdata('id')."' order by date(b.date_created) desc ");

                    while($row= $qry->fetch_assoc()):

                        $review = $conn->query("SELECT * FROM `rate_review` where
package_id='{$row['id']}' and user_id = ".$_settings->userdata('id'))->num_rows;

                ?>

                    <tr>

                        <td><?php echo $i++ ?></td>

                        <td><?php echo date("Y-m-d
H:i",strtotime($row['date_created'])) ?></td>

                        <td><?php echo $row['title'] ?></td>

                        <td><?php echo date("Y-m-d",strtotime($row['schedule']))
?></td>

                        <td class="text-center">

                            <?php if($row['status'] == 0): ?>

                                <span class="badge badge-warning">Pending</span>

                            <?php elseif($row['status'] == 1): ?>

                                <span class="badge badge-
primary">Confirmed</span>
```

```
                            <?php elseif($row['status'] == 2): ?>
                                <span class="badge badge-danger">Cancelled</span>
                            <?php elseif($row['status'] == 3): ?>
                                <span class="badge badge-success">Done</span>
                            <?php endif; ?>
                        </td>
                        <td align="center">
                                <button type="button" class="btn btn-flat btn-
default border btn-sm dropdown-toggle dropdown-icon" data-toggle="dropdown">
                                    Action
                                <span class="sr-only">Toggle Dropdown</span>
                                </button>
                                <div class="dropdown-menu" role="menu">
                                <a class="dropdown-item edit_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>">Edit</a>
                                <?php if($row['status'] == 3 && $review <= 0): ?>
                                    <a class="dropdown-item submit_review"
href="javascript:void(0)" data-id="<?php echo $row['package_id'] ?>">Submit
Review</a>
                                <?php endif; ?>
                                <div class="dropdown-divider"></div>
                                <a class="dropdown-item cancel_data"
href="javascript:void(0)" data-id="<?php echo $row['id'] ?>">Cancel</a>
                                </div>
                        </td>
                    </tr>
                <?php endwhile; ?>
            </tbody>
```

```
        </table>
    </div>
</section>
<script>
    function cancel_book($id){
        start_loader()
        $.ajax({
            url:_base_url_+"classes/Master.php?f=update_book_status",
            method:"POST",
            data:{id:$id,status:2},
            dataType:"json",
            error:err=>{
                console.log(err)
                alert_toast("an error occured",'error')
                end_loader()
            },
            success:function(resp){
                if(typeof resp == 'object' && resp.status == 'success'){
                    alert_toast("Book cancelled successfully",'success')
                    setTimeout(function(){
                        location.reload()
                    },2000)
                }else{
                    console.log(resp)
                    alert_toast("an error occured",'error')
                }
```

```
                end_loader()

            }

        })

    }

    $(function(){

        $('.cancel_data').click(function(){

            _conf("Are you sure to cancel this
booking?","cancel_book",[$(this).data('id')])

        })

        $('.submit_review').click(function(){

            uni_modal("Rate &
Feedback","./rate_review.php?id="+$(this).data('id'),'mid-large')

        })

        $('table').dataTable();

    })

</script>
```

Packages.php

```
<section class="page-section bg-dark" id="home">

      <div class="container">

            <h2 class="text-center">Explore</h2>

      <div class="d-flex w-100 justify-content-center">

            <hr class="border-warning" style="border:3px solid" width="15%">

      </div>

      <div class="w-100">

            <?php

            $packages = $conn->query("SELECT * FROM `packages` order by rand()
");
```

```
                while($row = $packages->fetch_assoc() ):
                        $cover='';
                        if(is_dir(base_app.'uploads/package_'.$row['id'])){
                                $img =
scandir(base_app.'uploads/package_'.$row['id']);
                                $k = array_search('.',$img);
                                if($k !== false)
                                        unset($img[$k]);
                                $k = array_search('..',$img);
                                if($k !== false)
                                        unset($img[$k]);
                                $cover = isset($img[2]) ?
'uploads/package_'.$row['id'].'/'.$img[2] : "";
                        }
                        $row['description'] =
strip_tags(stripslashes(html_entity_decode($row['description'])));
                        $review = $conn->query("SELECT * FROM `rate_review`
where package_id='{$row['id']}'");
                        $review_count =$review->num_rows;
                        $rate = 0;
                        while($r= $review->fetch_assoc()){
                                $rate += $r['rate'];
                        }
                        if($rate > 0 && $review_count > 0)
                        $rate = number_format($rate/$review_count,0,"");
        ?>
                <div class="card d-flex w-100 rounded-0 mb-3 package-item">
```

```
                        <img class="card-img-top" src="<?php echo
validate_image($cover) ?>" alt="<?php echo $row['title'] ?>" height="200rem"
style="object-fit:cover">

                        <div class="card-body">

                        <h5 class="card-title truncate-1"><?php echo
$row['title'] ?></h5>

                        <div class=" w-100 d-flex justify-content-start">

                        <form action="">

                              <div class="stars stars-small">

                                    <input disabled class="star star-5"
id="star-5" type="radio" name="star" <?php echo $rate == 5 ? "checked" : '' ?>/>
<label class="star star-5" for="star-5"></label>

                                    <input disabled class="star star-4"
id="star-4" type="radio" name="star" <?php echo $rate == 4 ? "checked" : '' ?>/>
<label class="star star-4" for="star-4"></label>

                                    <input disabled class="star star-3"
id="star-3" type="radio" name="star" <?php echo $rate == 3 ? "checked" : '' ?>/>
<label class="star star-3" for="star-3"></label>

                                    <input disabled class="star star-2"
id="star-2" type="radio" name="star" <?php echo $rate == 2 ? "checked" : '' ?>/>
<label class="star star-2" for="star-2"></label>

                                    <input disabled class="star star-1"
id="star-1" type="radio" name="star" <?php echo $rate == 1 ? "checked" : '' ?>/>
<label class="star star-1" for="star-1"></label>

                              </div>

                        </form>

                        </div>

                        <p class="card-text truncate"><?php echo
$row['description'] ?></p>

                        <div class="w-100 d-flex justify-content-between">
```

```
                        <span class="rounded-0 btn btn-flat btn-sm btn-
primary"><i class="fa fa-tag"></i> <?php echo number_format($row['cost'])
?></span>

                        <a href="./?page=view_package&id=<?php echo
md5($row['id']) ?>" class="btn btn-sm btn-flat btn-warning">Details <i class="fa
fa-arrow-right"></i></a>

                    </div>

                    </div>

                </div>

            <?php endwhile; ?>

    </div>


    </div>

</section>
```

Portal.php

```
<style>

    header.masthead{

        background-image: url('<?php echo validate_image($_settings-
>info('cover')) ?>') !important;

    }

    header.masthead .container{

        background:#0000006b;

    }

</style>

<!-- Masthead-->

<header class="masthead">
```

```
	<div class="container">

		<div class="masthead-subheading">Welcome To </div>

		<div class="masthead-heading text-uppercase">El Sta Cruz
Wonders</div>

		<a class="btn btn-primary btn-xl text-uppercase"
href="#home">Explore</a>

	</div>+

</header>

<!-- Services-->

<section class="page-section bg-dark" id="home">

	<div class="container">

		<h2 class="text-center">Explore</h2>

	<div class="d-flex w-100 justify-content-center">

		<hr class="border-warning" style="border:3px solid" width="15%">

	</div>

	<div class="row">

		<?php

		$packages = $conn->query("SELECT * FROM `packages` order by rand()
limit 3");

			while($row = $packages->fetch_assoc() ):

				$cover='';

				if(is_dir(base_app.'uploads/package_'.$row['id'])){

					$img =
scandir(base_app.'uploads/package_'.$row['id']);

					$k = array_search('.',$img);

					if($k !== false)

						unset($img[$k]);
```

```
                        $k = array_search('..',$img);

                        if($k !== false)

                              unset($img[$k]);

                        $cover = isset($img[2]) ?
'uploads/package_'.$row['id'].'/'.$img[2] : "";

                  }

                  $row['description'] =
strip_tags(stripslashes(html_entity_decode($row['description'])));


                  $review = $conn->query("SELECT * FROM `rate_review`
where package_id='{$row['id']}'");

                  $review_count =$review->num_rows;

                  $rate = 0;

                  while($r= $review->fetch_assoc()){

                        $rate += $r['rate'];

                  }

                  if($rate > 0 && $review_count > 0)

                  $rate = number_format($rate/$review_count,0,"");

            ?>

                  <div class="col-md-4 p-4 ">

                        <div class="card w-100 rounded-0">

                              <img class="card-img-top" src="<?php echo
validate_image($cover) ?>" alt="<?php echo $row['title'] ?>" height="200rem"
style="object-fit:cover">

                              <div class="card-body">

                              <h5 class="card-title truncate-1 w-100"><?php
echo $row['title'] ?></h5><br>

                              <div class=" w-100 d-flex justify-content-start">
```

```
                                        <div class="stars stars-small">

                                                <input disabled class="star
star-5" id="star-5" type="radio" name="star" <?php echo $rate == 5 ? "checked" :
'' ?>/> <label class="star star-5" for="star-5"></label>

                                                <input disabled class="star
star-4" id="star-4" type="radio" name="star" <?php echo $rate == 4 ? "checked" :
'' ?>/> <label class="star star-4" for="star-4"></label>

                                                <input disabled class="star
star-3" id="star-3" type="radio" name="star" <?php echo $rate == 3 ? "checked" :
'' ?>/> <label class="star star-3" for="star-3"></label>

                                                <input disabled class="star
star-2" id="star-2" type="radio" name="star" <?php echo $rate == 2 ? "checked" :
'' ?>/> <label class="star star-2" for="star-2"></label>

                                                <input disabled class="star
star-1" id="star-1" type="radio" name="star" <?php echo $rate == 1 ? "checked" :
'' ?>/> <label class="star star-1" for="star-1"></label>

                                        </div>

                    </div>

                        <p class="card-text truncate"><?php echo
$row['description'] ?></p>

                                <div class="w-100 d-flex justify-content-end">

                                        <a href="./?page=view_package&id=<?php echo
md5($row['id']) ?>" class="btn btn-sm btn-flat btn-warning">View Details<i
class="fa fa-arrow-right"></i></a>

                                </div>

                                </div>

                        </div>

                </div>

            <?php endwhile; ?>

        </div>

        <div class="d-flex w-100 justify-content-end">
```

```
            <a href="./?page=packages" class="btn btn-flat btn-warning mr-4">See
More <i class="fa fa-arrow-right"></i></a>

      </div>

      </div>

</section>

<!-- About-->

<section class="page-section" id="about">

      <div class="container">

            <div class="text-center">

                  <h2 class="section-heading text-uppercase">About Us</h2>

            </div>

            <div>

                  <div class="card w-100">

                        <div class="card-body">

                              <?php echo
file_get_contents(base_app.'about.html') ?>

                        </div>

                  </div>

            </div>

      </div>

</section>

<!-- Contact-->

<section class="page-section" id="contact">

      <div class="container">

            <div class="text-center">

                  <h2 class="section-heading text-uppercase">Contact Us</h2>
```

```
                <h3 class="section-subheading text-muted">Send us a message
for inquiries.</h3>

            </div>

            <!-- * * * * * * * * * * * * * * *-->

            <!-- * * SB Forms Contact Form * *-->

            <!-- * * * * * * * * * * * * * * *-->

            <!-- This form is pre-integrated with SB Forms.-->

            <!-- To make this form functional, sign up at-->

            <!-- https://startbootstrap.com/solution/contact-forms-->

            <!-- to get an API token!-->

            <form id="contactForm" >

                  <div class="row align-items-stretch mb-5">

                        <div class="col-md-6">

                              <div class="form-group">

                                    <!-- Name input-->

                                    <input class="form-control" id="name"
name="name" type="text" placeholder="Your Name *" required />

                              </div>

                              <div class="form-group">

                                    <!-- Email address input-->

                                    <input class="form-control" id="email"
name="email" type="email" placeholder="Your Email *" data-sb-
validations="required,email" />

                              </div>

                              <div class="form-group mb-md-0">

                                    <input class="form-control" id="subject"
name="subject" type="subject" placeholder="Subject *" required />

                              </div>
```

```
                        </div>
                        <div class="col-md-6">
                              <div class="form-group form-group-textarea mb-md-
0">
                                    <!-- Message input-->
                                    <textarea class="form-control" id="message"
name="message" placeholder="Your Message *" required></textarea>
                              </div>
                        </div>
                  </div>
                  <div class="text-center"><button class="btn btn-primary btn-xl
text-uppercase" id="submitButton" type="submit">Send Message</button></div>
            </form>
      </div>
</section>
<script>
$(function(){
      $('#contactForm').submit(function(e){
            e.preventDefault()
            $.ajax({
                  url:_base_url_+"classes/Master.php?f=save_inquiry",
                  method:"POST",
                  data:$(this).serialize(),
                  dataType:"json",
                  error:err=>{
                        console.log(err)
                        alert_toast("an error occured",'error')
```

```
                        end_loader()
                    },
                    success:function(resp){
                        if(typeof resp == 'object' && resp.status == 'success'){
                            alert_toast("Inquiry sent",'success')
                            $('#contactForm').get(0).reset()
                        }else{
                            console.log(resp)
                            alert_toast("an error occured",'error')
                            end_loader()
                        }
                    }
                })
            })
})
</script>
```

Rate Review

```
<style>
    #uni_modal .modal-content>.modal-footer{
        display:none;
    }
</style>
<div class="container-fluid">
    <form action="" id="rate-review">
            <input name="package_id" type="hidden" value="<?php echo $_GET['id']
?>" >
```

```
        <div class="form-group">
            <label for="" class="control-label">Rate</label>
            <div class="stars">
                    <input value="5" class="star star-5" id="star-5" type="radio"
name="rate" /> <label class="star star-5" for="star-5"></label>
                    <input value="4" class="star star-4" id="star-4" type="radio"
name="rate" /> <label class="star star-4" for="star-4"></label>
                    <input value="3" class="star star-3" id="star-3" type="radio"
name="rate" /> <label class="star star-3" for="star-3"></label>
                    <input value="2" class="star star-2" id="star-2" type="radio"
name="rate" /> <label class="star star-2" for="star-2"></label>
                    <input value="1" class="star star-1" id="star-1" type="radio"
name="rate" checked/> <label class="star star-1" for="star-1"></label>
            </div>
        </div>
        <div class="form-group">
            <label for="review" class="control-label">Feedback</label>
            <textarea name="review" id="review" cols="30" rows="10" class="form
form-control summernote"></textarea>
        </div>


    </form>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-primary" id='submit' onclick="$('#uni_modal
form').submit()">Submit</button>
<button type="button" class="btn btn-secondary" data-
dismiss="modal">Cancel</button>
</div>
```

```
<script>
    $(function(){
        $('#rate-review').submit(function(e){
            e.preventDefault();
            start_loader()
            $.ajax({
                url:_base_url_+"classes/Master.php?f=rate_review",
                method:"POST",
                data:$(this).serialize(),
                dataType:"json",
                error:err=>{
                    console.log(err)
                    alert_toast("an error occured",'error')
                    end_loader()
                },
                success:function(resp){
                    if(typeof resp == 'object' && resp.status == 'success'){
                        alert_toast("Rate and Review Successfully submitted.")
                        setTimeout(() => {
                                location.reload()
                        }, 1500);
                    }else{
                        console.log(resp)
                        alert_toast("an error occured",'error')
                    end_loader()
                    }
```

```
                }

            })

        })

        $('.summernote').summernote({

                    height: 200,

                    toolbar: [

                        [ 'style', [ 'style' ] ],

                        [ 'font', [ 'bold', 'italic', 'underline',
'strikethrough', 'superscript', 'subscript', 'clear'] ],

                        [ 'fontname', [ 'fontname' ] ],

                        [ 'fontsize', [ 'fontsize' ] ],

                        [ 'color', [ 'color' ] ],

                        [ 'para', [ 'ol', 'ul', 'paragraph', 'height' ] ],

                        [ 'table', [ 'table' ] ],

                        [ 'view', [ 'undo', 'redo', 'fullscreen', 'codeview',
'help' ] ]

                    ]

                })

    })

</script>
```

View Package

```
<?php

if(isset($_GET['id'])){

    $packages = $conn->query("SELECT * FROM `packages` where md5(id) =
'{$_GET['id']}'");

    if($packages->num_rows > 0){

        foreach($packages->fetch_assoc() as $k => $v){
```

```
            $$k = $v;
        }
    }
$review = $conn->query("SELECT r.*,concat(firstname,' ',lastname) as name FROM
`rate_review` r inner join users u on r.user_id = u.id where r.package_id='{$id}'
order by unix_timestamp(r.date_created) desc ");
$review_count =$review->num_rows;
$rate = 0;
$feed = array();
while($row= $review->fetch_assoc()){
    $rate += $row['rate'];
    if(!empty($row['review'])){
        $row['review'] = stripslashes(html_entity_decode($row['review']));
        $feed[] = $row;
    }
}
if($rate > 0 && $review_count > 0)
$rate = number_format($rate/$review_count,0,"");
$files = array();
if(is_dir(base_app.'uploads/package_'.$id)){
    $ofile = scandir(base_app.'uploads/package_'.$id);
    foreach($ofile as $img){
        if(in_array($img,array('.','..')))
        continue;
        $files[] = validate_image('uploads/package_'.$id.'/'.$img);
    }
```

```
}

}

?>

<section class="page-section">

    <div class="container">

        <div class="row">

            <div class="col-md-5">

                <div id="tourCarousel"  class="carousel slide" data-
ride="carousel" data-interval="3000">

                    <div class="carousel-inner h-100">

                        <?php foreach($files as $k => $img): ?>

                        <div class="carousel-item  h-100 <?php echo $k == 0?
'active': '' ?>">

                            <img class="d-block w-100  h-100" src="<?php echo
$img ?>" alt="">

                        </div>

                        <?php endforeach; ?>

                    </div>

                    <a class="carousel-control-prev" href="#tourCarousel"
role="button" data-slide="prev">

                        <span class="carousel-control-prev-icon" aria-
hidden="true"></span>

                        <span class="sr-only">Previous</span>

                    </a>

                    <a class="carousel-control-next" href="#tourCarousel"
role="button" data-slide="next">

                        <span class="carousel-control-next-icon" aria-
hidden="true"></span>

                        <span class="sr-only">Next</span>
```

```
                </a>

            </div>

            <div class="w-100">

                <hr class="border-warning">

                <h5>Ratings (<?php echo $review_count ?>)</h5>

                <div>

                    <div class="stars">

                            <input disabled class="star star-5" id="star-5"
type="radio" name="star" <?php echo $rate == 5 ? "checked" : '' ?>/> <label
class="star star-5" for="star-5"></label>

                            <input disabled class="star star-4" id="star-4"
type="radio" name="star" <?php echo $rate == 4 ? "checked" : '' ?>/> <label
class="star star-4" for="star-4"></label>

                            <input disabled class="star star-3" id="star-3"
type="radio" name="star" <?php echo $rate == 3 ? "checked" : '' ?>/> <label
class="star star-3" for="star-3"></label>

                            <input disabled class="star star-2" id="star-2"
type="radio" name="star" <?php echo $rate == 2 ? "checked" : '' ?>/> <label
class="star star-2" for="star-2"></label>

                            <input disabled class="star star-1" id="star-1"
type="radio" name="star" <?php echo $rate == 1 ? "checked" : '' ?>/> <label
class="star star-1" for="star-1"></label>

                    </div>

                </div>

                <hr>

                <div class="w-100 d-flex justify-content-between">

                    <span class="rounded-0 btn-flat btn-sm btn-primary d-flex
align-items-center  justify-content-between"><i class="fa fa-tag"></i> <span
class="ml-1"><?php echo number_format($cost) ?></span></span>

                    <button class="btn btn-flat btn-warning" type="button"
id="book">Book Now</button>
```

```
                    </div>
                </div>
            </div>
            <div class="col-md-7">
                <h3><?php echo $title ?></h3>
                <hr class="border-warning">
                <small class='text-muted'>Location: <?php echo $tour_location
?></small>
                <h4>Details</h4>
                <div><?php echo stripslashes(html_entity_decode($description))
?></div>
                <hr>
                <h5>Reviews (<?php echo count($feed) ?>)</h5>
                <hr class="border-primary">
                <?php foreach($feed as $r): ?>
                <div class="w-100 d-flex justify-content-between  align-items-
center">
                    <div class="d-flex align-items-center">
                        <img src="<?php echo
validate_image('assets/img/user.jpg') ?>" class="border mr-3 review-user-avatar"
alt="">
                        <span><?php echo $r['name'] ?></span>
                    </div>
                    <span class='text-muted'><?php echo date("Y-m-d H:i
A",strtotime($r['date_created'])) ?></span>
                </div>
                <div class="w-100 review-feedback">
                    <?php echo $r['review'] ?>
```

```
                </div>
                <hr class='border-light'>
                <?php endforeach; ?>
            </div>
        </div>
    </div>
</section>
<script>
    $(function(){
        $('#book').click(function(){
            if("<?php echo $_settings->userdata('id') ?>" > 0)
                uni_modal("Book Info","book_form.php?package_id=<?php echo $id
?>");
            else
                uni_modal("","login.php","large");
        })
    })
</script>
```

Style.css

```
@charset "UTF-8";




:root {
    --bs-blue: #0d6efd;
```

```
    --bs-indigo: #6610f2;

    --bs-purple: #6f42c1;

    --bs-pink: #d63384;

    --bs-red: #dc3545;

    --bs-orange: #fd7e14;

    --bs-yellow: #ffc800;

    --bs-green: #198754;

    --bs-teal: #20c997;

    --bs-cyan: #0dcaf0;

    --bs-white: #fff;

    --bs-gray: #6c757d;

    --bs-gray-dark: #343a40;

    --bs-primary: #ffc800;

    --bs-secondary: #6c757d;

    --bs-success: #198754;

    --bs-info: #0dcaf0;

    --bs-warning: #ffc800;

    --bs-danger: #dc3545;

    --bs-light: #f8f9fa;

    --bs-dark: #212529;

    --bs-font-sans-serif: system-ui, -apple-system, "Segoe UI", Roboto,
"Helvetica Neue", Arial, "Noto Sans", "Liberation Sans", sans-serif, "Apple Color
Emoji", "Segoe UI Emoji", "Segoe UI Symbol", "Noto Color Emoji";

    --bs-font-monospace: SFMono-Regular, Menlo, Monaco, Consolas, "Liberation
Mono", "Courier New", monospace;

    --bs-gradient: linear-gradient(180deg, rgba(255, 255, 255, 0.15), rgba(255,
255, 255, 0));
```

```
}


*,

*::before,

*::after {

    box-sizing: border-box;

}


@media (prefers-reduced-motion: no-preference) {

     :root {

        scroll-behavior: smooth;

    }

}


body {

    margin: 0;

    font-family: "Roboto Slab", -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto, "Helvetica Neue", Arial, sans-serif, "Apple Color Emoji", "Segoe UI
Emoji", "Segoe UI Symbol", "Noto Color Emoji";

    font-size: 1rem;

    font-weight: 400;

    line-height: 1.5;

    color: #212529;

    background-color: #fff;

    -webkit-text-size-adjust: 100%;

    -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
```

```
}


hr {
    margin: 1rem 0;
    color: inherit;
    /* background-color: currentColor; */
    border: 1px solid;
}



/* hr:not([size]) {
  height: 1px;
} */


h6,
.h6,
h5,
.h5,
h4,
.h4,
h3,
.h3,
h2,
.h2,
h1,
.h1 {
```

```
    margin-top: 0;
    margin-bottom: 0.5rem;
    font-family: "Brush", -apple-system, BlinkMacSystemFont, "Apple Color Emoji",
"Segoe UI Emoji", "Segoe UI Symbol", "Noto Color Emoji";
    font-weight: 700;
    line-height: 1.2;
}

h1,
.h1 {
    font-size: calc(1.375rem + 1.5vw);
}

@media (min-width: 1200px) {
    h1,
    .h1 {
        font-size: 2.5rem;
    }
}

h2,
.h2 {
    font-size: calc(1.325rem + 0.9vw);
}

@media (min-width: 1200px) {
```

```
    h2,
    .h2 {
        font-size: 2rem;
    }
}

h3,
.h3 {
    font-size: calc(1.3rem + 0.6vw);
}

@media (min-width: 1200px) {
    h3,
    .h3 {
        font-size: 1.75rem;
    }
}

h4,
.h4 {
    font-size: calc(1.275rem + 0.3vw);
}

@media (min-width: 1200px) {
    h4,
    .h4 {
```

```
        font-size: 1.5rem;
    }
}

h5,
.h5 {
    font-size: 1.25rem;
}

h6,
.h6 {
    font-size: 1rem;
}

p {
    margin-top: 0;
    margin-bottom: 1rem;
}

abbr[title],
abbr[data-bs-original-title] {
    -webkit-text-decoration: underline dotted;
    text-decoration: underline dotted;
    cursor: help;
    -webkit-text-decoration-skip-ink: none;
    text-decoration-skip-ink: none;
```

```
}


address {
    margin-bottom: 1rem;
    font-style: normal;
    line-height: inherit;
}


ol,
ul {
    padding-left: 2rem;
}


ol,
ul,
dl {
    margin-top: 0;
    margin-bottom: 1rem;
}


ol ol,
ul ul,
ol ul,
ul ol {
    margin-bottom: 0;
}
```

```
dt {
    font-weight: 700;
}

dd {
    margin-bottom: 0.5rem;
    margin-left: 0;
}

blockquote {
    margin: 0 0 1rem;
}

b,
strong {
    font-weight: bolder;
}

small,
.small {
    font-size: 0.875em;
}

mark,
.mark {
```

```
    padding: 0.2em;
    background-color: #fcf8e3;
}

sub,
sup {
    position: relative;
    font-size: 0.75em;
    line-height: 0;
    vertical-align: baseline;
}

sub {
    bottom: -0.25em;
}

sup {
    top: -0.5em;
}

a {
    color: #ffc800;
    text-decoration: underline;
}

a:hover {
```

```
    color: #cca000;
}

a:not([href]):not([class]),
a:not([href]):not([class]):hover {
    color: inherit;
    text-decoration: none;
}

pre,
code,
kbd,
samp {
    font-family: var(--bs-font-monospace);
    font-size: 1em;
    direction: ltr/* rtl:ignore */
    ;
    unicode-bidi: bidi-override;
}

pre {
    display: block;
    margin-top: 0;
    margin-bottom: 1rem;
    overflow: auto;
    font-size: 0.875em;
```

```
}

pre code {
    font-size: inherit;
    color: inherit;
    word-break: normal;
}

code {
    font-size: 0.875em;
    color: #d63384;
    word-wrap: break-word;
}

a>code {
    color: inherit;
}

kbd {
    padding: 0.2rem 0.4rem;
    font-size: 0.875em;
    color: #fff;
    background-color: #212529;
    border-radius: 0.2rem;
}
```

```
kbd kbd {
    padding: 0;
    font-size: 1em;
    font-weight: 700;
}

figure {
    margin: 0 0 1rem;
}

img,
svg {
    vertical-align: middle;
}

table {
    caption-side: bottom;
    border-collapse: collapse;
}

caption {
    padding-top: 0.5rem;
    padding-bottom: 0.5rem;
    color: #6c757d;
    text-align: left;
}
```

```
th {
    text-align: inherit;
    text-align: -webkit-match-parent;
}

thead,
tbody,
tfoot,
tr,
td,
th {
    border-color: inherit;
    border-style: solid;
    border-width: 0;
}

label {
    display: inline-block;
}

button {
    border-radius: 0;
}

button:focus:not(:focus-visible) {
```

```
    outline: 0;
}

input,
button,
select,
optgroup,
textarea {
    margin: 0;
    font-family: inherit;
    font-size: inherit;
    line-height: inherit;
}

button,
select {
    text-transform: none;
}

[role=button] {
    cursor: pointer;
}

select {
    word-wrap: normal;
}
```

```
select:disabled {
    opacity: 1;
}

[list]::-webkit-calendar-picker-indicator {
    display: none;
}

button,
[type=button],
[type=reset],
[type=submit] {
    -webkit-appearance: button;
}

button:not(:disabled),
[type=button]:not(:disabled),
[type=reset]:not(:disabled),
[type=submit]:not(:disabled) {
    cursor: pointer;
}

::-moz-focus-inner {
    padding: 0;
    border-style: none;
```

```
}

textarea {
    resize: vertical;
}

fieldset {
    min-width: 0;
    padding: 0;
    margin: 0;
    border: 0;
}

legend {
    float: left;
    width: 100%;
    padding: 0;
    margin-bottom: 0.5rem;
    font-size: calc(1.275rem + 0.3vw);
    line-height: inherit;
}

    @media (min-width: 1200px) {
        legend {
            font-size: 1.5rem;
        }
```

```
    }

    legend+* {
        clear: left;
    }

::-webkit-datetime-edit-fields-wrapper,
::-webkit-datetime-edit-text,
::-webkit-datetime-edit-minute,
::-webkit-datetime-edit-hour-field,
::-webkit-datetime-edit-day-field,
::-webkit-datetime-edit-month-field,
::-webkit-datetime-edit-year-field {
    padding: 0;
}

::-webkit-inner-spin-button {
    height: auto;
}

[type=search] {
    outline-offset: -2px;
    -webkit-appearance: textfield;
}
```

```
/* rtl:raw:

[type="tel"],

[type="url"],

[type="email"],

[type="number"] {

  direction: ltr;

}

*/


::-webkit-search-decoration {

    -webkit-appearance: none;

}


::-webkit-color-swatch-wrapper {

    padding: 0;

}


::file-selector-button {

    font: inherit;

}


::-webkit-file-upload-button {

    font: inherit;

    -webkit-appearance: button;

}
```

```
output {
    display: inline-block;
}

iframe {
    border: 0;
}

summary {
    display: list-item;
    cursor: pointer;
}

progress {
    vertical-align: baseline;
}

[hidden] {
    display: none !important;
}

.lead {
    font-size: 1.25rem;
    font-weight: 300;
}
```

```
.display-1 {
    font-size: calc(1.625rem + 4.5vw);
    font-weight: 300;
    line-height: 1.2;
}

@media (min-width: 1200px) {
    .display-1 {
        font-size: 5rem;
    }
}

.display-2 {
    font-size: calc(1.575rem + 3.9vw);
    font-weight: 300;
    line-height: 1.2;
}

@media (min-width: 1200px) {
    .display-2 {
        font-size: 4.5rem;
    }
}

.display-3 {
    font-size: calc(1.525rem + 3.3vw);
```

```
    font-weight: 300;
    line-height: 1.2;
}

@media (min-width: 1200px) {
    .display-3 {
        font-size: 4rem;
    }
}

.display-4 {
    font-size: calc(1.475rem + 2.7vw);
    font-weight: 300;
    line-height: 1.2;
}

@media (min-width: 1200px) {
    .display-4 {
        font-size: 3.5rem;
    }
}

.display-5 {
    font-size: calc(1.425rem + 2.1vw);
    font-weight: 300;
    line-height: 1.2;
```

```
}


@media (min-width: 1200px) {
    .display-5 {
        font-size: 3rem;
    }
}

.display-6 {
    font-size: calc(1.375rem + 1.5vw);
    font-weight: 300;
    line-height: 1.2;
}

@media (min-width: 1200px) {
    .display-6 {
        font-size: 2.5rem;
    }
}
```

References

https://www.frontiersin.org/articles/10.3389/fpsyg.2023.1140519/full
https://www.diva-portal.org/smash/get/diva2:1474902/FULLTEXT01.pdf