

# The SysNDD Documentation

Bernt Popp, Christiane Zweier

2022-06-08

## Contents

<b>Preface</b>	<b>2</b>
History of SysID and SysNDD . . . . .	2
The SysNDD concept . . . . .	2
Acknowledgments . . . . .	3
<b>1 Curating gene-disease relationships</b>	<b>3</b>
1.1 Neurodevelopmental disorders . . . . .	3
1.2 Genetic heterogeneity . . . . .	3
1.3 Expert curation . . . . .	4
1.4 Technical concepts . . . . .	4
1.5 Outlook . . . . .	4
<b>2 Web tool</b>	<b>5</b>
2.1 Landing page . . . . .	5
2.2 Main navigation menu . . . . .	6
2.3 Footer navigation menu . . . . .	6
2.4 Table views . . . . .	7
2.5 Single entry pages . . . . .	10
2.6 Analyses views . . . . .	10
2.7 About page . . . . .	10
2.8 Login page . . . . .	10
<b>3 API</b>	<b>18</b>
<b>4 Database structure</b>	<b>25</b>
<b>5 Curation criteria</b>	<b>27</b>
5.1 Definitions . . . . .	27
5.2 NDD Definitive entities . . . . .	27
5.3 NDD Moderate and Limited entities . . . . .	28

<b>6</b>	<b>Re-review instructions</b>	<b>30</b>
6.1	Re-review tool usage . . . . .	30
6.2	Re-review curation . . . . .	36

## Preface

---

This documentation is intended to describe the SysNDD<sup>1</sup> project and provide instructions for regular user-show to use the tool and for curator status users how to perform reviews and how to enter data.

## History of SysID and SysNDD

SysNDD is based on its predecessor SysID<sup>2</sup> which had been published in 2016 (Kochinke et al., 2016). Christiane Zweier has been involved in establishing and updating SysID from its start in 2009. She has since performed and coordinated curation and regular updates.

The PHP based SysID web tool (Yii 2 framework) was however not further developed and maintained besides necessary bugfixes. After the maintenance agreement for the original server at the CMBI at Radboud University in Nijmegen ran out, the installation was moved to a virtual server at the Department for BioMedical Research (DBMR) at the University Bern. The former link from the initial publication is re-directed so it still works. The legacy code base was updated to allow installation and security fixes and to be uploaded to a GitHub repository (SysID)<sup>3</sup>.

In 2019 the chance arose to integrate the SysID curation effort with the Orphanet resource, supported by ERN ITHACA. In the process of aligning the curation and naming conventions for genes, diseases and phenotypes we decided to redesign the database and web tool.

## The SysNDD concept

SysNDD contains a manually curated catalogue of published gene-disease-associations implicated in neurodevelopmental disorders (NDD).

To allow interoperability and mapping between gene-, phenotype- or disease-oriented databases, we center our approach around curated gene-inheritance-disease units, so called entities. These entities are classified into different confidence status (categories: “Definitive”, “Moderate”, “Limited”, “Refuted”) according to the degree of underlying scientific evidence. Furthermore, manually curated information on associated phenotypes is provided.

The entries in SysNDD are currently updated every 3-4 months and can be utilized for a broad spectrum of tasks from both research and diagnostics.

One of our goals is to incorporate the SysNDD data<sup>4</sup> into other gene/ disease-relationship databases like the Orphanet ontology (first results: id-genes.orphanet.app<sup>5</sup>).

Bernt Popp (scientist at the Institute of Human Genetics at the University Hospital Leipzig, Germany) developed and programmed the SysNDD tool and will be integrating further functionality including variants associated with entities in future updates.

---

<sup>1</sup><https://sysndd.dbmr.unibe.ch/>

<sup>2</sup><https://www.sysid.dbmr.unibe.ch/>

<sup>3</sup><https://github.com/berntpopp/SysID>

<sup>4</sup><https://sysndd.dbmr.unibe.ch/>

<sup>5</sup><https://id-genes.orphanet.app/ithaca/>

## Acknowledgments

The current SysNDD database development is supported by:

- DFG (Deutsche Forschungsgemeinschaft) grant PO2366/2-1 to Bernt Popp<sup>6</sup>.
- DFG (Deutsche Forschungsgemeinschaft) grant ZW184/6-1 to Christiane Zweier<sup>7</sup>.
- ERN ITHACA<sup>8</sup> through Alain Verloes<sup>9</sup>.

The previous SysID database and data curation was supported by:

- The European Union’s FP7 large scale integrated network GenCoDys (HEALTH-241995) to MA Huynen and Annette Schenck.
- VIDI and TOP grants (917-96-346, 912-12-109) from The Netherlands Organisation for Scientific Research (NWO) to Annette Schenck.
- DFG (Deutsche Forschungsgemeinschaft) grants ZW184/1-1 and -2 to Christiane Zweier<sup>10</sup>.
- the IZKF (Interdisziplinäres Zentrum für Klinische Forschung) Erlangen to Christiane Zweier<sup>11</sup>.
- ZonMw grant (NWO, 907-00-365) to Tjitske Kleefstra.

## 1 Curating gene-disease relationships

---

As the name implies a rare disease affects only very few individuals. However, there are many unique causes of rare diseases, thus many individuals are affected by such a disease. Due to the rarity of each single entity, effective management, surveillance and treatment is challenging. So is finding the correct diagnosis, which is often described as the “diagnostic odyssey”.

Rare diseases often have a genetic cause, making high-throughput sequencing (next-generation sequencing; NGS) a central part of finding the molecular diagnosis.

### 1.1 Neurodevelopmental disorders

Neurodevelopmental disorders (NDD) affect about 2% of children. They represent a clinically and genetically extremely heterogeneous disease group comprising amongst other developmental delay (DD), intellectual disability (ID) and autism spectrum disorder (ASD) and developmental and epileptic encephalopathies (DEE).

### 1.2 Genetic heterogeneity

The huge genetic heterogeneity is evident when looking at the published gene-disease associations over time.

Thus the question arises:

How can we keep track of this fast development and have the information at hand when we need it in the clinic or when analyzing sequencing data?

---

<sup>6</sup><https://orcid.org/0000-0002-3679-1081>

<sup>7</sup><https://orcid.org/0000-0001-8002-2020>

<sup>8</sup><https://ern-ithaca.eu/>

<sup>9</sup><https://orcid.org/0000-0003-4819-0264>

<sup>10</sup><https://orcid.org/0000-0001-8002-2020>

<sup>11</sup><https://orcid.org/0000-0001-8002-2020>

While the answer to this question is easy:

We need curated databases to catalogue and summarize the wealth of published information.

The task at hand is not only laborious but also requires expertise and consistence.

### 1.3 Expert curation

In our opinion, the curation of gene-disease relationships in rare disease such as NDDs requires clinical and scientific proficiency in the respective field. This implies that clinician scientists involved in counseling, diagnostics, and research of NDD are predestined for this task.

To reduce workload and dependence on single experts, a distributed effort in larger consortia and collaboration between different work groups is needed.

In the course of updating SysID we had the great chance to contribute our data to Orphanet to create a European ID/NDD specific reference list. With support from the „ITHACA Workgroup: intellectual disability“ ([id-genes.orphanet.app](https://id-genes.orphanet.app)<sup>12</sup>) in 2019 we started working with the Orphanet team which is part of the Gene Curation Coalition (GenCC).

Additionally, we are able to recruit expert curators from ERN ITHACA<sup>13</sup> to contribute to re-curation of old data and updating new data in SysNDD.

### 1.4 Technical concepts

In addition to a pool of experts, the right tools are needed.

We defined “gene-inheritance-disease” units as “entities” which represent the central curation effort. The components of these entities are normalized using widely used and standardized ontology terms (e.g. HGNC identifier for genes, OMIM or MONDO for disease and inheritance from HPO). This allows interoperability and linking to other data sources.

Based on this concept we developed a new database scheme, which allows entities to be systematically and reproducibly cataloged. The database is abstracted into a JSON API, which allows structured programmatic access to the underlying data.

Finally, the API feeds the web tool which can be used to easily search, filter, download and visualize the database contents in modern webbrowsers.

### 1.5 Outlook

- The SysNDD database will improve the understanding and curation of rare NDD entities.
- SysNDD will enable systems biology and network analyses.
- Our long-term goal is incorporation of the high-quality, manually curated SysNDD data into European and international gene disease relationship databases,
- thus, improving diagnostics and care for individuals with rare NDDs.

---

<sup>12</sup><https://id-genes.orphanet.app/ithaca%5D>

<sup>13</sup><https://ern-ithaca.eu/>

## 2 Web tool

The SysNDD web tool is available from <https://sysndd.dbmr.unibe.ch/> on a server hosted at the Department for BioMedical Research (DBMR<sup>14</sup>) (University of Bern) and the web address <https://sysndd.org/> redirects to this server.

The web tool uses the Vue.js<sup>15</sup> (v2.6) JavaScript framework with BootstrapVue to generate a Bootstrap v4 website frontend.

### 2.1 Landing page

The landing page is designed as simple Bootstrap v4 website with:

- 1) a navigation menu at the top,
- 2) the main site content, which changes with navigation to other routes, and
- 3) a footer navigation bar at the bottom

Screenshot of the landing page with elements marked:

**1. Top Menu**

**2. Content**

**3. Footer**

**Current gene statistics (last update: 5.6.2022)**

Category	Count	Details
Definitive	1567	<a href="#">show</a>
Limited	1275	<a href="#">show</a>

**New entities**

Entity	Symbol	Disease	Inh.	Category	NDD
sysndd:3755	ABCC9	Intellectual disability and myop	AR		✓
sysndd:3706	NSD2	Rauch-Steindl syndrome	AD		✓
sysndd:3705	ADAM22	Developmental and epileptic er	AR		✓
sysndd:3704	OGDHL	Yoon-Bellen neurodevelopmen	AR		✓
sysndd:3703	PRORP	Combined oxidative phosphory	AR		✓

NDD comprise **developmental delay** (DD), **intellectual disability** (ID) and **autism spectrum disorder** (ASD). This clinically and genetically extremely **heterogeneous** disease group affects **about 2% of newborns**. SysNDD aims to empower clinical diagnostics, counseling and research for NDDs through **expert curation**. We define "gene-inheritance-disease" units as "**entities**". They are color coded throughout the website:

Entity: **Gene** **Inheritance** **Disease**

The SysNDD tool allows browsing and download of tabular views for curated NDD entity components in the **Tables** section. It offers multiple **Analyses** sections for genes, phenotypes and comparisons with other curation efforts.

Figure 1: Landing page

The landing page content displays different elements to give a quick overview and allow fast navigation:

- a centered search input at the top,

<sup>14</sup><https://www.dbmr.unibe.ch/>

<sup>15</sup><https://vuejs.org/>

- a box (left side top) with current gene statistics divided by association category and inheritance patterns (Details),
- a box (left side bottom) showing a table of the 5 last entities entered into the database,
- an explanatory text on the right.

## 2.2 Main navigation menu

The main navigation allows quick access to all subpages.

The “Tables” button triggers a dropdown menu with links to: - “Entities” table view - “Genes” table view - “Phenotypes” table view - “Panels table” view




Figure 2: Navigation menu tables

The “Analyses” button triggers a dropdown menu with links to: - “Compare curations” view - “Correlate phenotypes” view - “Entries over time” view - “NDD Publications” view - “Gene networks” view




Figure 3: Navigation menu analyses

If not on the landing page the navigation abr also conatins a “Search” button which can show a search field on any page.




Figure 4: Navigation menu search

If not logged in the right side of the menu shows a button which directs to the Login page. When logged in as a registered user the menu shows your username and additional links to page views depending on your user rights:

## 2.3 Footer navigation menu

The footer navigation shows pictures/ logos with links to:

- 1) the license applied to SysNDD




Figure 5: Navigation menu login

- 2) our GitHub repository
- 3) the SysNDD API view
- 4) the DFG funder website
- 5) the website of the University of Bern hosting our server
- 6) the ERN-ITHACA website




Figure 6: Footer navigation

## 2.4 Table views

We provide tabular representations with search, filtering, sorting and pagination functionality for different aspects of the entity concept.

### 2.4.1 Entities table

The Entities table is intended to provide an overview centered on the entity concept.

### 2.4.2 Genes table

The Genes table is intended to provide gene centered overview.

### 2.4.3 Phenotypes table

The Phenotypes table provides the possibility to filter for phenotype combinations annotated to the entities.

The “AND/ OR” switch allows the user to change the logic how phenotype combinations are requested:

- AND: only entities having all selected phenotypes annotated are shown.
- OR: all entities having any of the selected phenotypes annotated are shown.

### 2.4.4 Panels table

The Panels table is intended for users to be able to create lists of NDD-associated genes. Additionally, the columns in the lists can be configured. Finally, the configuration can be downloaded as Excel file with information on the exact query in the meta sheet and the requested information in the “data” sheet. These files can then be used as “virtual panels” to filter genetic variants derived from high-throughput sequencing in external analysis tools.

**SysNDD** Tables Analyses About Search Login

**Entities table** Entities: 3629

Search any field by typing here

Per page 10

« < 1 2 > »

Entity id	Symbol	Disease ontology na...	Hpo mode of inherit...	Category	Ndd phenotype word	Details
.. Entity id ..	.. Symbol ..	.. Disease ontology ..	.. Hpo mode of in...	.. Category ..	.. Ndd phenotype w	
sysnnd:1	ABCC9	Hypertrichotic osteochondro	AD		✓	Show
sysnnd:2	ABCC9	Cardiomyopathy, dilated, 10	AD		✗	Show
sysnnd:3	ABCC9	?Atrial fibrillation, familial, 12	AD		✗	Show
sysnnd:4	ABCD1	Adrenoleukodystrophy	XR		✓	Show
sysnnd:5	ABCD4	Methylmalonic aciduria and h	AR		✓	Show
sysnnd:6	ABHD5	Chanarin-Dorfman syndrome	AR		✓	Show
sysnnd:7	ACAD9	Mitochondrial complex I defic	AR		✓	Show
sysnnd:8	ACO2	Infantile cerebellar-retinal dec	AR		✓	Show
sysnnd:9	ACOX1	Peroxisomal acyl-CoA oxidas	AR		✓	Show
sysnnd:10	ACSF3	Combined malonic and methy	AR		✓	Show

CC BY

DFG Deutsche Forschungsgemeinschaft

u<sup>b</sup> UNIVERSITÄT BERN

ITHACA

Figure 7: Entities view

**SysNDD** Tables Analyses About Search Login

**Genes table** Genes: 2842

any field by typing here

Per page 10

« < 1 2 > »

Symbol	Category	Hpo mode of inherit...	Ndd phenotype word	Entities count	Details
.. Symbol ..	.. Category ..	.. Hpo mode of inherit...	.. Ndd phenotype word	.. Entities count ..	
A2ML1		AD	✓	1	Show
AAAS		AR	✓	1	Show
AACS		AR	✓	1	Show
AARS1		AR AD	✓ ✗	2	Show
AARS2		AR AR	✓ ✓	2	Show
AASS		AR	✓	1	Show
ABAT		AR	✓	1	Show
ABCA13		AD	✓	1	Show
ABCA2		AR	✓	1	Show
ABCA5		AR	✓	1	Show

CC BY

DFG Deutsche Forschungsgemeinschaft

u<sup>b</sup> UNIVERSITÄT BERN

ITHACA

Figure 8: Genes view





## **2.5 Single entry pages**

### **2.5.1 Entity**

### **2.5.2 Gene**

### **2.5.3 Ontology**

## **2.6 Analyses views**

### **2.6.1 Compare curations**

### **2.6.2 Correlate phenotypes**

### **2.6.3 Entries over time**

### **2.6.4 NDD Publications**

### **2.6.5 Gene networks**

## **2.7 About page**

The About page contains general information about the project, its creators, funding, updates, and how to find help.

## **2.8 Login page**

The Login page shows a simple form with inputs for the **(1)** user name and their **(2)** password, **(3)** buttons to reset the form and **(4)** links to registration and password reset.

### **2.8.1 Register user page**

This page can be used to apply for a SysNDD account by entering following information:

- 1) desired username
- 2) institutional E-mail
- 3) ORCID identifier
- 4) First name
- 5) Family name
- 6) description of your interest in SysNDD and why you want to participate in the curation effort

and **(7)** accepting the terms of use.

The **(8)** buttons allow resetting or submitting the form.

Upon submission the curator status users will receive a mail to review your application. After your application has been confirmed you will receive a mail with your login information and instructions.

### **2.8.2 Reset password page**

The form on this page allows users who forgot their password to reset this by entering the E-mail they registered with.

Upon submission the E-mail account will receive a message with a one-time link allowing the user to enter a new password.

# Sign in

Testuser

1

Enter your user name

.....

2

Enter your user password

Reset

Login

3

Don't have an account yet and want to help? [Register now.](#)

Forgot your password? [Reset now.](#)

4

Figure 11: Login modal

Register new SysNDD account

Username

Enter your preferred user name (min 5 chars)

mail@your-institution.com

Enter your institutional mail account

NNNN-NNNN-NNNN-NNNX

Enter your ORCID

First name

Enter your first name

Family name

Enter your family name

Your interest in SysNDD

Please describe why you want to help with SysNDD

☐ I accept the terms and use

Reset

Register

Figure 12: Register modal


A screenshot of a 'Reset Password' modal. It features a dark grey header with the text 'Reset Password' in white. Below the header is a light grey rounded rectangle containing a text input field with the placeholder 'mail@your-institution.com'. Under the input field is the text 'Enter your mail account'. At the bottom of the rounded rectangle is a dark grey button with the text 'Submit' in white.

Figure 13: Reset modal

### 2.8.3 Mobile website

The Vue.js framework enables native cross platform development. Together with the Bootstrap CSS library this enables the SysNDD web app to seamlessly integrate on smaller mobile screens.

The layout breaks to mobile view at 768 pixels width and minimizes the navigation and footer menus:

All tables in mobile views break to a stacked view (column names become first column in a cell and values second column) to best use display space:

The table controls and search inputs are further displayed at the top in this view.

The analyses pages on mobile pages are best viewed in landscape mode:

### 2.8.4 Progressive Web App (PWA)

The SysNDD web app can also be installed on mobile devices using the Progressive Web App (PWA<sup>16</sup>) technology. This is supported in all Chromium-based modern browsers (Chrome, Edge, Opera, etc.) on all common operating systems (Windows, Linux, macOS and Android). Additionally new Safari versions on iOS show some support for PWA.

PWAs are faster because they cache files. They offer more screen space for the app. Future integrations of this feature in SysNDD will enable offline use.

To install the PWA on Android devices follow these steps:

- 1) Visit the SysNDD website at <https://sysndd.dbmr.unibe.ch/>. You will see a message offering to add the PWA to your home screen:
- 2) After clicking the previous message, confirm the installation by clicking “Install” in the following prompt:
- 3) A message will confirm the installation:
- 4) Following app symbol will be available on one of your screens:
- 5) Clicking this will open SysNDD in PWA mode (no browser address bar, instead custom colored top bar):

<sup>16</sup>[https://en.wikipedia.org/wiki/Progressive\\_web\\_application](https://en.wikipedia.org/wiki/Progressive_web_application)



**Welcome to SysNDD,**  
the expert curated database  
of gene disease relationships  
in **neurodevelopmental**  
**disorders** (NDD).

Search the SysNDD-db by genes,



### Current gene statistics (last update: 5.6.2022)

Category  Definitive

Count 1567

Details [show](#)

Category  Limited

Count 1275

Details [show](#)

### New entities



SysNDD



Tables ▼

Analyses ▼

About

Login

**Welcome to SysNDD,**  
the expert curated database  
of gene disease relationships  
in **neurodevelopmental**  
**disorders** (NDD).

Search the SysNDD-db by genes,



**Current gene statistics (last  
update: 5.6.2022)**

Category  Definitive

Count 1567

Details [show](#)

Category  Limited

Figure 15: Mobile navbar  
15




Figure 16: Mobile footer





## Entities table Entities: 3629

Search any field by typing here

Per page

10



«

<

1

2

>

»

.. Entity id ..

.. Symbol ..

.. Disease ontology na... ..

.. Hpo mode of inherit... ..



.. Category ..



.. Ndd phenotype word ..



**Entity id**

sysndd:1

**Symbol**

ABCC9

**Disease  
ontology  
name**

Hypertrichotic osteochondro

Figure 17: Stacked table



Figure 18: Landscape mode

### 2.8.5 Performance

Modern Javascript frameworks like Vue.js, which we use for the SysNDD website, offer rich user experience. The generated single-page applications can be slower than server side rendered pages.

With SysNDD we are engaged to provide a fast user experience by reducing component and request sizes and applying techniques like lazy loading and code splitting in the frontend with parallelisation in the api.

A quick overview on the current website performance can be obtained on PageSpeed Insights (or “Lighthouse” in the chrome development console):

<https://pagespeed.web.dev/report?url=https%3A%2F%2Fsysndd.dbmr.unibe.ch%2F><sup>17</sup>

### 2.8.6 Security

SysNDD is engaged to offer highest security standards for all web tools. We use HTTPS with Transport Layer Security (TLS) and follow the mozilla recommendations for web server settings.

A quick overview for our security settings for the SysNDD website can be obtained on Mozilla Observatory:

<https://observatory.mozilla.org/analyze/sysndd.dbmr.unibe.ch>

## 3 API

<sup>17</sup>[https://pagespeed.web.dev/report?url=https%3A%2F%2Fsysndd.dbmr.unibe.ch%2F&form\\_factor=desktop](https://pagespeed.web.dev/report?url=https%3A%2F%2Fsysndd.dbmr.unibe.ch%2F&form_factor=desktop)




Figure 19: PWA add  
19




Figure 20: PWA install




Figure 21: PWA added



Figure 22: App symbol

The SysNDD api (application programming interface) is available from <https://sysnodd.dbmr.unibe.ch/API>.

The api is written in R using the plumber package<sup>18</sup>.

We intend to follow the Swagger/ OpenAPI<sup>19</sup> and JSON:API<sup>20</sup> specifications.

The api scripts run in a Docker container using the official “rocker/tidyverse” image (version 4.2.0).

As R is single threaded, we deploy multiple instances of the api container. These are bundled together using HAProxy<sup>21</sup> load balancer.

The api is rate limited through our NGINX<sup>22</sup> web server configuration with a rate limit of 10 requests per second (10r/s; equals 1 request every 100 milliseconds) per requesting ip. The configuration allows bursts of up to 30r/s but introduces a delay after 10 requests to enforce the rate limit.

### 3.0.1 Endpoints

The SysNDD api currently contains all endpoints for external and internal usage in one api script. This may change with future releases.

The api is structured into different components based on the SysND concept:

- entity: Entity related endpoints
- review: Reviews related endpoints
- status: Status related endpoints
- re\_review: Re-review related endpoints
- publication: Publication related endpoints
- gene: Gene related endpoints
- ontology: Ontology related endpoints
- inheritance: Inheritance related endpoints
- phenotype: Phenotype related endpoints
- panels: Gene panel related endpoints

---

<sup>18</sup><https://www.rplumber.io/>

<sup>19</sup><https://swagger.io/specification/>

<sup>20</sup><https://jsonapi.org/>

<sup>21</sup><http://www.haproxy.org/>

<sup>22</sup><https://www.nginx.com/>




Figure 23: PWA screenshot

- comparisons: NDD gene list comparisons related endpoints
- search: Database search related endpoints
- list: Database list related endpoints
- statistics: Database statistics
- user: User account related endpoints
- authentication: Authentication related endpoints

The endpoints are documented and can be tested using the Swagger/ OpenAPI user interface at <https://sysnidd.dbmr.unibe.ch/API>. Here one can generate cURL requests to use in external software.

### 3.0.2 Usage policy

The SysNDD api powers the web tool for everyday users. We also provide the SysNDD api free to allow users to use the SysNDD data and build on it by creating software or services that connect to our platform.

Usage requirements: - optimize your requests to stay in the above described limits - be sensible about re-using data (e.g., store your requests until data is updated on our server) - use pagination where possible instead of requesting large data chunks (e.g., restrict usage of “all” option in large, potentially blocking list endpoints like “entity” and “gene”) - if you require more api resources please get in contact

Updates and disclaimer: - We provide the SysNDD api as-is. - Due to the current development status (version 0.X.Y) we may update or modify the api any time. These changes may affect your use of the api or the way your integration interacts with the api.

### 3.0.3 Authentication and authorization

The SysNDD api uses JSON Web Tokens (JWT<sup>23</sup>) to implement stateless authentication and authorization.

The api user can manually (test purposes) request a token by entering their login credentials in the input form provided at the “api/auth/authenticate” endpoint:

Figure 24: Authenticate endpoint

This endpoint will generate and respond with and JWT token:

This Bearer token can then be copied and entered in the OpenAPI/ Swagger authorize modal which opens after clicking the “Authorize” modal button at the upper right corner:

<sup>23</sup><https://jwt.io/>

Response body

```
[
  "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJleHAiOjE2NTQ2NzcwMDgsImhhdCI6MTY1NDY3MzUwOCwidXN1c19pZCI6NCwidXN1c19uYm11IjoIiGVzZdHVzZXIiLCJlbWFPbCI6ImJlcm50LnBvcHAubWRAZ21haWwY29tIiwidXN1c19yb2x1IjoIUmV2aWV3ZXIiLCJ1c2VyX2NyZWZ0ZWQioiIyMDIyLTA1LTMxIiwiaWwiOiJmV2aWV0aW9uIjoIiVFU1lCJvcmlNpZCI6bnVsbH0.fETypoSfiC2QTg8A2tkCLEuV2mJi2F1zmyQRp1_DiqE"
]
```



 

Figure 25: JWT token

# SysNDD API

0.1.0 OAS3

<https://sysndd.dbmr.unibe.ch/alb/openapi.json>

This is the API powering the SysNDD website and allowing programmatic access to the database contents.

[Terms of service](#)

[API Support - Website](#)

[Send email to API Support](#)

CC BY 4.0

Servers

<https://sysndd.dbmr.unibe.ch/alb> ▾


Authorize 

Figure 26: Authorize button

## Available authorizations

✕

bearerAuth (http, Bearer)

Value:

1

2

Authorize

Close

Figure 27: Authorize modal prompt



After entering the token in the respective field (1) and clicking the “Authorize” submission button the modal will change and show the login status. This field can be closed now:




Figure 28: Authorize modal logged in

The user is now fully authenticated and can access the endpoints requiring user rights:




Figure 29: API logged in

The token is valid for 60 minutes. It can be refreshed using the endpoint “api/auth/refresh”.

## 4 Database structure

SysNDD currently uses the open-source MySQL 8.0<sup>24</sup> relational database management system (RDBMS).

The design of our DB schema can be viewed in DB DESIGNER<sup>25</sup>:

SysNDD DB schema<sup>26</sup>

As of 2022-06-07 the database schema looks like this:

The database runs in a docker container using the official mysql docker image<sup>27</sup> (version 8.0.29).

<sup>24</sup><https://dev.mysql.com/doc/relnotes/mysql/8.0/en/>

<sup>25</sup><https://www.dbdesigner.net/>

<sup>26</sup><https://dbdesigner.page.link/3Morx9HZxzqt4R379>

<sup>27</sup>[https://hub.docker.com/\\_/mysql](https://hub.docker.com/_/mysql)




Figure 30: SysNDD MySQL database

## 5 Curation criteria

---

### 5.1 Definitions

Intellectual disability (ID) and neurodevelopmental disorders (NDD) are defined in the scope of SysNDD as follows:

- Early onset neurodevelopmental delay and cognitive impairment (severe ID to learning difficulties)
- Regression/ neurodegeneration in the first years of life with or without prior developmental delay
- Disorders with cognitive impairment in a significant (ca. >10%) fraction of individuals

### 5.2 NDD Definitive entities

Inclusion criteria for Category 1 (“Definitive”):

1. Publication required (no grey literature like conference abstracts or personal communication; manuscripts on preprint servers can be considered individually but only entered through their DOI in the comment field until published with PMID, when they should be updated)

**AND**

2. Clear-cut frequency (no further criteria needed)

- $\geq 10$  cases with *de novo* variants
- $\geq 5$  autosomal-recessive families
- $\geq 3$  families with X-chromosomal variants

**OR**

3. Cumulative evidence

- 1 strong frequency criterium

**PLUS**

- 1 strong genetic or 1 strong clinical criterium

**OR**

- 2 further strong (genetic and/or clinical) criteria in case of only 2 families with recessive inheritance

**OR**

- $\geq$  two moderate criteria

### 5.2.1 Strong criteria

Strong frequency criteria:

- $\geq 3$  patients with *de novo* variant
- $\geq 2$  families with bi-allelic truncating variants
- $\geq (2-)$ 3 families with bi-allelic missense variants
- $\geq 2$  families with X-chromosomal variants

Strong genetic criteria:

- recurrence of a variant
- clustering of variants
- *de novo* truncating variants in a gene intolerant to loss-of-function variants (gnomAD constraint score)

Strong clinical criteria:

- Homogeneous phenotype
- Presence of specific/distinct clinical aspects (e.g., recognizable facial gestalt; rare specific malformations; pattern of multiple malformation; characteristic MRI anomalies; specific metabolic/enzymatic anomalies)

### 5.2.2 Moderate criteria

- Multigenerational segregation of variants
- Functional tests
- Gene involved in a pathway/complex where variants in other subunits are associated with a similar phenotype
- *De novo* missense variants in a gene intolerant to missense variants (gnomAD constraint scores)

### 5.2.3 Possible negative criteria

These should be included into consideration in borderline cases.

- Age of first publication(s) without further confirmatory reports in the meantime
- Publication quality and journal or genetics expertise “doubtful”
- New evidence against gene and/or variants: e.g., constraint scores, frequencies in gnomAD

## 5.3 NDD Moderate and Limited entities

These categories include the previous category of “candidate genes” and are now split into criteria for entity categories 2 (“Moderate”) and 3 (“Limited”):

1. Must be published (no private, in-house candidate lists)

**AND**

2. ID indicated, but criteria not sufficient for category 1, examples:

a. Limited genetic evidence

- $< 3$  cases with *de novo*, different variants and non-specific NDD phenotype

- 1 recessive family with truncating variant or  $\leq 2$  recessive families with missense variants (category 2 or 3 depending on number of affected and tested individuals per family, functional evidence and homogeneity of phenotype etc.)
- candidate gene from translocation or larger deletion
- reports of enzymatically confirmed patients with specific metabolic disorders but without genetic mutation confirmed

**b. Limited clinical evidence**

- not much evidence for ID, e.g. reported as ADHD or ASD or neurological disorder without clearly reported low IQ and ID
- known disorder, but only single patients reported with ID
- motor developmental delay without evidence for cognitive impairment
- clear neurodegenerative course without ID or cognitive delay present in the first years
- lethal before ID might be evident, although e.g. brain malformations or metabolic abnormalities might point to ID
- ID reported in other, similar disorders caused by mutations in the same pathway/complex but not (yet) in association with this particular gene (e.g. Fanconi anemia)

**c. Limited combined genetic and clinical evidence**

- Gene enriched for de novo or rare deleterious variants in large NDD cohorts or meta-studies, no further details

### 5.3.1 Exclusion criteria

1. Published as candidate gene only based on function or experimental results but without variants reported in humans

**AND/OR**

2. Only 1 *de novo* case from longer ago without further evidence and gene tolerant towards missense and/or loss-of-function variants according to gnomAD constraint scores

**AND/OR**

3. Only 1 sporadic case with bi-allelic variants and without any further supporting evidence such as segregation in other family members, functional tests, similar phenotypes in other patients with variants in genes from the same pathway, etc.

### 5.3.2 When to choose category 2 (“Moderate”)?

Too good for category 3 (“Limited”) but not good enough for category 1 (“Definitive”)

Examples:

- Recurrent de novo variant in 2 individuals with a similar phenotype
- Bi-allelic or X-chromosomal truncating variant segregating in  $\geq$  two generations of a large family
- Convincing functional evidence
- 1-2 patients with convincing variants in a gene which is in the same complex/pathway with other known disease genes and phenotype fits (e.g. CDG syndrome)

### 5.3.3 Special case: non-NDD entities

Some genes are associated with multiple entities. Among these entities there might be some without ID as a clinical feature. These non-NDD entities will be included in SysNDD but they will not be classified to any of the categories. Instead, they are tagged with “n.a.” (not applicable).

## 6 Re-review instructions

The goal of the SysNDD “Re-Review” effort is to update and standardize the SysID entities collected during the past years to enable better integration into and interoperability international with gene curations.

### 6.1 Re-review tool usage

We created Reviewer status accounts for participating scientists.

#### 6.1.1 Login

You can log into your account by pointing your browser to <https://sysndd.dbmr.unibe.ch/> and then clicking the “Login” link on the right side of the menu:




Figure 31: Login menu

On the Login page enter your credentials and press the Login button:

After successful login, you will be redirected to the start page and the navigation bar will show new links depending on your account privileges:

Your login token (JWT; JSON Web Token) is valid for 1 hour, after which you will be logged out. You can however always refresh the time by clicking the link in the user menu. The website will warn you at 5, 3 and 1 minutes before log out.

#### 6.1.2 Review page

Click the “Review” link to your personal “Re-Review” site:

The “Re-Review” page is structured as a table enriched with information and controls.

These show you the number of entities assigned to your account

(1) your account information status specific controls (e.g. switching to “Curator” mode, applying for a new batch of entities)

Sign in

Testuser

✓

Enter your user name

.....

✓

Enter your user password

Reset

Login

Don't have an account yet and want to help? [Register now.](#)

Forgot your password? [Reset now.](#)

Figure 32: Login page




Figure 33: Login token menu




Figure 34: Review page menu



SysNDD Tables Analyses About Search Review Testuser

Re-review table Entities: 29

Search any field by typing here

Per page 10

« < 1 2 3 »































Entity	Gene	Disease	Inheritance	NDD	Actions
sysndd:49	AP3B1	Hermansky-Pudlak syndrome 2	AR	✓	  
sysndd:50	AP4B1	Spastic paraplegia 47, autosoma	AR	✓	  
sysndd:51	AP4E1	Spastic paraplegia 51, autosoma	AR	✓	  
sysndd:52	AP4S1	Spastic paraplegia 52, autosoma	AR	✓	  
sysndd:53	APTX	Ataxia, early-onset, with oculom	AR	✓	  
sysndd:54	ARFGEF2	Periventricular heterotopia with	AR	✓	  
sysndd:55	ARHGEF6	Intellectual disability	XR	✓	  
sysndd:56	ARID1A	Coffin-Siris syndrome 2	AD	✓	  
sysndd:57	ARID1B	Coffin-Siris syndrome 1	AD	✓	  
sysndd:58	ARL13B	Joubert syndrome 8	AR	✓	  

Figure 35: Review page

(2) menu items to filter/ navigate the table


(3) and finally, the table with the entity information and

(4) controls to review and change the information:

By clicking the action buttons, you can open 3 different windows to change the entities review:



(1) entities review ( )



(2) the status ( )



(3) and to submit your work ( )

### 6.1.3 New Review edit

In this window you have:

- the possibility to change/adapt or completely rewrite the current synopsis (1),
- add, or remove phenotype associations (2),
- add or remove publications from the review by PMID (3)
- and add/ edit fitting GeneReviews articles by PMID (4).
- Finally, you can add a comment to your review for the Curator later approving this entities changes (5) and
- save your review (6).

By clicking on the little question marks you can show help messages for each item:

These help instructions are:

**Synopsis:** Short summary for this disease entity. Please include information on: a) approximate number of patients described in literature, b) nature of reported variants, b) severity of intellectual disability, c) further phenotypic aspects (if possible with frequencies) d) any valuable further information (e.g. genotype-phenotype correlations).

Examples:

*de novo* truncating or missense variants in > 20 individuals: variable ID (mild to severe), 50% short stature and microcephaly, 30% seizures, non-specific facial dysmorphism, variable cardiac and renal anomalies in some

bi-allelic truncating variants in 7 individuals from 3 families: severe ID, microcephaly, seizures in 3/7, MRI anomalies

**Phenotypes:** Add or remove associated phenotypes. Only phenotypes that occur in 20% or more of affected individuals should be included. Please also include information on severity of ID where available and applicable.

**Publications:** No complete catalogue of entity-related literature required! If information in the clinical synopsis is not only based on OMIM entries, please include PMID of the article(s) used as a source for the clinical synopsis.

**GeneReviews:** Please add PMID for GeneReview article if available for this entity.

**Comment:** Additionally add information about your review potentially helpful to the curator approving the entity later.

Modify review for entity: sysnidd:49

Synopsis

multi system disorder, albinism, bleeding diathesis, pulmonary fibrosis, granulomatous colitis, platelet and T-lymphocyte dysfunction and neutropenia, mild ID in some patients

Phenotypes

present: Abnormality of the eye

present: Intellectual disability

rare: Intellectual disability, mild

present: Abnormality of blood and blood-forming tissues

present: Abnormality of the immune system

Variation ontology

present: variation

Publications

Enter PMIDs separated by comma or semicolon

Add

Genereviews

Enter PMIDs separated by comma or semicolon

Add

PMID:20301464

Comment

Additional comments to this entity relevant for the curator.

Review by: 

Christiane

Curator

Cancel

Save review

Figure 36: Review page

#### 6.1.4 New Status edit

In this window you can propose

- to change the entities association confidence category (1),
- suggest it's overall removal (2),
- add a comment for your change suggestions for the Curators to better understand the proposal (3) and
- save your work (4):

Figure 37: Submit re-review modal

#### 6.1.5 Submit Re-review

The last action window is just to confirm that you are satisfied with your work and would like to submit it for curation:

After clicking this button, the entity will disappear from your list. And you can proceed with the remaining entries until no entity is left in your list.

### 6.2 Re-review curation

#### 6.2.1 Definitive association status

1. Check if category 1 (“Definitive”) is correct or shift status to category 2 (“Moderate”) or 3 (“Limited”), where appropriate
2. Check and revise gene-related entities regarding diseases/inheritance patterns (ID and non-ID disorders) → non-ID disorders will not go into any of the categories but will be tagged with “n.a.” (not applicable)
3. Check and revise associated phenotypes: select HPO terms from the list, only use HPO term if this specific aspect is present in approximately  $\geq 20\%$  of patients. Please also check and revise severity




Figure 38: Submit re-review modal

of ID using HPO terms. If ID is very variable, select all appropriate ID terms (e.g. severe, moderate, mild, borderline)

4. Check references (OMIM, PMID, GeneReviews). References do not have to be complete but should be sufficient to give a good impression on the mutational and clinical spectrum. Add references where it would add to the picture.
5. Check and revise clinical synopsis: it does not have to contain everything that is known but should give a short and comprehensive picture on:
  - which data the gene and disease category were chosen on and
  - the molecular and clinical picture.

Please include information on:

- a) approximate number of patients described in literature,
- b) nature of reported variants,
- c) severity of intellectual disability,
- d) further phenotypic aspects (if possible with frequencies),
- e) any valuable further information (e.g. genotype-phenotype correlations)

Examples:

*de novo* truncating or missense variants in > 20 individuals: variable ID (mild to severe), 50% short stature and microcephaly, 30% seizures, non-specific facial dysmorphism, variable cardiac and renal anomalies in some

bi-allelic truncating variants in 7 individuals from 3 families: severe ID, microcephaly, seizures in 3/7, MRI anomalies

### 6.2.2 Moderate and Limited association status

- Check if inclusion criteria for candidate genes are still fulfilled or if it should be deleted from the list (“Refuted”)
- Check if candidate status is still correct and sort it into Category 2 (“Moderate”) and 3 (“Limited”) (or reclassify to 1 (“Definitive”), if applicable)
- Check, if associated phenotype still fits
- Check, if references are correct, if there is any new published information and modify clinical synopsis where appropriate
- Clinical synopsis can be very short for candidate genes
- no associated phenotypes (HPO terms) and frequencies are needed for candidate genes, but could be helpful

Examples:

*de novo* missense variants in 2 individuals: autism, ID in 50%

bi-allelic missense variant in 2 affected individuals from 1 family: moderate ID, MRI anomalies

### 6.2.3 Refuted association status

- Check if there is current evidence against this gene association (e.g. few truncating variants described in old publications before gnomAD constrain scores and the gene now has a pLI of 0; genes reported in a family with later report of another cause etc.)

## References

Kochinke, K., Zweier, C., Nijhof, B., Fenckova, M., Cizek, P., Honti, F., Keerthikumar, S., Oortveld, M. A. W., Kleefstra, T., Kramer, J. M., Webber, C., Huynen, M. A., and Schenck, A. (2016). Systematic Phenomics Analysis Deconvolutes Genes Mutated in Intellectual Disability into Biologically Coherent Modules. *American Journal of Human Genetics*, 98(1):149–164.