

EmvBehavior vs Host/Printer Ownership

Branch: cursor/package-layout-refactor-a435
Related commits: Remove AbstractEmvBehavior; Own Communication/Printer on PosTerminal

Problem

AbstractEmvBehavior held CommunicationBehavior and PrinterBehavior and auto-ran:

- onOnlineRequired -> host authorize
- onApproved -> print receipt

That mixed EMV lifecycle with host/printer side services. The class name EmvBehavior did not match those jobs.

Decision

Removed

- AbstractEmvBehavior entirely
- Auto host authorize / auto print from EMV layer
- Temporary removal of unused host stubs (later restored on PosTerminal)

Correct ownership

```
PosTerminal
+-- CommunicationBehavior -> authorize()
+-- PrinterBehavior       -> printReceipt()
+-- searchCard(...)
+-- EmvBehavior           -> EMV only
```

Rules

1. EmvBehavior = vendor EMV after entry selection (prepare / start / cancel)
2. PosTerminal = owns readers, host, printer
3. Vendors may use the same CommunicationBehavior instance for online
4. Printer stays on the terminal - not inside EmvBehavior

Why this is better

Concern	Wrong place	Right place
Card search	Engine / EmvBehavior	PosTerminal
Host authorize	AbstractEmvBehavior	PosTerminal
Receipt print	AbstractEmvBehavior.onApproved	PosTerminal.printReceipt
EMV kernel flow	-	EmvBehavior

Current wiring

```
protected PosTerminal(
    EmvEngine engine,
    EmvBehavior behavior,
```

```
CommunicationBehavior communication,  
PrinterBehavior printer)
```

Public helpers:

- authorize(TransactionConfig)
- printReceipt(List<String>)
- communication() / printer()

Vendor example:

```
PaxTerminal  
-> HostDefaults.declineUntilWired() + logPrinter  
-> PaxEmvBehavior(kernel, communication) // same communication instance
```