



Product Portfolio

For the New Generation of Business

www.addpay.africa

P5

EMV Android POS



Quad Cortex-A53
at 2.0GHz



2GB LPDDR4 + 32GB eMMC



Android 11



Professional
scanning module



5.5-inch full screen
with thin bezel



High-speed
thermal printer

- Equipped with Quad-core processor and Android 11 Operating System for better performance and lower power consumption
- 5.5-inch full screen with thin bezel
- More compact paper cabin for smaller size
- Professional thermal printer for speed up to 100mm/s
- Finely crafted curves, comfortable one-hand operation experience



Charging Cradle (Optional)

Technical Specifications

 Model Name P5	 Operating System WiseOS 3.0 Based on Android 11	 CPU Quad Cortex-A53 at 2.0GHz	 Memory 2GB LPDDR4 + 32GB eMMC	 Security Processor Max 32555
 Display 5.5 inch IPS Screen, 1280x720 HD Capacitive Multi-Point Touch Panel	 Network 2G/3G/4G	 WIFI 2.4G/5G, IEEE802.11 a/b/g/n/ac	 Bluetooth Bluetooth5.0, BLE	 GPS GPS/A-GPS, Glonass, Beidou
 Camera Front Camera: 2M FF(optional) Rear Camera: 5M AF (2D Scan Engine optional)	 Fingerprint FAP10, FBI/STQC (Optional)	 Audio Speaker: 1W Mic(optional)	 NFC 13.56MHz, ISO/IEC14443 TypeA&B, Mifare S50/S70, Felica	 Card Readers MSR: ISO7810-7813 3 tracks IC Card: ISO7816
 Card Slot 2*Micro SIM slot + 2*PSAM Slot +1*T-Flash slot, up to 128GB * Fiscal Module optional	 Button Power Button / Scan Button	 Battery Removable Lithium polymer battery, 7.4V/2620mAh	 Peripheral Ports Type C USB2.0 OTG 5*Pogo Pin	 Weight 443g
 Size (L*W*H) 209.09*78.59*19mm	 Printer 2"High Speed Thermal Printer Roll Size: 58*40mm Print Speed: 100mm/s Laboratory tested	 Adapter Input: AC 100-240V, 50/60Hz Output: 5V/2A	 Environment Storage temperature: -20°C to 60°C Operating temperature: -10°C to 55°C Humidity: ≤95%	 Accessories Optional: Charging Cradle, Multi-port Charging Cradle

Certifications

EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / VISA / MASTERCARD / AMEX / DISCOVER / PCI 6.1 / TQM / UPI / JCB MIR / RuPay / eftpos / BIS / WPC / CEC / DOE / CA65 / Pure / CE / FCC / CB / IC / ROHS / WEEE / KC / OFCA / Google GMS

P5L

EMV Android Mini POS



Quad Cortex-A53
at 2.0GHz



2GB LPDDR4 + 32GB eMMC



Android 11



Professional
scanning module



Diverse payment
options



5.5-inch full screen
with thin bezel

- Supports code scanning, NFC, magnetic strip card, IC card, etc.
- 5.5-inch full screen with thin bezel
- Equipped with high-efficiency Quad-core processor and Android 11 Operating System for better performance and lower power consumption
- Professional scanning module is optional
- Compact and portable for accepting payments on the go



Technical Specifications



Model Name

P5L



Operating System

WiseOS 3.0 Based on
Android 11



CPU

Quad Cortex-A53 at 2.0GHz



Memory

2GB LPDDR4 + 32GB eMMC



Security Processor

Max 32555



Display

5.5 inch IPS Screen,
1280x720 HD Capacitive
Multi-Point Touch Panel



Network

2G/3G/4G



WIFI

2.4G/5G, IEEE802.11 a/b/g/n/ac



Bluetooth

Bluetooth5.0, BLE



GPS

GPS/A-GPS, Glonass, Beidou



Camera

Front Camera: 2M FF(optional)
Rear Camera: 5M AF
(2D Scan Engine optional)



Audio

Speaker: 1W
Mic(optional)



NFC

13.56MHz, ISO/IEC14443
TypeA&B, Mifare S50/S70,
Felica



Card Readers

MSR: ISO7810-7813 3 tracks
IC Card: ISO7816



Card Slot

2*Micro SIM slot + 2*PSAM
Slot + 1*T-Flash slot, up to
128GB



Button

Power Button / Scan Button



Battery

Removable Lithium polymer
battery, 3.85V/3420mAh



Peripheral Ports

Type C USB2.0 OTG 5*Pogo Pin



Weight

230g



Size (L*W*H)

155*77*17.2mm



Adapter

Input: AC 100-240V, 50/60Hz
Output: 5V/2A



Environment

Storage temperature:
-20°C to 60°C
Operating temperature:
-10°C to 55°C
Humidity: ≤95%



Accessories

Optional: Charging Cradle,
Multi-port Charging Cradle

Certifications

**EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / VISA / MASTERCARD / AMEX / DISCOVER / eftpos /
PCI / TQM / CE / FCC / CB / IC / DGM / ROHS / WEEE**

P5L SSK

Self-Service Payment Kit



High performance, large memory

Equipped with a quad-core 4G processor, equipped with 2GB LPDDR4 + 32GB eMMC large memory, to bring you a smooth and efficient operating experience.



Accepts multiple payment methods, offering you versatility in choice

Supports multiple payment types, including QR codes, credit cards, NFC payment, and various e-wallets.



Experience ultimate durability and protection

The P5L SSK is designed to seamlessly integrate into diverse Self-Service payment scenarios. Its advanced IP64-level protection, ensures it remains resistant to water and dust. Encompassing a sturdy shell and a 2.0mm thick screen protected by 'Corning' glass, the P5L SSK has passed the IK08 impact resistance test demonstrating its high durability.



Faster, frictionless checkouts with NFC

It's 5.5-inch high-definition full screen with a resolution up to 1280x720, offers users an enhanced visual experience, while supporting NFC payment for faster, frictionless checkouts




A wide array of connectivity options, for diverse scenarios

Whether you're streamlining your point-of-sale system, enhancing your operational infrastructure, or simply expanding your connectivity, the P5L SSK adapts to your business, allowing for smoother, more efficient operations.



Designed for a wide range of unattended retail scenarios

From charging stations and vending machines to kiosks—our solution ensures that your services are accessible, convenient, and user-friendly.



Technical Specifications



Model Name

P5L-SSK



Operating system

Android 11



Processor

Quad-core A53@ 2.0GHz



Memory

2GB LPDDR4 + 32GB eMMC



Security Processor

Max 32555



Display

5.5" 720x1280 IPS capacitive multi-touch



Network

2G/3G/4G



WIFI

2.4G/5G, IEEE802.11 a/b/g/n/ac



Bluetooth

Bluetooth5.0, BLE



GPS

GPS/A-GPS, Glonass, Beidou



Camera

Front Camera: 2M FF



Audio

Speaker: 1W
Mic(optional)



NFC

13.56MHz, ISO/IEC14443
TypeA&B, Mifare S50/S70,
Felica



Card Readers

IC Card: ISO7816



Card Slot

2*Micro SIM slot + 1*PSAM Slot



Peripheral Ports

MDB, 2*RS232, 1*Ethernet,
1*USB-A, 1*USB-C,
1*DC Jack



Weight

584.5g



Size (L*W*H)

190*112*83.1 mm



Adapter

Input: AC 100-240V, 50/60Hz
Output: 9V/2A



Environment

Operation temperature:
-20°C to 60°C
Storage temperature:
-20°C to 70°C

Certifications

EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / VISA / MASTERCARD / AMEX / DISCOVER / PCI / TQM / CE / JCB / UPI / Rupay / NSICCS / MCCS

P5SE

EMV Android POS



Quad-core at 2.0GHz



5.45" touch screen



Android 13



Professional
scanning module



High-speed
thermal printer



Diverse payment
options

- Faster operation speed ensured by quad-core at 2.0GHz processor and Android 13 operating system
- 5.45" touch screen for intuitive interactions
- Professional thermal printer supports fast receipt printing up to 80mm/s
- Supports all major payment methods, including IC card, magnetic stripe card, NFC, and QR/barcodes
- All-in-one device for lower upfront investment from merchants



Technical Specifications

 Model Name P052	 Operating System WiseOS 3.0 Based on Android 13	 CPU Quad Core 2.0GHz	 Memory 2GB LPDDR4X + 8GB eMMC Optional: 2GB LPDDR4X + 32GB eMMC	 Security Processor MH2101
 Display 5.45 inch IPS Screen , 1440x720 HD, 2 Points Touch Panel	 Network 2G/3G/4G	 WIFI 2.4G/5G, IEEE802.11 a/b/g/n/ac	 Bluetooth Bluetooth5.1, BLE	 GPS GPS/A-GPS, Glonass, Beidou, Galileo
 Camera Front Camera: 2M FF (Optional) Rear Camera: 2M FF Optional:5M AF Flashlight LED: Torch LED 100mA	 Fingerprint Aralek A400-M (Optional)	 Audio Speaker: 0.8W Mic(optional)	 NFC 13.56MHz, ISO/IEC 14443 Type A&B, Mifare S50/S70	 Card Readers MSR: ISO7810-7813, 3 tracks IC Card: ISO7816
 Card Slot 1*Nano SIM +2*PSAM Optional: 1*Nano SIM + 1*Mini SIM + 1*PSAM Optional: 1*eSIM + 1*Nano SIM+ 2*PSAM	 Button Power Button / Multifunction Button	 Battery Removable, 7.2V/2600mAh Optional: Removable, 7.2V/3350mAh	 Peripheral Ports Type C USB2.0, High Speed, OTG (Optional:Analog headphones)	 Weight 431g
 Size (L*W*H) 192.48*80.8*31mm	 Printer 2" High Speed Thermal Printer Roll Size: 58*40mm Print Speed: 80mm/s Laboratory tested	 Adapter Input: AC 100-240V, 50/60Hz Output: 5V/2A	 Environment Storage temperature: -20°C to 60°C Operating temperature: -10°C to 55°C Humidity: ≤95%	 Accessories Optional: Professional High-speed Scanne, Charging Cradle, Multi-port Charging Cradle

Certifications

EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / VISA / MASTERCARD / AMEX / DISCOVER / PCI 6.x / TQM / CE / FCC / CB / IC / ROHS / WEEE

N6

Non EMV Android POS



QR Code Payment



Queuing Management



Ordering



Vending



Ticket Printing



Order Management

- Next-generation Quad-Core 2.0GHz for faster speed
- Optional Android 11 or Android 12 GMS versions for the operating system, supports Android OS customization
- Supports Secure Boot feature
- Compatible with Super APP, easily switch between applications without lag
- 5.5-inch high resolution multi-touch screen
- Equipped with high speed printer reaching 80mm/s
- High capacity 7.4V/2620mAh battery ensures long-time operations
- Supports 4G/3G/2G networks and dual SIM, automatic switch for better signal strength



Charging Cradle (Optional)

Technical Specifications



Model Name

Nano 6



Operating System

WiseOS 3.0 Based on Android 12
GMS version



CPU

Quad Cortex-A53 at 2.0GHz



Memory

2GB LPDDR4 + 32GB eMMC



Display

5.5 inch IPS Screen,
1280x720 HD Capacitive
Multi-Point Touch Panel



Network

2G/3G/4G



WIFI

2.4G/5G, IEEE802.11 a/b/g/n/ac



Bluetooth

Bluetooth5.0, BLE



GPS

GPS/A-GPS, Glonass, Beidou



Camera

Front Camera: 2M FF(optional)
Rear Camera: 5M AF
(2D Scan Engine optional)



Audio

Speaker: 1W
Mic (optional)



NFC

13.56MHz, ISO/IEC 14443
Type A&B, Mifare S50/S70



Card Slot

2*Micro SIM slot + 2*PSAM Slot
+ 1*T-Flash slot, up to 128GB *
Fiscal Module optional



Button

Power Button / Scan Button



Battery

Removable Lithium polymer
battery, 7.4V/2620mAh



Peripheral Ports

Type C USB2.0 OTG 5*Pogo Pin



Weight

391g



Size (L*W*H)

209.09*78.59*19mm



Printer

2" High Speed Thermal
Printer
Roll Size: 58*40mm Print
Speed: 80mm/s
Laboratory tested



Adapter

Input: AC 100-240V, 50/60Hz
0.35A
Output: 5V/2A



Environment

Storage temperature:
-20°C to 60°C
Operating temperature:
-10°C to 55°C
Humidity: ≤95%



Accessories

Optional: Charging Cradle,
Multi-port Charging Cradle

Certifications

GSMA / CE / CB / UN38.3 / MSDS / DGM / IEC62133 / RoHS / Google GMS

T2

EMV Android Tablet

Your customers deserve delightful payment



Octa-Core Processor



IC Card, NFC,
QR Code Payments



Fingerprint Unlocking



Quick Charge



Tap on Glass



7000mAh Battery





1. Octa-Core 2.0GHz processor for multitasking speed

Equipped with a powerful processor, Wiseasy T2 stands out in multitasking operation and ensures merchants keep up with their business demands.

2. Tap on Glass for contactless payments

More friendly to customers for them to make payments while taking in everything displayed on the screen. A perfect choice for unattended payment scenarios.



3. "Power" your business, amplify your success



Large capacity battery for 10-hour continuous transaction

7000mAh high-power battery makes your business well prepared for long hours of continuous payment accepting.

10 hours 7000mAh



Supports quick charge for frequent use

By supporting quick charge, the large battery of Wiseasy T2 is powered faster within three hours for higher efficiency.



4. One-touch biometric power on and app log-in

By adding fingerprint recognition function to its power button, Wiseasy T2 supports unlocking the device and logging in apps with just one biometric touch, which helps people get rid of the trouble of entering passwords.



5. Slim and light enough for great mobility

With thickness of 12.3mm and 635g weight, it's slim enough among payment tablets for tableside service or other scenarios where great mobility is necessary.



6. Flexible accessory extension for more functions

By virtue of the pogo pin, it's easy to add security certified fingerprint module, 3D structured light camera, professional scanner or other accessories to extend the function of Wiseasy T2.



Security Certified
Fingerprint Module



3D Structured
Light Camera



Professional
Scanner

7. One device for diverse the scenarios



Wall-Mount Unattended



Multi-tab Charging Station



Smart Pinpad



Swivel Cashier Kit



Tabletop Self Service



Extensive Accessories



Vending Machine

Technical Specifications

 Model Name T2	 Operating System WiseOS 3.0 Based on Android 13	 CPU Octa-Core, 2.0 GHz	 Memory 3GB LPDDR4 + 32GB eMMC	 Security Processor Max 32555
 Display 10.1 inch, Resolution: 1920*1200 10 points touch screen	 WIFI 2.4G/5G, IEEE802.11 a/b/g/n/ac	 Bluetooth Bluetooth5.2, BLE	 GPS GPS/AGPS/GLONASS/ Beidou	 Camera Front Camera: 5M FF Rear Camera: 8M AF, 1D/2D barcode scan Flashlight LED: Auxiliary illumination for Rear camera
 Fingerprint Lateral fingerprint unlocking	 Audio 1*Speaker: 2W 1*Buzzer	 NFC 13.56MHz, Support ISO/IEC 14443 Type A&B Mifare S50, Mifare One S70 FeliCa	 Card Readers MSR: Optional IC Card: ISO7816	 Card Slot 1* Micro SIM 1* PSAM or 1 SIM 1* eSIM (optional)
 Button Power button/Volume+/ Volume	 Battery 3.87V/7000mAh, supports fast charging	 Peripheral Ports Type C, USB2.0, OTG	 Weight 635g(without stand)	 Size (L*W*H) 247*163*12.3mm (tablet only)
 Adapter Input: AC 100-240V, 50/60Hz Output: 5V/3A; 9V/2A; 12V/1.5A	 Environment Storage temperature: -20°C to 60°C Operating temperature: -10°C to 55°C Humidity: ≤95%	 Accessories Swivel Stand Swivel Stand+MSR Smart Pinpad Holder		

Certifications

EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / MasterCard TQM / PCI PTS 6.x / Paypass / Paywave / AMEX / Discover DPAS CE-EU / FCC-NA / CB - NA / IC -NA / TELEC / UN 38.3 / MSDS / DGM / ROHS -EU / WEEE -EU

E1 Lite

EMV Mini ECR



Quad-core at 2.0GHz



6.745" large screen



Android 13



Customer
side second screen



High-speed
thermal printer



Customer-friendly
NFC payment

- 6.745" touch screen with 1600*720 pixels resolution allows for more intuitive use
- The guest display screen equipped on E1 Lite is used to show the transaction amount clearly
- Quad-core at 2.0GHz processor and Android 13 operating system for faster operation
- Fast printing speed up to 80mm/s in virtue of professional thermal printer
- NFC antenna located on the front top of the device ensures customer-friendly NFC payment

Supports diverse payment methods, including IC card, magnetic stripe card, NFC, and QR/barcodes



Technical Specifications



Model Name

P051



Operating System

Android 13



CPU

Quad-core 2.0GHz



Security Processor

MH2101



Memory

2GB LPDDR4X + 32GB eMMC
Optional: 3GB LPDDR4X +
64GB eMMC



Display

Main display: 6.745 Inches (1600*720) IPS
Capacitance, Multi-touch
Second display: Dot matrix screen



Network

2G/3G/4G



WIFI

2.4G/5G, 802.11 a/b/g/n/ac



Bluetooth

Bluetooth5.1, BLE



GPS

GPS/A-GPS, Glonass,
Beidou, Galileo



Camera

Front Camera: 2M FF
Rear Camera: 5M FF
Optional: 13M AF
Flashlight LED: Torch LED 100mA



Fingerprint

Aralek A400-M
(Optional)



Audio

Speaker: 0.8W
Microphone: 1*MIC (Optional)



NFC

1. 13.56MHz
2. Support ISO/IEC 14443 Type
A&B Mifare S50/S70
FeliCa Compliance



Card Reader

MSR: ISO7810-7813, 3 tracks
IC Card: ISO7816



Card Slot

1*Nano SIM +2*PSAM
Optional:
1*Nano SIM + 1*Mini SIM + 1*PSAM
Optional:
1*eSIM + 1*Nano SIM+ 2*PSAM



Button

Power Button /
Multifunction Button



Battery

Removable, 7.2V high
Voltage, 2600mAh, 18650
Optional: Removable, 7.2V
high Voltage, 3350mAh,
18650



Peripheral Ports

Type C USB2.0, High Speed, OTG



Printer

2" High Speed Thermal Printer
Roll Size: 58*40mm
Print Speed: 80mm/s
Laboratory tested



Adapter

Input: AC 100-240V, 50/60Hz
Output: 5V/2A



Accessories

Optional: Professional
High-speed Scanner,
Charging Cradle, Multi-port
Charging Cradle



Environment

Storage temperature: -20°C to 60°C
Operating temperature: -10°C to 55°C
Humidity: ≤95%

Certifications

**EMV Contact L1 / EMV Contactless L1 / EMV Contact L2 / VISA / MASTERCARD / AMEX / DISCOVER / PCI 6.x / TQM /
CE / FCC / CB / IC / ROHS / WEEE**

D5

Desktop Android POS

Product Highlights



OS
Android11



Display screen

Home screen: 15.6", 1366×768,
1920×1080 (Optional)
2nd screen: 10.1", 800×1280



CPU

Quad-core 64-bit,
Cortex-A55, up to 2.0GHz



Memory

2G DDR4+16G eMMC
4G DDR4+32G eMMC (Optional)

Pro Anodized Aluminum

Robust Glass



Technical Specifications



Model Name

D050



Operating System

Android 11



CPU

Quad-Core 64-bit, Cortex-A55,
up to 2.0GHz



Memory

2GB DDR4 + 16GB eMMC
4GB DDR4 + 32GB eMMC (Optional)



Display

Main Screen: 15.6 inch, 1366*768
Optional: 1920*1080
Second Screen: 10.1inch,
800*1280 (Optional)



WIFI

2.4G/5G



Bluetooth

Bluetooth4.2, BLE



Audio

1*Speaker: 2W



Button

Power button/Recovery button



Peripheral Ports

1*RJ45, 1*DC-IN, 1*RJ12, 4*USB2.0, 1*RJ11



Weight

4100g(Dual-screen)
3200g(Single-screen)



Size (L*W*H)

365*200*362mm



Adapter

Input: AC 100-240V
Output: 12V/2A;12V/3A



Environment

Storage temperature: -20 °C to 60 °C
Operating temperature: 0 °C to 40 °C



Certifications

FCC/CE

QS5E

QR Payment Speaker



Versatile Payment Options: With support for both QR code and NFC payments, the QS5E allows your customers to choose their preferred payment method, increasing convenience and satisfaction.



User-Friendly Interface: The 2.4-inch color screen displays dynamic QR codes and transaction amounts clearly, making the payment process straightforward for both you and your customers.



Real-Time Transaction Updates: The powerful 3W/110db speaker ensures you never miss a transaction update, even in the busiest and noisiest environments, giving you peace of mind and ensuring smooth operations.



Convenient Transaction Inputs: Input transaction amounts quickly and accurately via the intuitive keyboard, reducing errors and speeding up the payment process.



Reliable Performance: With a robust battery and advanced connectivity options, the QS5E is designed to keep up with your busiest days without missing a beat.



Technical Specifications



Model name

R1



Memory

8MB + 8MB



Card Slot

1*Nano SIM
4*PSAM, MH2103A support(optional)



Network

4G/4G+WiFi



Speaker

3W



Display

LCD: 2.4 inch color screen
Segment screen: 8 digits segment
code screen



Battery

2600mAh



Peripheral Ports

1*Type-C



Charger

5V/1A



Button

10*Numeric key
9*Function key



OTA

Support



Weight

341g



Dimensions

157*140*101mm



Environment

Storage temperature: -40°C to 85°C
Operating temperature: -20°C to 70°C
Humidity: 5% to 95%



Payment Reader

NFC: Supports 13.56MHz,
ISO/IEC 14443 Type A&B



Certifications

CE / SIRIM / EMVCo Contactless L1 /
Paypass / Paywave / AMEX /
Discover / Mydebit / TQM / PCI PTS

D80B

Thermal Receipt Printer



Smart design



High speed printing



Prevents gear dust



Supports
multi-language
printing




Supports
1D & 2D barcode
printing



Provides app
for different platforms

- Compact design allows for flexible placement options, optimizing space utilisation
- Instant network connectivity through plug-and-play functionality, with a rapid printing speed of up to 230mm/s for efficient operations
- Simplify paper handling with user-friendly feeding mechanisms, ensuring hassle-free operation and maintenance
- Multiple interface connectivity options including USB, RJ12, Ethernet, Bluetooth, and WiFi, offering versatile connectivity solutions to suit diverse needs
- Extensive compatibility with various operating systems including Windows OS, Linux, Javapos, MacOS, and OPOS, ensuring seamless integration into different environments
- ESC/POS command compatibility ensures smooth communication, while support for Windows, Android, and iOS DEMO&SDK facilitates easy setup and usage across different platforms



Black (Optional)

Technical Specifications



Printing Method

Direct Thermal



Print Speed

230mm/sec



Effective Print Width

72mm



Character Size

Font A: 12*24, Font B: 9*17



Barcode

1-D: UPC-A, UPC-E, EAN-8, EAN-13,
CODE39, ITF, CODABAR,
CODE128, CODE93
2-D: QR Code, PDF417



Paper Type

Thermal paper



Paper Width

57.5±0.5mm/79.5±0.5mm



Outer Diameter

80mm(max.)



Paper Thickness

0.05~0.13mm



Print Head

100km



Auto Cutter

1,000,000 times



Print Command

ESC/POS



Driver

Windows/Linux/Javapos/OPoS/
MacOS/OPoS



Interface

USB + WiFi + Bluetooth
USB + RJ12 + Ethernet



Power Adaptor

DC 24V/2A



Auto Cutter

Full or Partial Cut



Net Weight

643g(without paper roll)



Dimension

145*123.5*121.6mm



Color

Black/white



Environment

Storage temperature:
-20°C to 60°C
Operating temperature:
0°C to 45°C
Humidity: 5% to 95%

Scanner



Supports scanning
of 1D/2D codes



Ultra fast recognition



Buzzer



Compatibility with
multiple systems



Plug-and-Play



Shake-proof &
impact-proof



- Streamline your checkout operations with precise barcode and QR code scanning, maximising checkout convenience
- Take control of your workflow in busy environments with this cordless Bluetooth scanner, offering freedom of movement
- The scanner's combination of a red LED for pinpoint accuracy and a white LED for optimal illumination makes it perfect for scanning in both bright and low-light conditions for optimal performance
- Enjoy uninterrupted operation with a 42-hour battery life on just 8 hours of charging, guaranteeing productivity throughout your business day
- Crafted at 160g, our scanner boasts a feather-light design coupled with ergonomic features, ensuring comfort and ease of use for prolonged periods of operation, keeping you at peak efficiency

Technical Specifications



Model Name
X-9701C



Processor
32-bit ARM MCU



Storage
2M



Power Supply
Charge 5V $\pm 5\%$,
3.7V 2000mAh lithium battery



Connection
USB cable,
Wireless 2.4G transmission,
Bluetooth



System Supported
Linux, Android,
Windows XP/7/8/10, iOS



Sensor
Planar CMOS sensor



Light Source
Red LED (Aiming) + White LED (lighting)



Motion tolerance
Code 128: 15cm/sec
QR: 25cm/sec



Resolution
4mil



Bit Error Rate
1/5000000



Charging time
8 hours



Working time
42 Hours



Scanning Distance
10mm-600mm



Scanning Angel
Roll360°, Pitch65°, Yew65°



Dimensions
196 x 87 x 70 mm



Weight
160g



Decoding Capability
1D: Code25-Interleaved Code25-Standard Code25-Matri
Code39-Regular Code39-FullASCII Code32
Code93-Regular Code93-FullASCII Code128
EAN/GSL/UCC-128Auto Codabar MSI
EAN/JAN-13 UPC-A JAN-8
Code11 UPCE0

2D: Data Matrix , QR , PDF417,
Micro QR, HanXin, Micro PDF 417,
Maxi Code, Aztec

Cashier Box

Safe, Smart, Compact & Elegant



Compact and exquisite design frees up desktop space



Secure the money via Bluetooth control on the opening and closing of Cashier Box



Equipped gripper with metal coating is resistant to abrasion and corrosion



The three-position lock equipped for Cashier Box can be opened with a key in case of power failure



It can work in conjunction with Wiseasy T1, T2, P5 and other Wiseasy products, or it can be used alone





Technical Specifications



Dimensions
345×355×100mm



Coin Tray
Four coin slots Gripper
Type: Metal wire gripper



Cable Joint
6P6C Crystal Head



Electromagnetic Lock
Model (Type No.)
HS-0837L-1A12DC12V/Plug-in



Micro Switch
Yes



Drawer
0.6/SECC iron, Deep Dark(PT1.4 BLACK C)
plastic Liner



Connection Type
Bluetooth 4.0




Panel
White (PT: COOL CRALY 1C) Plastic
Panel with one cheque entrance



Bottom plate
(0.8/SECC) 330A (0.8/SECC), Wired with
330AT Block, Bluetooth Driver and
Mounting Bracket

Payment Solution

Payment Solution is a one-stop fintech solution based on PaaS (Platform-as-a-Service) platform. It enables merchants/PSPs/Banks to manage the operational and technical requirements in payment processing, allowing them to concentrate on more strategic endeavors in a cost-efficient way. For instance, building partnerships, marketing activities, and developing a distribution strategy, etc.



What are we offering?



High Compliance & Security

Based on PCI DSS certified payment platform & EMV compliant terminal devices for diversified payment scenarios. Equipped with a complete monitoring and warning system, leverages efficient, stable and safe operations.



Omni-Channel Payment

A comprehensive omni-channel payment gateway that accepts domestic & international cards, QR code payment and digital wallets, allowing businesses to accept payments across various payment channels.



Open API Designed

Open API & online checkout pages empower e-commerce and O2O businesses to accept payments anytime, anywhere in a quick and seamless way to maximize their sales growth.



Market-driven Platform

Business Management Center offers payment institutions and merchants deeper business insights for their daily operations, helping them drive sales and reach more customers with value-added services.

What's our competitive edge?

Flexible Business Adaptability

Our Payment Solution meets the needs of any type of bank, financial institutions, PSPs, at any stage of their journey. Our comprehensive and versatile platform powers innovation and growth for institutions, whether you are established or emerging, global or local, physical or digital.

Industry-leading Technology

Payment Platform (PayCloud) is developed based on Cloud Native technical architecture. It is designed and developed by DevOps. Containerized technology can effectively shield the difference of cloud computing environments. Multiple service nodes in different cloud environments could be easily deployed. Operation & Maintenance Monitoring System built with Prometheus and Grafana, leverages efficient, stable and safe operations.

How can you benefit?



Fully Equipped Services

Our all-in-one Payment Solution means minimal third-party interactions, providing a complete solution at the fastest speed in the industry.



Ultra Flexibility

Our 100% proprietary technology means we have the agility to adapt and innovate with your evolving business and also keep up with the pace of regulatory and customer demands.



Leading Reliability

Best-in-class reliability with quick and efficient cloud-based API responses, fewer technical fail points, optimal business operation procedures and high-volume processing system.




Affordable Start-up Cost

Unlike traditional solution providers, we are highly flexible both in terms of technical concepts and business models. No need to be worried about high start-up costs, you can take your time to develop your business step by step.


IoT Solution

IoT solution is a comprehensive solution based on WiseCloud system that integrates device management and realizes interconnectivity among devices, applications, and platforms beyond limitation of time and space.



WiseCloud

WiseCloud is a SaaS platform, which was born for Terminal Lifecycle Management. With WiseCloud, you can remotely manage devices, distribute and manage your apps, configure batch devices with one click, and more.



WiseViewer

WiseViewer is a remote desktop tool provided by the WiseCloud platform. With WiseViewer, you can control the POS terminal at any time. It raises merchant satisfaction together reduces your cost.



WiseKey

WiseKey is a key injection tool. Integrate WiseKey management portal onto WiseCloud. WiseKey provides solutions for Remote Key Injection(RKI) as well as Local Key Injection (LKI), which is flexible and fast and reduces labor cost.

An efficient, secure, and convenient IOT platform for you!



All-in-one Platform

WiseCloud supports the integrated management of devices, partners, merchants, applications and OTA to get everything connected and offer operators an overall insights. WiseCloud is PCI DSS certified to provide you with secure services.



Data-driven Decision & Insight

Accurate visualization is a core aspect of our IOT product design. Whether it is micro data or macro data, through accurate visualization, a variety of insights can be generated to provide data basis for our operational




More efficient operations

Efficiently process tasks with powerful batch, automation, and asynchronous capabilities.

End-to-End Integration

Powered by Cloud Open API and Open DMS, our system seamlessly integrates with external platforms and devices, addressing a wide range of integration demands. The robust SaaS offering includes adaptable options to precisely align with your needs. Easily, securely, and cost-effectively integrate to empower your business.



Cloud Open API

Integrate seamlessly with the third-party platforms using cloud-based open APIs, enabling easy access and interoperability between systems.



Open DMS

Open DMS, making it possible to manage all of your devices from different manufacturers with one system.



SaaS Services

Design your exclusive branded TMS, with options to modify branding elements like logos, themes, domains, and UI colors, improving brand awareness and accelerating your market growth.

Powerful Functions and Outstanding Performance



10 Million
Devices online



100%
Arrival rate



Within 1 Sec
Push delay



Concurrent Push: 10,000 msg/s
(One million messages will be distributed in 100 sec)



Download Speed: 30 MB/s Max
(File size in 100MB can be downloaded in 5s)



WiseQ

QR Payment Solution

WiseQ - QR payment solution seamlessly combines cloud soundboxes, an IoT management platform, and a unified payment gateway. It harnesses advanced cloud computing services and Internet technology to deliver an elevated, convenient, and secure payment experience!



1. Unified payment gateway

Experience seamless integration of local e-wallet payment channels with our PayCloud payment gateway, ensuring the utmost security and reliability for your transactions. By connecting with local third-party wallet providers and payment institutions, we enable the integration of e-wallet channels.

2. IoT management platform

Harness the power of our IoT management platform and MessageCloud service to effortlessly manage QS series devices and push important messages. Real-time monitoring ensures the continuous operation of your devices, and you can conveniently deliver relevant messages, such as payment results, to your devices.

3. Payment Speakers

Our QS series of devices boast an array of cloud speaker options that bring static and dynamic QR code payment services to life. Witness real-time broadcast of payment results, making payments as simple as a QR code scan, providing the utmost convenience for users.

One Solution for All Scenarios

Our solution paves the way for a more versatile and convenient payment experience. Whether you're shopping, dining out, or taking a taxi, a quick QR code scan replaces the need for physical cash or credit cards.



Static code



Dynamic code



CPM



EMV Contactless Payment

Competitive Edge



Gaining a competitive edge, our solution supports various QR code payment methods, including static code, dynamic code, and CPM (Customer Present Mode).



Through our SaaS service model, we provide comprehensive solutions to our partners without the need for them to invest in development and maintenance resources, simplifying the launch of QR code payment businesses.



Partners can seamlessly tap into e-wallet channels without the hassle of connecting with wallet organizations.



Rest assured, our solution is both secure and reliable, with both Wiseasy Paycloud and Wisecloud meeting the stringent PCI DSS Security standards.



Manage a variety of devices simultaneously, offering features like payment result notifications and advertising broadcasts.

AddPay Pty Ltd.

Email: sales@addpay.africa **Website:** www.addpay.africa

Head Office: 8 Quantum Street, Technopark, Stellenbosch, Cape Town, South Africa

Contact: +27 21 880 0644

Wiseasy Technology Pte. Ltd.

Email: mk@wiseasy.com **Website:** www.wiseasy.com

Headquarter: 51 Goldhill Plaza #18-03/4, Singapore 308900

China Office: 27th Floor, Air China Tower, No. 36 Xiaoyun Road, Chaoyang District, Beijing, China 100027

US Office: 185 Great Neck Rd, Ste 422, Great Neck, New York 11021, United States