

Batch #47 - 6 Jul 2025

Bock Dich, Befehl Ich Dir - 6.4%

Helles Bock

Brewer: The Thirsty Otter

Type: All Grain

IBU : 36 (Tinseth)
 BU/GU : 0.53
 Colour : 12 EBC
 Carbonation : 2.5 CO2-vol

Pre-Boil Gravity : 1.048
 Original Gravity : 1.067
 Final Gravity : 1.013

Fermentables (1.68 kg)

975 g - Chateau Pilsen 2-Row 3.5 EBC (58.2%)
 ^ Lot # (15.09.2022)
 ^ Brouwmaatje (NL) BM-BL.051.002.4
 500 g - Chateau Munich Light 13 EBC (29.9%)
 ^ Lot # (24.11.2022)
 ^ Brouwmaatje (NL) BM-BL.051.614.1/1
 150 g - Chateau Pale Ale 8.5 EBC (9%)
 ^ Lot # 5425000394730 (07.01.2025)
 ^ Brouwmaatje (NL) BM-BL.051.613.25/1
 50 g - Wheat Malt 5.5 EBC (3%)
 ^ Lot # (09.09.2021)
 ^ Brouwmaatje (NL) 051.125.3

Hops (36.6 g)

60 min - 12.2 g - Saaz - 3.6% (20 IBU)
 ^ Lot # T9020044SAA
 ^ Brouwmaatje (NL) BM-HUM.420000 Humlegardens
 www.humle.se
 25 min - 7.1 g - Saaz - 3.6% (8 IBU)
 ^ Lot # T9020044SAA
 ^ Brouwmaatje (NL) BM-HUM.420000 Humlegardens
 www.humle.se
 5 min - 7 g - Saaz - 3.6% (4 IBU)
 ^ Lot # T9020044SAA
 ^ Brouwmaatje (NL) BM-HUM.420000 Humlegardens
 www.humle.se

Hop Stand

30 min hopstand @ 85 °C
 30 min 85 °C - 10.3 g - Saaz - 3.6% (4 IBU)
 ^ Lot # T9020044SAA
 ^ Brouwmaatje (NL) BM-HUM.420000 Humlegardens
 www.humle.se

01 Brouwpunt 5L (75min) (rev 4)

Batch Size : 5.6 L
 Boil Size : 8.21 L
 Post-Boil Vol : 5.96 L

Mash Water : 5.03 L
 Sparge Water : 4.91 L
 Boil Time : 75 min
 Total Water : 9.94 L



12 EBC

Brewhouse Efficiency: 71.8%

Mash Efficiency: 73.3%

Mash Profile

High fermentability plus mash out
 58.5 °C - Strike Temp
 54 °C - 30 min - Protein rest
 68 °C - 60 min - Temperature
 76 °C - 15 min - Mash out

Fermentation Profile

Lager
 10 °C - 7 days - Primary
 13 °C - 14 days - Primary
 17 °C - 2 days - Primary
 4 °C - 1 days - Cold Crash
 10 °C - 14 days - Carbonation
 10 °C - 42 days - Conditioning

Water Profile

02 NL Spa Reine Flat Mineral Water (www.ah.nl...)
 Ca 49 Mg 11 Na 15 Cl 65 SO 87 HCO 17

SO/Cl ratio: 1.4

Mash pH: 5.4

Sparge pH: 6

Measurements

Mash pH: 5.33

Boil Volume: 8.85

Pre-Boil Gravity: 1.041

Post-Boil Kettle Volume: 7

Original Gravity: 1.064

Fermenter Top-Up:

Fermenter Volume: 4.2

Final Gravity: 1.015

Bottling Volume: 2.66

Batch #47 - 6 Jul 2025

Miscellaneous

Mash - 1.96 g - Calcium Chloride (CaCl₂) 33 %
33%
^ Lot # 115038
^ Brouwstore (NL) 055.035.0
Mash - 0.3 g - Canning Salt (NaCl)
^ Albert Heijn (NL)
Mash - 0.87 g - Epsom Salt (MgSO₄)
^ Lot # /2119000091
^ Brouwstore (NL) 055.027.7
Mash - 0.88 g - Gypsum (CaSO₄)
^ Brouwmaatje (NL)
Mash - 0.7 ml - Lactic Acid 80% 80%
^ Lot # 20200213
^ Brouwstore (NL) 003.002.3
10 min - Boil - 1 g - Irish Moss
^ Lot # 4348
^ Brouwstore (NL) 125.249.1
Bottling - 2 items - 33 cl PET bottle with
screw cap
Bottling - 6 items - 33 cl bottle (26 mm cap)
Steinie
^ Brouwstore (NL) 017.461.5
Bottling - 8 items - BrewFerm Carbonation Drops
(33 cl)
^ Brouwmaatje (NL) BM-BL.007.009.33
Bottling - 6 items - Bottle Caps 26 mm (Orange)
^ Lot # 694-201130-111430-176081-1/1
^ The Malt Miller (UK) EQU-14-007

Yeast

1 pkg - Fermentis Saflager Lager W-34/70
^ Lot # 220418 0922 257 E:09 2025
^ Brouwmaatje (NL)
0.2 pkg - Fermentis Saflager Lager W-34/70
^ Lot # 240417 12:41 E:05 2027 145
^ Brouwmaatje (NL)

Recipe Notes

Liquid Yeast:
Wyeast Labs: 2206 Bavarian Lager
White Labs: WLP830 German Lager
Wyeast Labs: 2308 Munich Lager

Dry Yeast:
Fermentis: Saflager W-34/70

Batch Notes

25-05-2025 12:44 All malts milled with gap width = 0.89 mm.

06-07-2025 Brew day.
5 L Spa flat water.
0.88 gram Epsom Salt.
0.34 gram canning salt.
0.83 gram gypsum.
1.97 gram calciumchloride.
0.7 ml lactic acid.

10:13 dough in.

Batch #47 - 6 Jul 2025

Batch Notes

10:14 mash tracker started.
10:19 pH = 5.25@42.2 C.
10:24 pH = 5.29@42.2 C.
10:29 pH = 5.32@40.8 C.
10:34 pH = 5.31@41.3 C.
10:39 pH = 5.32@41.7 C.
10:44 pH = 5.32@39.2 C.
10:49 pH = 5.34@41.2 C.
10:54 pH = 5.36@44.7 C.
10:59 pH = 5.33@48.3 C.
11:04 pH = 5.34@43.6 C.
11:09 pH = 5.34@43.6 C.
11:14 pH = 5.32@42.4 C.
11:19 pH = 5.31@42.6 C.
11:24 pH = 5.34@39.5 C.
11:29 pH = 5.36@41.0 C.
11:34 pH = 5.34@43.7 C.
11:39 pH = 5.36@39.8 C.
11:44 pH = 5.34@43.7 C.
11:49 pH = 5.36@40.3 C.
11:54 pH = 5.36@40.4 C.
11:59 pH = 5.33@44.0 C.
12:04 pH = 5.35@40.2 C.

Level = 72 mm --> 3.6 L first wort.
SG = 1.079@39.0 C --> SG = 1.085@20 C.
pH = 5.30@39.0 C.

Batch sparged with 2L @ 72 C.

Batch sparged with 3L @ 72 C.

Level = 177 mm --> pre boil volume = 8.85 L.
SG = 1.035 @ 40.7 C --> SG = 1.041 @ 20 C.
pH = 5.44 @ 40.7 C.

14:23 started the brewing tracker.
14:38 added 12.15 gram Saaz.
15:13 added 7.13 gram Saaz.
15:28 added 1.00 gram Irish moss.
15:33 added 7.00 gram Saaz.
15:38 flame out.

Level = 140 mm --> 7.0 L.

06-07-2025 15:45 took a 120 mL sample:
SG = 1.040 @ 75 C --> SG = 1.065 @ 20 C.

Cooled down sample:
SG = 1.061 @ 31.9 C --> SG 1.064 @ 20 C.
pH = 5.30 @ 31.9 C.

06-07-2025 16:00 Split off 2x 1.2 L for Batches #48 and #49.

06-07-2025 16:05 added 10.34 gram Saaz @ 85 C.

Cooling down overnight.

Day 0 in fermentation

07-07-2025 19:16 10.6 C, dp = 0 mm H2O, SG = 1.064, pH = 5.33.
07-07-2025 19:16 pitched 12.58 gram yeast.
07-07-2025 19:16 10.6 C., dp = 0 mm H2O.
07-07-2025 21:45 11.3 C., dp = 0 mm H2O.

Day 1 in fermentation

08-07-2025 07:00 10.6 C., dp = 50 mm H2O, many bubbles.

Batch #47 - 6 Jul 2025

Batch Notes

08-07-2025 18:15 11.4 C., dp = 50 mm H2O, many bubbles.
08-07-2025 22:30 11.1 C., dp = 50 mm H2O, many bubbles.

Day 2 in fermentation

09-07-2025 07:30 11.5 C., dp = 50 mm H2O, three bubbles.
09-07-2025 19:30 10.7 C., dp = 50 mm H2O, three bubbles.
09-07-2025 23:00 10.8 C., dp = 50 mm H2O, three bubbles.

Day 3 in fermentation

10-07-2025 07:00 11.3 C., dp = 50 mm H2O, three bubbles.
10-07-2025 18:00 10.5 C., dp = 50 mm H2O, many bubbles.
10-07-2025 21:00 10.6 C., dp = 50 mm H2O, many bubbles.
10-07-2025 23:00 10.5 C., dp = 50 mm H2O, many bubbles.

Day 4 in fermentation

11-07-2025 07:30 11.1 C., dp = 50 mm H2O, three bubbles.
11-07-2025 18:30 11.0 C., dp = 50 mm H2O, three bubbles.
11-07-2025 21:00 11.3 C., dp = 50 mm H2O, three bubbles.
11-07-2025 23:00 11.0 C., dp = 50 mm H2O, three bubbles.

Day 5 in fermentation

12-07-2025 08:00 11.4 C., dp = 50 mm H2O, three bubbles.
12-07-2025 12:00 11.1 C., dp = 50 mm H2O, three bubbles.
12-07-2025 16:00 11.4 C., dp = 50 mm H2O, two bubbles.
12-07-2025 20:00 10.5 C., dp = 50 mm H2O, three bubbles.

Day 6 in fermentation

13-07-2025 08:00 11.3 C., dp = 50 mm H2O, one bubble.
13-07-2025 12:00 10.9 C., dp = 50 mm H2O, one bubble.
13-07-2025 16:00 11.4 C., dp = 50 mm H2O, one bubble.
13-07-2025 20:00 11.2 C., dp = 50 mm H2O, two bubbles.

Day 7 in fermentation

14-07-2025 08:00 11.3 C., dp = 50 mm H2O, one bubble.
14-07-2025 18:00 11.4 C., dp = 30 mm H2O, no bubbles.
14-07-2025 20:00 13.3 C., dp = 50 mm H2O, one bubble.
14-07-2025 22:30 13.6 C., dp = 50 mm H2O, one bubble.

Day 8 in fermentation

15-07-2025 07:30 12.9 C., dp = 30 mm H2O, no bubbles.
15-07-2025 18:00 13.0 C., dp = 3 mm H2O, no bubbles.
15-07-2025 20:30 13.0 C., dp = 30 mm H2O, no bubbles.
15-07-2025 23:00 12.8 C., dp = 15 mm H2O, no bubbles.

Day 9 in fermentation

16-07-2025 07:30 13.8 C., dp = 50 mm H2O, one bubble.
16-07-2025 19:00 13.4 C., dp = 45 mm H2O, no bubbles.
16-07-2025 22:30 13.5 C., dp = 45 mm H2O, no bubbles.

Day 10 in fermentation

17-07-2025 07:30 13.8 C., dp = 50 mm H2O, one bubble.
17-07-2025 18:00 12.9 C., dp = 30 mm H2O, no bubbles.
17-07-2025 21:00 13.2 C., dp = 40 mm H2O, no bubbles.
17-07-2025 23:00 14.0 C., dp = 40 mm H2O, no bubbles.

Day 11 in fermentation

18-07-2025 07:30 12.7 C., dp = 10 mm H2O, no bubbles.
18-07-2025 16:45 13.8 C., dp = 45 mm H2O, no bubbles.
18-07-2025 23:30 13.8 C., dp = 45 mm H2O, no bubbles.

Day 12 in fermentation

19-07-2025 10:30 13.2 C., dp = 45 mm H2O, no bubbles.
19-07-2025 12:00 13.1 C., dp = 0 mm H2O, no bubbles.
19-07-2025 16:00 13.9 C., dp = 50 mm H2O, many bubbles.
19-07-2025 20:00 12.8 C., dp = 0 mm H2O, no bubbles.

Batch #47 - 6 Jul 2025

Batch Notes

Day 13 in fermentation

20-07-2025 08:30 13.0 C., dp = 30 mm H2O, no bubbles.
20-07-2025 14:00 13.2 C., dp = 35 mm H2O, no bubbles.
20-07-2025 16:00 13.3 C., dp = 35 mm H2O, no bubbles.
20-07-2025 20:30 13.3 C., dp = 35 mm H2O, no bubbles.

Day 14 in fermentation

21-07-2025 07:00 13.1 C., dp = 35 mm H2O, no bubbles.
21-07-2025 17:15 13.0 C., dp = 25 mm H2O, no bubbles.
21-07-2025 20:00 13.3 C., dp = 45 mm H2O, no bubbles.

Day 15 in fermentation

22-07-2025 07:00 13.0 C., dp = 25 mm H2O, no bubbles.
22-07-2025 17:00 13.2 C., dp = 25 mm H2O, no bubbles.
22-07-2025 20:00 13.4 C., dp = 45 mm H2O, no bubbles.

Day 16 in fermentation

23-07-2025 07:00 12.8 C., dp = 5 mm H2O, no bubbles.
23-07-2025 17:30 14.0 C., dp = 50 mm H2O, one bubble.
23-07-2025 20:00 12.9 C., dp = -1 mm H2O, no bubbles.

Day 17 in fermentation

24-07-2025 08:00 12.9 C., dp = 20 mm H2O, no bubbles.
24-07-2025 17:00 13.2 C., dp = 35 mm H2O, no bubbles.
24-07-2025 20:00 13.8 C., dp = 50 mm H2O, one bubble.

Day 18 in fermentation

25-07-2025 08:00 12.8 C., dp = 1 mm H2O, no bubbles.
25-07-2025 17:00 13.5 C., dp = 40 mm H2O, no bubbles.
25-07-2025 20:00 13.9 C., dp = 50 mm H2O, one bubble.

Day 19 in fermentation

26-07-2025 08:30 12.9 C., dp = 1 mm H2O, no bubbles.
26-07-2025 18:00 14.1 C., dp = 35 mm H2O, no bubbles.
26-07-2025 20:30 12.9 C., dp = 1 mm H2O, no bubbles.

Day 20 in fermentation

27-07-2025 07:45 13.0 C., dp = 20 mm H2O, no bubbles.
27-07-2025 12:30 13.7 C., dp = 50 mm H2O, one bubble.
27-07-2025 18:00 13.2 C., dp = 30 mm H2O, no bubbles.
27-07-2025 20:00 12.8 C., dp = 1 mm H2O, no bubbles.

Day 21 in fermentation

28-07-2025 07:30 13.8 C., dp = 50 mm H2O, one bubble.
28-07-2025 18:00 17.8 C., dp = 45 mm H2O, no bubbles.
28-07-2025 20:15 17.0 C., dp = 50 mm H2O, one bubble.
28-07-2025 23:00 17.4 C., dp = 50 mm H2O, one bubble.

Day 22 in fermentation

29-07-2025 08:00 17.0 C., dp = 45 mm H2O, no bubbles.
29-07-2025 18:30 17.3 C., dp = 45 mm H2O, no bubbles.
29-07-2025 20:00 17.7 C., dp = 50 mm H2O, one bubble.
29-07-2025 23:00 16.8 C., dp = 35 mm H2O, no bubbles.

Day 23 in fermentation

30-07-2025 07:30 17.9 C., dp = 45 mm H2O, no bubbles.
30-07-2025 19:45 4.8 C., dp = -45 mm H2O, no bubbles.
30-07-2025 22:45 4.5 C., dp = -5 mm H2O, no bubbles.

Day 24 in fermentation

31-07-2025 07:45 4.6 C., dp = -3 mm H2O, no bubbles.
31-07-2025 18:45 4.1 C., dp = -30 mm H2O, no bubbles.
31-07-2025 22:15 4.9 C., dp = 3 mm H2O, no bubbles.

Day 24 in fermentation

01-08-2025 08:15 4.0 C., dp = -40 mm H2O, no bubbles.

Batch #47 - 6 Jul 2025

Batch Notes

01-08-2025 10:22 10.2 C, dp = 0 mm H2O, SG = 1.015, pH = 4.44.

Bottling day

01-08-2025 10:50 filled 6 Steinie bottles (33 cl) and 2 plastic bottles (33cl).

Day 0 in conditioning

01-08-2025 12:30 9.9 C.

Day 3 in conditioning

04-08-2025 17:30 10.9 C.

04-08-2025 20:00 9.4 C.

Day 4 in conditioning

05-08-2025 08:45 10.2 C.

05-08-2025 12:30 9.2 C.

05-08-2025 16:30 10.8 C.

05-08-2025 20:30 9.1 C.

Day 5 in conditioning

06-08-2025 09:00 9.1 C.

06-08-2025 12:30 11.0 C.

06-08-2025 16:00 9.0 C.

06-08-2025 21:00 10.8 C.

Day 6 in conditioning

07-08-2025 09:15 9.1 C.

07-08-2025 12:30 10.4 C.

07-08-2025 17:00 9.2 C.

07-08-2025 20:00 10.6 C.

Day 7 in conditioning

08-08-2025 10:00 9.6 C.

08-08-2025 13:15 11.1 C.

08-08-2025 16:00 9.5 C.

08-08-2025 23:00 9.2 C.

Day 8 in conditioning

09-08-2025 09:00 9.6 C.

09-08-2025 12:00 11.0 C.

09-08-2025 17:00 10.1 C.

09-08-2025 20:00 9.5 C.

Day 9 in conditioning

10-08-2025 09:00 10.3 C.

10-08-2025 12:00 9.7 C.

10-08-2025 18:00 10.9 C.

10-08-2025 20:00 9.4 C.

Day 10 in conditioning

11-08-2025 08:00 10.9 C.

11-08-2025 18:00 9.9 C.

11-08-2025 21:00 10.5 C.

Day 11 in conditioning

12-08-2025 08:00 10.7 C.

12-08-2025 19:00 10.3 C.

12-08-2025 22:00 9.8 C.

Day 12 in conditioning

13-08-2025 08:00 10.4 C.

13-08-2025 20:00 9.8 C.

Day 13 in conditioning

14-08-2025 08:00 10.9 C.

14-08-2025 17:00 9.9 C.

14-08-2025 23:00 11.0 C.

Batch #47 - 6 Jul 2025

Batch Notes

Day 14 in conditioning

15-08-2025 08:00 9.9 C.
15-08-2025 20:00 9.9 C.
15-08-2025 23:00 10.6 C.

Day 15 in conditioning

16-08-2025 10:00 10.0 C.
16-08-2025 13:00 10.8 C.
16-08-2025 16:00 10.0 C.
16-08-2025 20:00 10.9 C.

Day 16 in conditioning

17-08-2025 10:00 10.4 C.
17-08-2025 13:00 10.6 C.
17-08-2025 16:00 9.8 C.

Day 17 in conditioning

18-08-2025 08:00 9.7 C.
18-08-2025 20:00 10.1 C.

Day 18 in conditioning

19-08-2025 08:00 10.8 C.
19-08-2025 19:30 10.3 C.

Day 19 in conditioning

20-08-2025 07:30 10.0 C.
20-08-2025 20:00 10.0 C.

Day 20 in conditioning

21-08-2025 08:00 10.8 C.
21-08-2025 18:15 9.9 C.
21-08-2025 23:00 10.8 C.

Day 21 in conditioning

22-08-2025 08:00 10.5 C.
22-08-2025 18:30 10.8 C.
22-08-2025 23:00 10.0 C.

Day 22 in conditioning

23-08-2025 08:00 9.7 C.
23-08-2025 12:00 10.0 C.
23-08-2025 17:30 9.7 C.
23-08-2025 22:00 11.0 C.

Day 23 in conditioning

24-08-2025 08:00 10.4 C.
24-08-2025 12:45 9.7 C.
24-08-2025 15:30 9.5 C.
24-08-2025 21:00 10.7 C.

Day 24 in conditioning

25-08-2025 20:00 9.9 C.

Day 25 in conditioning

26-08-2025 08:00 10.5 C.
26-08-2025 18:00 10.7 C.
26-08-2025 23:00 10.5 C.

Day 26 in conditioning

27-08-2025 08:00 11.0 C.
27-08-2025 20:00 10.7 C.
27-08-2025 23:00 9.9 C.

Day 27 in conditioning

28-08-2025 08:00 10.0 C.

Batch #47 - 6 Jul 2025

Batch Notes

28-08-2025 18:30 11.0 C.
28-08-2025 20:00 9.9 C.

Day 28 in conditioning
29-08-2025 16:00 9.9 C.
29-08-2025 20:00 10.7 C.

Day 29 in conditioning
30-08-2025 12:00 9.6 C.
30-08-2025 16:00 10.9 C.
30-08-2025 20:00 9.9 C.

Day 30 in conditioning
31-08-2025 08:00 10.8 C.
31-08-2025 12:00 10.8 C.
31-08-2025 16:00 10.8 C.
31-08-2025 20:00 10.0 C.

Day 31 in conditioning
01-09-2025 08:00 11.0 C.
01-09-2025 19:00 9.9 C.

Day 32 in conditioning
02-09-2025 08:00 10.5 C.
02-09-2025 20:00 9.9 C.

Day 33 in conditioning
03-09-2025 07:30 9.7 C.
03-09-2025 20:00 11.0 C.

Day 34 in conditioning
04-09-2025 07:30 9.9 C.
04-09-2025 18:30 10.1 C.

Day 35 in conditioning
05-09-2025 08:00 10.0 C.
05-09-2025 18:30 9.9 C.
05-09-2025 20:00 10.5 C.

Day 36 in conditioning
06-09-2025 17:00 9.9 C.
06-09-2025 20:00 10.9 C.

Day 37 in conditioning
07-09-2025 08:30 9.8 C.
07-09-2025 13:00 10.3 C.
07-09-2025 16:30 10.0 C.
07-09-2025 20:30 11.0 C.

Day 38 in conditioning
08-09-2025 07:30 10.0 C.
08-09-2025 18:30 10.0 C.
08-09-2025 21:00 10.2 C.

Day 39 in conditioning
09-09-2025 07:30 10.9 C.
09-09-2025 18:00 11.0 C.
09-09-2025 22:00 9.8 C.

Day 40 in conditioning
10-09-2025 07:30 9.8 C.
10-09-2025 21:00 9.7 C.

Day 41 in conditioning
11-09-2025 08:00 9.8 C.
11-09-2025 18:00 9.9 C.

Batch #47 - 6 Jul 2025

Batch Notes

11-09-2025 21:00 10.7 C.

Day 42 in conditioning

12-09-2025 07:30 10.5 C.

12-09-2025 18:30 10.6 C.

12-09-2025 22:00 9.8 C.

Day 43 in conditioning

13-09-2025 09:30 9.9 C.

13-09-2025 13:00 9.7 C.

13-09-2025 16:00 10.4 C.

13-09-2025 21:00 9.9 C.

Day 44 in conditioning

14-09-2025 09:30 10.9 C.

14-09-2025 12:30 9.6 C.

14-09-2025 16:00 9.9 C.

14-09-2025 20:00 10.9 C.

Day 45 in conditioning

15-09-2025 00:00 9.8 C.

15-09-2025 04:00 10.3 C.

15-09-2025 08:00 9.9 C.

15-09-2025 12:00 9.8 C.

15-09-2025 16:00 10.7 C.

15-09-2025 20:00 9.9 C.

Day 46 in conditioning

16-09-2025 00:00 10.2 C.

16-09-2025 04:00 10.1 C.

16-09-2025 08:00 9.7 C.

16-09-2025 12:00 10.4 C.

16-09-2025 16:00 9.9 C.

16-09-2025 20:00 9.8 C.

Day 47 in conditioning

17-09-2025 00:00 10.7 C.

17-09-2025 04:00 9.7 C.

17-09-2025 08:00 9.7 C.

17-09-2025 12:00 10.4 C.

17-09-2025 16:00 9.8 C.

17-09-2025 20:00 9.7 C.

Day 48 in conditioning

18-09-2025 00:00 10.5 C.

18-09-2025 04:00 9.8 C.

18-09-2025 08:00 10.1 C.

18-09-2025 12:00 11.1 C.

18-09-2025 16:00 9.8 C.

18-09-2025 20:00 10.9 C.

Day 49 in conditioning

19-09-2025 00:00 9.9 C.

19-09-2025 04:00 10.7 C.

19-09-2025 08:00 9.8 C.

19-09-2025 12:00 10.1 C.

19-09-2025 16:00 9.9 C.

19-09-2025 20:00 10.3 C.

Day 50 in conditioning

20-09-2025 00:00 9.9 C.

20-09-2025 04:00 10.3 C.

20-09-2025 08:00 10.0 C.

20-09-2025 12:00 9.9 C.

20-09-2025 16:00 10.0 C.

20-09-2025 20:00 10.1 C.

Batch #47 - 6 Jul 2025

Batch Notes

Day 51 in conditioning

21-09-2025 00:00 9.9 C.
 21-09-2025 04:00 10.1 C.
 21-09-2025 08:00 9.9 C.
 21-09-2025 12:00 9.7 C.
 21-09-2025 16:00 10.8 C.
 21-09-2025 20:00 9.9 C.

Day 52 in conditioning

22-09-2025 00:00 10.1 C.
 22-09-2025 04:00 10.8 C.
 22-09-2025 08:00 9.6 C.
 22-09-2025 12:00 9.5 C.
 22-09-2025 16:00 9.9 C.
 22-09-2025 20:00 10.9 C.

Day 53 in conditioning

23-09-2025 00:00 9.7 C.
 23-09-2025 04:00 9.7 C.
 23-09-2025 08:00 9.9 C.
 23-09-2025 12:00 10.1 C.
 23-09-2025 16:00 10.7 C.
 23-09-2025 20:00 9.8 C.

Extra Measured Values

Strike Water pH

Sparge Water Temperature 72

Strike Water Temperature 58.5

Sparge Water pH 6

Pitch Temperature 10.6

Batch Log

6 July 2025 Brew Date

6 July 2025 09:44 Status: Brewing

7 July 2025 19:16 SV = 10.5 C.

7 July 2025 Fermentation Start

14 July 2025 18:15 SV = 13.0 C.

28 July 2025 07:50 SV = 17.0 C.

30 July 2025 07:45 SV = 4.0 C.

1 August 2025 10:26 Filled 6 Steinie bottles (33cl).
 Filled 2 plastic bottles (33 cl).

1 August 2025 Bottling Date

1 August 2025 10:50 SV = 10.0 C.

25 September 2025 08:00 Status: Completed