

Keeply

V1 Product & UI Specification

One place to remember the things you don't want to forget.

V1 STATUS: SCOPE LOCKED

Android • Local-first • Five core screens • Simple reminder lifecycle • No cloud dependency

Blueprint for product design, development, and QA

Specification Overview

Section	Topic	Status
1	Product Definition & V1 Scope	Locked
2	Screen-by-Screen UX & Behavior	Locked
3	Business Rules, Dates, Urgency & Notifications	Locked
4	Data Model & Local Storage	Locked
5	Visual Design System	Locked
6	Technical Architecture & Build Plan	Locked
7	V1 QA & Acceptance Criteria	Locked

Scope-control rule

If a proposed feature is not required for the core V1 promise, it goes to the backlog. Useful or exciting does not automatically mean V1.

1. Product Definition & V1 Scope

1.1 Product Vision

Keeply is a simple personal reminder app that remembers important things on the user's behalf. It is not primarily a to-do list. It stores things with meaningful dates, surfaces what needs attention, and reminds the user at the appropriate time.

1.2 Core Promise

Remember it → Keeply tracks it → Keeply reminds you → Resolve it.

Keeply should require very little ongoing interaction. The user tells Keeply once; Keeply takes responsibility for surfacing it again.

1.3 Product Principles

Principle	Meaning
Simple	Create a useful reminder without completing a complicated form.
Clear	Each screen has an obvious purpose and primary action.
Calm	Reduce mental load; avoid notification noise and dashboard clutter.
Friendly	Use plain, conversational language instead of database terminology.
Focused	Hide secondary detail until it is needed.
Reliable	Saved reminders must remain dependable when the app is closed.

1.4 V1 Categories

Category	Typical uses
Document	Passport, license, permit, certification
Something I own	Product, gadget, purchase, warranty
Subscription/payment	Bills, subscriptions, memberships
Lent/borrowed	Items lent to or borrowed from someone
Money owed	Money the user owes or someone owes the user
Vehicle	Registration, insurance, maintenance
Home/appliance	Maintenance, warranty, repair
Medicine	Expiration dates
Something else	Any reminder that does not fit another category

1.5 Five Main Screens

- Home / Upcoming
- What do you want to remember?
- Add / Edit
- My Things
- Item Details

1.6 Core Item Information

Required: Name, Category, Important Date. Optional: Reminder and Notes. Category-specific wording may change, but all categories share the same underlying model.

1.7 Reminder Lifecycle

State	Meaning	Home?	Notifications?
Active	Current reminder awaiting attention	Yes	Yes, if configured
In Progress	User acted but wants another reminder	Yes	Yes
Done / Closed	Successfully finished	No	No
Cancelled	No longer applicable	No	No

Done and Cancelled records remain in My Things as historical records. Delete permanently removes a record.

1.8 V1 Navigation

Bottom navigation: Home • + • My Things. The central + opens category selection.

1.9 V1 Scope Exclusions

- Photo attachments
- File attachments
- Receipt storage/scanning
- Cloud backup/sync
- Accounts/login
- Family/shared accounts
- Recurring reminders
- Multiple reminders per item
- QR/barcodes
- AI/OCR
- Subscription analytics
- Debt/payment histories
- Full inventory management
- Advanced vehicle maintenance
- Custom categories
- Widgets
- Web/iOS versions
- Gamification

Backlog priority note

Photo/file attachments and receipt support are intentionally excluded from V1, but are strong candidates for an early post-V1 release.

2. Screen-by-Screen UX & Behavior

2.1 Global Navigation

Home and My Things use the primary bottom navigation. The + action is visually prominent and always starts the create flow.

2.2 Home / Upcoming

Purpose: answer “What do I need to remember?” without becoming a statistics dashboard.

New user state

- Welcome to Keeply with the tagline and a short explanation.
- Primary action: + Remember something.
- No multi-page onboarding.

Returning user state

- Show Active and In Progress items ordered by Important Date.
- Exclude Done and Cancelled.
- Cards show urgency, timing/date, category icon, name, and concise context.
- Tap a card → Item Details.

2.3 Category Selection

Heading: “What do you want to remember?” Each of the nine categories is a large tappable row with an icon, plain-English label, and example. Selecting a category immediately opens Add; no Next button.

2.4 Add / Edit

Field	Required?	Behavior
Name	Yes	Prompt: What do you want to remember?
Important Date	Yes	Category-specific label; Android date picker
Remind me	No	Preset choices or custom future date/time
Notes	No	Plain free text

Primary create action: Remember this. Edit reuses the same screen with pre-populated values and Save changes.

Validation

- Missing Name → “Tell Keeply what you want to remember.”
- Missing Important Date → “Choose an important date.”
- Past reminder time → ask the user to choose another reminder.

Unsaved changes

If the user changed data and leaves before saving, show Discard changes? with Keep editing and Discard.

Notification permission

Ask only when the user creates their first reminder. Explain why before Android's permission dialog. If denied, still save the item and reminder configuration.

2.5 My Things

- Default content: everything the user asked Keeply to remember.

- Status filters: All • Active • Completed.
- Active includes Active + In Progress; Completed includes Done + Cancelled.
- Category filter chips may scroll horizontally.
- Search is local, case-insensitive, and title-only in V1.
- Tap item → Item Details.

2.6 Item Details

Display category, name, urgency/date context, Important Date, Reminder, and Notes when present. Active/In Progress items expose Remind me again, Mark as done, and Cancel reminder. Edit is available; Delete is secondary/destructive.

2.7 Lifecycle Actions

Action	Result
Remind me again	Set In Progress; choose Tomorrow / 3 days / 1 week / custom; schedule replacement reminder
Mark as done	Set Done; cancel pending notification; remove from Home; retain in My Things
Cancel reminder	Set Cancelled; cancel pending notification; remove from Home; retain in My Things
Delete	Confirm; cancel notification; permanently remove record

2.8 Core UX Journey

Open → Remember something → Choose Vehicle → enter Vehicle Registration → choose date → choose 30 days before → Remember this → see on Home → close app → receive notification → tap notification → Item Details → Mark as done → disappears from Home but remains in My Things > Completed.

3. Business Rules, Dates, Urgency & Notification Logic

3.1 Important Date vs Reminder Date

Important Date is the real date associated with the Thing and drives urgency. Reminder Date/Time only determines when Android notifies the user.

3.2 Urgency Thresholds

Timing relative to Important Date	State
Past date	Red — Overdue
Today to 3 days	Red — Due / Very Soon
4 to 14 days	Yellow — Approaching
15+ days	Green — Later

Color never stands alone; labels such as OVERDUE, Due tomorrow, or In 8 days accompany it.

3.3 Overdue Rules

- Important Date before current local date = Overdue.
- Overdue items remain active until Done, Cancelled, Deleted, or date edited.
- Due today is not overdue until the next calendar day.
- Past Important Dates may be saved intentionally; future reminder scheduling rules still apply.

3.4 Reminder Choices

Choice	Scheduled time
On the day	9:00 AM local time
1 day before	9:00 AM local time
3 days before	9:00 AM local time
1 week before	9:00 AM local time
30 days before	9:00 AM local time
Custom	User-selected future date/time

If a preset calculates to a past time, Keeply must reject that reminder choice and ask for another. An item can be saved with no reminder.

3.5 Notification Behavior

- Notification identifies the Thing and relevant timing.
- Tap notification → associated Item Details.
- Dismissing a notification does not change status.
- Done, Cancelled, and Deleted items must not fire pending notifications.
- One active scheduled reminder per item in V1.

3.6 In Progress

Remind me again creates Next Reminder Date/Time but does not alter Important Date. If the Important Date has passed, the item remains visibly overdue while showing when Keeply will remind again.

3.7 Device & Time Rules

- Use device-local date, time, and time zone.
- Preset reminders are conceptually local-time reminders.
- Important Date has no required time-of-day.

- Device restart must not silently lose future reminders; re-schedule as required by the chosen Android mechanism.
- App closure or inactivity must not prevent valid reminders.
- Exact second-level timing is not a V1 requirement; reliability and battery-friendly behavior take priority.

3.8 Status Transitions

From	Allowed transitions
Active	In Progress, Done, Cancelled
In Progress	In Progress, Done, Cancelled
Done	Terminal in V1
Cancelled	Terminal in V1

3.9 Home Ordering

Most overdue first, then due today, then soonest future Important Date. In Progress retains its Important Date for urgency/order while Next Reminder Date is secondary information.

4. Data Model & Local Storage

4.1 Primary Entity: Thing

Field	Required	Purpose
id	Yes	Stable unique identifier
name	Yes	User-facing title
category	Yes	One of nine V1 categories
importantDate	Yes	Date driving urgency and ordering
reminderType	No	Preset/custom reminder selection
reminderDateTime	No	Calculated/custom scheduled reminder
nextReminderDateTime	No	Rescheduled reminder for In Progress
notes	No	Plain optional notes
status	Yes	ACTIVE / IN_PROGRESS / DONE / CANCELLED
notificationId	No	Internal identifier for scheduling/cancellation
createdAt	Yes	Creation timestamp
updatedAt	Yes	Last modification timestamp

4.2 Enumerations

Categories: DOCUMENT, OWNED_ITEM, SUBSCRIPTION_PAYMENT, LENT_BORROWED, MONEY_OWED, VEHICLE, HOME_APPLIANCE, MEDICINE, OTHER.

Reminder types: ON_DAY, ONE_DAY_BEFORE, THREE_DAYS_BEFORE, ONE_WEEK_BEFORE, THIRTY_DAYS_BEFORE, CUSTOM.

Statuses: ACTIVE, IN_PROGRESS, DONE, CANCELLED.

4.3 Storage

Use Android Room as the local database. V1 uses one primary Thing table. All core functionality works offline; there is no account, server, Firebase, or cloud dependency.

4.4 Persistence & Mutations

- Create generates ID, stores fields, defaults status to ACTIVE, and schedules notification when applicable.
- Edit updates the existing Thing; ID and createdAt remain unchanged.
- Done/Cancelled retain the record but cancel pending notification.
- In Progress stores nextReminderDateTime and replaces the pending schedule.
- Delete cancels pending notification and permanently removes the Thing.
- Data persists across app navigation, closure, force-close, and device restart.

Data-model principle

One Thing. Nine categories. One simple model.

5. Visual Design System

5.1 Brand Direction

Keeply should feel calm, friendly, clear, trustworthy, and unmistakably simple. The interface should be understandable within seconds and should not resemble a dense productivity dashboard.

5.2 Identity

Approved brand direction: Concept 2 — Bell in a Circle. Use the bell-in-circle as the recognizable app symbol and the Keeply wordmark where brand identification is useful. Do not repeat the logo unnecessarily on every surface.

5.3 Color System

Role	Guidance
Primary	Keeply teal; use for primary actions, selected states, and brand identity
Background	Warm off-white / very light neutral
Surface	White cards and input surfaces
Primary text	Near-black charcoal
Secondary text	Muted gray-green
Red	Due / very soon / overdue
Yellow	Approaching
Green	Later

Reference palette: primary teal #287F7B, background #F8FAF9, primary text #202523, secondary text #68716D. Exact accessibility-adjusted shades may be tuned during implementation while preserving the approved visual direction.

5.4 Urgency Presentation

- Do not fill entire cards red/yellow/green.
- Use a small dot, label, accent, or icon plus explicit timing text.
- Urgency must remain understandable without color.

5.5 Typography

Use a clean Android-native/Material-compatible sans-serif. Prioritize hierarchy and legibility over decorative branding. Headings are confident but not oversized; labels and supporting text remain quiet.

5.6 Cards & Surfaces

- White or very light cards on a calm background.
- Moderate corner radius; avoid excessive nested rounded containers.
- Generous spacing and large touch targets.
- Cards show only what is needed now; details live on Item Details.

5.7 Buttons & Forms

- One visually dominant primary action per screen.
- Primary create wording: Remember this.
- Destructive actions are visually secondary and require confirmation.
- Forms use plain labels, clear focus states, and friendly validation.

5.8 Icons

Use one consistent Material-style outline icon family. Emojis are for planning only, not the production UI. Category icons may use subtle tinted backgrounds but should not become decorative illustrations.

5.9 Empty States

Empty states teach the next action without shaming or clutter. New Home may use a small calm illustration and the tagline; filtered/search empty states use concise text only.

5.10 Motion

- Use subtle feedback only: Remembered, Done, card movement/fade.
- No flashy transitions, gamification, celebratory confetti, or attention-seeking motion.

5.11 Accessibility

- Comfortable Android touch targets.
- Readable text contrast.
- Color never carries meaning alone.
- Labels should remain understandable with icons hidden.
- Respect system text scaling where practical.

5.12 Dark Mode

Dark mode is not required for V1. Keeply should follow a polished light theme first. Dark mode belongs in the backlog unless it becomes necessary for platform compliance or accessibility before release.

Visual test

Does this make Keeply easier to understand? If it only makes Keeply look cooler, it probably does not belong.

6. Technical Architecture & Build Plan

6.1 V1 Technical Goal

Build a small, maintainable Android application that is local-first, reliable, testable, and easy to extend after V1 without prematurely adding cloud infrastructure.

6.2 Recommended Stack

Area	V1 choice
Platform	Native Android
Language	Kotlin
UI	Jetpack Compose + Material 3
Architecture	Simple MVVM / unidirectional UI state
Local data	Room
Async	Kotlin Coroutines / Flow
Navigation	Navigation Compose
Reminders	Platform-supported local scheduling chosen during implementation
Dependency injection	Keep minimal; add only if it reduces complexity

6.3 App Layers

Layer	Responsibility
UI	Five screens, components, user interaction
ViewModel/state	Screen state, validation, actions
Repository	Single access point for Things
Room	Persist Things locally
Reminder scheduler	Schedule, replace, cancel, and restore reminder work

6.4 Reminder Scheduling Strategy

Implementation should favor reliable, battery-friendly Android scheduling. Preset reminders do not require alarm-clock precision. The chosen mechanism must support cancellation/replacement and restoration after device restart where required. Exact-alarm permissions should not be requested unless genuinely necessary.

6.5 Deep Linking From Notifications

Notification taps must carry the Thing ID and navigate directly to Item Details. If the Thing no longer exists, Keeply should fail safely to Home rather than crash.

6.6 Permission Strategy

- Request notification permission only in context, when the user first creates a reminder.
- Do not request storage, camera, contacts, location, or other permissions in V1.
- If notification permission is denied, save data normally and explain the limitation.

6.7 Error Handling

- Database operations should surface recoverable user-facing failures without data corruption.
- Scheduling failure must not erase the Thing.
- Invalid/stale notification targets must not crash the app.
- Duplicate notification scheduling should be prevented by stable identifiers.

6.8 Build Milestones

Milestone	Deliverable
1 — App shell	Branding, theme, navigation, empty Home
2 — Create flow	Category selection + Add/Edit form + validation
3 — Persistence	Room create/read/update/delete; data survives restart
4 — Home & My Things	Ordering, urgency, filters, title search
5 — Details & lifecycle	Edit, In Progress, Done, Cancelled, Delete
6 — Notifications	Permission flow, scheduling, tap-through, cancel/reschedule, restart reliability
7 — Polish & QA	Edge cases, accessibility, UI consistency, release readiness

6.9 Definition of Build Discipline

Vertical slices, not feature sprawl

Finish each milestone end-to-end before adding post-V1 capabilities. New ideas go to the backlog unless they are required to make an existing V1 requirement correct or reliable.

7. V1 QA & Acceptance Criteria

7.1 Release Principle

Keeply V1 is complete when the core user journey is understandable, persistent, and reliable — not when every future idea has been implemented.

7.2 Core Functional Acceptance

Area	Acceptance criterion
First launch	New user sees a clear empty Home and can start Remember something without onboarding.
Create	User can select any of nine categories and save a Thing with Name + Important Date.
Optional fields	Thing can be saved with or without Notes and with or without a Reminder.
Persistence	Saved Things remain after app close, force-close, reopen, and device restart.
Home	Only Active/In Progress appear; items are ordered by Important Date.
Urgency	Overdue/red, red 0–3, yellow 4–14, green 15+ display correctly with text labels.
My Things	All/Active/Completed filters return the correct status groups.
Category filter	Category filtering returns only matching Things.
Search	Title search is local and case-insensitive.
Details	Tap item opens correct Item Details.
Edit	Edits update the same Thing and do not create duplicates.
In Progress	Remind me again preserves Important Date, sets next reminder, and remains on Home.
Done	Cancels pending notification, leaves Home, remains under Completed.
Cancelled	Cancels pending notification, leaves Home, remains under Completed.
Delete	Requires confirmation, removes record, and cancels pending notification.

7.3 Notification Acceptance

- Preset reminder calculates the correct date and uses 9:00 AM local time.
- Custom reminder accepts only a future date/time.
- Preset reminder that would fall in the past is rejected with clear guidance.
- Notification can appear while Keeply is not open.
- Tap notification opens the correct Thing.
- Dismissing notification does not change Thing status.
- Editing a reminder cancels/replaces the old schedule.
- Done, Cancelled, and Deleted Things do not fire obsolete notifications.
- Notification permission denial never causes data loss.
- Restarting the device does not silently lose valid future reminders.
- No duplicate notifications are produced for one active V1 reminder.

7.4 Date Boundary Tests

Scenario	Expected
Important Date yesterday	Overdue
Important Date today	Red — Due today
Important Date +3 days	Red — Very Soon

Important Date +4 days	Yellow — Approaching
Important Date +14 days	Yellow — Approaching
Important Date +15 days	Green — Later
Past Important Date + future custom reminder	Allowed; item remains Overdue
In Progress after due date	Still Overdue; Next Reminder shown separately

7.5 Validation & Safety Tests

- Empty Name cannot be saved.
- Missing Important Date cannot be saved.
- Leaving an unchanged Add/Edit screen does not show unnecessary confirmation.
- Leaving a changed Add/Edit screen asks before discarding.
- Delete is destructive and requires confirmation.
- Cancelled/Done items are retained and searchable.
- Back navigation follows standard Android expectations.
- Invalid notification Thing ID fails safely rather than crashing.

7.6 Offline Tests

With internet disabled, verify create, edit, delete, search, filters, status changes, local persistence, and local reminder scheduling continue to work.

7.7 Visual & Accessibility QA

- One clear primary action per screen.
- No full-card traffic-light fills.
- Urgency text remains understandable without color.
- Text does not clip at common Android font scales.
- Touch targets are comfortable and consistent.
- Icons use one consistent style.
- Empty states remain understandable without decorative imagery.
- Completed/Cancelled records are visually quieter than active reminders.

7.8 V1 End-to-End Release Scenario

Release gate

Create Vehicle Registration → set future Important Date → set 30-days-before reminder → save → verify Home/My Things → close app → receive notification → tap to correct Item Details → Remind me again and verify replacement schedule → Mark as done → verify no further notification → verify record remains in My Things > Completed.

7.9 Out-of-Scope Regression Guard

A V1 release should not be delayed by missing photo/file attachments, receipt support, recurring reminders, cloud sync, accounts, AI, QR/barcodes, custom categories, or other documented backlog items.

7.10 V1 Definition of Done

- All five screens implemented according to this specification.
- Room persistence passes functional and restart testing.
- Reminder lifecycle behaves correctly.
- Notification scheduling/cancellation/rescheduling is reliable.
- Core offline flow passes.

- Critical date boundaries pass.
- No known crash or data-loss defect in core V1 flows.
- UI matches the approved calm Keeply design direction.
- All V1 acceptance criteria pass or have an explicitly approved release exception.

Keeply V1 — Locked Blueprint

Product promise

One place to remember the things you don't want to forget.

This specification is the source of truth for Keeply V1. New ideas should be evaluated against the core V1 promise and, unless essential, moved to the backlog for later prioritization.

Post-V1 Backlog — Early Candidates

Candidate	Current position
Photo/file attachments	High-interest post-V1 candidate
Receipt storage	High-interest post-V1 candidate
Recurring reminders	Backlog
Multiple reminders	Backlog
Cloud backup/sync	Backlog
Accounts/sharing	Backlog
QR/barcode	Backlog
AI/OCR	Backlog
Dark mode	Backlog

V1 SCOPE LOCKED