

ARMOSPECTRA

BUILD THE SYSTEM BEHIND YOUR GROWTH.

The complete visual identity
system. Growth Operating
Systems for modern businesses.

DOCUMENT

BRAND SYSTEM V1.0

SCOPE

IDENTITY & APPLICATIONS

MODE

DARK FIRST



VISIBILITY



CAPTURE



FOLLOW-UP



PORTALS



AUTOMATION



AI READINESS

Websites, visibility, portals,
dashboards, and workflows —
connected into one system.

OPEN THE SYSTEM

THE CATEGORY WE ARE BUILDING IN

POSITIONING STATEMENT

ArmoSpectra builds Growth Operating Systems — websites, visibility, portals, dashboards, and workflows connected into one system rather than assembled as separate tools.

CATEGORY

Premium marketing and growth systems agency. We sell architecture, not deliverables.

AUDIENCE

Modern businesses whose marketing runs across disconnected tools, and whose owners are accountable for growth rather than for channels.

FOUNDER-LED

CEO OF ARMOSPECTRA

Armo

The identity carries a named principal. Editorial founder photography and a single script signature are permanent fixtures of the system, not campaign assets.

BRAND ATTRIBUTES

ENGINEERED

Systems vocabulary. Every claim maps to a component that exists.

COMPOSED

Restraint reads as confidence. Nothing shouts.

PREMIUM

Depth, contrast, and space. Not decoration.

DIRECT

Imperative headlines. Short sentences. No hedging.

TERRITORY

WHAT WE ARE

- An operating system for growth
- One connected architecture
- Founder-led and accountable
- Built to be handed over and run

WHAT WE ARE NOT

- A channel-by-channel service menu
- A template marketplace
- An anonymous agency roster
- A one-off campaign vendor

SIX CAPABILITIES. ONE SYSTEM.

The capability list on every ArmoSpectra surface is a sequence, not a menu. Four stages carry a prospect from unknown to managed. Two layers run underneath all four. Never reorder them, never present them as independent services.



STAGE 01

VISIBILITY

Being findable. Search, content, and presence that put the business in front of demand.



STAGE 02

CAPTURE

Turning attention into a record. Sites, forms, and lead paths that hold what visibility earns.



STAGE 03

FOLLOW-UP

Nothing waits. Sequences and reminders that keep every captured lead in a conversation.



STAGE 04

PORTALS

The client-facing surface. Dashboards and portals where the work becomes visible to the customer.



AUTOMATION

The connective layer. Workflows that move data between the four stages without a person carrying it.





AI READINESS

Structured data, clean records, and defined processes — the preconditions for anything intelligent on top.

Naming discipline: these six words are fixed. They appear in this order, in uppercase, with wide tracking, on every surface that lists them. Do not substitute synonyms (“lead gen” for Capture, “CRM” for Follow-up) — the vocabulary is part of the identity.

LOGO SYSTEM

One outline mark, one light wordmark, three lockups. The mark is monochrome in every context — never chrome, never blue, never filled.



CONSTRUCTION & CLEARSPACE



Dashed boundary = minimum clearspace. Solid inner line = lockup bounding box.

- CLEARSPACE** Wordmark cap-height (1×) on all four sides. Nothing enters it — not type, not the arc motif, not a photo edge.
- STACK GAP** Mark-to-wordmark gap = 0.4× mark height.
- OPTICAL WIDTH** Wordmark tracking is tuned so its width matches the mark. Re-tune tracking if the mark is ever rescaled independently.
- STROKE** Mark stroke scales with the mark. Never below 1.25px rendered, or the line art breaks up.

MINIMUM SIZES

LOCKUP	DIGITAL MIN	PRINT MIN	CONTEXT
Vertical	96 px wide	26 mm	Covers, posters
Horizontal	140 px wide	34 mm	Nav, letterhead
Mark alone	32 px	9 mm	Avatar, favicon
Wordmark alone	120 px wide	30 mm	Footer, spine

COLOURWAYS



LOGO MISUSE

The mark's authority comes from consistency. Every example on the right breaks a rule that has already been set.



DO Single-weight white outline on a near-black ground.



DON'T Never colour the mark blue. Blue is for accents, never identity.



DON'T Never fill the mark or apply the chrome gradient to it.



DON'T Never place the mark on a chromatic or photographic background.




DON'T Never stretch, squash, or distort the proportions.



DON'T Never add glow, shadow, or outline effects to the mark.



DON'T Never remove the wordmark tracking or close the stack gap.








DON'T Never reset the wordmark in another typeface.




NEAR-BLACK GROUND. ONE CHROME-BLUE ACCENT.

Ten values. Four carry the ground, five carry the accent, and the neutrals are deliberately biased cool toward the accent so no grey reads as unconsidered. There is no second chromatic family.





FOUNDATION — THE GROUND

				
INK 900 #050507 Page base, deepest corners	INK 800 #0B0B0F Primary surface, cards	INK 700 #131318 Raised panel, inputs	INK 600 #1C1C22 Hairlines, borders	INK 500 #26262E Disabled, inert states

ACCENT — THE ONLY CHROMATIC FAMILY


				
BLUE 300 #BFD8FF Chrome highlight stop, hover text	BLUE 400 #6BB4FF Inline emphasis, eyebrows, icon glow	BLUE 500 #3B8EF0 Primary accent, CTA border, rules	BLUE 600 #1F63C4 Gradient mid, divider glow	BLUE 800 #0E2E5C Arc motif, ambient wash

NEUTRALS — COOL-BIASED, NOT PURE GREY

			
WHITE #FFFFFF Headlines, logo, capability labels	GRAY 200 #D8DADE Body copy	GRAY 400 #9AA0A8 Secondary, captions, metadata	GRAY 600 #5A5F66 Photo mid-tones, slide footers

BLUE IS A SCALPEL, NOT A PAINT BUCKET

COVERAGE RATIO



Target pixel coverage on any ArmoSpectra surface. Blue at roughly one part in twenty. If a layout reads as blue, it is wrong — reduce the accent before adjusting anything else.

ACCENT ALLOCATION

- ALWAYS BLUE** Eyebrows and kickers, inline emphasis in a subhead, section rules, divider glow, CTA border, focus rings, active nav state.
- NEVER BLUE** The logo. Body copy. Headline base weight. Icon strokes in default state. Large background fills.
- ONE PER VIEW** A single primary CTA per screen or spread. Secondary actions take the ghost variant in `--ink-500`.

Semantic colours for product UI (success, warning, critical) are a separate, desaturated set introduced only when a real interface needs them. They are not part of the brand accent and never appear in marketing surfaces.

CONTRAST ON #0B0B0F

White		19.6
Gray 200		14.0
Blue 300		13.8
Blue 400		8.98
Gray 400		7.45
Blue 500		5.91
Blue 600		3.41
Blue 800		1.46

WCAG 2.1 contrast ratios, computed against surface `#0B0B0F`. AA body text needs 4.5.

TWO RULES THIS PRODUCES

DON'T White on Blue 500 measures **3.33:1** — it fails AA. This is the technical reason solid-fill blue buttons are off-brand.

DO Outlined pill: white text stays at **19.6:1** and the blue does structural work at the border.

If a filled blue chip is unavoidable, set its label in Ink 900 — that pairing measures 6.12:1.

TWO BRAND FACES. HARD CAP.

A geometric sans carries everything. A script face appears exactly once per composition, only for the founder's name. A third brand face is not a stylistic choice we are reserving — it is a rule violation.

PRIMARY — GEOMETRIC SANS

Aa

MONTSERRAT

Weights in use: 200 · 300 · 400 · 500 · 800 · 900

Fallback stack: `Archivo` , `Helvetica Neue` , `system-ui`

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

SIGNATURE — SCRIPT

Armo

GREAT VIBES

One weight. One use: the principal's name.

Fallback stack: `Snell Roundhand` , `cursive`

Never set headlines, quotes, taglines, or decorative flourishes in the script face. One instance per composition, always paired with the [CEO OF ARMOSPECTRA](#) eyebrow above it.

WEIGHT ROLES

900 DISPLAY BLACK — SPREAD NUMERALS ONLY

800 HEADLINES

500 LABELS · BUTTONS · EYEBROWS

400 Body copy and running text

300 Lede paragraphs and subheads

200 WORDMARK

DOCUMENTATION FACE

`JetBrains Mono` appears in specifications, token tables, and code samples — including in this deck. It is a documentation utility, deliberately excluded from the brand faces. It never appears in marketing, social, or client-facing surfaces.

```
/* correct usage */
--font-display: "Montserrat"; /* everything */
--font-script : "Great Vibes"; /* signature only */
--font-mono    : "JetBrains Mono"; /* docs only */
```


SIX TIERS, ALWAYS IN THE SAME ORDER

TYPE SCALE

84 / 0.94	DISPLAY XL
58 / 0.96	DISPLAY L
40 / 1.00	DISPLAY M
21 / 1.15	HEADING
19 / 1.55	Lede paragraph
16 / 1.50	Body copy
14 / 1.00	CAPABILITY LABEL
13 / 1.45	Secondary / caption
12 / 1.00	EYEBROW
11 / 1.40	MICRO / METADATA

Sizes in px at 1440 pt viewport. Display tiers scale fluidly with `clamp()` ; text tiers are fixed.

HIERARCHY IN PLACE

 ARMOSPECTRA

BUILD THE **SYSTEM** BEHIND YOUR GROWTH.

Growth Operating Systems for Modern Businesses.

CEO OF ARMOSPECTRA



Websites, visibility, portals, dashboards, and workflows —
connected into one system.


ARMOSPECTRA.COM

1. Logo lockup — identity
2. Headline — the promise, ~3.5× the next element
3. Subhead — category definition, one blue phrase
4. Attribution + signature — the human
5. Capability list — six equal items, none emphasised
6. Summary → CTA — the action

Tiers separate by whitespace jump or a rule — never by colour alone.


AN 8-POINT RHYTHM AND A 10.4% MARGIN

GRID



COLUMNS	12 columns, 16 px gutter at desktop. 6 at tablet, 4 at mobile.
PAGE MARGIN	10.4% of viewport width — inherited directly from the source poster, where the text column starts at 98 px on a 940 px canvas.
TEXT COLUMN	Never wider than 7 of 12 columns when paired with an image; never wider than 66ch for running text.
ALIGNMENT	Left-aligned, single column. Centred layouts are reserved for the avatar and the standalone mark.
IMAGE BLEED	Photography bleeds off the right and bottom edges. Copy never overlaps the subject's face or hands.

SPACING SCALE — BASE UNIT 8 PX



Only these seven values. If a gap needs 30 px, the composition is wrong, not the scale.

FIXED COMPONENT METRICS


COMPONENT	VALUE	NOTE
Capability row height	74 px	Fixed. Divider sits below each row.
Icon box	44 px	Icon drawn at 24–26 px inside it.
CTA pill height	56 px	Radius = height ÷ 2.
Section rule	70 × 2 px	Precedes subhead and footer tiers.
Card radius	12 px	The only radius besides the pill.
Hairline	1 px	Gradient, never a flat stroke.

ONE LIGHT SOURCE. UPPER RIGHT.


Every ArmoSpectra surface is lit from the top right and falls to black toward the lower left. This single decision makes gradients, photography, and the divider glow agree with each other.



CHROME — DISPLAY TYPE
#FFFFFF → #DCE9FF 30% → #7FB6F5 62% → #2E6FD0



AMBIENT — PAGE GROUND
radial 120% at 75% 0% · #1A1B20 → #050507



DIVIDER — HAIRLINE GLOW
90° · #1C1C22 → #3B8EF0 85% → transparent



BLOOM — AMBIENT ACCENT
radial 60% at 50% 100% · rgba(59,142,240,.45)

CHROME TYPE RULES

BUILD THE SYSTEM

DO One or two words per headline, at 48 px or larger.

BUILD THE SYSTEM BEHIND YOUR GROWTH

DON'T Never chrome an entire headline — the emphasis cancels itself.

LIGHT & TEXTURE



- KEY LIGHT** Upper right, always. Rim light on the subject's shoulder and hair.
- FALLOFF** To pure #050507 in the lower-left quadrant. Corners go black.
- GRAIN** Fractal noise at 2–4% opacity over any large gradient field. Not decoration — it prevents visible banding on dark 8-bit displays.
- SHADOWS** None on UI elements. Depth comes from the ground gradient and hairlines, never from drop shadows on cards.
- GLASS** No glassmorphism, no blur panels, no frosted overlays.

The grain layer on this page is a feTurbulence SVG at 3.5% opacity, fixed to the viewport. Reproduce it on any surface with a gradient larger than roughly 400 px in either dimension.

- Chrome is for display type only. Never on body copy, buttons, icons, or the logo.
- Minimum size 48 px — below that the four gradient stops compress into mud.
- Always paired with a drop-shadow glow at roughly 30% opacity, never a hard stroke.
- Always declare a solid fallback colour (#BFDBFF) behind the clip for renderers that drop background-clip .


MONOCHROME. EDITORIAL. BLACK.

Photography is not illustration of a service — it is the presence of a principal. Desaturated, high-contrast, black wardrobe, subject dissolving into the ground. The panels below are tonal treatment studies, not final imagery.



GRADING SPECIFICATION

TARGET TONAL RAMP



Blacks crushed to #050507. Highlights clip to white only on the rim. Mid-tones sit low.

SATURATION	0% with a faint cool cast permitted. Never a warm cast.
CONTRAST	High. Roughly +28% over a neutral grade.
WARDROBE	All black. The subject merges with the ground at the frame edge.
CUTOUT	Soft-edge feather into the background. Never a hard mask, never a visible outline.
FRAMING	Full or three-quarter body. Generous headroom. Subject occupies the right ~55% of a vertical layout.
DIRECTION	Confident and relaxed. Direct-to-camera or slightly off-axis. Never mid-gesture, never a laugh.

SUBJECT MATTER

PRINCIPAL PORTRAITURE

The founder. The primary and default image class across every surface.

ENVIRONMENT

Architectural interiors, glass, structure. Empty of people. Same grade.

INTERFACE CAPTURE

Portals and dashboards shown in the brand's own dark UI. Never a light-mode screenshot.

ABSTRACT STRUCTURE

Long-exposure light, contour, orbit. Used sparingly behind type.

NEVER

- Colour portraits or colour-graded environments
- White, cream, or studio-cyclorama backdrops
- Stock-photo staging: handshakes, whiteboards, laptop-and-coffee, pointing at charts
- Groups arranged for the camera, or any image with more than one subject
- Hard-masked cutouts with a visible edge against the black
- Any image that would still read as on-brand if it were someone else's brand

Photography carries the founder-led attribute. Where no principal image exists for a surface, use environment or abstract structure — never substitute stock people.

OUTLINE ONLY. 1.5 PX. NO FILLS.



VISIBILITY



CAPTURE



FOLLOW-UP



PORTALS




AUTOMATION



AI READINESS

CONSTRUCTION



- CANVAS

24 × 24 viewBox, square. Live area 20 × 20 with 2 px of padding on all sides.
- STROKE

1.5 units, uniform. Never varies within an icon, never varies between icons.
- TERMINALS

stroke-linecap: round , stroke-linejoin: round .
- GEOMETRY

Built from circles, rectangles, and straight runs. Curves are circular arcs, not freehand.
- FILL

none , without exception. The one permitted solid is a dot terminal under 2.5 units.
- COLOUR

White at rest. #6BB4FF when the icon marks an active or accented state.

STATES



REST – white



ACTIVE – blue + glow



INERT – gray 600

GUARDRAILS



DON'T No solid or duotone fills.



DON'T No app-tile containers behind icons.

Extending the set: match the 24 px canvas, 1.5 stroke, and round terminals. If a new icon needs a fill to read, redraw it – do not grant the exception.

ARCS AND GLOWING HAIRLINES


Two graphic devices, and only two. Both are ambient — they organise the surface without competing for attention.

AMBIENT ARC MOTIF



- FORM** Concentric circles, 1 px stroke, no fill. Radar, orbit, topography.
- COLOUR** #0E2E5C at 12–20% effective opacity. Never brighter.
- PLACEMENT** Anchored off-canvas at top-right and bottom-left, so only arcs enter the frame — never a whole circle.
- SPACING** Radii step irregularly and tighten toward the outer edge. Evenly spaced rings read as a target, not an orbit.
- LAYER** Always behind content. Never crosses a headline, never sits above photography.
- FREQUENCY** At most two anchors per surface. Not every surface needs them.

GLOWING HAIRLINE DIVIDER



- GRADIENT** 90deg, #1C1C22 0%, #3B8EF0 85%, transparent 100%
- READING** The bright end travels down the right edge of a stack, implying a single light source consistent with the page grade.
- DIRECTION** Always left-dark to right-bright. Mirror it only in a right-to-left locale.
- USE** Separating list rows and section tiers. Not for table rules, not for card borders.

Separation comes from these hairlines and from whitespace — never from drop shadows, never from an added container. If a divider is not enough to separate two things, they need more space, not a box.

SECTION RULE

70 × 2 px · #3B8EF0 · glow 40px @ 35%

Precedes a subhead or a footer tier. One per tier, never decorative.

DECLARATIVE. SYSTEMS VOCABULARY.

VOICE ATTRIBUTES

IMPERATIVE

Headlines are commands. “Build the system.” Not “We help you build.”

CONCRETE

Name the component. Portals, workflows, dashboards — things that exist.

UNHURRIED

No urgency devices. No countdowns, no “limited spots”, no exclamation marks.

ACCOUNTABLE

First person singular where the principal is speaking. No corporate “we” hiding a solo decision.

MECHANICS

SENTENCES Short. Mix one-line punches with two- or three-sentence runs.

HEADLINES Uppercase, under 10 words, one emphasis word in chrome.

BODY Sentence case. Active voice. Second person.

NUMBERS Only measured ones, with the source named. Never a rounded impression.

BANNED Exclamation marks, emoji, “unlock”, “supercharge”, “game-changing”, “revolutionise”, “seamless”, “solutions” as a standalone noun.

REWRITES

OFF “We’re a full-service digital agency offering cutting-edge solutions to supercharge your online presence!”

ON “Your marketing runs across six tools that don’t talk to each other. We connect them into one system.”

OFF “Let us help you unlock your growth potential with our proven methodology.”

ON “Build the system behind your growth.”

OFF “Our lead gen services deliver high-quality leads at scale.”

ON “Capture holds what visibility earns. Follow-up makes sure nothing waits.”

Test before publishing: does the sentence name something that exists, could it have been written by any other agency, and does it survive being read aloud without an exclamation mark? Three yeses in the wrong direction means rewrite.

ONE MASTER MESSAGE. THREE PILLARS.

MASTER MESSAGE

BUILD THE **SYSTEM** BEHIND YOUR GROWTH.

↓ supported by

PILLAR 01

CONNECTED, NOT ASSEMBLED

The parts were always available. The connection is the product.

PILLAR 02

BUILT TO BE RUN

A system you operate, not a dependency on the agency that made it.

PILLAR 03

READY FOR WHAT'S NEXT

Clean data and defined process are the precondition for anything intelligent.

MESSAGE BY AUDIENCE

AUDIENCE	LEAD WITH	ENTRY POINT
Owner-operator	Nothing waits, and nothing is lost between tools.	Capture & Follow-up
Marketing lead	One architecture instead of six subscriptions.	Visibility & Automation
Operations lead	The client-facing surface stops being email.	Portals
Investor / partner	A repeatable system, not a bespoke engagement.	The full six-stage architecture

APPROVED SHORT FORMS

- Tagline — Build the system behind your growth.
- Descriptor — Growth Operating Systems for Modern Businesses.
- One-liner — Websites, visibility, portals, dashboards, and workflows, connected into one system.
- Capability list — Visibility · Capture · Follow-up · Portals · Automation · AI Readiness

These four strings are fixed. Do not paraphrase them for a specific channel.

THE PROOF TIER IS DELIBERATELY EMPTY

PROOF SLOT 01 — OUTCOME

PROOF SLOT 02 — NAMED CLIENT

PROOF SLOT 03 — MEASURED RESULT


This framework asserts no metrics, client names, or results, because none are established in the source material. The slots stay visibly empty until real, attributable evidence exists.

RULE A number appears in ArmoSpectra copy only with a named source and a stated period.

RULE A client name appears only with written permission on file.

RULE Never fill a proof slot with a capability restatement. “We automate follow-up” is a claim about the offer, not proof.

DARK BY DEFAULT. LEFT-ALIGNED. QUIET.



DIRECTION

- GROUND** Radial ambient from upper right over #050507 . No light mode.
- NAV** Horizontal lockup left, four uppercase links right at 0.18em tracking. Active state in Blue 400. No hamburger above 900 px.
- HERO** Eyebrow → headline with one chrome word → section rule → subhead → single outlined CTA. Arc motif behind, never crossing type.
- SECTIONS** Capability cards use the outline icon, a tracked label, and two lines maximum. Separated by glowing hairlines, not boxes.
- MOTION** Fade-and-rise on scroll, 400 ms, 12 px travel, once per element. Respect prefers-reduced-motion . No parallax, no counters, no autoplay video.
- FOCUS** 2 px Blue 400 ring at 3 px offset on every interactive element.
- IMAGERY** Principal portrait bleeding off the right edge on the hero. Product surfaces shown in the brand's own dark UI.

A light mode is a separate project with its own contrast study. Do not auto-invert these tokens — the accent stops working on white and the chrome gradient inverts to mud.

THE SAME SYSTEM, AT THUMBNAIL SIZE

Social is where identities decay first. These templates hold the rules at small sizes: one chrome word, one blue phrase, one rule, one CTA.



1:1 — feed post • 1080 × 1080

POST ARCHITECTURE

ANCHOR	Horizontal lockup, top-left, always. It is the only fixed element.
STATEMENT	Under 9 words, uppercase, one chrome word maximum.
RULE	44 px section rule below the statement. Never above it.
CLOSE	Either the domain in tracked caps, or one outlined pill. Never both.
SAFE AREA	Keep all content 12% inside every edge — story UI overlays the top and bottom bands.



9:16 — story • 1080 × 1920

SOCIAL DON'TS

- No emoji, in graphics or in captions
- No coloured backgrounds, gradients meshes, or duotone photo treatments
- No carousel where slide 2+ drops the lockup
- No screenshot of a light-mode interface
- No text over the subject's face when a portrait is used
- No platform-specific typeface substitution — if Montserrat is unavailable in a tool, the tool is wrong



4:1 — LinkedIn / X banner • 1584 × 396



Avatar — mark only

AVATAR RULES

- Mark only, centred, on #050507
- Mark occupies 58% of the circle diameter
- Never the full lockup — the wordmark is illegible below 120 px
- No blue ring, no gradient border

FOUR SLIDE MASTERS


16:9. Same margins, same rhythm, same restraint as every other surface.




MASTER A — title



MASTER B — section divider



MASTER C — content



MASTER D — data

SLIDE RULES

- MARGIN** 7.5% on all sides of a 1920 × 1080 canvas.
- FOOTER** Wordmark left, slide number right, both in Gray 600 mono at 8 px. Absent on Master A only.
- ONE IDEA** One headline per slide. If it needs two, it needs two slides.
- CHROME** One chrome word per slide, on Masters A and B only.
- DENSITY** Maximum six bullets, or three cards, or one chart. Never a combination.

CHART RULES


- BAR S** Ink 500 for the set. One emphasised bar in the blue gradient — the point of the slide.
- GRID** One baseline and one axis in Ink 600. No gridlines behind the data.
- NUMERALS** tabular-nums , always. Axis labels in Gray 400.
- SOURCE LINE** Mandatory. A chart without a named source and period does not ship.
- NEVER** 3D, pie charts, gradient-filled backgrounds, drop shadows on bars, or a second accent hue to distinguish series — use lightness within the blue ramp.

PRINTED, THE SYSTEM GETS QUIETER

In print the chrome gradient cannot be reproduced and the glow disappears. Collateral drops both and leans on paper, ink density, and the mark.



Business card — face · 85 × 55 mm



Business card — reverse · mark only, centred at 58% width




Letterhead · A4

PRINT SPECIFICATION

STOCK	Uncoated black-cored board, 600 gsm, for cards. Uncoated 120 gsm for letterhead.
INK	Mark and wordmark in opaque white screen or white foil. Never white toner on coated stock — it greys.
ACCENT	Blue 500 as a spot colour only, on the rule and the eyebrow. Nothing else.
FINISH	Soft-touch matte. Never gloss — the identity is matte-dark and gloss reads as consumer.
CHROME	Not reproducible in print. Substitute plain white display type or white foil. Never a silver-metallic ink approximation.
GLOW	Omitted entirely. The 70 × 2 px rule prints flat.

EMAIL SIGNATURE



- Horizontal lockup as a single PNG at 2× — never live SVG, mail clients strip it
- Maximum width 320 px; the divider is a 1 px background-image gradient with a flat Ink 600 fallback
- No social icon row, no quote, no legal disclaimer block, no "sent from" line
- Dark-background signatures break on light-mode mail clients — set type colours explicitly and never rely on the container

PROPOSAL & DOCUMENT COVERS

Reuse presentation Master A at A4 portrait. Vertical lockup top-left, document title in the headline tier, one chrome word, section rule, recipient name in the eyebrow tier. Arc motif at the top-right anchor only.

THE PARTS, BUILT FROM THE RULES

Every component below is derived — nothing here introduces a value that is not already in the token set. That is the test for adding a new one.

BUTTONS

START A SYSTEM

BOOK A CALL

VIEW THE WORK

Hover raises the border to Blue 400 and adds the 40 px glow. Focus adds a 2 px ring at 3 px offset.

CAPABILITY ROW — SIGNATURE COMPONENT

 AUTOMATION

 AI READINESS

74 px row · 44 px icon box · 0.28em label tracking
· glowing hairline below each row.

FORM FIELDS

FULL NAME

Enter your name

WORK EMAIL

name@company.com

Labels in mono micro tier. Focus ring is Blue 500 at 16% — never a solid glow.

CONTENT CARD



PORTALS

The client-facing surface. Dashboards where the work becomes visible.

READ MORE →

STATUS & NAVIGATION

LIVE

DRAFT

ARCHIVED

SYSTEMWORKABOUT

Active state is the only blue in a navigation row.

METRIC TILE

METRIC LABEL

SOURCE: ____ · PERIOD: ____

The tile ships with the source line attached. A metric tile without a source does not render.

FIFTEEN RULES, IN PRIORITY ORDER

When two rules conflict, the lower number wins. When a rule conflicts with a client request, this document is the record of what was agreed.

The image displays four panels illustrating design principles, each with a title and a description.

- BUILD THE SYSTEM**
Left-aligned, one accent, quiet.
- BUILD THE SYSTEM**
Centred on a blue field.
- BUILD THE SYSTEM**
A third typeface for flavour
- GET STARTED**
LEARN MORE
DON'T Filled buttons, square radii, and two competing CTAs.

EVERYTHING HERE SHIPS AS SOURCE

EXPORT-READY FILES

	armospectra-brand-deck.html	This deck
	assets/armospectra-logo.png	Transparent, full canvas
	assets/armospectra-logo-mark.png	Transparent, trimmed 818×832
	assets/armospectra-logo-mask.png	Stencil master (drives --as-logo)
	install-logo.py	One-command logo install
	tokens.css	CSS custom properties
	tokens.json	Design tokens (DTCCG)
	tailwind.preset.js	Tailwind theme preset
	BRAND_SYSTEM.md	Written specification
	assets/armospectra-logo.jpg	Official master, byte-identical
	assets/icons/*.svg	Six capability icons
	assets/arc-motif.svg	Ambient arc anchor

Every logo instance in this deck renders from a single token, `--as-logo`, used as a mask. Installing the official artwork is a two-value change that updates all 28 instances at once — no per-surface edits, and no way to distort it, because `aspect-ratio` is locked to the master's intrinsic dimensions. The token holds the official artwork, keyed out of the supplied master with its pixels and 818×832 bounding box unmodified.



ADDING TO THE SYSTEM

1 · DERIVE, DON'T INVENT

A new component must be buildable from existing tokens. If it needs a new value, the case for that value gets made first, on its own.

2 · CHECK RULE ORDER

Run the proposal against the fifteen master rules. Lower numbers win conflicts.

3 · MEASURE CONTRAST

Any new colour pairing gets a computed ratio before it ships. 4.5 for body, 3.0 for large type and UI boundaries.

4 · TEST AT THUMBNAIL

If it stops reading as ArmoSpectra at 200 px wide, it is decoration, not identity.

WHAT THIS DOCUMENT DOES NOT CONTAIN

- Client names, case studies, or testimonials
- Performance metrics, growth figures, or result claims
- Pricing, packaging, or commercial terms
- A light-mode palette

Each is absent because it is not established in the source material. They are additions to be made with evidence, not gaps to be filled with plausible copy.