ASSIGNMENT

NAME: MASUD SHAFIN AHMED

ENROLMENT NO.: ADTU/2020-24/BTECH(CTIS)/014

<u>Aim:</u> To create student portal with frontend and backend will CRUD operations using HTML, CSS, JS, PHP and MySQL database.

<u>Theory:</u> To create a student portal with all four operations- create, remove, update and delete we need a backend language and a database. Here, we are going to use PHP as backend language and MySQL as database.

The site Contains -

- 1. Login and registration for students.
- 2. Student Profile and students can update their profile.
- 3. Admin page and admin can manage all the registered students.
- 4. Search functionality.


<u>Tools and Technologies:</u> Vscode code editor, HTML, CSS, JavaScript, PHP, XAMPP server, MySQL Database, PhpMyAdmin.

<u>Code and Procedure</u>: After opening Vscode editor let's follow the below steps to build a calculator.

STEP1: Create or Open a folder in Vscode named "studentPortal".

STEP2: Create a structure of folder and files as shown in the below figure.

'studentPortal' folder contains 'includes' folder and files named- admin.php, avatar.png, db.php, index.php, login.php, logout.php, reg.php, search.php, update.php, updatebyadmin.php and 'inludes' folder contains files named-details.php, edit.php, footer.php, function.php, head.php, loginlogic.php, reglogic.php, remove.php, search.php, searchdata.php.



details.php:

```
studentPortal - details.php
 <div class="card-body">

</div>
<div class="col-sm-9">

  <?= $u['phone'] ?>
                 Address
       Address

</div>
</div>
<div class="col-sm-9">

          </div>
```

edit.php:

```
condentiforal - editpip

//profiledat

//profiledat

//profiledat

//profiledat

//profiledat

//profiledat

//profiledat

//profiledate

//p
```

footer.php:

```
studentPortal - footer.php

script src="https://cdnjs.cloudflare.com/ajax/libs/bootstrap/5.0.1/js/bootstrap.min.js"

integrity="sha512-EKWWs1ZcA2ZY9lbLISPz8aGR2+L7JVYqBAYTq5AXgBkSjRSuQEGqWx8R1zAX16KdXPaCjOCaKE8MCpU0wcHlHA=="
crossorigin="anonymous" referrerpolicy="no-referrer"></script>
4 </body>
5
6 </html>
```

function.php:

head.php:

```
studentPortal - head.php

i 
include "./db.php"
include "./db.php"
include "./db.php"

centa flang="en"

centa lang="en"

centa http-equiv="X-UA-Compatible" content="IE=edge">
centa http-equiv="X-UA-Compatible" content="IE=edge">
centa name="veloper" content="width=dovice-width, initial-scale=1.0">
centa name="veloper" content="width=dovice-width=dovice-width=dovice-width=dovice-width=dovice-name="veloper" content="width=dovice
```

```
studentPortal - loginlogic.php
      if (isset($_SESSION['uname'])) {
     header("location: ./");
     unset($_SESSION['msgreset']);
     if (isset($_POST['login'])) {
           $email = mysqli_real_escape_string($db, $_POST["email"]);
           $pass = mysqli_real_escape_string($db, $_POST["pass"]);
           $email_search = "SELECT * FROM student where email='$email'";
           $query = mysqli_query($db, $email_search);
           $emailcount = mysqli_num_rows($query);
           if ($emailcount) {
                $email_pass = mysqli_fetch_assoc($query);
                $db_pass = $email_pass['pass'];
$db_mail = $email_pass['email'];
                $pass_decode = password_verify($pass, $db_pass);
               if ($pass_decode && $db_mail === $email) {
                      $admincheck = "SELECT * FROM student where email='$email' and admin='active'";
                      $adquery = mysqli_query($db, $admincheck);
                      $run = mysqli_num_rows($adquery);
                      $_SESSION['islogin'] = false;
                      if ($run) {
   unset($_SESSION['msg']);
   $admindata = mysqli_fetch_assoc($adquery);
                           $_sadmindata = mysqii_retci_assoc($adquery);
$_SESSION['adname'] = "Admin';
$_SESSION['uname'] = $admindata['name'];
$_SESSION['email'] = $admindata['email'];
$_SESSION['msg'] = "YOU ARE LOGGED IN";
$_SESSION['islogin'] = true;
}_session['islogin'] = true;
                           unset($_SESSION['msg']);
$_SESSION['uname'] = $email_pass['name'];
$_SESSION['email'] = $db_mail;
$_SESSION['msg'] = "YOU ARE LOGGED IN";
                            $_SESSION['islogin'] = true;
       location.replace("./")
                } else {
   unset($_SESSION['msg']);
   $_SESSION['msg'] = "INCORRECT PASSWORD";
           location.replace("login")
               unset($_SESSION['msg']);
$_SESSION['msg'] = "ENTER VALID EMAIL";
          location.replace("login")
66 </script>
```

reglogic.php:

```
• • •
                                                                                                                                                                                          studentPortal - reglogic.php
            if (isset($_SESSION['uname'])) {
   header("location: ./");
          }
if (isset($_POST["reg"])) {
                     $name = mysqli_real_escape_string($db, $_POST["name"]);
$email = mysqli_real_escape_string($db, $_POST["email"]);
$phone = mysqli_real_escape_string($db, $_POST["phone"]);
$eno = mysqli_real_escape_string($db, $_POST["eno"]);
$branch = mysqli_real_escape_string($db, $_POST["branch"]);
$address = mysqli_real_escape_string($db, $_POST["address"]);
$password = mysqli_real_escape_string($db, $_POST["address"]);
$cpassword = mysqli_real_escape_string($db, $_POST["cpass"]);
$cpassword = mysqli_real_escape_string($db, $_POST["cpass"]);
$cpass = password_hash($password, PASSWORD_BCRYPT);
$cpass = password_hash($cpassword, PASSWORD_BCRYPT);
$token = bin2hex(openssl_random_pseudo_bytes(15));
                       $emailquery = "SELECT * FROM student WHER
$query = mysqli_query($db, $emailquery);
$emailcount = mysqli_num_rows($query);
                       $stmt = $db->prepare("INSERT INTO student(name, email, phone, pass, cpass,eno,branch,address
$stmt->bind_param("ssssssss", $name, $email, $phone, $pass, $cpass,$eno,$branch,$address);
                                              $stmt=execute();
if ($stmt) {
    header("location: login");
    unset($_SESSION['rmsg']);
    $_SESSION["registered"] = true;
    $_SESSION["name"] = $name;
    $_SESSION["rmsg"] = "You are registered now. Please login";
                                                $stmt->close();
                                  } else {
    $_SESSION["rmsg"] = "Password doesn't match";
    header("location: register");
```

remove.php:

```
studentPortal - remove.php
    if (!isset($_SESSION['uname'])) {
       header("location: ../login");
   }
8 require '../db.php';
10 if (!isset($_SESSION['adname'])) {
       header('Location:../');
   } else {
       if (isset($_GET['id'])) {
           $id = $_GET['id'];
           $query = "DELETE FROM student WHERE id=$id";
           mysqli_query($db, $query);
           header('location:../admin');
```

search.php:

```
• • •
                                     studentPortal - search.php
  <div class="row">
        <nav aria-label="breadcrumb" class="bg-dark rounded-3 p-3 mb-4">
  <div >
<a href="./" class="nav-link text-light d-inline ">Home</a>
     <div class="col">
       <nav aria-label="breadcrumb" class="bg-dark rounded-3 p-3 mb-4">
```

searchData.php:

```
studentPortal - searchdata.php
<div class="row">
     <div class="col-sm-3">
     Full Name
   <div class="col-sm-9">
     <div class="row">
     <div class="col-sm-3">
  Enrollment ID</div>
  <div class="col-sm-9">


        <?= $s['eno'] ?>
</div>
<hr>
     Branch
        <?= $s['branch'] ?>
    Email

     <?= $s['email'] ?>
<div class="row">
     Phone
     <?= $s['phone'] ?>
        Address
     <?= $s['address'] ?>
```

admin.php:

```
studentPortal - admin.php
   include "./includes/head.php";
include "./includes/function.php";
include "./includes/search.php";
   if (!isset($_SESSION['uname'])) {
       header('location:./login');
    $users = getAllUsers($db);
    Manage Students
   if (!isset($_SESSION['adname'])) {
       header('location:./');
       foreach ($users as $u) {
19 <div class="row">
       <div class="col-lg-4">
           <div class="card mb-4 bg-dark">
               <div class="card-body text-center" style="height: 342px;">
                  <img src="./avatar.png" alt="avatar" class="rounded-circle mt-3 img-fluid" style="width: 150px;">
                       <?= $u['name'] ?>
                   </h5>
                   Student
                   Assam Down Town University
           <div class="card mb-4 bg-dark">
               <a href="./includes/remove.php?id=<?=$u['id']?>" class="btn btn-dark shadow-none">Delete</a>
       </div>
       <div class="col-lg-8">
           <div class="card mb-4 bg-dark text-light">
           include "./includes/details.php";
           </div>
              <a href="updatebyadmin?id=<?=$u['id']?>" class="btn btn-dark shadow-none">Edit Details</a>
       }
   </div>
```

avatar.png:



db.php:

index.php:

```
studentPortal - index.php
   include "./includes/head.php";
include "./includes/function.php";
include "./includes/search.php";
   if(!isset($_SESSION['uname'])) {
       header('location:./login');
   $u = getUser($db);
               <div class="row">
                   <div class="col-lg-4">
                           <div class="card-body text-center" style="height: 342px;">
                                  alt="avatar" class="rounded-circle mt-3 img-fluid" style="width: 150px;">
                              <h5 class="my-3 text-light text-uppercase"><?=$u['name']?></h5>
                              Student
                              Assam Down Town University
                          if (isset($_SESSION['adname'])) {
                              <a class="text-light" href="./admin">Admin Dashboard</a>
                                </div>
                      </div>
                     <div class="card mb-4 bg-dark">
                          <a href="./logout.php" class="btn btn-dark shadow-none">Log Out</a>
                   <div class="col-lg-8">
                      <div class="card mb-4 bg-dark text-light">
                   include "./includes/details.php";
                       </div>
                        <div class="card mb-4 bg-dark">
                           <a href="update" class="btn btn-dark shadow-none">Edit Details</a>
               </div>
       </section>
```

login.php:

```
| Chino | Chin
```

logout.php:

```
studentPortal - logout.php

??php
session_start();
unset($_SESSION['id']);
unset($_SESSION['name']);
unset($_SESSION['email']);
unset($_SESSION['uname']);
unset($_SESSION['adname']);
unset($_SESSION['islogin']);
session_destroy();
session_destroy();
$_SESSION['msglogout'] = 'YOU ARE LOGGED OUT ! ';
header('location:./login');

?>
```

reg.php:

```
studentPortal - reg.php
?>
<style>
.logreg{
   background-color: transparent!important:
      <div class="row justify-content-center align-items-center">
         <div class="c</pre>
            <div class="row">
                     <div class="col-sm-12">
    <input class="form-control" name="name" maxlength="50" type="text" placeholder="Name" required>
                  <div class="col-sm-12">
     <input class="form-control" name="branch" maxlength="20" type="text" required placeholder="Branch">
                   <input cla
</div>
</div>
<hr>
<div class="row">
                  <div class="col-sm-12">
    <input class="form-control" type="number" name="phone" maxlength="10" required
    value="" placeholder="Phone">
                     </div>
</div>
</hr>
                   <div class="row">
```

search.php:

```
studentPortal - search.php
   include "./includes/head.php";
include "./includes/function.php";
include "./includes/search.php";
    if (!isset($_SESSION['uname'])) {
        header('location:./login');
    if (!isset($_GET['q'])) {
       header('location:./');
10 }
$$\frac{11}$$ $\search = \text{getAllUsers($db);}$
        Search Results
       for: <?=$_GET['q']?>
    if (isset($_GET['q'])) {
        $data = mysqli_real_escape_string($db, $_GET["q"]);
$sql = "SELECT * from student where name like '%$data%' or email like '%$data%'";
        $result = mysqli_query($db, $sql);
        if (mysqli_num_rows($result) > 0) {
            while ($s = mysqli_fetch_assoc($result)) {
                         alt="avatar.png
   alt="avatar" class="rounded-circle img-fluid" style="width: 150px;">
<h5 class="my-3 text-light text-uppercase"><?=$s['name']?></h5>
Student
Assam Down Town University
                     <div class="col-lg-8">
                        <div class="card mb-4 bg-dark text-light">
                include('./includes/searchdata.php');
           No data found !
            <a href="./" class="text-light"> HOME
```

update.php:

```
\bullet \bullet \bullet
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         studentPortal - update.php
                                                 include "./includes/head.php";
include "./includes/function.php";
if (!isset($_SESSION['uname'])) {
    header('location:./login');
                                                                                                                         div class="row">
    div class="col-lg-d">
        div class="col-lg-d">
        div class="card-bbdy text-center" style="height: 425px;">
        div class="avata-rpm"
        alt="avata-rpm"
        alt="avata
                                                                                                                                                   cliput class="form=control" name="id" maxlength="120" type="fitiden" value="
cliput class="form=control" name="id" maxlength="120" type="fitiden" value="
cliput class="row">
cliput class="row">
cliput class="row">
cliput class="col=in=3">
col=in=3">
cliput class="form=control" name="eno" maxlength="120" type="text" required
value="c?= Sul"eno"| ?>">
cliput class="row">
cliput class="row">
cliput class="col=in=3">
                                                                                                                                                                                                  cdiv class="card mb-2 bg-dark">
cutton type="submit" name='updateP" class="btn btn-dark shadow-none">Save changes
</ri>

cdiv class="card mb-2 bg-dark">
cdiv class="card mb-2 bg-dark">
ca href="./" class="btn btn-dark shadow-none">Cancel
</div>
```

updatebyadmin.php:

```
The state of the s
                                                                                                         s="row">
class="col-lg-4">
iv class="col-lg-4">
iv class="col-lg-4">
iv class="col-lg-4">
iv class="col-lg-4">
iv class="col-lg-4">
iv class="cond-lody text-center" style="beight: 425ps;">
clus grac-avatan.pmg" alt="avatan" class="rounded-circle ing-fluid sh-4 st-3" style="width: 180ps;">
class="avatan.pmg" alt="avatan" class="rounded-circle ing-fluid sh-4 st-3" style="width: 180ps;">
class="avatan.pmg" alt="avatan.pmg-calas="
class="out-man-lg-1">
class="out-man-lg-1">
class="toxt-man-lg-1">
class="
```

STEP4: Creating a database named "studentp" and one table named "student" in it.

studentp.sql

```
*** ST SW. MEX.* "No. NTR. DAME. OU. 200";

$ ST CAM. DAME.* "No. NTR. DAME. OU. 200";

$ ST CAM. DAME.* "No. NTR. DAME.* STANDER";

$ ST CAM. DAME.* "STANDER";

$ ST CAM. DAME.* STANDER";

$ ST CAM. DAME.* STANDER";

$ ST CAM. DAME.* STANDER";


$ STANDER STANDER";


$ STANDER";
```


STEP5: Open XAMPP server and then start Apache and MySQL.

STEP6: Opening <u>http://localhost/studentPortal</u> in browser.


OUTPUT:














Source code link: https://github.com/blackipie/studentportal