قراءة ورق الجلسات

11 ورقة جلسة علاج طبيعي، اتقرت كلمة كلمة · 29 أكتوبر 2026

المحتوى الطبي مكتوب بالإنجليزي زي ما هو في الورق، بس متفصّل ومترتب، والشرح بالعربي. أي كلمة مش متأكد من قرايتها متعلّمة كده: (?). صحّحها لو قريتها غلط.

المختصرات

Russian	تيار Russian لتقوية العضلة
2-pole HF / 2-pole surge	فهمتها interferential ثنائي الأقطاب (والـ surge نفسه بس متقطع). مكتوبة HF في الورق
Dipole	تيار بقطبين على منطقة (رقبة / ضهر)
Cryo / Ice massage	تلج
Phonophoresis	دهان (Betaderm) بالموجات فوق الصوتية
MWM	Mulligan mobilization with movement
SNAG / NAGs / Reverse NAGs	تقنيات Mulligan للرقبة
MET	Muscle energy technique
NDT	Neurodynamic: تحريك الأعصاب
ULTT / Spurling	اختبارات العصب في الرقبة والدراع
TFCC	غضروف الرسغ من ناحية الخنصر
OKC → CKC	من السلسلة المفتوحة للمقفولة
TrA	Transversus abdominis
PF	Patellofemoral (في الركبة) / Plantar flexion (مع DF)
Gr. II–III	درجة الـ mobilization
Short lever	رافعة قصيرة: أسهل وأأمن في الأول

(L) = شمال · (R) = يمين · bilat. = الناحيتين · ROM = مدى الحركة · exs = exercises · PROM = حركة سلبية · Auto-passive = المريض بيحرك نفسه بإيده التانية

1 رسغ شمال (TFCC) + رقبة

Examination · الفحص

- Tenderness of (L) TFCC
- Pain with resistance
- ↓ Proximal control
- ↓ Proprioception
- Cervical → tenderness / limited ROM of rotation & side bending

Treatment (modalities) · الأجهزة

- Russian for (L) wrist flexors + 2-pole HF (L) TFCC — 20 min
- Ice massage — 5 min (L) TFCC
- Laser — 15 min (L) TFCC, ulnar side
- Dipole for cervicodorsal + upper Tr. (?) — 15 min
- Laser — 15 min cervicodorsal

خانة التأهيل فاضية في الورقة دي.

2 رسغ وصوابع شمال بعد إصلاح جراحي

Examination · الفحص

- Limited ROM of wrist & fingers
- Edema
- Hyperalgesia of (L) wrist & hand

Treatment (modalities) · الأجهزة

- Russian for (L) wrist flexors + 2-pole HF (L) wrist — 20 min
- Electrical pad (L) wrist
- Laser — 15 min (L) wrist
- Phonophoresis by Betaderm + (?) — 5 min, repaired side

Rehabilitation · التأهيل

- PROM for (L) wrist & fingers
- Scar mobilization
- Auto-passive ROM for (L) wrist & fingers
- Hand grip exs (ROM)
- Home exs

Precaution · ممنوعات: [No resisted exs or manual exs]

3 رقبة مع إصابة عصب للدراع الشمال (radiculopathy)

Examination · الفحص

- Cervical → limited ROM of rotation & side bending
- +ve ULTT
- Limited ROM of extension
- +ve Spurling test
- Weakness of hand grip & scapular muscles

Treatment (modalities) · الأجهزة

- Dipole for cervicodorsal up to T8 — 15 min
- 2-pole HF (L) lateral arm & (L) lateral forearm — 15 min
- Laser — 15 min cervicodorsal

Rehabilitation · التأهيل

- Manual (?) cervical & dorsal traction
- MET for upper trapezius, levator & scalene
- Periscapular area release
- C2 SNAG
- Suboccipital release & stretching exs
- Bridging technique for cervicodorsal junction
- Reverse NAGs for cervicodorsal junction
- Cervical SNAG C5-6-7
- Manual mobilization for extension & rotation (?)
- Mobility & flexibility exs
- NDT for median & radial nerves
- Activation of deep neck flexors & semispinalis
- IR / ER strengthening exs from scapular 90° (?)
- Proximal control exs
- Home exs

Precaution · ممنوعات: [No pain killer (?) or manual]

4 ركبة يمين + الضهر من تحت

Examination · الفحص

- Edema
- Weakness of quads, hamstrings, glute max & med
- Limited ROM of knee flexion
- Limited (?) extension ROM
- Weakness of glute max
- ↓ Proximal control

Treatment (modalities) · الأجهزة

- Russian for (R) quads + 2-pole surge (R) knee — 20 min
- Cryo — 15 min (R) knee
- Laser — 15 min (R) knee

Rehabilitation · التأهيل

⇒ Dorsolumbar

- Activation of TrA, multifidus, glute max
- Clamshell exs
- Isometric rhythmic spinal stabilization, then alternating
- Trunk motor control exs from supine & quadruped

⇒ (R) knee

- Lymphatic drainage
- PF mobilization
- Auto-passive ROM for knee flexion
- Quads & hamstring sets
- SLR short arc
- Terminal knee extension from OKC then CKC
- PF / DF strengthening exs by theraband
- Gait training exs with crutch
- Abd / add machine
- Proximal control exs, short lever, flexion & extension
- Proprioceptive exs, bilateral
- Home exs

5 إيد شمال بعد ترقيع جلد (graft)

Examination · الفحص

- Weakness of hand grip & wrist flexion & extension

Treatment (modalities) · الأجهزة

- Russian for (L) wrist flexors + 2-pole surge (L) hand — 20 min
- Phonophoresis by Betaderm, grafted area — 8 min
- Laser — 10 min, grafted area

Rehabilitation · التأهيل

- Scar mobilization
- PIP, DIP mobilization Gr. II–III
- ROM exs for wrist & fingers
- Hand grip auto-passive exs
- Isometric hand grip exs
- O.T. hand exs
- Isometric wrist strengthening exs
- Home exs
- Gradual loading exs

6 سبابة يمين (PIP & DIP)

Examination · الفحص

- Tenderness of (R) PIP & DIP
- Weakness of hand grip
- Weakness of hand grip & wrist flexion

Treatment (modalities) · الأجهزة

- Russian for (R) wrist flexors + 2-pole HF (R) index (?) — 20 min

Rehabilitation · التأهيل

- PIP mobilization Gr. III (?)
- MWM for index
- Hand grip strengthening exs
- MCP (?) mobilization index
- Isometric PIP exs
- PIP flexion with MCP in neutral position (blocking) (?)
- DIP exs
- Home exs

7 فحص بس: رقبة + قطنية

Examination · الفحص

- Cervical → limited ROM of rotation & side bending
- Tightness of upper trapezius & levator scapulae
- Weakness of deep neck flexors & semispinalis
- Lumbar → SIJ –ve
- Weakness of core stability
- Glute max & med weakness
- ↓ Proximal control
- ↓ Proprioception

الورقة فيها فحص بس، من غير علاج.

8 رقبة + قطنية + ركبة (5/4/2026 — 30/7/2026 و «As previous»)

Treatment (modalities) · الأجهزة

- Dipole for cervicodorsal up to T8 — 15 min
- Dipole for dorsolumbar — 15 min
- Laser — 15 min for cervical & lumbar
- Electrical pad

Rehabilitation · التأهيل

⇒ Cervical

- Manual (?) cervical & dorsal traction
- MET for upper trapezius, levator & scalene
- Periscapular area release
- C2 SNAG
- Suboccipital release & stretching
- Headache SNAGs (?)
- Bridging technique for cervicodorsal junction
- Reverse NAGs for cervicodorsal junction
- C5-6-7 SNAG
- Mobility & flexibility exs
- Activation of deep neck flexors & semispinalis
- Middle & lower trapezius & serratus anterior
- IR / ER strengthening exs from scapular (?)
- Proximal control exs
- Home exs

⇒ Dorsolumbar

- Gentle TL fascia release
- Half prone with (?) mobilization
- Prone with pillow below pelvis, extension to neutral
- Knee to chest exs
- (?) for lumbar flexion
- Activation of TrA, multifidus, glute max
- Clamshell exs
- Isometric rhythmic spinal stabilization, then alternating
- Trunk motor control exs from supine & quadruped
- From prone & sitting: both hips IR / ER strengthening (isometric, concentric)

⇒ Knee

- Quads & hamstring sets
- SLR short arc
- Terminal knee extension from OKC then CKC
- Proximal control exs, short lever
- Cycling exs (?)
- Home exs

مكتوب فيها تاريخ 30/7/2026 وجنبه «As previous»، يعني نفس البرنامج اتكرر.

9 ركبة يمين + قطنية (6/10/2026)

Treatment (modalities) · الأجهزة

- Russian for (R) quads + 2-pole surge (R) knee — 20 min
- Cryo — 15 min (R) knee
- Laser — 15 min (R) knee

Rehabilitation · التأهيل

⇒ Dorsolumbar

- Gentle TL fascia release
- Half prone with (?) mobilization
- Prone with pillow below pelvis, extension to neutral
- Knee to chest exs
- (?) for lumbar flexion
- Activation of TrA, multifidus, glute max
- Clamshell exs
- Isometric rhythmic spinal stabilization, then alternating
- Trunk motor control exs from supine & quadruped
- From prone & sitting: both hips IR / ER (isometric, concentric)
- Home exs

⇒ (R) knee

- Lymphatic drainage
- PF mobilization
- Unloading MWM for (R) knee flexion + IR tibia
- Quads & hamstring sets
- SLR short arc
- Terminal knee extension from OKC then CKC
- Isometric angular knee strengthening exs at 0° ext & 90° flex (?)
- Proximal control exs, short lever
- Proprioceptive exs
- Leg extension exs
- Abd / add machine exs
- Home exs

10 الحوضين من قدام (اليمين أكتر من الشمال)

Examination · الفحص

- Tenderness of anterior hip R > L
- Weakness of glute max, med & core stability

Treatment (modalities) · الأجهزة

- 2-pole HF bilateral anterior hip (rectus femoris origin) + Russian for bilateral quads — 20 min
- Laser — 15 min bilateral anterior hip

Rehabilitation · التأهيل

⇒ Dorsolumbar

- Half prone with (?) mobilization
- Prone with 2 (?) pillows below pelvis, extension to neutral
- Activation of TrA, multifidus, glute max
- Clamshell exs
- Isometric rhythmic spinal stabilization, then alternating
- Trunk motor control exs from supine & quadruped
- From prone & sitting: both hips IR / ER (isometric, concentric)

⇒ Bilateral hips

- Unloading MWM for bilateral hips flexion & IR
- Then loading MWM for bilateral hips flexion, abd, ext
- Quads & hamstring sets
- SLR short arc
- Terminal knee extension from OKC then CKC
- Proximal control exs, short lever
- Proprioceptive exs
- Abd / add strengthening exs
- Home exs

11 ركبة يمين + قطنية (20/10/2026)

Treatment (modalities) · الأجهزة

- Russian for (R) quads + 2-pole surge (R) knee — 20 min
- Cryo — 15 min (R) knee
- Laser — 15 min (R) knee

Rehabilitation · التأهيل

⇒ Dorsolumbar

- Activation of TrA, multifidus, glute max
- Clamshell exs
- Isometric rhythmic spinal stabilization, then alternating
- Trunk motor control exs from supine & quadruped
- From prone & sitting: both hips IR / ER (isometric, concentric)

⇒ (R) knee

- PF mobilization
- Unloading MWM for (R) knee flexion & IR tibia
- Quads & hamstring sets
- SLR short arc
- Terminal knee extension from OKC then CKC
- Isometric angular knee strengthening exs at 0° ext & 90° flex (?)
- Proximal control exs, short lever
- Proprioceptive exs
- Stretch (?) in full extension
- Leg press (?) exs
- Home exs

اللي فهمته من الورق كله

1. **ترتيب ثابت لكل جلسة:** Examination ← أجهزة (Russian + 2-pole لمدة 20 دقيقة، لازر 15 دقيقة، كريو/تلج 5–15 دقيقة) ← تأهيل متقسم حسب المنطقة بعلامة «⇒» ← وفي الآخر دايمًا Home exs.
2. **القطنية والـ core مع أي حالة في الرجل:** TrA و multifidus و glute max، و clamshell، و rhythmic stabilization، و trunk motor control من supine و quadruped.
3. **تدرّج واضح:** من isometric لـ concentric، ومن OKC لـ CKC، ومن MWM unloading لـ loading، ومن short lever لـ long lever، ومن auto-passive لـ isometric لـ gradual loading.
4. **الممنوعات مكتوبة بين أقواس:** زي «No resisted exs or manual exs» بعد الجراحة.
5. **البرنامج بيتكرر:** ورقة 8 فيها تاريخين و«As previous»، يعني نفس البرنامج في الجلسة الجاية.
6. **الحالات اللي في الورق:** رسغ (TFCC، بعد إصلاح، بعد ترقيع)، صوابع، رقبة (منها radiculopathy)، قطنية، ركبة، وحوض من قدام.

في العيادة بس

- كل الأجهزة: Russian، 2-pole، Dipole، لازر، كريو، Phonophoresis.
- التقنيات اليدوية: SNAG، NAGs، MWM، MET، mobilization، traction، release، lymphatic drainage، scar mobilization.
- الأجهزة الرياضية: abd/add machine، leg press، leg extension.

ينفع في البرنامج المنزلي (الأبلكيشن)

- Quads & hamstring sets، SLR short arc، terminal knee extension، clamshell.
- TrA activation، rhythmic stabilization، trunk motor control، knee to chest، prone extension to neutral.
- Deep neck flexors، scapular exs، stretching.
- Hand grip، auto-passive ROM للرسغ والصوابع، isometric wrist، PF/DF بالـ theraband، proprioception.

الخطوة الجاية المقترحة: نعمل من الورق ده مكتبة تمارين منزلية لكل منطقة (رقبة، قطنية، ركبة، حوض، رسغ ويد)، مع قوالب جاهزة بنفس تدرّج العيادة، والممنوعات بالأحمر.