

Building the project




SEARCH



README.md

Jenkinsfile x



> Search


Aa .ab *



Jenkinsfile

```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Hello') {
6       steps {
7         echo 'Hello World'
8       }
9     }
10  }
11 }
```





README.md

Jenkinsfile

Jenkinsfile

```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Hello') {
6       steps {
7         echo 'Hello World'
8       }
9     }
10  }
11 }
```

learn-jenkins-app [Codespaces: jubilant robot]

EXPLOLERER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

.devcontainer

e2e

node_modules

public

src

tests-examples

.gitignore

Jenkinsfile

package-lock.json

package.json

playwright.config.js

README.md

OUTLINE

TIMELINE

README.md

Jenkinsfile

README.md > # Learn Jenkins App > ## Available Scripts

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

Learn Jenkins App

This project was bootstrapped with [Create React App](https://github.com/facebook/create-react-app).

Available Scripts

In the project directory, you can run:

`npm start`

Runs the app in the development mode.

Open http://localhost:3000 to view it in your browser.

The page will reload when you make changes.

You may also see any lint errors in the console.

`npm test`

Launches the test runner in the interactive watch mode.

See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

`npm run build`

Builds the app for production to the `build` folder.

It correctly bundles React in production mode and optimizes the build for the best performance.

The build is minified and the filenames include the hashes.

Your app is ready to be deployed!


See the section about [deployment](https://facebook.github.io/create-react-app/docs/deployment) for more information.

`npm run eject`

Note: this is a one-way operation. Once you `eject`, you can't go back!

If you aren't satisfied with the build tool and configuration choices, you can `eject` at any time. This command will remove the single build dependency from your project.

Udemy



[README.md](#)
[Jenkinsfile](#)


📄 README.md > 📁 # Learn Jenkins App > 📁 ## Available Scripts > 📁 ### `npm run build`

```

5  ## Available Scripts
6
7  In the project directory, you can run:
8
9  ### `npm start`
10
11  Runs the app in the development mode.\
12  Open [http://localhost:3000](http://localhost:3000) to view it in your browser.
13
14  The page will reload when you make changes.\
15  You may also see any lint errors in the console.
16
17  ### `npm test`
18
19  Launches the test runner in the interactive watch mode.\
20  See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more
  information.
21
22  ### `npm run build`
23  💡
24  Builds the app for production to the `build` folder.\
25  It correctly bundles React in production mode and optimizes the build for the best performance.
26
27  The build is minified and the filenames include the hashes.\
28  Your app is ready to be deployed!
29
30  See the section about [deployment](https://facebook.github.io/create-react-app/docs/deployment) for more information.
31
32  ### `npm run eject`
33
34  **Note: this is a one-way operation. Once you `eject`, you can't go back!**
35
36  If you aren't satisfied with the build tool and configuration choices, you can `eject` at any time. This command will
  remove the single build dependency from your project.
37
38  Instead, it will copy all the configuration files and the transitive dependencies (webpack, Babel, ESLint, etc) right
  into your project so you have full control over them. All of the commands except `eject` will still work, but they will
  point to the copied scripts so you can tweak them. At this point you're on your own.
39

```

> TIMELINE



 README.md
 Jenkinsfile


📄 README.md > 📁 # Learn Jenkins App > 📁 ## Available Scripts > 📁 ### `npm run build`


```

5  ## Available Scripts
6
7  In the project directory, you can run:
8
9  ### `npm start`
10
11  Runs the app in the development mode.\
12  Open [http://localhost:3000](http://localhost:3000) to view it in your browser.
13
14  The page will reload when you make changes.\
15  You may also see any lint errors in the console.
16
17  ### `npm test`
18
19  Launches the test runner in the interactive watch mode.\
20  See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more
  information.
21  💡
22  ### `npm run build`
23
24  Builds the app for production to the `build` folder.\
25  It correctly bundles React in production mode and optimizes the build for the best performance.
26
27  The build is minified and the filenames include the hashes.\
28  Your app is ready to be deployed!
29
30  See the section about [deployment](https://facebook.github.io/create-react-app/docs/deployment) for more information.
31
32  ### `npm run eject`
33
34  **Note: this is a one-way operation. Once you `eject`, you can't go back!**
35
36  If you aren't satisfied with the build tool and configuration choices, you can `eject` at any time. This command will
  remove the single build dependency from your project.
37
38  Instead, it will copy all the configuration files and the transitive dependencies (webpack, Babel, ESLint, etc) right
  into your project so you have full control over them. All of the commands except `eject` will still work, but they will
  point to the copied scripts so you can tweak them. At this point you're on your own.
39

```

> TIMELINE





README.md

Jenkinsfile

README.md > # Learn Jenkins App > ## Available Scripts > ### `npm run build`

Available Scripts

In the project directory, you can run:

`npm start`

Runs the app in the development mode.

Open <http://localhost:3000> to view it in your browser.

The page will reload when you make changes.

You may also see any lint errors in the console.

`npm test`

Launches the test runner in the interactive watch mode.

See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

`npm run build`

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$



15 You may also see any lint errors in the console.

16

17 **### `npm test`**

18

19 Launches the test runner in the interactive watch mode.\

20 See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

21 

22 **### `npm run build`**

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

 bash + ▾

○ @vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$ npm run build

15 You may also see any lint errors in the console.

16

17 **### `npm test`**

18

19 Launches the test runner in the interactive watch mode.\

20 See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

21 

22 **### `npm run build`**

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

npm + -

○ @vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$ npm run build

> learn-jenkins-app@0.1.0 build

> react-scripts build

Creating an optimized production build...

One of your dependencies, babel-preset-react-app, is importing the "@babel/plugin-proposal-private-property-in-object" package without declaring it in its dependencies. This is currently working because "@babel/plugin-proposal-private-property-in-object" is already in your node_modules folder for unrelated reasons, but it **may break at any time.**

babel-preset-react-app is part of the create-react-app project, which **is not maintained anymore.** It is thus unlikely that this bug will ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to your devDependencies to work around this error. This will make this message go away.

15 You may also see any lint errors in the console.

16

17 `### `npm test``

18

19 Launches the test runner in the interactive watch mode.\

20 See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

21 

22 `### `npm run build``

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

 bash + ▾

babel-preset-react-app is part of the create-react-app project, which is not maintained anymore. It is thus unlikely that this bug will ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to your devDependencies to work around this error. This will make this message go away.

Compiled successfully.



File sizes after gzip:

46.61 kB	build/static/js/main.c64ec5d3.js
1.79 kB	build/static/js/787.a1dc0f1b.chunk.js
540 B	build/static/css/main.fd921077.css

The project was built assuming it is hosted at /.
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.
You may serve it with a static server:

```
npm install -g serve
```


15 You may also see any lint errors in the console.

16

17 **### `npm test`**

18

19 Launches the test runner in the interactive watch mode.\

20 See the section about [running tests](https://facebook.github.io/create-react-app/docs/running-tests) for more information.

21 

22 **### `npm run build`**

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

bash + ▾

is not maintained anymore. It is thus unlikely that this bug will ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to your devDependencies to work around this error. This will make this message go away.

Compiled successfully.

File sizes after gzip:

46.61 kB	build/static/js/main.c64ec5d3.js
1.79 kB	build/static/js/787.a1dc0f1b.chunk.js
540 B	build/static/css/main.fd921077.css

The project was built assuming it is hosted at /.
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.
You may serve it with a static server:

```
npm install -g serve
serve -s build
```



EXPLORER



LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

- > .devcontainer
- > build
- > e2e
- > node_modules
- > public
- > src
- > tests-examples
- ◆ .gitignore
- 👤 Jenkinsfile
- { } package-lock.json
- { } package.json
- JS playwright.config.js
- 📘 README.md

📘 README.md ×

👤 Jenkinsfile

📘 README.md > [abc] # Learn Jenkins App > [abc] ## Available Scripts > [abc]

```
5  ## Available Scripts
6
7  In the project directory, you can run:
8
9  ### `npm start`
10
11  Runs the app in the development mode.\
12  Open \[http://localhost:3000\] (http://localhost:3000) to
13
14  The page will reload when you make changes.\
15  You may also see any lint errors in the console.
16
17  ### `npm test`
18
19  Launches the test runner in the interactive watch mode.\
20  See the section about \[running tests\] (https://facebook.github.io/jest/docs/en/running-tests.html) for
21  information.
22  💡
23  ### `npm run build`
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

CONSOLE



EXPLORER



LEARN-JENKINS-APP [CODES...]



> .devcontainer

build

> static

{ } asset-manifest.json

★ favicon.ico

<> index.html

🖼️ logo192.png

🖼️ logo512.png

{ } manifest.json

≡ robots.txt

> e2e

> node_modules

> public

> src

> tests-examples

📄 .gitignore

👤 Jenkinsfile

{ } package-lock.json



i README.md ×

👤 Jenkinsfile

i README.md > # Learn Jenkins App > ## Available Scripts >

Available Scripts

In the project directory, you can run:

`npm start`

Runs the app in the development mode.

Open [\[http://localhost:3000\]](http://localhost:3000) (<http://localhost:3000>) to

The page will reload when you make changes.

You may also see any lint errors in the console.

`npm test`

Launches the test runner in the interactive watch mode.

See the section about [\[running tests\]](https://facebook.github.io/jest/docs/en/running-tests.html) (<https://facebook.github.io/jest/docs/en/running-tests.html>) for more information.

`npm run build`

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

CON

Jenkinsfile

```
1 pipeline {  
2     agent any  
3  
4     stages {  
5         stage('Hello') {  
6             steps {  
7                 echo 'Hello World'  
8             }  
9         }  
10    }  
11 }
```


 Jenkinsfile

```
1 pipeline {  
2     agent any  
3  
4     stages {  
5         stage('Build') {  
6             steps {  
7                 echo 'Hello World'  
8             }  
9         }  
10    }  
11 }
```

Jenkinsfile

```
1 pipeline {
2     agent any
3
4     stages {
5         stage('Build') {
6             agent {
7                 do
8             }
9             steps {
10                 echo 'Hello World'
11             }
12         }
13     }
14 }
```



doc

Doc Block

Jenkinsfile

```
1 pipeline {  
2     agent any  
3  
4     stages {  
5         stage('Build') {  
6             agent {  
7                 docker {  
8  
9                 }  
10            }  
11            steps {  
12                echo 'Hello World'  
13            }  
14        }  
15    }  
16 }
```

Jenkinsfile

```
1 pipeline {
2     agent any
3
4     stages {
5         stage('Build') {
6             agent {
7                 docker {
8                     image 'node:18-alpine'
9                     reuseNode true
10                }
11            }
12            steps {
13                echo 'Hello World'
14            }
15        }
16    }
17 }
```


Jenkinsfile


```
1 pipeline {
2     agent any
3
4     stages {
5         stage('Build') {
6             agent {
7                 docker {
8                     image 'node:18-alpine'
9                     reuseNode true
10                }
11            }
12            steps {
13                sh '''
14
15                '''
16            }
17        }
18    }
19 }
```

Jenkinsfile

```
1 pipeline {
2     agent any
3
4     stages {
5         stage('Build') {
6             agent {
7                 docker {
8                     image 'node:18-alpine'
9                     reuseNode true
10                }
11            }
12            steps {
13                sh '''
14                    ls -la
15                    node --version
16                '''
17            }
18        }
19    }
```

Jenkinsfile

```
5  .... stage('Build') {  
6  ....     agent {  
7  ....         docker {  
8  ....             image 'node:18-alpine'  
9  ....             reuseNode true  
10 ....         }  
11 ....     }  
12 ....     steps {  
13 ....         sh '''  
14 ....             ls -la  
15 ....             node --version  
16 ....             npm --version  
17 ....         '''  
18 ....     }  
19 .... }  
20 .... }  
21 .... }  
22 }
```



EXPLORER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

- > .devcontainer
- > build
- > e2e
- > node_modules
- > public
- > src
- > tests-examples
- ◆ .gitignore
- 🔥 Jenkinsfile M
- { } package-lock.json
- { } package.json
- JS playwright.config.js
- 📘 README.md

README.md

Jenkinsfile M X

Jenkinsfile

```
5 stage('Build') {
6   agent {
7     docker {
8       image 'node:18-alpine'
9       reuseNode true
10    }
11  }
12  steps {
13    sh '''
14      ls -la
15      node --version
16      npm --version
17    '''
18  }
19 }
20
21
22 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

bash + ▾ □ 🗑️ ⋮ ^ ✕

is not maintained anymore. It is thus unlikely that this bug will ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to your devDependencies to work around this error. This will make this message go away.

Compiled successfully.

File sizes after gzip:

46.61 kB	build/static/js/main.c64ec5d3.js
1.79 kB	build/static/js/787.a1dc0f1b.chunk.js
540 B	build/static/css/main.fd921077.css

The project was built assuming it is hosted at /.
You can control this with the homepage field in your package.json.

The build folder is ready to be deployed.
You may serve it with a static server:

```
npm install -g serve
serve -s build
```

> OUTLINE

> TIMELINE

Jenkinsfile

```
5  .... stage('Build') {
6      .... agent {
7          .... docker {
8              .... image 'node:18-alpine'
9              .... reuseNode true
10         }
11     }
12     steps {
13         sh '''
14             ls -la
15             node --version
16             npm --version
17             npm ci
18             npm run build
19         '''
20     }
21 }
22 }
23 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS

Jenkinsfile

```
5 stage('Build') {
6     agent {
7         docker {
8             image 'node:18-alpine'
9             reuseNode true
10        }
11    }
12    steps {
13        sh '''
14            ls -la
15            node --version
16            npm --version
17            npm ci
18            npm run build
19            ls -la
20        '''
21    }
22 }
23 }
```

PROBLEMS


OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS





- Status
- Changes Build scheduled
- Build
- Configure
- Delete Pipeline
- Full Stage View
- Rename
- Pipeline Syntax

Build History trend

Filter builds...

#1

Oct 21, 2023, 12:42 PM


Atom feed for all Atom feed for failures

Pipeline learn-jenkins-app

Add description

Disable Project

Stage View



Permalinks

- Last build (#1), 1 hr 41 min ago
- Last stable build (#1), 1 hr 41 min ago
- Last successful build (#1), 1 hr 41 min ago
- Last completed build (#1), 1 hr 41 min ago



- Status
- Changes
- Build Now
- Configure
- Delete Pipeline
- Full Stage View
- Rename
- Pipeline Syntax

Build History trend

Filter builds...

#2

Oct 21, 2023, 2:31 PM

#1

Oct 21, 2023, 2:42 PM

Atom feed for all


Atom feed for failures

Pipeline learn-jenkins-app

Add description

Disable Project

Stage View



Permalinks

- Last build (#1), 1 hr 41 min ago
- Last stable build (#1), 1 hr 41 min ago
- Last successful build (#1), 1 hr 41 min ago
- Last completed build (#1), 1 hr 41 min ago


```
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins seems to be running inside container efae14eeb4fe522144b74bffeae8a91c16267a8abb67b9bbf056eb140e7d5d42
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:/var/jenkins_home
/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/workspace/learn-jenkins-app@tmp:rw,z -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13 -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ ls -la
total 740
drwxr-xr-x    8 node    node    4096 Oct 21 14:31 .
drwxr-xr-x    4 root    root    4096 Oct 21 14:31 ..
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 .devcontainer
drwxr-xr-x    8 node    node    4096 Oct 21 14:31 .git
-rw-r--r--    1 node    node    365 Oct 21 12:42 .gitignore
-rw-r--r--    1 node    node    497 Oct 21 14:31 Jenkinsfile
-rw-r--r--    1 node    node    3339 Oct 21 12:42 README.md
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 e2e
-rw-r--r--    1 node    node    701184 Oct 21 12:42 package-lock.json
-rw-r--r--    1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--    1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 tests-examples
+ node --version
v18.18.2
+ npm --version
9.8.1
+ npm ci
```



```
> git --version # 'git version 2.39.2'
> git fetch --tags --force --progress -- https://github.com/vdespa-jenkins/learn-jenkins-app.git +refs/heads/*:refs/remotes/or
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 6332419810de6ca854e4383c8c56487de5cfcb70 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 6332419810de6ca854e4383c8c56487de5cfcb70 # timeout=10
Commit message: "Add build stage"
> git rev-list --no-walk c5a5169652cbad1319723cecd21f4a630faa4cb # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] getContext
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . node:18-alpine
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins seems to be running inside container efae14eeb4fe522144b74bffeae8a91c16267a8abb67b9bbf056eb140e7d5d42
```

```
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] getContext
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . node:18-alpine
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins seems to be running inside container efae14eeb4fe522144b74bffeae8a91c16267a8abb67b9bbf056eb140e7d5d42
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-a
/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/workspace/learn-jenkins
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13 -eo pid,comm
[Pipeline] {
[Pipeline] sh
```



```
[Pipeline] withDockerContainer
```

```
Jenkins seems to be running inside container efae14eeb4fe522144b74bffeae8a91c16267a8abb67b9bbf056eb140e7d5d42
```

```
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
```

```
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
```

```
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:/var/jenkins_home
```

```
/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/workspace/learn-jenkins-app@tmp:rw,z -e ***** -e
```

```
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
```

```
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
```

```
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
```

```
$ docker top 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13 -eo pid,comm
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
+ ls -la
```

```
total 740
```

```
drwxr-xr-x  8 node   node   4096 Oct 21 14:31 .
```

```
drwxr-xr-x  4 root   root   4096 Oct 21 14:31 ..
```

```
drwxr-xr-x  2 node   node   4096 Oct 21 12:42 .devcontainer
```

```
drwxr-xr-x  8 node   node   4096 Oct 21 14:31 .git
```

```
-rw-r--r--  1 node   node    365 Oct 21 12:42 .gitignore
```

```
-rw-r--r--  1 node   node    497 Oct 21 14:31 Jenkinsfile
```

```
-rw-r--r--  1 node   node   3339 Oct 21 12:42 README.md
```

```
drwxr-xr-x  2 node   node   4096 Oct 21 12:42 e2e
```

```
-rw-r--r--  1 node   node  701184 Oct 21 12:42 package-lock.js
```

```
-rw-r--r--  1 node   node   1304 Oct 21 12:42 package.json
```

```
-rw-r--r--  1 node   node   1974 Oct 21 12:42 playwright.config.js
```

```
drwxr-xr-x  2 node   node   4096 Oct 21 12:42 public
```

```
drwxr-xr-x  2 node   node   4096 Oct 21 12:42 src
```

```
drwxr-xr-x  2 node   node   4096 Oct 21 12:42 tests-examples
```

```
+ node --version
```

```
v18.18.2
```

```
+ npm --version
```

```
9.8.1
```

```
+ npm ci
```

```
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
```

```
npm WARN deprecated workbox-cacheable-response@6.6.0: workbox-background-sync@6.6.0
```

```
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See the compatibility table on MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\_Objects/Array/sort#browser\_compatibility
```

```
npm WARN deprecated sourcemap-codec@1.4.8: Please use @jridgewell/sourcemap-codec instead
```

```
npm WARN deprecated rollup-plugin-terser@7.0.2: This package has been deprecated and is no longer maintained. Please use @rollup/plugin-terser
```

```
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.
```

```
npm WARN deprecated @babel/plugin-proposal-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and thus this plugin is no longer needed. Please use @babel/plugin-transform-optional-chaining instead.
```

```

drwxr-xr-x    4 root    root          4096 Oct 21 14:31 ..
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 .devcontainer
drwxr-xr-x    8 node    node          4096 Oct 21 14:31 .git
-rw-r--r--    1 node    node           365 Oct 21 12:42 .gitignore
-rw-r--r--    1 node    node           497 Oct 21 14:31 Jenkinsfile
-rw-r--r--    1 node    node          3339 Oct 21 12:42 README.md
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 e2e
-rw-r--r--    1 node    node       701184 Oct 21 12:42 package-lock.json
-rw-r--r--    1 node    node          1304 Oct 21 12:42 package.json
-rw-r--r--    1 node    node          1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 public
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 src
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 tests-examples

```

```
+ node --version
```

```
v18.18.2
```

```
+ npm --version
```

```
9.8.1
```

```
+ npm ci
```

```
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
```

```
npm WARN deprecated workbox-cacheable-response@6.6.0: workbox-background-sync@6.6.0
```

```
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See t
MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\_Objects/Array/sort#browser\_compatibility
```

```
npm WARN deprecated sourcemap-codec@1.4.8: Please use @jridgewell/sourcemap-codec instead
```

```
npm WARN deprecated rollup-plugin-terser@7.0.2: This package has been deprecated and is no longer maintained. Please use @rollup/p
```

```
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.
```

```
npm WARN deprecated @babel/plugin-proposal-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-optional-chaining instead.
```

```
npm WARN deprecated @babel/plugin-proposal-numeric-separator@7.18.6: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-numeric-separator instead.
```



```

drwxr-xr-x    4 root    root          4096 Oct 21 14:31 ..
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 .devcontainer
drwxr-xr-x    8 node    node          4096 Oct 21 14:31 .git
-rw-r--r--    1 node    node           365 Oct 21 12:42 .gitignore
-rw-r--r--    1 node    node           497 Oct 21 14:31 Jenkinsfile
-rw-r--r--    1 node    node          3339 Oct 21 12:42 README.md
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 e2e
-rw-r--r--    1 node    node       701184 Oct 21 12:42 package-lock.json
-rw-r--r--    1 node    node          1304 Oct 21 12:42 package.json
-rw-r--r--    1 node    node          1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 public
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 src
drwxr-xr-x    2 node    node          4096 Oct 21 12:42 tests-examples

```

```
+ node --version
```

```
v18.18.2
```

```
+ npm --version
```

```
9.8.1
```

```
+ npm ci
```

```
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
```

```
npm WARN deprecated workbox-cacheable-response@6.6.0: workbox-background-sync@6.6.0
```

```
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See t
MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\_Objects/Array/sort#browser\_compatibility
```

```
npm WARN deprecated sourcemap-codec@1.4.8: Please use @jridgewell/sourcemap-codec instead
```

```
npm WARN deprecated rollup-plugin-terser@7.0.2: This package has been deprecated and is no longer maintained. Please use @rollup/p
```

```
npm WARN deprecated svgo@1.3.2: This SVGO version is no longer supported. Upgrade to v2.x.x.
```

```
npm WARN deprecated @babel/plugin-proposal-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-optional-chaining instead.
```

```
npm WARN deprecated @babel/plugin-proposal-numeric-separator@7.18.6: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-numeric-separator instead.
```

```
-rw-r--r--    1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--    1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x    2 node    node    4096 Oct 21 12:42 tests-examples
```

```
+ node --version
```

```
v18.18.2
```

```
+ npm --version
```

```
9.8.1
```

```
+ npm ci
```

```
npm WARN deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performance.timeOrigin.
```

```
npm WARN deprecated workbox-cacheable-response@6.6.0: workbox-background-sync@6.6.0
```

```
npm WARN deprecated stable@0.1.8: Modern JS already guarantees Array#sort() is a stable sort, so this library is deprecated. See t
MDN: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global\_Objects/Array/sort#browser\_compatibility
```

```
npm WARN deprecated sourcemap-codec@1.4.8: Please use @jridgewell/sourcemap-codec instead
```

```
npm WARN deprecated rollup-plugin-terser@7.0.2: This package has been deprecated and is no longer maintained. Please use @rollup/p
```

```
npm WARN deprecated svgo@1.3.2: This SVG0 version is no longer supported. Upgrade to v2.x.x.
```

```
npm WARN deprecated @babel/plugin-proposal-optional-chaining@7.21.0: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-optional-chaining instead.
```

```
npm WARN deprecated @babel/plugin-proposal-numeric-separator@7.18.6: This proposal has been merged to the ECMAScript standard and
longer maintained. Please use @babel/plugin-transform-numeric-separator instead.
```

```
npm WARN deprecated @babel/plugin-proposal-nullish-coalescing-operator@7.18.6: This proposal has been merged to the ECMAScript sta
is no longer maintained. Please use @babel/plugin-transform-nullish-coalescing-operator instead.
```

```
npm WARN deprecated @babel/plugin-proposal-class-properties@7.18.6: This proposal has been merged to the ECMAScript standard and t
longer maintained. Please use @babel/plugin-transform-class-properties instead.
```

```
npm WARN deprecated @babel/plugin-proposal-private-methods@7.18.6: This proposal has been merged to the ECMAScript standard and th
longer maintained. Please use @babel/plugin-transform-private-methods instead.
```


npm WARN deprecated @babel/plugin-proposal-class-properties@7.18.6: This proposal has been merged to the ECMAScript standard and is no longer maintained. Please use @babel/plugin-transform-class-properties instead.

npm WARN deprecated @babel/plugin-proposal-private-methods@7.18.6: This proposal has been merged to the ECMAScript standard and is no longer maintained. Please use @babel/plugin-transform-private-methods instead.

added 1530 packages, and audited 1531 packages in 43s

246 packages are looking for funding

run `npm fund` for details

8 vulnerabilities (2 moderate, 6 high)

To address all issues (including breaking changes), run:

npm audit fix --force

Run `npm audit` for details.

+ npm run build

> learn-jenkins-app@0.1.0 build

> react-scripts build

Creating an optimized production build...

[0;33mOne of your dependencies, babel-preset-react-app, is importing the

"@babel/plugin-proposal-private-property-in-object" package without

declaring it in its dependencies. This is currently working because

"@babel/plugin-proposal-private-property-in-object" is already in your

node_modules folder for unrelated reasons, but it [1mmay break at any time[0;33m.

[0;33mOne of your dependencies, babel-preset-react-app, is importing the "@babel/plugin-proposal-private-property-in-object" package without declaring it in its dependencies. This is currently working because "@babel/plugin-proposal-private-property-in-object" is already in your node_modules folder for unrelated reasons, but it [1mmay break at any time[0;33m.

babel-preset-react-app is part of the create-react-app project, [1mwhich is not maintained anymore[0;33m. It is thus unlikely that this bug will ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to your devDependencies to work around this error. This will make this message go away.[0m

Compiled successfully.

File sizes after gzip:

46.61 kB	build/static/js/main.c64ec5d3.js
1.79 kB	build/static/js/787.a1dc0f1b.chunk.js
540 B	build/static/css/main.fd921077.css

The project was built assuming it is hosted at /.
You can control this with the homepage field in your package.json.



The build folder is ready to be deployed.

You may serve it with a static server:

```
npm install -g serve
serve -s build
```


You may serve it with a static server:

```
npm install -g serve
serve -s build
```

Find out more about deployment here:

<https://cra.link/deployment>

```
+ ls -la
total 784
drwxr-xr-x  10 node    node    4096 Oct 21 14:32 .
drwxr-xr-x   4 root    root    4096 Oct 21 14:31 ..
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 .devcontainer
drwxr-xr-x   8 node    node    4096 Oct 21 14:31 .git
-rw-r--r--   1 node    node     365 Oct 21 12:42 .gitignore
-rw-r--r--   1 node    node     497 Oct 21 14:31 Jenkinsfile
-rw-r--r--   1 node    node    3339 Oct 21 12:42 README.md
drwxr-xr-x   3 node    node    4096 Oct 21 14:32 build
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 e2e
drwxr-xr-x 855 node    node   36864 Oct 21 14:32 node_modules
-rw-r--r--   1 node    node  701184 Oct 21 12:42 package-lock.json
-rw-r--r--   1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--   1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 tests-examples
[Pipeline] }
```

```
serve -s build
```

Find out more about deployment here:

<https://cra.link/deployment>

```
+ ls -la
```

```
total 784
```

```
drwxr-xr-x  10 node    node    4096 Oct 21 14:32 .
drwxr-xr-x   4 root    root    4096 Oct 21 14:31 ..
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 .devcontainer
drwxr-xr-x   8 node    node    4096 Oct 21 14:31 .git
-rw-r--r--   1 node    node     365 Oct 21 12:42 .gitignore
-rw-r--r--   1 node    node     497 Oct 21 14:31 Jenkinsfile
-rw-r--r--   1 node    node    3339 Oct 21 12:42 README.md
drwxr-xr-x   3 node    node    4096 Oct 21 14:32 build
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 e2e
drwxr-xr-x 855 node    node   36864 Oct 21 14:32 node_modules
-rw-r--r--   1 node    node  701184 Oct 21 12:42 package-lock.json
-rw-r--r--   1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--   1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 tests-examples
```

```
[Pipeline] }
```

```
$ docker stop --time=1 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
$ docker rm -f --volumes 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
[Pipeline] // withDockerContainer
```

```
serve -s build
```

Find out more about deployment here:

<https://cra.link/deployment>

```
+ ls -la
```

```
total 784
```

```
drwxr-xr-x  10 node    node    4096 Oct 21 14:32 .
drwxr-xr-x   4 root    root    4096 Oct 21 14:31 ..
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 .devcontainer
drwxr-xr-x   8 node    node    4096 Oct 21 14:31 .git
-rw-r--r--   1 node    node     365 Oct 21 12:42 .gitignore
-rw-r--r--   1 node    node     497 Oct 21 14:31 Jenkinsfile
-rw-r--r--   1 node    node    3339 Oct 21 12:42 README.md
drwxr-xr-x   3 node    node    4096 Oct 21 14:32 build
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 e2e
drwxr-xr-x 855 node    node   36864 Oct 21 14:32 node_modules
-rw-r--r--   1 node    node  701184 Oct 21 12:42 package-lock.json
-rw-r--r--   1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--   1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 tests-examples
```



```
[Pipeline] }
```

```
$ docker stop --time=1 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
$ docker rm -f --volumes 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
[Pipeline] // withDockerContainer
```

```
[Pipeline] }
```

```
serve -s build
```

Find out more about deployment here:

<https://cra.link/deployment>

```
+ ls -la
```

```
total 784
```

```
drwxr-xr-x  10 node    node    4096 Oct 21 14:32 .
drwxr-xr-x   4 root    root    4096 Oct 21 14:31 ..
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 .devcontainer
drwxr-xr-x   8 node    node    4096 Oct 21 14:31 .git
-rw-r--r--   1 node    node     365 Oct 21 12:42 .gitignore
-rw-r--r--   1 node    node     497 Oct 21 14:31 Jenkinsfile
-rw-r--r--   1 node    node    3339 Oct 21 12:42 README.md
drwxr-xr-x   3 node    node    4096 Oct 21 14:32 build ←
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 e2e
drwxr-xr-x 855 node    node   36864 Oct 21 14:32 node_modules ←
-rw-r--r--   1 node    node  701184 Oct 21 12:42 package-lock.json
-rw-r--r--   1 node    node    1304 Oct 21 12:42 package.json
-rw-r--r--   1 node    node    1974 Oct 21 12:42 playwright.config.js
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 public
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 src
drwxr-xr-x   2 node    node    4096 Oct 21 12:42 tests-examples
```

```
[Pipeline] }
```

```
$ docker stop --time=1 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
$ docker rm -f --volumes 78680b5da81ec9ebca8bc2da81023aa018fbc4604d989a96cf42d91f97a35a13
```

```
[Pipeline] // withDockerContainer
```

```
[Pipeline] }
```




- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#2'
- Git Build Data
- Restart from Stage
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

Workspaces for learn-jenkins-app #2

- [/var/jenkins_home/workspace/learn-jenkins-app](#) on built-in



- ↑ Up
- 🔍 Status
- 📄 Console Output
- 📁 Workspace**

Workspace

/ →

📁 .devcontainer			
📁 .git			
📁 build			
📁 e2e			
📁 node_modules			
📁 public			
📁 src			
📁 tests-examples			
📄 .gitignore	Oct 21, 2023, 12:42:49 PM	365 B	👁
📄 Jenkinsfile	Oct 21, 2023, 2:31:36 PM	497 B	👁
📄 package.json	Oct 21, 2023, 12:42:49 PM	1.27 KB	👁
📄 package-lock.json	Oct 21, 2023, 12:42:49 PM	684.75 KB	👁
📄 playwright.config.js	Oct 21, 2023, 12:42:49 PM	1.93 KB	👁
📄 README.md	Oct 21, 2023, 12:42:49 PM	3.26 KB	👁

📄 (all files in zip)

- ↑ Up
- 🔍 Status
- 📄 Console Output
- 📁 Workspace**

Workspace

/

→

📁	.devcontainer			
📁	.git			
📁	build			
📁	ex			
📁	node_modules			
📁	public			
📁	src			
📁	tests-examples			
📄	.gitignore	Oct 21, 2023, 12:42:49 PM	365 B	👁
📄	Jenkinsfile	Oct 21, 2023, 2:31:36 PM	497 B	👁
📄	package.json	Oct 21, 2023, 12:42:49 PM	1.27 KB	👁
📄	package-lock.json	Oct 21, 2023, 12:42:49 PM	684.75 KB	👁
📄	playwright.config.js	Oct 21, 2023, 12:42:49 PM	1.93 KB	👁
📄	README.md	Oct 21, 2023, 12:42:49 PM	3.26 KB	👁

📄 (all files in zip)

- ↑ Up
- 🔍 Status
- 📄 Console Output
- 📁 Workspace**

Workspace

/

→

📁 .devcontainer			
📁 .git			
📁 build			
📁 e2e			
📁 node_modules			
📁 public			
📁 src			
📁 tests-examples			
📄 .gitignore	Oct 21, 2023, 12:42:49 PM	365 B	👁
📄 Jenkinsfile	Oct 21, 2023, 2:31:36 PM	497 B	👁
📄 package.json	Oct 21, 2023, 12:42:49 PM	1.27 KB	👁
📄 package-lock.json	Oct 21, 2023, 12:42:49 PM	684.75 KB	👁
📄 playwright.config.js	Oct 21, 2023, 12:42:49 PM	1.93 KB	👁
📄 README.md	Oct 21, 2023, 12:42:49 PM	3.26 KB	👁

📄 (all files in zip)