

Assignment solution



← →

learn-jenkins-app [Codespaces: jubilant robot]

🔍

📁

EXPLORER

...

📁

LEARN-JENKINS-APP [CODESPACES: JUBILANT...

📄

.devcontainer

📄

build

📄

static

📄

asset-manifest.json

📄

favicon.ico

📄

index.html

📄

logo192.png

📄

logo512.png

📄

manifest.json

📄

robots.txt

📄

e2e

📄

node_modules

📄

public

📄

src

📄

tests-examples

📄

.gitignore

📄

Jenkinsfile

📄

package-lock.json

📄

package.json

📄

playwright.config.js

📄

README.md

Jenkinsfile

Jenkinsfile

1 pipeline {

2 agent any

3

4 stages {

5 stage('Build') {

6 agent {

7 docker {

8 image 'node:18-alpine'

9 reuseNode true

10 }

11 }

12 steps {

13 sh '''

14 ls -la

15 node --version

16 npm --version

17 npm ci

18 npm run build

19 ls -la

20 '''

21 }

22 }

23 }

24 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS

bash

+

⌵

🗑

...

^

×

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

👤

⚙

OUTLINE

TIMELINE

Udemy

learn-jenkins-app [Codespaces: jubilant robot]

EXPLOLERER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

.devcontainer

build

static

asset-manifest.json

★ favicon.ico

<> index.html

logo192.png

logo512.png

manifest.json

≡ robots.txt

e2e

node_modules

public

src

tests-examples

.gitignore

Jenkinsfile

package-lock.json

package.json

JS playwright.config.js

README.md

OUTLINE

TIMELINE

Jenkinsfile M

Jenkinsfile

5

.....

stage('Build') {

6

.....

agent {

7

.....

docker {

8

.....

image 'node:18-alpine'

9

.....

reuseNode true

10

.....

}

11

.....

}

12

.....

steps {

13

.....

sh '''

14

.....

ls -la

15

.....

node --version

16

.....

npm --version

17

.....

npm ci

18

.....

npm run build

19

.....

ls -la

20

.....

'''

21

.....

}

22

.....

}

23

.....

stage('Test') {

24

.....

steps {

25

.....

el

26

.....

}

27

.....

}

28

.....

}

29

.....

}

30

.....

}

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS

bash

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

Udemy

← →

learn-jenkins-app [Codespaces: jubilant robot]

🔍 📄 📁

EXPLOLERER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

.devcontainer

build

static

asset-manifest.json

★ favicon.ico

<> index.html

logo192.png

logo512.png

manifest.json

≡ robots.txt

e2e

node_modules

public

src

tests-examples

.gitignore

Jenkinsfile

package-lock.json

package.json

JS playwright.config.js

📘 README.md

OUTLINE

TIMELINE

Jenkinsfile M

Jenkinsfile

5

.....

stage('Build') {

6

.....

agent {

7

.....

docker {

8

.....

image 'node:18-alpine'

9

.....

reuseNode true

10

.....

}

11

.....

}

12

.....

steps {

13

.....

sh '''

14

.....

ls -la

15

.....

node --version

16

.....

npm --version

17

.....

npm ci

18

.....

npm run build

19

.....

ls -la

20

.....

'''

21

.....

}

22

.....

}

23

.....

stage('Test') {

24

.....

steps {

25

.....

echo 'Test stage'

26

.....

}

27

.....

}

28

.....

}

29

.....

}

30

.....

}

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS

bash + ▾ 📄 🗑️ ... ^ ✕

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

👤

⚙️

Udemy

[Status](#)[Changes](#)[Build Now](#)[Configure](#)[Delete Pipeline](#)[Full Stage View](#)[Rename](#)[Pipeline Syntax](#)[Build History](#)[trend](#) ▾

#3

[Nov 4, 2023, 1:57 PM](#)

#2

[Oct 21, 2023, 2:31 PM](#)

#1

[Oct 21, 2023, 12:42 PM](#)[Atom feed for all](#)[Atom feed for failures](#)

Pipeline learn-jenkins-app

Stage View

Average stage times:
(Average full run time: ~1min 7s)

#3

Nov 04
10:57

8
commits

#2

Oct 21
11:31

1
commit

Declarative:
Checkout
SCM

Build

Test

873ms

1min 4s

91ms

924ms

1min 4s

91ms

822ms

1min 4s

Permalinks

- [Last build \(#2\), 13 days ago](#)
- [Last stable build \(#2\), 13 days ago](#)
- [Last successful build \(#2\), 13 days ago](#)
- [Last completed build \(#2\), 13 days ago](#)

[Add description](#)[Disable Project](#)

Print Message -- Test stage (self time 10ms)

Test stage

</> Changes

▶ Build Now

⚙️ Configure

🗑️ Delete Pipeline

🔍 Full Stage View

✎️ Rename

❓ Pipeline Syntax

✎️ Add description

Disable Project

Stage View



Permalinks

- [Last build \(#2\), 13 days ago](#)
- [Last stable build \(#2\), 13 days ago](#)
- [Last successful build \(#2\), 13 days ago](#)
- [Last completed build \(#2\), 13 days ago](#)

☀️ Build History

trend ▾

🔍 Filter builds...

/

✓ #3

Nov 4, 2023, 1:57 PM

✓ #2

Oct 21, 2023, 2:31 PM

✓ #1

Oct 21, 2023, 12:42 PM

📡 Atom feed for all

📡 Atom feed for failures

← →

learn-jenkins-app [Codespaces: jubilant robot]

🔍 📄 ⌵

EXPLOLERER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

> .devcontainer

> build

> static

{ } asset-manifest.json

★ favicon.ico

< > index.html

🖼️ logo192.png

🖼️ logo512.png

{ } manifest.json

≡ robots.txt

> e2e

> node_modules

> public

> src

> tests-examples

🔒 .gitignore

Jenkinsfile M

{ } package-lock.json

{ } package.json

JS playwright.config.js

📘 README.md

OUTLINE

TIMELINE

Jenkinsfile M

Jenkinsfile

5

.....

stage('Build') {

6

.....

agent {

7

.....

docker {

8

.....

image 'node:18-alpine'

9

.....

reuseNode true

10

.....

}

11

.....

}

12

.....

steps {

13

.....

sh '''

14

.....

ls -la

15

.....

node --version

16

.....

npm --version

17

.....

npm ci

18

.....

npm run build

19

.....

ls -la

20

.....

'''

21

.....

}

22

.....

}

23

.....

stage('Test') {

24

.....

steps {

25

.....

sh 'test -f build/index.html'

26

.....

}

27

.....

}

28

.....

}

29

.....

}

30

.....

}

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

COMMENTS

bash + ⌵ 🗑️ ... ^ ✕

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

👤

⚙️

Udemy

📄 Shell Script -- test -f build/index.html (self time 279ms)

```
+ test -f build/index.html
```

- </> Changes
- ▶ Build Now
- ⚙️ Configure
- 🗑️ Delete Pipeline
- 🔍 Full Stage View
- ✎ Rename
- ❓ Pipeline Syntax

✎ Add description

Disable Project

Stage View



Permalinks

- Last build (#3), 2 min 28 sec ago
- Last stable build (#3), 2 min 28 sec ago
- Last successful build (#3), 2 min 28 sec ago
- Last completed build (#3), 2 min 28 sec ago

📄 Shell Script -- test -f build/index.html (self time 279ms)

```
+ test -f build/index.html
```

- </> Changes
- ▶ Build Now
- ⚙️ Configure
- 🗑️ Delete Pipeline
- 🔍 Full Stage View
- ✎ Rename
- ❓ Pipeline Syntax

✎ Add description

Disable Project

Stage View

Average stage times:
(Average full run time: ~1min 7s)

	Declarative: Checkout SCM	Build	Test
	884ms	1min 5s	224ms
#4 Nov 04 11:00 1 commit	908ms	1min 6s	357ms
#3 Nov 04 10:57 8 commits	924ms	1min 4s	91ms
#2 Oct 21 11:31 1 commit	822ms	1min 4s	

Permalinks

- [Last build \(#3\), 2 min 28 sec ago](#)
- [Last stable build \(#3\), 2 min 28 sec ago](#)
- [Last successful build \(#3\), 2 min 28 sec ago](#)
- [Last completed build \(#3\), 2 min 28 sec ago](#)

☀️ Build History

trend ▾

🔍 Filter builds...

/

✓ #4

[Nov 4, 2023, 2:00 PM](#)

✓ #3

[Nov 4, 2023, 1:57 PM](#)

✓ #2

[Oct 21, 2023, 2:31 PM](#)

✓ #1

[Oct 21, 2023, 12:42 PM](#)

📡 Atom feed for all

📡 Atom feed for failures



Status

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Rename

Pipeline Syntax

Pipeline learn-jenkins-app

Add description

Disable Project

Stage View

	Declarative: Checkout SCM	Build	Test
Average stage times: (Average <u>full</u> run time: ~1min 7s)	884ms	1min 5s	224ms
#4 Nov 04 11:00 1 commit	908ms	1min 6s	357ms
#3 Nov 04 10:57 8 commits	924ms	1min 4s	91ms
#2 Oct 21 11:31 1 commit	822ms	1min 4s	

Permalinks

- Last build (#3), 2 min 28 sec ago
- Last stable build (#3), 2 min 28 sec ago
- Last successful build (#3), 2 min 28 sec ago
- Last completed build (#3), 2 min 28 sec ago

EXPLORER

LEARN-JENKINS-APP [CODES...]

- > .devcontainer
- > build
- > e2e
- > node_modules
- > public
- ▼ src
 - # App.css
 - JS App.js
 - JS AppTest.js
 - # index.css
 - JS index.js
 - logo.svg
 - JS reportWebVitals.js
 - JS setupTests.js
- > tests-examples
- ◆ .gitignore
- Jenkinsfile
- { } package-lock.json
- { } package.json
- JS playwright.config.js
- i README.md

Jenkinsfile

Jenkinsfile

```
5 ..... stage('Build') -{
6 .....     agent {
7 .....         docker {
8 .....             image 'node:18-alpine'
9 .....             reuseNode true
10 .....         }
11 .....     }
12 .....     steps {
13 .....         sh '''
14 .....             ls -la
15 .....             node --version
16 .....             npm --version
17 .....             npm ci
18 .....             npm run build
19 .....             ls -la
20 .....         '''
21 .....     }
22 ..... }
23
24 ..... stage('Test') -{
25 .....     steps {
26 .....         sh 'test -f build/index.html'
27 .....     }
28 ..... }
29 ..... }
30 }
```


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

bash + ▾ □ ✕ ... ^ ×

○ @vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$ □

> OUTLINE

> TIMELINE



EXPLORER

LEARN-JENKINS-APP [CODES...]

- > .devcontainer
- > build
- > e2e
- > node_modules
- > public
- ▼ src
 - # App.css
 - JS App.js
 - JS App.test.js
 - # index.css
 - JS index.js
 - logo.svg
 - JS reportWebVitals.js
 - JS setupTests.js
- > tests-examples
- ◆ .gitignore
- Jenkinsfile
- { } package-lock.json
- { } package.json
- JS playwright.config.js
- i README.md

Jenkinsfile

JS App.test.js

src > JS App.test.js

```
1 import { render, screen } from '@testing-library/react';
2 import App from './App';
3
4 test('renders learn Jenkins link', () => {
5   render(<App />);
6   const linkElement = screen.getByText(/learn Jenkins/i);
7   expect(linkElement).toBeInTheDocument();
8 });
9
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

bash + ▾ 🗑 ⋮ ^ ×

@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

> OUTLINE


> TIMELINE




Jenkinsfile

Jenkinsfile

udemy





EXPLORER

LEARN-JENKINS-APP [CODESPACES: JUBILANT...]

- > .devcontainer
- > build
- > e2e
- > node_modules
- > public
- ▼ src
 - # App.css
 - JS App.js
 - JS App.test.js
 - # index.css
 - JS index.js
 - logo.svg
 - JS reportWebVitals.js
 - JS setupTests.js
- > tests-examples
- ◆ .gitignore
- Jenkinsfile M
- { } package-lock.json
- { } package.json
- JS playwright.config.js
- i README.md

Jenkinsfile M

Jenkinsfile

```
5 stage('Build') {
6   agent {
7     docker {
8       image 'node:18-alpine'
9       reuseNode true
10    }
11  }
12  steps {
13    sh '''
14      ls -la
15      node --version
16      npm --version
17      npm ci
18      npm run build
19      ls -la
20    '''
21  }
22 }
23
24 stage('Test') {
25   steps {
26     sh '''
27       test -f build/index.html
28       npm test
29     '''
30   }
31 }
32 }
```


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS

bash + ▾ □ ✕ ... ^ ✕


@vdespa-jenkins → /workspaces/learn-jenkins-app (main) \$

> OUTLINE

> TIMELINE

 Jenkinsfile

[PROBLEMS](#)
[OUTPUT](#)
[DEBUG CONSOLE](#)
[TERMINAL](#)
[PORTS](#)
[COMMENTS](#)





Status



Changes



Build Now



Configure



Delete Pipeline



Full Stage View



Rename



Pipeline Syntax

Pipeline learn-jenkins-app

Add description

Disable Project

Stage View

		Declarative: Checkout SCM	Build	Test
		887ms	1min 4s	3s
#5	Nov 04 11:04	894ms	1min 3s	9s
#4	Nov 04 11:00	908ms	1min 6s	357ms
#3	Nov 04 10:57	924ms	1min 4s	91ms
#2	Oct 21 11:31	822ms	1min 4s	

Permalinks

- [Last build \(#3\), 2 min 28 sec ago](#)
- [Last stable build \(#3\), 2 min 28 sec ago](#)



Status

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Rename

Pipeline Syntax

Pipeline learn-jenkins-app

Add description

[Disable Project](#)

Stage View

Average stage times:
(Average full run time: ~1min 9s)

	Declarative: Checkout SCM	Build	Test
	887ms	1min 4s	3s
#5 Nov 04 11:04 1 commit	894ms	1min 3s	9s
#4 Nov 04 11:00 1 commit	908ms	1min 6s	357ms
#3 Nov 04 10:57 8 commits	924ms	1min 4s	91ms
#2 Oct 21 11:31 1 commit	822ms	1min 4s	

Permalinks

- [Last build \(#3\), 2 min 28 sec ago](#)
- [Last stable build \(#3\), 2 min 28 sec ago](#)



- Status
- Changes
- Build Now
- Configure
- Delete Pipeline
- Full Stage View
- Rename
- Pipeline Syntax

Build History trend ▾

Success > Console Output /

#5 [Nov 4, 2023, 2:04 PM](#)

#4 [Nov 4, 2023, 2:00 PM](#)

#3 [Nov 4, 2023, 1:57 PM](#)

#2 [Oct 21, 2023, 2:31 PM](#)

#1 [Oct 21, 2023, 12:42 PM](#)

[Atom feed for all](#) [Atom feed for failures](#)

Pipeline learn-jenkins-app

Add description

Disable Project

Stage View

Average stage times:
(Average full run time: ~1min 9s)

	Declarative: Checkout SCM	Build	Test
	887ms	1min 4s	3s
#5 Nov 04 11:04 1 commit	894ms	1min 3s	9s
#4 Nov 04 11:00 1 commit	908ms	1min 6s	357ms
#3 Nov 04 10:57 8 commits	924ms	1min 4s	91ms
#2 Oct 21 11:31 1 commit	822ms	1min 4s	

Permalinks

- [Last build \(#3\), 2 min 28 sec ago](#)
- [Last stable build \(#3\), 2 min 28 sec ago](#)

```
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] getContext
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker inspect -f . node:18-alpine
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins seems to be running inside container 96059d741b2bb34e1309c9ccf4c88f2d234b2af61a0a9ac8aa57e8c23f600fdc
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:/var/jenkins_home
/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/workspace/learn-jenkins-app@tmp:rw,z -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top 4aa7ec35ed8c6a306213f4966beabbe524357c9031bcef90523b437ad2818a55 -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ ls -la
total 780
drwxr-xr-x 10 node node 4096 Nov 4 14:04 .
drwxr-xr-x 4 root root 4096 Nov 4 14:04 ..
drwxr-xr-x 2 node node 4096 Nov 3 16:14 .devcontainer
drwxr-xr-x 8 node node 4096 Nov 4 14:04 .git
-rw-r--r-- 1 node node 365 Nov 3 16:14 .gitignore
-rw-r--r-- 1 node node 851 Nov 4 14:04 Jenkinsfile
-rw-r--r-- 1 node node 3339 Nov 3 16:14 README.md
drwxr-xr-x 3 node node 4096 Nov 4 14:01 build
drwxr-xr-x 2 node node 4096 Nov 3 16:14 e2e
drwxr-xr-x 855 node node 32768 Nov 4 14:01 node_modules
-rw-r--r-- 1 node node 701184 Nov 3 16:14 package-lock.json
-rw-r--r-- 1 node node 1304 Nov 3 16:14 package.json
-rw-r--r-- 1 node node 1974 Nov 3 16:14 playwright.config.js
```



```

[Pipeline] sh
+ docker inspect -f . node:18-alpine
.
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withDockerContainer
Jenkins seems to be running inside container 96059d741b2bb34e1309c9ccf4c88f2d234b2af61a0a9ac8aa57e8c23f600fdc
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/workspace/learn-jenkins-app@tmp:rw,z
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7 -eo pid,comm
[Pipeline] {
[Pipeline] sh (hide)
+ test -f build/index.html
+ npm test

> learn-jenkins-app@0.1.0 test
> react-scripts test

PASS src/App.test.js
  ✓ renders learn Jenkins link (69 ms)

Test Suites: 1 passed, 1 total
Tests:      1 passed, 1 total
Snapshots:  0 total
Time:       2.836 s
Ran all test suites.
jest did not exit one second after the test run has completed

```



```
[Pipeline] withDockerContainer
```

```
Jenkins seems to be running inside container 96059d741b2bb34e1309c9ccf4c88f2d234b2af61a0a9ac8aa57e8c23f600fdc
```

```
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
```

```
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
```

```
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace  
/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/worksp
```

```
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***
```

```
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***
```

```
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
```

```
$ docker top e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7 -eo pid,comm
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
+}test -f build/index.html
```

```
+ npm test
```

```
> learn-jenkins-app@0.1.0 test
```

```
> react-scripts test
```

```
PASS src/App.test.js
```

```
✓ renders learn Jenkins link (69 ms)
```

```
Test Suites: 1 passed, 1 total
```

```
Tests: 1 passed, 1 total
```

```
Snapshots: 0 total
```

```
Time: 2.836 s
```

```
Ran all test suites.
```

```
Jest did not exit one second after the test run has completed.
```

This usually means that there are asynchronous operations that weren't stopped in your tests. Consider running

[Pipeline] withDockerContainer

Jenkins seems to be running inside container 96059d741b2bb34e1309c9ccf4c88f2d234b2af61a0a9ac8aa57e8c23f600fdc

```
but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
```

```
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
```

```
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/worksp
```

***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****

***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****

```
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
```

```
$ docker top e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7 -eo pid,comm
```

```
[Pipeline] {
```

```
[Pipeline] sh
```

```
+ test -f build/index.html
```

```
+ npm test
```

```
> learn-jenkins-app@0.1.0 test
```

```
> react-scripts test
```

PASS src/App.test.js

- ✓ renders learn Jenkins link (69 ms)

Test Suites: 1 passed, 1 total

Tests: 1 passed, 1 total

Snapshots: 0 total

Time: 2.836 s

```
Ran all test suites.
```

Jest did not exit one second after the test run has completed.

This usually means that there are asynchronous operations that weren't stopped in your tests. Consider running

```

but /var/jenkins_home/workspace/learn-jenkins-app could not be found among []
but /var/jenkins_home/workspace/learn-jenkins-app@tmp could not be found among []
$ docker run -t -d -u 1000:1000 -w /var/jenkins_home/workspace/learn-jenkins-app -v /var/jenkins_home/workspace/learn-jenkins-app:rw,z -v /var/jenkins_home/workspace/learn-jenkins-app@tmp:/var/jenkins_home/worksp
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e ***** -e *****
***** -e ***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7 -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ test -f build/index.html
+ npm test

> learn-jenkins-app@0.1.0 test
> react-scripts test

PASS src/App.test.js
  ✓ renders learn Jenkins link (69 ms)

Test Suites: 1 passed, 1 total
Tests:       1 passed, 1 total
Snapshots:   0 total
Time:        2.836 s
Ran all test suites.
Jest did not exit one second after the test run has completed.

```

This usually means that there are asynchronous operations that weren't stopped in your tests. Consider running `jest --runInBand` to troubleshoot this issue.


```
***** -e ***** -e ***** -e ***** -e ***** node:18-alpine cat
$ docker top e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7 -eo pid,comm
[Pipeline] {
[Pipeline] sh
+ test -f build/index.html
+ npm test

> learn-jenkins-app@0.1.0 test
> react-scripts test

PASS src/App.test.js
  ✓ renders learn Jenkins link (69 ms)

Test Suites: 1 passed, 1 total
Tests:       1 passed, 1 total
Snapshots:   0 total
Time:        2.836 s
Ran all test suites.
Jest did not exit one second after the test run has completed.
```

This usually means that there are asynchronous operations that weren't stopped in your tests. Consider running `jest --runInBand` to help with this.

One of your dependencies, `babel-preset-react-app`, is importing the `"@babel/plugin-proposal-private-property-in-object"` package without declaring it in its dependencies. This is currently working because `"@babel/plugin-proposal-private-property-in-object"` is already in your `node_modules` folder for unrelated reasons, but it may break at any time.

This usually means that there are asynchronous operations that weren't stopped in your tests. Consider running `npm test -- --passWithNoTests` to troubleshoot this issue.

One of your dependencies, `babel-preset-react-app`, is importing the `"@babel/plugin-proposal-private-property-in-object"` package without declaring it in its dependencies. This is currently working because `"@babel/plugin-proposal-private-property-in-object"` is already in your `node_modules` folder for unrelated reasons, but it may break at any time.

`babel-preset-react-app` is part of the `create-react-app` project, which is not maintained anymore. It is thus unlikely that this bug will ever be fixed. Add `"@babel/plugin-proposal-private-property-in-object"` to your `devDependencies` to work around this error. This will make this message go away.

```
[Pipeline] }
$ docker stop --time=1 e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7
$ docker rm -f --volumes e4197f7142c638fba8038606601766e4b197dcb490bea1bf252446623d2bf4e7
[Pipeline] // withDockerContainer
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```