

Branch: —


🕒 2m 24s

Changes by 148623005+vdespa-jenkins

Commit: —

🕒 15 minutes ago

Started by user valentin



Up next

43. How to update Jenkins and its plugins

🔄 Restart Tests

Tests / Unit tests - <1s

✓ >	Get contextual object from internal APIs	<1s
✓ >	Checks if running on a Unix-like node	<1s
✓ >	docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓ >	#test -f build/index.html npm test — Shell Script	8s
✓ >	jest-results/junit.xml — Archive JUnit-formatted test results	<1s



Cancel

How did this section go?



Updating Jenkins



Dashboard >

- + New Item
- 👤 People
- 📅 Build History
- 🔄 Project Relationship
- 🔍 Check File Fingerprint
- ⚙️ Manage Jenkins
- 📄 My Views

Build Queue ▾

No builds in the queue.

Build Executor Status ▾

1 Idle

2 Idle

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration		Fav
✓	☀️	Hello - freestyle	4 mo 17 days #1	N/A	0.12 sec	▶	★
✓	☀️	Hello - pipeline	4 mo 17 days #5	N/A	42 sec	▶	★
✓	☁️	Laptop assembly	4 mo 17 days #31	4 mo 17 days #29	1.2 sec	▶	★
✓	☁️	learn-jenkins-app	3 mo 29 days #24	3 mo 29 days #20	3 min 52 sec	▶	★

Icon: S M L

Icon legend

📡 Atom feed for all

📡 Atom feed for failures

📡 Atom feed for just latest builds

- + New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins
- My Views

Build Queue

No builds in the queue.

Build Executor Status

- 1 Idle
- 2 Idle

All +

S	W
✓	☀
✓	☀
✓	☁☀
✓	☁☀

Icon: S M L

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin managerConfigure which of these warnings are shown

Jenkins 2.414.3 core and libraries:

Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier

A fix for this issue is available. Update Jenkins now.

Matrix Project Plugin 818.v7eb_e657db_924:

Path traversal vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

GitHub plugin 1.37.3:

Stored XSS vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

[Manage Jenkins](#)

Dashboard >

- + New Item
- 👤 People
- 📅 Build History
- 🔄 Project Relationship
- 🔍 Check File Fingerprint
- ⚙️ Manage Jenkins
- 📄 My Views

Build Queue

No builds in the queue.

Build Executor Status

- 1 Idle
- 2 Idle

 Add description

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration		Fav
✓	☀️	Hello - freestyle	4 mo 17 days #1	N/A	0.12 sec	▶️	★
✓	☀️	Hello - pipeline	4 mo 17 days #5	N/A	42 sec	▶️	★
✓	☁️	Laptop assembly	4 mo 17 days #31	4 mo 17 days #29	1.2 sec	▶️	★
✓	☁️	learn-jenkins-app	3 mo 29 days #24	3 mo 29 days #20	3 min 52 sec	▶️	★

Icon: S M L Icon legend 📡 Atom feed for all 📡 Atom feed for failures 📡 Atom feed for just latest builds

+ New Item

People

Build History

Project Relationship

Check File Fingerprint

Manage Jenkins

My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Search settings

/

New version of Jenkins (2.440.1) is available for [download](#) ([changelog](#)).

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin managerConfigure which of these warnings are shown

Jenkins 2.414.3 core and libraries:
[Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier](#)
A fix for this issue is available. Update Jenkins now.

Matrix Project Plugin 818.v7eb_e657db_924:
[Path traversal vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

GitHub plugin 1.37.3:
[Stored XSS vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

System

Configure global settings and paths.

Tools

Configure tools, their locations and automatic installers.

54

Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

Clouds

Add, remove, and configure cloud instances to provision agents on-demand.

 New Item

 People

 Build History

 Project Relationship

 Check File Fingerprint

 **Manage Jenkins**

 My Views

Build Queue 

No builds in the queue.

Build Executor Status 

1 Idle

2 Idle

Manage Jenkins



New version of Jenkins (2.440.1) is available for [download](#) ([changelog](#)).

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

Warnings have been published for the following currently installed components:

Go to plugin manager

Configure which of these warnings are shown

Jenkins 2.414.3 core and libraries:
[Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier](#)
A fix for this issue is available. Update Jenkins now.

Matrix Project Plugin 818.v7eb_e657db_924:
[Path traversal vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

GitHub plugin 1.37.3:
[Stored XSS vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration



System
Configure global settings and paths.



Tools
Configure tools, their locations and automatic installers.

 54

Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds
Add, remove, and configure cloud instances to provision agents on-demand.



 New Item

 People

 Build History

 Project Relationship

 Check File Fingerprint

 **Manage Jenkins**

 My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

New version of Jenkins (2.440.1) is available for [download](#) ([changelog](#)).

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

Warnings have been published for the following currently installed components:

Go to plugin manager

Configure which of these warnings are shown

Jenkins 2.414.3 core and libraries:
[Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier](#)
A fix for this issue is available. Update Jenkins now.

Matrix Project Plugin 818.v7eb_e647db_924:
[Path traversal vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

GitHub plugin 1.37.3:
[Stored XSS vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

 **System**
Configure global settings and paths.

 **Tools**
Configure tools, their locations and automatic installers.

 54 **Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

 **Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

 **Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.

- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins
- My Views

Build Queue

No builds in the queue.

Build Executor Status

- 1 Idle
- 2 Idle

New version of Jenkins (2.440.1) is available for [download](#) ([changelog](#)).

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#). [Set up agent](#) [Set up cloud](#) [Dismiss](#)

Warnings have been published for the following currently installed components: [Go to plugin manager](#) [Configure which of these warnings are shown](#)

Jenkins 2.414.3 core and libraries:
[Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier](#)
A fix for this issue is available. Update Jenkins now.

Matrix Project Plugin 818.v7eb_e657db_924:
[Path traversal vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

GitHub plugin 1.37.3:
[Stored XSS vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

- 

System
Configure global settings and paths.
- 

Tools
Configure tools, their locations and automatic installers.
- 

Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
- 

Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
- 

Clouds
Add, remove, and configure cloud instances to provision agents on-demand.

Security

- 

Security
Secure Jenkins; define who is allowed to access/use the system.
- 

Credentials
Configure credentials
- 

Credential Providers
Configure the credential providers and types

ants

d
l when

ystem



Jenkins CLI

Access/manage Jenkins from your shell, or from your script.



Script Console

Executes arbitrary script for administration/trouble-shooting/diagnostics.




Jenkins 2.414.3



Odeemy



Jenkins 2.414.3



Jenkins 2.414.3



[illegible]

Step 3

Start Jenkins:

```
docker compose up -d
```



Step 4

Open Jenkins by going to: <http://localhost:8080/> and finish the installation process.

Step 5

If you wish to stop Jenkins and get back to it later, run:

```
docker compose down
```

Copied!



If you wish to start Jenkins again later, just run the same comand from Step 3.

Removing Jenkins

Once you are done playing with Jenkins maybe it is time to clean things up.

Run the following comand to terminate Jenkins and to remove all volumes and images used:

```
docker compose down --volumes --rmi all
```



Step 3

1. valentin@Valentins-MacBook-Pro: ~/install-jenkins-docker (zsh)

```
~/install-jenkins-docker > main > docker compose down ✓
[+] Running 3/3
✓ Container my-jenkins Removed 0.6s
✓ Container jenkins-docker Removed 1.2s
✓ Network install-jenkins-docker_jenkins Removed 0.1s
~/install-jenkins-docker > main > █ ✓
```

}



Install Docker locally (probably using Docker Desktop is the easiest approach).

Step 2

Clone this repository or download it's contents.

Step 2

Open a terminal window in the same directory where the `Dockerfile` from this repository is located. Build the Jenkins Docker image:

```
docker build -t my-jenkins .
```

Copied! ✓

Step 3

Start Jenkins:

```
docker compose up -d
```



Step 4

Open Jenkins by going to: <http://localhost:8080/> and finish the installation process.

Step 5

If you wish to stop Jenkins and get back to it later, run:

```
docker compose down
```



If you wish to start Jenkins again later, just run the same comand from Step 3.

Removing Jenkins

Install Docker locally (probably using Docker Desktop is the easiest approach).

```
1. docker build -t my-jenkins . (zsh)

~/install-jenkins-docker ➤ main ➤ docker compose down ✓
[+] Running 3/3
✓ Container my-jenkins Removed 0.6s
✓ Container jenkins-docker Removed 1.2s
✓ Network install-jenkins-docker_jenkins Removed 0.1s
~/install-jenkins-docker ➤ main ➤ docker build -t my-jenkins . ✓
```

If you wish to start Jenkins again later, just run the same command from Step 3.

Removing Jenkins

Install Docker locally (probably using Docker Desktop is the easiest approach).

1. valentin@Valentins-MacBook-Pro: ~/install-jenkins-docker (zsh)

```
=> => sha256:f826d0f09907a99f2344f5689b795a5ce89d1b63993e07298c17a3bc7c71b9f3 8.87MB / 8.87MB 82.1s
=> => sha256:01c0b0cf789fa24253090fccea264df223b5e09b14a0ea59f0847c70bdc0f31c 3.12kB / 3.12kB 0.0s
=> => sha256:4d9c52c725800338cd966ded56f187d5b6a62787363672e4b727d5ac4cc3d1a8 2.58kB / 2.58kB 0.0s
=> => sha256:dda9cfa9f451cec6e303af7a23ffbbcb31683a4940f49ffbd0bf2bbd917a9724e 12.38kB / 12.38kB 0.0s
=> => sha256:7bb465c2914923b08ae03b7fc67b92a1ef9b09c4c1eb9d6711b22ee6bbb46a00 49.55MB / 49.55MB 92.1s
=> => sha256:bc3128b515a7e81c492dd6b92bfa86a1d28e14905f8d8cc3fa633a055551056b 1.23kB / 1.23kB 82.9s
=> => sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 182B / 182B 83.3s
=> => sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 86.30MB / 86.30MB 122.2s
=> => sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 188B / 188B 93.0s
=> => sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 6.21MB / 6.21MB 94.3s
=> => extracting sha256:7bb465c2914923b08ae03b7fc67b92a1ef9b09c4c1eb9d6711b22ee6bbb46a00 6.7s
=> => sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 63.11MB / 63.11MB 102.0s
=> => sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 1.92kB / 1.92kB 94.6s
=> => sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 1.22kB / 1.22kB 94.9s
=> => sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 390B / 390B 95.4s
=> => extracting sha256:c18f106040a79b64c110d57e7d67c6bcd2e06938fe37136e6b86157a60e4f1ef 6.9s
=> => extracting sha256:f826d0f09907a99f2344f5689b795a5ce89d1b63993e07298c17a3bc7c71b9f3 0.5s
=> => extracting sha256:bc3128b515a7e81c492dd6b92bfa86a1d28e14905f8d8cc3fa633a055551056b 0.0s
=> => extracting sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 0.0s
=> => extracting sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 1.6s
=> => extracting sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 0.0s
=> => extracting sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 0.1s
=> => extracting sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 1.7s
=> => extracting sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 0.0s
=> => extracting sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 0.0s
=> => extracting sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 0.0s
=> [2/5] RUN apt-get update && apt-get install -y lsb-release 13.6s
=> [3/5] RUN curl -fsSL /usr/share/keyrings/docker-archive-keyring.asc https://download.docker.com/linux/debian/gpg 0.8s
=> [4/5] RUN echo "deb [arch=$(dpkg --print-architecture) signed-by=/usr/share/keyrings/docker-archive-keyring.asc] htt 0.4s
=> [5/5] RUN apt-get update && apt-get install -y docker-ce-cli 15.4s
=> exporting to image 1.9s
=> => exporting layers 1.9s
=> => writing image sha256:7f76cfbed3576a75c0fe8f8b640be00cdbe22a516fa73ebaa6f7058383d9a260 0.0s
=> => naming to docker.io/library/my-jenkins 0.0s
```

What's Next?

View a summary of image vulnerabilities and recommendations → [docker scout quickview](#)

~/install-jenkins-docker → main

If you wish to start Jenkins again later, just run the same command from Step 3.

Removing Jenkins

Clone this repository or download it's contents.

Step 2

Open a terminal window in the same directory where the `Dockerfile` from this repository is located. Build the Jenkins Docker image:

```
docker build -t my-jenkins .
```



Step 3

Start Jenkins:

```
docker compose up -d
```



Step 4

Open Jenkins by going to: <http://localhost:8080/> and finish the installation process.

Step 5

If you wish to stop Jenkins and get back to it later, run:

```
docker compose down
```



If you wish to start Jenkins again later, just run the same comand from Step 3.

Removing Jenkins

Once you are done playing with Jenkins maybe it is time to clean things up.

Run the following comand to terminate Jenkins and to remove all volumes and images used:

Clone this repository or download it's contents.

Step 2

Open a terminal window in the same directory where the `Dockerfile` from this repository is located. Build the Jenkins Docker image:

```
docker build -t my-jenkins .
```



Step 3

Start Jenkins:

```
docker compose up -d
```



Step 4

Open Jenkins by going to: <http://localhost:8080/> and finish the installation process.

Step 5

If you wish to stop Jenkins and get back to it later, run:

```
docker compose down
```



If you wish to start Jenkins again later, just run the same comand from Step 3.

Removing Jenkins

Once you are done playing with Jenkins maybe it is time to clean things up.

Run the following comand to terminate Jenkins and to remove all volumes and images used:

Clone this repository or download it's contents.

1. docker compose up -d (docker-compose)

```
=> => sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 182B / 182B 83.3s
=> => sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 86.30MB / 86.30MB 122.2s
=> => sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 188B / 188B 93.0s
=> => sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 6.21MB / 6.21MB 94.3s
=> => extracting sha256:7bb465c2914923b08ae03b7fc67b92a1ef9b09c4c1eb9d6711b22ee6bbb46a00 6.7s
=> => sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 63.11MB / 63.11MB 102.0s
=> => sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 1.92kB / 1.92kB 94.6s
=> => sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 1.22kB / 1.22kB 94.9s
=> => sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 390B / 390B 95.4s
=> => extracting sha256:c18f106040a79b64c110d57e7d67c6bcd2e06938fe37136e6b86157a60e4f1ef 6.9s
=> => extracting sha256:f826d0f09907a99f2344f5689b795a5ce89d1b63993e07298c17a3bc7c71b9f3 0.5s
=> => extracting sha256:bc3128b515a7e81c492dd6b92bfa86a1d28e14905f8d8cc3fa633a055551056b 0.0s
=> => extracting sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 0.0s
=> => extracting sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 1.6s
=> => extracting sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 0.0s
=> => extracting sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 0.1s
=> => extracting sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 1.7s
=> => extracting sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 0.0s
=> => extracting sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 0.0s
=> => extracting sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 0.0s
=> [2/5] RUN apt-get update && apt-get install -y lsb-release 13.6s
=> [3/5] RUN curl -fsSLo /usr/share/keyrings/docker-archive-keyring.asc https://download.docker.com/linux/debian/gpg 0.8s
=> [4/5] RUN echo "deb [arch=$(dpkg --print-architecture) signed-by=/usr/share/keyrings/docker-archive-keyring.asc] htt 0.4s
=> [5/5] RUN apt-get update && apt-get install -y docker-ce-cli 15.4s
=> exporting to image 1.9s
=> => exporting layers 1.9s
=> => writing image sha256:7f76cfbed3576a75c0fe8f8b640be00cdbe22a516fa73ebaa6f7058383d9a260 0.0s
=> => naming to docker.io/library/my-jenkins 0.0s
```

What's Next?

View a summary of image vulnerabilities and recommendations → [docker scout quickview](#)

[~/install-jenkins-docker](#) → [main](#) → docker compose up -d

docker:desktop-linux ✓

[+] Building 0.0s (0/0)

[+] Running 3/3

✓ Network install-jenkins-docker_jenkins Created 0.9s

✓ Container my-jenkins Created 0.2s

✓ Container jenkins-docker Created 0.2s

Once you are done playing with Jenkins maybe it is time to clean things up.

Run the following comand to terminate Jenkins and to remove all volumes and images used:

Clone this repository or download it's contents.

1. valentin@Valentins-MacBook-Pro: ~/install-jenkins-docker (zsh)

```
=> => sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 182B / 182B 83.3s
=> => sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 86.30MB / 86.30MB 122.2s
=> => sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 188B / 188B 93.0s
=> => sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 6.21MB / 6.21MB 94.3s
=> => extracting sha256:7bb465c2914923b08ae03b7fc67b92a1ef9b09c4c1eb9d6711b22ee6bbb46a00 6.7s
=> => sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 63.11MB / 63.11MB 102.0s
=> => sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 1.92kB / 1.92kB 94.6s
=> => sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 1.22kB / 1.22kB 94.9s
=> => sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 390B / 390B 95.4s
=> => extracting sha256:c18f106040a79b64c110d57e7d67c6bcd2e06938fe37136e6b86157a60e4f1ef 6.9s
=> => extracting sha256:f826d0f09907a99f2344f5689b795a5ce89d1b63993e07298c17a3bc7c71b9f3 0.5s
=> => extracting sha256:bc3128b515a7e81c492dd6b92bfa86a1d28e14905f8d8cc3fa633a055551056b 0.0s
=> => extracting sha256:45dc40627eb2b4d3a35618e5aab4e57dbc75d7cf31aeb5e5dfb76f721e474ee0 0.0s
=> => extracting sha256:ce448981c34bc7939c9cb7194e7b1a6deba6c4021d4a6ea9ed1d314ff114fd55 1.6s
=> => extracting sha256:f2e0835aa94f48cfb96651a0901899c6adc53c9b9e4701f6bc9120d4b63bab2a 0.0s
=> => extracting sha256:bce8503d6e4572dc17440d8a458c450a10c248320b125bbc71209d58f01c56c8 0.1s
=> => extracting sha256:3353a3a64a1f0fae88087a26128133efe0599869615798da38cbbbefcd5e0dc8 1.7s
=> => extracting sha256:5b9963212983ba192ebc861dcb4939df5b6ab140493d8d4c3608d4dc0a4919ab 0.0s
=> => extracting sha256:0a769ec2c0830b4568d3e735afeebdcae78b0fa01d9cf560e176fb392d7476e6 0.0s
=> => extracting sha256:6bbf8192cfe6e7558b443888e3e347d5bc9b7786cfeff2258d5a446e43e59583 0.0s
=> [2/5] RUN apt-get update && apt-get install -y lsb-release 13.6s
=> [3/5] RUN curl -fsSLo /usr/share/keyrings/docker-archive-keyring.asc https://download.docker.com/linux/debian/gpg 0.8s
=> [4/5] RUN echo "deb [arch=$(dpkg --print-architecture) signed-by=/usr/share/keyrings/docker-archive-keyring.asc] htt 0.4s
=> [5/5] RUN apt-get update && apt-get install -y docker-ce-cli 15.4s
=> exporting to image 1.9s
=> => exporting layers 1.9s
=> => writing image sha256:7f76cfbed3576a75c0fe8f8b640be00cdbe22a516fa73ebaa6f7058383d9a260 0.0s
=> => naming to docker.io/library/my-jenkins 0.0s
```

What's Next?

View a summary of image vulnerabilities and recommendations → [docker scout quickview](#)

`~/install-jenkins-docker` → `main` → `docker compose up -d`

[+] Building 0.0s (0/0)

[+] Running 3/3

✓ Network install-jenkins-docker_jenkins Created 0.9s

✓ Container my-jenkins Started 0.2s

✓ Container jenkins-docker Started 0.2s

`~/install-jenkins-docker` → `main` →

`docker:desktop-linux` ✓

Once you are done playing with Jenkins maybe it is time to clean things up.

Run the following comand to terminate Jenkins and to remove all volumes and images used:

-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

New version of Jenkins (2.440.1) is available for [download](#) ([changelog](#)).

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

Warnings have been published for the following currently installed components:

Go to plugin manager

Configure which of these warnings are shown

Jenkins 2.414.3 core and libraries:

[Multiple security vulnerabilities in Jenkins 2.441 and earlier, LTS 2.426.2 and earlier](#)

A fix for this issue is available. Update Jenkins now.

[Matrix Project Plugin 818.v7eb_e657db_924:](#)

[Path traversal vulnerability](#)

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

[GitHub plugin 1.37.3:](#)

[Stored XSS vulnerability](#)

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration



System

Configure global settings and paths.



Tools

Configure tools, their locations and automatic installers.



54

Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds

Add, remove, and configure cloud instances to provision agents on-demand.

Security



Security

Secure Jenkins; define who is allowed to access/use the system.



Credentials

Configure credentials



Credential Providers

Configure the credential providers and types



Please wait while Jenkins is getting ready to work ...

Your browser will reload automatically when Jenkins is ready.

- + New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins**
- My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle
2 Idle

Manage Jenkins

Search settings /

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

System Configuration

- **System**
Configure global settings and paths.
- **Tools**
Configure tools, their locations and automatic installers.
- **Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
- **Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
- **Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.

Security

- **Security**
Secure Jenkins; define who is allowed to access/use the system.
- **Users**
Create/delete/modify users that can log in to this Jenkins.
- **Credentials**
Configure credentials
- **Credential Providers**
Configure the credential providers and types

Status Information

-  **System Information**
-  **System Log**
-  **Load Statistics**

Jenkins CLI

Access/manage Jenkins from your shell, or from your script.



Script Console

Executes arbitrary script for administration/trouble-shooting/diagnostics.

Jenkins 2.440.1

udemy

- + New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins
- My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Search settings

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

System Configuration

- System

Configure global settings and paths.
- Tools

Configure tools, their locations and automatic installers.
- Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
- Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
- Clouds

Add, remove, and configure cloud instances to provision agents on-demand.

Security

- Security

Secure Jenkins; define who is allowed to access/use the system.
- Credentials

Configure credentials
- Credential Providers

Configure the credential providers and types
- Users

Create/delete/modify users that can log in to this Jenkins.

Status Information

- System Information
- System Log
- Load Statistics

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All

+

Add description

S	W	Name ↓	Last Success	Last Failure	Last Duration	Fav
		Hello - freestyle	4 mo 17 days #1	N/A	0.12 sec	 
		Hello - pipeline	4 mo 17 days #5	N/A	42 sec	 
		Laptop assembly	4 mo 17 days #31	4 mo 17 days #29	1.2 sec	 
		learn-jenkins-app	3 mo 29 days #24	3 mo 29 days #20	3 min 52 sec	 

Icon: S M **L**

Icon legend

 Atom feed for all

 Atom feed for failures

 Atom feed for just latest builds

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

▼

No builds in the queue.

Build Executor Status

▼

1 Idle

2 Idle

Manage Jenkins

Q Search settings

/

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin managerConfigure which of these warnings are shown

GitHub plugin 1.37.3:
Stored XSS vulnerability
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration



System
Configure global settings and paths.



Tools
Configure tools, their locations and automatic installers.



Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds
Add, remove, and configure cloud instances to provision agents on-demand.

Security



Security
Secure Jenkins; define who is allowed to access/use the system.



Credentials
Configure credentials



Credential Providers
Configure the credential providers and types



Users
Create/delete/modify users that can log in to

- + New Item
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Manage Jenkins**
- My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Search settings

/

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

GitHub plugin 1.37.3:

Stored XSS vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

Go to plugin managerConfigure which of these warnings are shown

System Configuration

- System

Configure global settings and paths.
- Tools

Configure tools, their locations and automatic installers.
- Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
- Clouds

Add, remove, and configure cloud instances to provision agents on-demand.
- 57 Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

Security

- Security

Secure Jenkins; define who is allowed to access/use the system.
- Credentials

Configure credentials
- Credential Providers

Configure the credential providers and types
- Users

Create/delete/modify users that can log in to

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue 

No builds in the queue.

Build Executor Status 

1 Idle

2 Idle

Manage Jenkins

 Search settings 

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin managerConfigure which of these warnings are shown

GitHub plugin 1.37.3:

Stored XSS vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

**System**
Configure global settings and paths.

**Tools**
Configure tools, their locations and automatic installers.

**Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

**Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

**Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.

Security

**Security**
Secure Jenkins; define who is allowed to access/use the system.

**Credentials**
Configure credentials

**Credential Providers**
Configure the credential providers and types

**Users**
Create/delete/modify users that can log in to

[illegible]

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Search settings

/

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin managerConfigure which of these warnings are shown

GitHub plugin 1.37.3:

Stored XSS vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

 **System**
Configure global settings and paths.

 **Tools**
Configure tools, their locations and automatic installers.

 **Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

 **Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

 **Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.

Security

 **Security**
Secure Jenkins; define who is allowed to access/use the system.

 **Credentials**
Configure credentials

 **Credential Providers**
Configure the credential providers and types

 **Users**
Create/delete/modify users that can log in to

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Search settings

/

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agentSet up cloudDismiss

Warnings have been published for the following currently installed components:

Go to plugin manager

Configure which of these warnings are shown

GitHub plugin 1.37.3:
Stored XSS vulnerability
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration



System
Configure global settings and paths.



Tools
Configure tools, their locations and automatic installers.



Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.



Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.



Clouds
Add, remove, and configure cloud instances to provision agents on-demand.

Security



Security
Secure Jenkins; define who is allowed to access/use the system.



Credentials
Configure credentials



Credential Providers
Configure the credential providers and types



Users
Create/delete/modify users that can log in to

Plugins

-  Updates 57
-  Available plugins
-  Installed plugins
-  Advanced settings

 Update 

☐	Name ↓	Released	Installed
☐	GitHub 1.38.0 External Site/Tool Integrations This plugin integrates GitHub to Jenkins. Applying this update will address security vulnerabilities in the currently installed version.	1 mo 2 days ago	1.37.3
☐	GitHub API 1.318-461.v7a_c09c9fa_d63 Library plugins (for use by other plugins) This plugin provides GitHub API for other plugins.	3 mo 11 days ago	1.316-451.v15738eef3414
☐	GitHub Branch Source 1772.va_69eda_d018d4 Source Code Management Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	1 mo 17 days ago	1741.va_3028eb_9fd21

Plugins

/

 Update



-  Updates 57
-  Available plugins
-  Installed plugins
-  Advanced settings

☐	Name ↓	Released	Installed
☐	GitHub 1.38.0 External Site/Tool Integrations This plugin integrates GitHub to Jenkins. Applying this update will address security vulnerabilities in the currently installed version.	1 mo 2 days ago	1.37.3
☐	GitHub API 1.318-461.v7a_c09c9fa_d63 Library plugins (for use by other plugins) This plugin provides GitHub API for other plugins.	3 mo 11 days ago	1.316-451.v15738eef3414
☐	GitHub Branch Source 1772.va_69eda_d018d4 Source Code Management Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	1 mo 17 days ago	1741.va_3028eb_9fd21

Plugins

/

 Update



-  Updates 57
-  Available plugins
-  Installed plugins
-  Advanced settings

☐	Name ↓	Released	Installed
☐	GitHub 1.38.0 External Site/Tool Integrations This plugin integrates GitHub to Jenkins. Applying this update will address security vulnerabilities in the currently installed version.	1 mo 2 days ago	1.37.3
☐	GitHub API 1.318-461.v7a_c09c9fa_d63 Library plugins (for use by other plugins) This plugin provides GitHub API for other plugins.	3 mo 11 days ago	1.316-451.v15738eef3414
☐	GitHub Branch Source 1772.va_69eda_d018d4 Source Code Management Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	1 mo 17 days ago	1741.va_3028eb_9fd21

Plugins

/

 Update



-  Updates 57
-  Available plugins
-  Installed plugins
-  Advanced settings

☐	Name ↓	Released	Installed
☐	GitHub 1.38.0 External Site/Tool Integrations This plugin integrates GitHub to Jenkins. Applying this update will address security vulnerabilities in the currently installed version.	1 mo 2 days ago	1.37.3
☐	GitHub API 1.318-461.v7a_c09c9fa_d63 Library plugins (for use by other plugins) This plugin provides GitHub API for other plugins.	3 mo 11 days ago	1.316-451.v15738eef3414
☐	GitHub Branch Source 1772.va_69eda_d018d4 Source Code Management Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	1 mo 17 days ago	1741.va_3028eb_9fd21

Plugins

/

Update

-  Updates 57
-  Available plugins
-  Installed plugins
-  Advanced settings

	Name ↓	Released	Installed
☒	GitHub 1.38.0 External Site/Tool Integrations This plugin integrates GitHub to Jenkins. Applying this update will address security vulnerabilities in the currently installed version.	1 mo 2 days ago	1.37.3
☐	GitHub API 1.318-461.v7a_c09c9fa_d63 Library plugins (for use by other plugins) This plugin provides GitHub API for other plugins.	3 mo 11 days ago	1.316-451.v15738eef3414
☐	GitHub Branch Source 1772.va_69eda_d018d4 Source Code Management Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.	1 mo 17 days ago	1741.va_3028eb_9fd21



Plugins

Updates

57

Available plugins

Installed plugins

Advanced settings

Download progress

Download progress

Preparation	• Checking internet connectivity • Checking update center connectivity • Success
GitHub API	Downloaded Successfully. Will be activated during the next boot
Pipeline: Step API	Downloaded Successfully. Will be activated during the next boot
Structs	Downloaded Successfully. Will be activated during the next boot
Credentials	Downloaded Successfully. Will be activated during the next boot
Credentials Binding	Downloaded Successfully. Will be activated during the next boot
Git	Downloaded Successfully. Will be activated during the next boot
JSON Path API	Downloaded Successfully. Will be activated during the next boot
Token Macro	Pending
GitHub	Pending

- [Go back to the top page](#)
(you can start using the installed plugins right away)
- ☐ Restart Jenkins when installation is complete and no jobs are running

Plugins

- Updates 57
- Available plugins
- Installed plugins
- Advanced settings
- Download progress

Download progress

Preparation	• Checking internet connectivity • Checking update center connectivity • Success
GitHub API	Downloaded Successfully. Will be activated during the next boot
Pipeline: Step API	Downloaded Successfully. Will be activated during the next boot
Structs	Downloaded Successfully. Will be activated during the next boot
Credentials	Downloaded Successfully. Will be activated during the next boot
Credentials Binding	Downloaded Successfully. Will be activated during the next boot
Git	Downloaded Successfully. Will be activated during the next boot
JSON Path API	Downloaded Successfully. Will be activated during the next boot
Token Macro	Downloaded Successfully. Will be activated during the next boot
GitHub	Downloaded Successfully. Will be activated during the next boot

- [Go back to the top page](#)
(you can start using the installed plugins right away)
- ☐ Restart Jenkins when installation is complete and no jobs are running

Download progress - Plugins [Je X]

GitHub - vdespa/install-jenkins- X

+

localhost:8080/manage/pluginManager/updates/

Jenkins

Dashboard > Manage Jenkins > Plugins

Updates57

Available plugins

Installed plugins

Advanced settings

Download progress

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

GitHub APIDownloaded Successfully. Will be activated during the next boot

Pipeline: Step APIDownloaded Successfully. Will be activated during the next boot

StructsDownloaded Successfully. Will be activated during the next boot

CredentialsDownloaded Successfully. Will be activated during the next boot

Credentials BindingDownloaded Successfully. Will be activated during the next boot

GitDownloaded Successfully. Will be activated during the next boot

JSON Path APIDownloaded Successfully. Will be activated during the next boot



Download progress - Plugins [Je X]

GitHub - vdespa/install-jenkins- X

+

←

→

↻

localhost:8080/

Jenkins

Dashboard > Manage Jenkins > Plugins

Plugins

↓ Updates57

🛍️ Available plugins

⚙️ Installed plugins

⚙️ Advanced settings

☰ Download progress

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

GitHub API

Pipeline: Step API

Structs

Credentials

Credentials Binding

Git

JSON Path API

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot

⚠️ Downloaded Successfully. Will be activated during the next boot



Download progress - Plugins [Je X]

GitHub - vdespa/install-jenkins- X

+

← → ↻

localhost:8080/restart|

 **Jenkins**

Dashboard > Manage Jenkins > Plugins

↓ Updates

57

🛍 Available plugins

⚙ Installed plugins

⚙ Advanced settings

☰ Download progress

Download progress

Preparation

- Checking internet connectivity
- Checking update center connectivity
- Success

GitHub API

⚠ Downloaded Successfully. Will be activated during the next boot

Pipeline: Step API

⚠ Downloaded Successfully. Will be activated during the next boot

Structs

⚠ Downloaded Successfully. Will be activated during the next boot

Credentials

⚠ Downloaded Successfully. Will be activated during the next boot

Credentials Binding

⚠ Downloaded Successfully. Will be activated during the next boot


Git

⚠ Downloaded Successfully. Will be activated during the next boot

JSON Path API

⚠ Downloaded Successfully. Will be activated during the next boot






- + New Item
- 👤 People
- 📁 Build History
- 🔗 Project Relationship
- 🔍 Check File Fingerprint
- ⚙ Manage Jenkins
- 📅 My Views

Are you sure you want to restart Jenkins?

Yes



Dashboard > Restart

+ New Item

People

Build History

Project Relationship

Check File Fingerprint

Manage Jenkins

My Views

Are you sure you want to restart Jenkins?





Please wait while Jenkins is restarting ...

Your browser will reload automatically when Jenkins is ready.



Sign in to Jenkins

Username

valentin|

Password

.....

☐ Keep me signed in

Sign in



- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  Manage Jenkins
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All

+

Add description

S	W	Name ↓	Last Success	Last Failure	Last Duration		Fav
		Hello - freestyle	4 mo 17 days #1	N/A	0.12 sec		
		Hello - pipeline	4 mo 17 days #5	N/A	42 sec		
		Laptop assembly	4 mo 17 days #31	4 mo 17 days #29	1.2 sec		
		learn-jenkins-app	3 mo 29 days #24	3 mo 29 days #20	3 min 52 sec		

Icon: S M L

Icon legend

 Atom feed for all

 Atom feed for failures

 Atom feed for just latest builds

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All

+

Add description

S	W	Name ↓	Last Success	Last Failure	Last Duration	Fav
		Hello - freestyle	4 mo 17 days #1	N/A	0.12 sec	 
		Hello - pipeline	4 mo 17 days #5	N/A	42 sec	 
		Laptop assembly	4 mo 17 days #31	4 mo 17 days #29	1.2 sec	 
		learn-jenkins-app	3 mo 29 days #24	3 mo 29 days #20	3 min 52 sec	 

Icon: S M **L**

Icon legend

 Atom feed for all

 Atom feed for failures

 Atom feed for just latest builds

- + New Item
-  People
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  **Manage Jenkins**
-  My Views

Build Queue

No builds in the queue.

Build Executor Status

1	Idle
2	Idle

Manage Jenkins

 Search settings

/

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Set up agent

Set up cloud

Dismiss

System Configuration

-  **System**
Configure global settings and paths.
-  **Tools**
Configure tools, their locations and automatic installers.
-  **Plugins**
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.
-  **Nodes**
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.
-  **Clouds**
Add, remove, and configure cloud instances to provision agents on-demand.

Security

-  **Security**
Secure Jenkins; define who is allowed to access/use the system.
-  **Users**
Create/delete/modify users that can log in to this Jenkins.
-  **Credentials**
Configure credentials
-  **Credential Providers**
Configure the credential providers and types

Status Information

-  **System Information**
-  **System Log**
-  **Load Statistics**

Plugins

-  Updates 49
-  Available plugins
-  Installed plugins
-  Advanced settings

Search plugin updates

/

Update

☐	Name ↓	Released	Installed
☐	Bitbucket Branch Source 877.vb_b_d5243f6794 Source Code Management Allows to use Bitbucket Cloud and Bitbucket Server as sources for multi-branch projects. It also provides the required connectors for Bitbucket Cloud Team and Bitbucket Server Project folder (also known as repositories auto-discovering).	6 days 4 hr ago	848.v42c6a_317eda_e
☐	Bootstrap 5 API 5.3.2-4 Provides Bootstrap 5 for Jenkins Plugins. Bootstrap is (according to their self-perception) the world's most popular front-end component library to build responsive, mobile-first projects on the web.	11 days ago	5.3.2-2
☐	bouncycastle API 2.30.1.77-225.v26ea_c9455fd9 Library plugins (for use by other plugins) This plugin provides a stable API to Bouncy Castle related tasks.	3 mo 0 days ago	2.29
☐	Branch API 2.1152.v6f101e97dd77 This plugin provides an API for multiple branch based projects.	10 days ago	2.1128.v717130d4f816
☐	Build Timeout 1.32 Build Wrappers This plugin allows you to automatically terminate a build if it's taking too long.	2 mo 4 days ago	1.31
☐	commons-text API 1.11.0-95.v22a_d30ee5d36 Jenkins Api Plugin that Bundles Apache Commons Text v1.x. Usage will slim downstream plugin. Provides org.apache.commons:commons-text:1.11.0.	3 mo 1 day ago	1.10.0-78.v3e7b_ea_d5a_fe1
☐	Durable Task 550.v0930093c4b_a_6 Build Tools Library offering an extension point for processes which can run outside of Jenkins yet be monitored.	28 days ago	523.va_a_22cf15d5e0

Plugins

- Updates 49
- Available plugins
- Installed plugins
- Advanced settings

github

Name ↓	Enabled
GitHub API Plugin 1.318-461.v7a_c09c9fa_d63 This plugin provides GitHub API for other plugins. Report an issue with this plugin	1.316-...
GitHub Branch Source 1741.va_3028eb_9fd21 Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc. Report an issue with this plugin	
GitHub plugin 1.38.0 This plugin integrates GitHub to Jenkins. Report an issue with this plugin	1.37.3
Pipeline: GitHub Groovy Libraries 42.v0739460cda_c4 Allows Pipeline Groovy libraries to be loaded on the fly from GitHub. Report an issue with this plugin	



Plugins

- Updates 49
- Available plugins
- Installed plugins
- Advanced settings

Name ↓	Enabled
GitHub API Plugin 1.318-461.v7a_c09c9fa_d63 This plugin provides GitHub API for other plugins. Report an issue with this plugin	☒ 1.316-...
GitHub Branch Source 1741.va_3028eb_9fd21 Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc. Report an issue with this plugin	☒
GitHub plugin 1.38.0 This plugin integrates GitHub to Jenkins. Report an issue with this plugin	☒ 1.37.3
Pipeline: GitHub Groovy Libraries 42.v0739460cda_c4 Allows Pipeline Groovy libraries to be loaded on the fly from GitHub. Report an issue with this plugin	☒

Plugins

Updates 49

Available plugins

Installed plugins

Advanced settings

Name ↓	Enabled
GitHub API Plugin 1.318-461.v7a_c09c9fa_d63 This plugin provides GitHub API for other plugins. Report an issue with this plugin	☒  1.316-... 
GitHub Branch Source 1741.va_3028eb_9fd21 Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc. Report an issue with this plugin	☒ 
GitHub plugin 1.38.0 This plugin integrates GitHub to Jenkins. Report an issue with this plugin	☒  1.37.3 
Pipeline: GitHub Groovy Libraries 42.v0739460cda_c4 Allows Pipeline Groovy libraries to be loaded on the fly from GitHub. Report an issue with this plugin	☒ 

	A	B	C	D	E	F	G	H	I	J	K	
1	Date of update	Name	Reason for Update	Previous version	Current version	Performed by	Update status	Additional Notes				
2	05.03.2024	Jenkins Core	Security update	2.414.3	2.440.1	Valentin	Successful					
3	05.03.2024	GitHub plugin	Security update	1.37.3	1.38.0	Valentin	Successful					
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
32												
33												
34												

[illegible]