

- Status
- Changes
- Console Output
- Edit Build Information
- Delete build '#24'
- Git Build Data
- Test Result
- Open Blue Ocean
- Restart from Stage
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

 **Build #24 (Nov 7, 2023, 2:50:40 PM)**

Keep this build forever

 Add description

Started 3 mo 29 days ago
Took 3 min 52 sec

 Changes

1. Deploy to prod ([details](#) / [githubweb](#))

 Up next

Started by user [valentin](#)

 **Revision:** ab529e45ac45cda80578feccb0c87b2c85543c38
Repository: <https://github.com/vdespa-jenkins/learn-jenkins-app.git>

- refs/remotes/origin/main

 **Test Result** (no failures)

42. How to structure a pipeline?




Cancel

How did this section go?





Pipeline structure



Branch: —


Commit: —

2m 24s

Changes by 148623005+vdespa-jenkins

6 minutes ago

Started by user valentin



Tests / Unit tests - <1s

Restart Tests

✓	> Get contextual object from internal APIs	<1s
✓	> Checks if running on a Unix-like node	<1s
✓	> docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓	> #test -f build/index.html npm test — Shell Script	8s
✓	> jest-results/junit.xml — Archive JUnit-formatted test results	<1s

Branch: —


Commit: —

2m 24s

6 minutes ago

Changes by 148623005+vdespa-jenkins

Started by user valentin



Tests / Unit tests - <1s

Restart Tests

✓	> Get contextual object from internal APIs	<1s
✓	> Checks if running on a Unix-like node	<1s
✓	> docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓	> #test -f build/index.html npm test — Shell Script	8s
✓	> jest-results/junit.xml — Archive JUnit-formatted test results	<1s

Branch: —


Commit: —

2m 24s

8 minutes ago

Changes by 148623005+vdespa-jenkins

Started by user valentin



Tests / Unit tests - <1s

Restart Tests

✓	> Get contextual object from internal APIs	<1s
✓	> Checks if running on a Unix-like node	<1s
✓	> docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓	> #test -f build/index.html npm test — Shell Script	8s
✓	> jest-results/junit.xml — Archive JUnit-formatted test results	<1s

Branch: —


Commit: —

2m 24s

Changes by 148623005+vdespa-jenkins

8 minutes ago

Started by user valentin



Tests / Unit tests - <1s

Restart Tests

✓	> Get contextual object from internal APIs	<1s
✓	> Checks if running on a Unix-like node	<1s
✓	> docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓	> #test -f build/index.html npm test — Shell Script	8s
✓	> jest-results/junit.xml — Archive JUnit-formatted test results	<1s

Branch: —


Commit: —

2m 24s

9 minutes ago

Changes by 148623005+vdespa-jenkins

Started by user valentin



Tests / Unit tests - <1s

Restart Tests

✓	> Get contextual object from internal APIs	<1s
✓	> Checks if running on a Unix-like node	<1s
✓	> docker inspect -f . "\$JD_TO_RUN" — Shell Script	<1s
✓	> #test -f build/index.html npm test — Shell Script	8s
✓	> jest-results/junit.xml — Archive JUnit-formatted test results	<1s