

www.udemy.com – To exit full screen, press Esc

- Status
- Changes
- Build Now
- Configure
- Delete Pipeline
- Full Stage View
- Playwright HTML Report
- Open Blue Ocean
- Rename
- Pipeline Syntax

Build History trend

Filter builds...

#22	Nov 7, 2023, 2:11 PM
#21	Nov 7, 2023, 1:57 PM
#20	Nov 7, 2023, 1:42 PM
#19	Nov 6, 2023, 8:58 PM
#18	Nov 6, 2023, 8:49 PM
#17	Nov 6, 2023, 8:46 PM
#16	Nov 6, 2023, 8:02 PM
#15	Nov 6, 2023, 7:51 PM

Pipeline learn-jenkins-app

Add description


Disable Project

Stage View

		Declarative: Checkout SCM	Build	Tests	Unit tests	E2E	Deploy
Average stage times: (Average full run time: ~2min 55s)		1s	1min 32s	99ms	12s	29s	56s
#22	Nov 07 11:11 1 commit	957ms	1min 11s	67ms	15s	32s	1min 10s
#21	Nov 07 10:57 3 commits	1s	1min 25s	155ms	11s	27s	1min 27s
#20	Nov 07 10:42 1 commit	1s	1min 37s	80ms	11s	29s	13s

Up next

50. Managing secrets in Jenkins



Managing secrets



-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings

Get started with Netlify

1/6

 Let's build your first web app!

[Dismiss](#)

 **Connect a Git provider**
[Set up continuous deployment](#)

 **Deploy again**
[Learn how deploys work](#)

 **Add custom domain**
[Learn about domains](#)

Valentin Starter

Current usage period (Nov 7 to Dec 7)

Bandwidth

→

3 KB/100 GB

Build minutes

→

0/300

Concurrent builds

→

0/1

Team members

→

1



Sites →

Add new site ▾



peaceful-daffodil-303af5

Manual deploys





Upgrade

Odemy



- User settings
- Netlify Labs
- Sign out

Team overview

- Sites
- Builds
- Integrations
- Domains
- Members
- Audit log
- Security Scorecard
- Billing
- Team settings

Get started with Netlify

1/6

Let's build your first web app!

Dismiss



Connect a Git provider

Set up continuous deployment



Deploy again

Learn how deploys work

Valentin Starter

Current usage period (Nov 7 to Dec 7)

Bandwidth
3 KB/100 GB



Build minutes
0/300



Concurrent builds
0/1



Team members
1



Sites

Add new site



peaceful-daffodil-303af5

Manual deploys



Upgrade

Team overview

Sites

Builds

Integrations

Domains

Members

Audit log

Security Scorecard

Billing

Team settings

Get started with Netlify

1/6

Let's build your first web app!

Dismiss



Connect a Git provider

Set up continuous deployment



Deploy again

Learn how deploys work

User settings

Netlify Labs

Sign out

Valentin Starter

Current usage period (Nov 7 to Dec 7)

Bandwidth

3 KB/100 GB



Build minutes

0/300



Concurrent builds

0/1



Team members

1



V

Sites →

Add new site



peaceful-daffodil-303af5

Manual deploys



Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



User settings



Joined Netlify at 10:03 AM (an hour ago).

Created 1 site. Collaborates on 1 team.



General

Profile

Danger zone

Security

Applications

Labs

Profile

Your personal information

Personal information

Avatar:



Name:

Not set

Email:



Password:

.....

Default team:

Not set

Edit settings

Connected accounts

Connect your Netlify account to one or more Git providers to make logging in and collaborating with your team easier.

Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



User settings



Joined Netlify at 10:03 AM (an hour ago).

Created 1 site. Collaborates on 1 team.



General

Profile

Danger zone

Security

Applications

Labs

Profile

Your personal information

Personal information

Avatar:



Name:

Not set

Email:



Password:

.....

Default team:

Not set

Edit settings

Connected accounts

Connect your Netlify account to one or more Git providers to make logging in and collaborating with your team easier.

Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



Created 1 site. Collaborates on 1 team.

General

Security

Applications

OAuth

Labs

OAuth

Integrate other services with Netlify using OAuth

OAuth applications

Register OAuth applications to build apps with Netlify's API.

New OAuth app

Personal access tokens

Create personal access tokens for use in shell scripts and API access.

New access token

Authorized applications

You haven't authorized any applications to access Netlify on your behalf.

Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



Created 1 site. Collaborates on 1 team.

General

Security

Applications

OAuth

Labs

OAuth

Integrate other services with Netlify using OAuth

OAuth applications

Register OAuth applications to build apps with Netlify's API.

New OAuth app

Personal access tokens

Create personal access tokens for use in shell scripts and API access.

New access token

Authorized applications

You haven't authorized any applications to access Netlify on your behalf.

Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



Created 1 site. Collaborates on 1 team.

General

Security

Applications

OAuth

Labs

OAuth

Integrate other services with Netlify using OAuth

OAuth applications

Register OAuth applications to build apps with Netlify's API.

New OAuth app

Personal access tokens

Create personal access tokens for use in shell scripts and API access.

New access token

Authorized applications

You haven't authorized any applications to access Netlify on your behalf.

Upgrade



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

Generate a personal access token

Give the token a descriptive name to help you remember what it will be used for.

Expiration

7 days ▾

The token will expire on Tuesday, November 14, 2023

Generate token

Cancel



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

Generate a personal access token

Give the token a descriptive name to help you remember what it will be used for.

Description of your token

Jenkins

Expiration

7 days ^

The token will expire on Tuesday, November 14, 2023

7 days ✓

30 days

60 days

90 days

Custom...

No expiration

Cancel

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

Generate a personal access token

Give the token a descriptive name to help you remember what it will be used for.

Description of your token

Jenkins

Expiration

7 days ^

The token will expire on Tuesday, November 14, 2023

7 days ✓

30 days

60 days

90 days

Custom...

No expiration

Cancel

Upgrade

-  Team overview
-  Sites
-  Builds
-  Integrations
-  Domains
-  Members
-  Audit log
-  Security Scorecard
-  Billing
-  Team settings



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

Generate a personal access token

Give the token a descriptive name to help you remember what it will be used for.

Description of your token

Jenkins

Expiration

60 days ▾

The token will expire on Saturday, January 6, 2024

Generate token

Cancel



Upgrade



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

Generate a personal access token

Give the token a descriptive name to help you remember what it will be used for.

Description of your token

Expiration

60 days ▾

The token will expire on Saturday, January 6, 2024

Generate token

Cancel





Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

New token created

Copy the token below to your clipboard. For security reasons, after you navigate off this page, no one will be able to see the token again.

Mmqzjiwbga80cQ8blz0fsvdHhCjZow6YXyN695nwBXw



Done

learn-jenkins-app [Jenkins]

vdespa-jenkins/learn-jenkins-app

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/job/learn-jenkins-app/

Jenkins

Dashboard

>

learn-jenkins-app

>

Status

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Playwright HTML Report

Open Blue Ocean

Rename

Pipeline Syntax

Build History

trend

Filter builds...

/

#22

Nov 7, 2023, 2:11 PM

#21

Nov 7, 2023, 1:57 PM

#20

Nov 7, 2023, 1:42 PM

#19

Nov 6, 2023, 8:58 PM

#18

Nov 6, 2023, 8:49 PM

#17

Nov 6, 2023, 8:46 PM

Pipeline learn-jenkins-app

Add description

Disable Project

Test Result Trend

Passed

Skipped

Failed

1

0.5

#6

#7

#8

#9

#10

#11

#14

#15

#16

#17

#18

#19

#20

#21

Declarative: Checkout SCM

1s

Build

1min 32s

Tests

99ms

Unit tests

12s

E2E

29s

Deploy

56s

#22

Nov 07 11:11

1 commit

957ms

1min 11s

67ms

15s

32s

1min 10s

#21

Nov 07 10:57

3 commits

1s

1min 25s

155ms

11s

27s

1min 27s

Average stage times:

(Average full run time: ~2min 55s)

Odemy

learn-jenkins-app [Jenkins]

vdespa-jenkins/learn-jenkins-app

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/job/learn-jenkins-app/

valentin

log out

Dashboard

learn-jenkins-app

Status

Changes

Build Now

Configure

Delete Pipeline

Full Stage View

Playwright HTML Report

Open Blue Ocean

Rename

Pipeline Syntax

Pipeline learn-jenkins-app

Add description

Disable Project

Test Result Trend

Passed Skipped Failed

1 0.5 #6 #7 #8 #9 #10 #11 #14 #15 #16 #17 #18 #19 #20 #21

Build History

trend

Filter builds...

#22 Nov 7, 2023, 2:11 PM

#21 Nov 7, 2023, 1:57 PM

#20 Nov 7, 2023, 1:42 PM

#19 Nov 6, 2023, 8:58 PM

#18 Nov 6, 2023, 8:49 PM

#17 Nov 6, 2023, 8:46 PM

Stage View

Average stage times:
(Average full run time: ~2min 55s)

#22 Nov 07 11:11 1 commit

#21 Nov 07 10:57 3 commits

Declarative: Checkout SCM	Build	Tests	Unit tests	E2E	Deploy
1s	1min 32s	99ms	12s	29s	56s
957ms	1min 11s	67ms	15s	32s	1min 10s
1s	1min 25s	155ms	11s	27s	1min 27s

Odemy

- New Item
- People
- Build History
- Manage Jenkins
- My Views
- Open Blue Ocean

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

All

S	W	Name ↓	Last Success	Last Failure	Last Duration	Fav
✓	☀	Hello - freestyle	18 days #1	N/A	0.12 sec	▶ ☆
✓	☀	Hello - pipeline	18 days #5	N/A	42 sec	▶ ☆
✓	☁☀	Laptop assembly	18 days #31	18 days #29	1.2 sec	▶ ☆
✓	☁☀	learn-jenkins-app	15 min #22	44 min #20	2 min 57 sec	▶ ☆

Manage Jenkins [Jenkins]

vdespa-jenkins/learn-jenkins-app

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/

Dashboard > Manage Jenkins

My Views

Open Blue Ocean

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

GitHub plugin 1.37.3:

Stored XSS vulnerability

A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

System

Configure global settings and paths.

Tools

Configure tools, their locations and automatic installers.

Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

Clouds

Add, remove, and configure cloud instances to provision agents on-demand.

Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

Security

Security

Secure Jenkins; define who is allowed to access/use the system.

Users

Create/delete/modify users that can log in to this Jenkins.

Credentials

Configure credentials

Credential Providers

Configure the credential providers and types

Status Information

System Information


Displays various environmental information to


System Log


System log captures output from

Load Statistics

Check your resource utilization and see if you







New credentials [Jenkins]

vdespa-jenkins/learn-jenkins-ap

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/credentials/store/system/domain/_/newCredentials

Search (⌘+K)

valentin

log out

Dashboard

Manage Jenkins

Credentials

System

Global credentials (unrestricted)

New credentials

Kind

Username with password

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Username ?

☐ Treat username as secret ?

Password ?

ID ?

Description ?

Create

New credentials [Jenkins]

vdespa-jenkins/learn-jenkins-ap

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/credentials/store/system/domain/_/newCredentials

Search (⌘+K)

valentin

log out

Dashboard > Manage Jenkins > Credentials > System > Global credentials (unrestricted) >

New credentials

Kind

✓ Username with password

GitHub App

SSH Username with private key

Secret file

Secret text

X.509 Client Certificate

Certificate

Username ?

Treat username as secret ?

Password ?

ID ?

Description ?

Create

Odemy

New credentials [Jenkins]

vdespa-jenkins/learn-jenkins-ap

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/credentials/store/system/domain/_/newCredentials

Search (⌘+K)

valentin

log out

Dashboard

Manage Jenkins

Credentials

System

Global credentials (unrestricted)

New credentials

Kind

✓ Username with password

GitHub App

SSH Username with private key

Secret file

Secret text

X.509 Client Certificate

Certificate

Username

Treat username as secret

Password

ID

Description

Create

Odemy

New credentials

Kind

Secret text ▾

Scope ?

Global (Jenkins, nodes, items, all child items, etc) ▾

Secret

ID ?

Description ?

Create

New credentials

Kind

Secret text

Scope ?

✓ Global (Jenkins, nodes, items, all child items, etc)
System (Jenkins and nodes only)

Secret

ID ?

Description ?

Create

New credentials

Kind

Secret text

Scope ?


Global (Jenkins, nodes, items, all child items, etc)

Secret

ID ?

Description ?

Create



Create a new personal access token

Personal access tokens function like ordinary OAuth access tokens.

1. Generate token

2. Copy token

New token created

Copy the token below to your clipboard. For security reasons, after you navigate off this page, no one will be able to see the token again.

Mmqzjiwbga80cQ8blz0fsvdHhCjZow6YXyN695nwBXw



Done

New credentials [Jenkins] ×vdespa-jenkins/learn-jenkins-ap ×Jenkinsfile — learn-jenkins-app ×Netlify × +

← → ↻localhost:8080/manage/credentials/store/system/domain/_/newCredentials☆🔒📌☰

Jenkins

🔍 Search (⌘+K) ⓘ🛡️ 2👤 valentin ▾🚪 log out

Dashboard > Manage Jenkins > Credentials > System > Global credentials (unrestricted) >

New credentials

Kind

Secret text ▾

Scope ⓘ

Global (Jenkins, nodes, items, all child items, etc) ▾

Secret

ID ⓘ

Description ⓘ

Create

Odemy

New credentials

Kind

Secret text

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Secret

.....

ID ?

Description ?

Create

New credentials [Jenkins] ×vdespa-jenkins/learn-jenkins-ap ×Jenkinsfile — learn-jenkins-app ×Netlify × +

← → ↻localhost:8080/manage/credentials/store/system/domain/_/newCredentials☆🔒📄☰

Jenkins

🔍 Search (⌘+K) ⓘ🛡️ 2👤 valentin ▾🚪 log out

Dashboard > Manage Jenkins > Credentials > System > Global credentials (unrestricted) >

New credentials

Kind

Secret text ▾

Scope ⓘ

Global (Jenkins, nodes, items, all child items, etc) ▾

Secret

.....

ID ⓘ

netlify-token

Description ⓘ

Create

Odemy

Kind

Secret text

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Secret

.....

ID ?

netlify-token

Description ?

Create

System » Global credentials (un

vdespa-jenkins/learn-jenkins-ap

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/credentials/store/system/domain/_/

Save password for http://localhost:8080?

Username

No username


Password

.....

☐ Show password

Don't save

Save



Global credentials (unrestricted)

+ Add Credentials

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
 netlify-token	netlify-token	Secret text	

Icon: S M L

System » Global credentials (un X

vdespa-jenkins/learn-jenkins-ap X

Jenkinsfile — learn-jenkins-app X

Netlify

X

+

localhost:8080/manage/credentials/store/system/domain/_/

☆

🔒

📌

☰

 **Jenkins**

🔍 Search (⌘+K)

?

🛡️ 2

👤 valentin ▾

🚪 log out

Dashboard > Manage Jenkins > Credentials > System > Global credentials (unrestricted) >

Global credentials (unrestricted)

+ Add Credentials

Credentials that should be available irrespective of domain specification to requirements matching.

ID	Name	Kind	Description
 netlify-token	netlify-token	Secret text	


Icon:

S

M

L

Odemy



Update

Delete

Move

netlify-token

Usage

This credential has not been recorded as used anywhere.

Note: usage tracking requires the cooperation of plugins and consequently may not track every use.

- Update
- Delete
- Move

Update credentials

Scope ?

Global (Jenkins, nodes, items, all child items, etc)

Secret

Concealed

Change Password

ID ?

netlify-token

Description ?

Save

- Update
- Delete
- Move

Update credentials

Scope

Global (Jenkins, nodes, items, all child items, etc)

Secret

Concealed

Change Password

ID

netlify-token

Description

Save

-  Update
-  Delete
-  Move

Update credentials

Scope ⓘ

Global (Jenkins, nodes, items, all child items, etc)⌵

Secret

 Concealed

Change Password

ID ⓘ

netlify-token

Description ⓘ

Save

Manage Jenkins [Jenkins]

vdespa-jenkins/learn-jenkins-ap

Jenkinsfile — learn-jenkins-app

Netlify

localhost:8080/manage/

Search (⌘+K)

valentin

log out

Dashboard > Manage Jenkins

+ New Item

People

Build History

Manage Jenkins

My Views

Open Blue Ocean

Build Queue

No builds in the queue.

Build Executor Status

1 Idle

2 Idle

Manage Jenkins

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

Warnings have been published for the following currently installed components:
[GitHub plugin 1.37.3:](#)
[Stored XSS vulnerability](#)
A fix for this issue is available. Go to the [plugin manager](#) to update the plugin.

System Configuration

System

Configure global settings and paths.

Tools

Configure tools, their locations and automatic installers.

Nodes

Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

Clouds

Add, remove, and configure cloud instances to provision agents on-demand.

Security

Secure Jenkins; define who is allowed to access/use the system.

Credentials

Configure credentials

Plugins

Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

Credential Providers

Configure the credential providers and types

Set up agent

Set up cloud

Dismiss

Go to plugin manager

Configure which of these warnings are shown

19

Odemy

