# Experiment 2: Main Analysis

## Bethany Gardner

# 3/29/2022

#### Contents

Setup	1
Data summary	2
Model 1: Condition	3
Model 2: Condition * Name Gender	3

# Setup

Load data and select columns used in model. See data/exp2\_data\_about.txt for more details.

```
d <- read.csv("../data/exp2_data.csv", stringsAsFactors=TRUE) %>%
    rename("Participant"="SubjID", "Item"="NameShown") %>%
    select(Participant, Condition, GenderRating, Item, Male, Female, Other)
str(d)
```

```
## 'data.frame': 9457 obs. of 7 variables:
## $ Participant : Factor w/ 1351 levels "R_06Tps0XX28Fe09j",..: 694 694 694 694 694 694 694 301 301 3
## $ Condition : Factor w/ 3 levels "first","full",..: 1 1 1 1 1 1 1 1 1 1 1 ...
## $ GenderRating: num 5.59 4.22 2.12 6.73 3.61 4.73 1.21 6.24 4.39 2.61 ...
## $ Item : Factor w/ 105 levels "Ashley","Ashley Cook",..: 51 91 18 60 87 55 63 1 47 29 ...
## $ Male : int 1 1 0 1 1 0 1 0 0 1 ...
## $ Female : int 0 0 1 0 0 1 0 1 1 0 ...
```

Center gender rating for names: Original scale from 1 to 7, with 1 as most masculine and 7 as most feminine. Mean-centered with higher still as more feminine.

: int 0000000000...

```
d %<>% mutate(GenderRatingCentered=scale(d$GenderRating, scale=FALSE))
```

Set contrasts for name conditions.

\$ Other

```
## last vs first/full first vs full
## first 0.33 -0.5
## full 0.33 0.5
## last -0.66 0.0
```

Subset for gender rating effects (First and Full conditions only).

```
d.FF <- d %>% filter(Condition!="last")
d.FF$Condition <- droplevels(d.FF$Condition)
contrasts(d.FF$Condition) = cbind("first vs full"=c(-.5,.5)) #add contrast back
contrasts(d.FF$Condition)</pre>
```

```
## first vs full
## first -0.5
## full 0.5
```

# Data summary

Responses by condition.

Condition	Female	Male	Other	${\bf Female\_MaleOther}$	Female_Male
first	1566	1543	48	0.984	1.015
full	1430	1633	101	0.825	0.876
last	403	2490	243	0.147	0.162

- First name condition has most FEMALE responses
- Full name condition has second-most FEMALE responses
- Last name condition has fewest FEMALE responses

## Model 1: Condition

Effect of Condition (first name, last name, full name) on likelihood of a FEMALE response, as opposed to a MALE or OTHER response. Participant and Item are included as random intercepts, with items defined as the unique first, last and first + last name combinations. Because the condition manipulations were fully between-subject and between-item, fitting a random slope model was not possible.

```
## Generalized linear mixed model fit by maximum likelihood (Laplace
##
     Approximation) [glmerMod]
##
    Family: binomial (logit)
  Formula: Female ~ Condition + (1 | Participant) + (1 | Item)
##
##
      Data: d
##
##
        AIC
                       logLik deviance df.resid
                 BTC
##
     9177.5
              9213.3
                      -4583.7
                                 9167.5
                                            9452
##
## Scaled residuals:
##
       Min
                1Q Median
                                 3Q
                                        Max
##
  -2.9637 -0.4651 -0.2936
                            0.5472
                                     4.8560
##
## Random effects:
                             Variance Std.Dev.
    Groups
                Name
##
    Participant (Intercept) 0.2077
                                      0.4557
                                      1.3363
##
                (Intercept) 1.7857
## Number of obs: 9457, groups: Participant, 1351; Item, 105
##
## Fixed effects:
##
                                Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                                 -0.8800
                                             0.1509
                                                     -5.831 5.52e-09 ***
## Conditionlast vs first/full
                                  1.9863
                                             0.3430
                                                       5.791 7.00e-09 ***
## Conditionfirst vs full
                                 -0.2355
                                             0.3452
                                                     -0.682
                                                                0.495
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' ' 1
##
## Correlation of Fixed Effects:
##
               (Intr) Cvfrs/
## Cndtnvfrst/ -0.170
## Cndtnfrstvf -0.360 -0.241
```

Less likely overall to recall character as FEMALE. Less likely to recall character as FEMALE in the Last Name condition as compared to the First and Full Name conditions.

## Model 2: Condition \* Name Gender

Effects of Condition (first name, full name) and the first name's Gender Rating (centered, positive=more feminine) on the likelihood of a FEMALE response, as opposed to a MALE or OTHER response. In Experiment 2, the Last Name condition does not include any instances of the gendered first name, so it is not included here. Participant and Item are again included as random intercepts.

```
m.namegender <- glmer(Female ~ Condition * GenderRatingCentered +</pre>
            (1|Participant) + (1|Item),
            data=d.FF, family=binomial)
summary(m.namegender)
## Generalized linear mixed model fit by maximum likelihood (Laplace
     Approximation) [glmerMod]
   Family: binomial (logit)
## Formula: Female ~ Condition * GenderRatingCentered + (1 | Participant) +
##
       (1 | Item)
      Data: d.FF
##
##
##
        AIC
                 BIC
                       logLik deviance df.resid
     6780.8
              6821.3 -3384.4
                                6768.8
##
##
## Scaled residuals:
##
      Min
                1Q Median
                                30
                                       Max
##
  -2.9540 -0.6305 -0.2378 0.6395
##
## Random effects:
##
   Groups
                            Variance Std.Dev.
                Name
   Participant (Intercept) 0.1278
                                      0.3575
##
                (Intercept) 0.1506
                                      0.3880
## Number of obs: 6321, groups: Participant, 903; Item, 83
##
## Fixed effects:
##
                                                Estimate Std. Error z value
## (Intercept)
                                                -0.19949
                                                            0.06001 -3.325
## Conditionfirst vs full
                                                -0.22603
                                                            0.11986 -1.886
## GenderRatingCentered
                                                 0.78314
                                                            0.03574
                                                                     21.909
## Conditionfirst vs full:GenderRatingCentered -0.07369
                                                            0.07000 - 1.053
##
                                                Pr(>|z|)
## (Intercept)
                                                0.000886 ***
## Conditionfirst vs full
                                                0.059331 .
## GenderRatingCentered
                                                 < 2e-16 ***
## Conditionfirst vs full:GenderRatingCentered 0.292442
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' ' 1
##
## Correlation of Fixed Effects:
```

(Intr) Cndtvf GndrRC

## Cndtnfrstvf -0.342

## GndrRtngCnt -0.065 -0.013

## Cvfll:GndRC -0.010 -0.057 -0.304

Less likely overall to recall character as female in the First and Full Name conditions. Somewhat more likely to recall the character as female in the First Name condition as compared to the Full Name condition (trending). More likely to recall character as female as first name becomes more feminine. No interaction between name condition and first name gender rating.