SANTA CLARA UNIVERSITY DEPARTMENT OF COMPUTER ENGINEERING

Date: May 25, 2016

I HEREBY RECOMMEND THAT THE THESIS PREPARED UNDER MY SUPERVISION BY

Alberto Diaz-Tostado Amy Nguyen Tran

ENTITLED

Planly

BE ACCEPTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE DEGREES OF

BACHELOR OF SCIENCE IN COMPUTER SCIENCE AND ENGINEERING BACHELOR OF SCIENCE IN WEB DESIGN AND ENGINEERING

Thesis Advisor	
Department Chair	

Planly

by

Alberto Diaz-Tostado Amy Nguyen Tran

Submitted in partial fulfillment of the requirements
for the degrees of
Bachelor of Science in Computer Science and Engineering
Bachelor of Science in Web Design and Engineering
School of Engineering
Santa Clara University

Planly

Alberto Diaz-Tostado Amy Nguyen Tran

Department of Computer Engineering Santa Clara University May 25, 2016

ABSTRACT

Individuals currently live in a society that revolves around productivity. People from managers to students are bombarded with numerous tasks and daunting deadlines, making it extremely difficult to stay organized. In addition, these individuals also have multiple commitments in their lives, adding to the stress of keeping up with their already busy schedules. Currently, people are faced with a variety of organization methods. However, the two tools most people resort to, e-mail and notepad, have become a burden to organize over time. In addition, current project management solutions are targeted towards large enterprises and not accessible for the general public. We propose a simple and user-friendly web-based solution that will be accessible to all. With the creation of a collaborative project management application, we will allow users to host a collaborative environment by providing them with a web based interface where they can easily communicate with their team members, find an organized list of their tasks and keep track of their project progress.

Table of Contents

1	Intr	oduction
	1.1	Motivation
	1.2	Current Solutions
	1.3	Literature Review
	1.4	Proposed Solution
	1.5	Requirements
		1.5.1 Functional Requirements
		1.5.2 Non-functional Requirements
		1.5.3 Design Constraints
2	Desi	ign (
	2.1	Conceptual Models
		2.1.1 Entity Relationship Diagram
		2.1.2 Activity Diagrams
		2.1.3 Mockups
	2.2	Use Cases
	2.3	Architectural Design
	2.4	Technologies Used
	2.5	Design Rationale
		2.5.1 Technology Rationale
		2.5.2 Aesthetics Rationale
3	Proj	ect Management 18
	3.1	Test Plan
	3.2	Project Risks
	3.3	Development Timeline
	3.4	Societal Issues
		3.4.1 Ethical Justification for Our Project
		3.4.2 Team and Organizational Ethics
		3.4.3 Product Development
		3.4.4 Social and Cultural Issues
4	Con	clusion 20
	4.1	The Final Application
		4.1.1 Login
		4.1.2 Creating Projects and Teams
		4.1.3 Adding Tasks and Subtasks
	4.2	User Testing and Results
	4.3	Lessons Learned
		4.3.1 Challenges
		4 3 2 Future Work 30

List of Figures

2.1	Entity Relationship Diagram
2.2	Activity Diagram: Creating a project
2.3	Activity Diagram: Creating a team
2.4	Activity Diagram: Assigning tasks
2.5	A mockup of our system concept
2.6	Use Case Diagram
2.7	Diagram describing the technology stack for our application
2.8	The interface for Microsoft Project
3.1	The Fall quarter development timeline
3.2	The Winter quarter development timeline
3.3	The Spring quarter development timeline
4.1	Homepage
4.2	Sign In / Login Screen
4.3	Projects View
4.4	Project Creation Form
4.5	Task View

List of Tables

	Literature Review: Foundations
1.2	Literature Review: Previous Web Applications
1.3	The resulting ranking from requirements analysis by AHP
2.4	A quick analysis of Microsoft project
3.1	Risk analysis table
3.2	Risk analysis table (cont'd.)

Chapter 1

Introduction

1.1 Motivation

Individuals currently live in a society that revolves around productivity. People from managers to students are bombarded with numerous tasks and daunting deadlines, making it extremely difficult to stay organized. In addition, these individuals have multiple commitments in their lives, adding to the stress of keeping up with their already busy schedules. Currently, individuals are faced with a variety of organization methods. However, the two tools most people resort to are e-mail and notepads. Without a doubt, people are often drawn to the simplicity of typing out a quick note or sending an e-mail. However, it becomes extremely difficult to keep track of all these notes and e-mails. Before you know it, lines of communication become broken and trains of thought are lost forever. Older conventions are becoming outdated as e-mail searches often yield innumerable results, and text files are never where they need to be. Team members need a way arrange their tasks and ensure that every member is on track.

1.2 Current Solutions

Previous solutions have failed to provide an accessible and simple project management tool. The issues with current solutions are:

- 1. Most workflow management solutions, such as Asana and Basecamp, are often marketed and catered to large enterprises rather students and small groups.
- Current solutions are exceedingly expensive, thus community organizations and students tend to avoid these applications.
- 3. Current solutions have a steep learning curves that often require additional training.
- 4. Present solutions, such as Pivotal Tracker and Microsoft Outlook, have poor user interface design and are not straightforward, thus making it difficult to setup a meeting or look up a contact.

- Present solutions, such as to-do applications are too constrained since the application's main focus is on individual use.
- 6. Present project management applications are visually unappealing and not user-friendly. Most applications follow the conventional three panel layout, as seen in Outlook, pushing your tasks into some sidebar crevice where these tasks can easily be overlooked. These applications are not designed for students or small groups with minimal project management experience.

1.3 Literature Review

In order to build a new system, we needed to seek previous research in order to gain a strong foundation of project management and web applications.

Below is a summary of the relevant literatures and its contribution to our project.

The sources we discovered have not only given my team a foundation in project management, the sources further contributed to our understandings of the web. Through researching previous projects, we have taken to consideration all of the past projects and will carefully implement the best qualities into our design.

Table 1.1: Literature Review: Foundations

Source	Summary	Relevance to Our Project		
"Project management assets	Provided a background of how	The source helped us pinpoint		
and project management perfor-	managers use management tech-	which features of project man-		
mance: Preliminary findings"	niques to aid them as well as	agement are most helpful for in-		
Jugdev, K.; Mathur, G.; Tak Fung	which techniques are most effec- dividuals.			
	tive.			
"The Effect Of Project Based	Offered important insights to	Inspired us to use the results from		
Web 2.0-Learning On Students'	how users perform using web-	the study in designing to UI/UX		
Outcome"	based applications.	our web applications		
Mohamed, Bahaaeldin, and				
Thomas Koehler				

Table 1.2: Literature Review: Previous Web Applications

Source	Summary	Relevance to Our Project	
"Web based project collabora-	Authors built a system that helps	From this research, the authors	
tion, monitoring and manage-	facilitate project managements	included features that we would	
ment system"	and increases organizations be-	like to implement in our system.	
Seneviratna, G.A.D.P.S.; Nan-	tween teams.	The features are: document man-	
dasara, S.T.		agement and a feature for team	
		collaboration (ie chat feature)	
"Web Application For Project	The authors built a project man-	The authors uses JSP library to	
Management Based On Open	agement web application using	build their system, while my	
Source Solutions"	open source solutions.	team is will use Ember.js, which	
Wojtera, M.; Sakowicz, B.		is a JavaScript framework.	
"Web-based project management	The authors researched different	My team will keep the criticisms	
system"	project management tools and	of current systems in mind as we	
Galezowski, G.; Zabierowski,	evaluated the problems with ex-	design our project.	
W.; Napieralski, A.	isting solutions		

1.4 Proposed Solution

We propose a simple, yet powerful, web-based solution that lives entirely within a browser. The goal is to have an easily accessible place for not only small groups of students or professionals to host a collaborative environment, but, we also want individuals to use our system for personal projects. To achieve our goal:

- 1. Our accessibility will be achieved through a simple sign-on system without the hassle of painful payment systems and complex learning curves.
- 2. After signing in, the user will be able to begin collaborating by creating a project and creating multiple teams for the project.
- 3. After the project and teams are created, the user has the ability to add deadlines as well as assign tasks for him/herself or for others. The users can also assign subtasks that pertain to a certain task. All tasks can be viewed by all members of the project.
- 4. Users can also comment on tasks.
- 5. The application will include a progress bar showing the current progress of the project.

Once our product was completed, we then performed a usability study, where we asked participants to compelete a series of tasks and provide us with feedback after finishing each task. In addition, we had an exit survey where we further asked for the participant's feedback and opinions.

1.5 Requirements

We defined a set of functional and nonfunctional requirements for our web application. Functional requirements specifies criteria that can be used to judge the operations of a system. In other words, functional requirements define what must be done by the system. Nonfunctional requirements describe the behavior and the limits of the application.

1.5.1 Functional Requirements

1. Critical

To prioritize our requirements, we created an Analytic Hierarchy Process (AHP) chart seen in Table ??. By using AHP, we were able to easily prioritize our requirements.

	Critical			Critical Recommended			Suggested		
Requirement	A	В	С	D	Е	F	G	Н	I
Rank	14.34	13.36	12.78	12.01	8.72	6.24	5.80	5.52	5.19

Table 1.3: The resulting ranking from requirements analysis by AHP

From our AHP table, we recognized our critical requirements. Our critical requirements define the functionalities needed to have a basic working product.

The critical requirements speak to the purpose of our project, which is providing an accessible tool for individuals to create projects, collaborate with team members, and manage their tasks.

The critical requirements for our web application are summarized below.

- A. The system will allow users to create teams and assign members to those teams.
- B. The system will allow users to assign tasks to team members.
- C. The system will allow users to define project goals and requirements.

2. Recommended

The recommended requirements describe additional functionality that we would want to have in our project. Our recommended requirements outline animations and personal integrations that would enhance our project but are not needed for a basic working system.

- D. The system will have a logical flow between tasks based on the dependencies between tasks, calendars, and time progression.
- E. The system will provide a way for users to view all tasks related to the project.
- F. The system will allow teams to create milestones within their project timeline.

3. Suggested

The suggested requirements explain the functionality that we would like to have but are a last priority in our project.

- G. The system will have a progress bar that will dynamically change as the project progresses.
- H. The system will have a personal calendar integration, so members not only can see the availability of other members, but also plan their schedules accordingly.
- I. The system will allow the user to create his/her own private set of tasks, schedules, etc.

1.5.2 Non-functional Requirements

In addition to functional requirements, we have outlined nonfunctional requirements, summarized below. Because we want to appeal to a variety of audiences, we designed our application to be effortless and user-friendly. We want our users to engage in a collaborative and interactive environment. Because we want our application to be accessible, we designed our project to work on major web browsers as well as be compatible with desktops, laptops and tablets.

The system will be:

- 1. user-friendly.
- 2. aesthetically pleasing.
- 3. easy to use.
- 4. collaborative.
- 5. accesible on major web browsers.
- 6. compatible with desktops, laptops, and tablets.

1.5.3 Design Constraints

With regards to design constraints, we have identified one constraint. Our application must be a web-based application because of senior design requirements for the web design and engineering major. However, we believe that a web-based system will allow our application to be easily accessible for our users.

1. The system must be a web-based system.

Chapter 2

Design

2.1 Conceptual Models

In this section, we discuss how some of the main components and processes of our system will function and behave. These models will lay the foundation for the initial development of our system. We included three models to clearly illustrate our vision for the system; an entity relationship diagram, activity diagrams, and a mock-up of our primary application view.

2.1.1 Entity Relationship Diagram

An entity relationship diagram describes the types of connections between the main components of the system. Figure ?? shows us the five primary pieces that makeup our application; projects, teams, team members, a team leader, and project tasks. A project and a team can only have one leader. A project can have many teams, which are composed of many members. Lastly, members can have many tasks. A team leader effectively makes the projects. He or she is the person who initially uses the application to enter all the details of the project, including tasks and deadlines. The team leader also invites other members to the application and starts to assign them tasks and even add to them to a team with its own set of subtasks.




Figure 2.1: Entity Relationship Diagram

2.1.2 Activity Diagrams

An activity diagram is a flowchart of a user's actions to accomplish a goal. Our first figure, figure ??, depicts the actions necessary to create a project. Assuming that the user has signed in, the user must name his project, and also define the project's goal and deadline. Next she will have the option to add team members to the project. (This process will be explained in Figure ??). If she declines to add members, the project creation process is completed.




Figure 2.2: Activity Diagram: Creating a project.

The next activity diagram, figure ??, describes team creation. If the user wishes to add team members of

his/her project, he/she must first add a team description. Next, he/she will add a team member by entering his/her email. If the member has an account in our application, he/she will be successfully added to the team. If he/she is not a member, our system will send him/her an email invitation. The user will then have the option to continue adding team members. Lastly, the project creator will assign a project lead role to either him/herself or another member. Once the project lead role is assigned, he/she has completed the team creation process.




Figure 2.3: Activity Diagram: Creating a team.

The next activity diagram, figure ??, depicts the assignment of tasks process. The user will select a task and proceed to assign the task to team member(s). After this step, the process is complete.




Figure 2.4: Activity Diagram: Assigning tasks.

2.1.3 Mockups

Our final model, the mock-up, gives us a rough overview of the layout for the application. The nav bar and left side bar are minimalistic, having only as many features as necessary to accomplish any logistics such as account management and login buttons. The main feature, a blank canvas, will provide users with any interactivity related to the current project they are viewing, including tasks, timelines, and upcoming deadlines.




Figure 2.5: A mockup of our system concept.

2.2 Use Cases

A use case defines the steps required to accomplish a specific goal. The following use cases describe how the user interacts with the system to achieve these goals, including preconditions, postconditions, steps required, and common errors that might occur. The use case diagram, Figure ??, helps to illustrate the user's major actions in our application: creating a project, adding team members, and creating and assigning tasks.




Figure 2.6: Use Case Diagram

Use Case 1	Create Project	
Goal:	Initialize project objectives, tasks, and deadlines	
Actor:	User	
Preconditions:	Account is set up and logged in	
Postconditions:	Project is initialized	

Steps:

- 1. Name the project
- 2. Define project goals and deadlines
- 3. Add people to the project
- 4. Save the project

Use Case 2	Add team members		
Goal:	Associate people with the project		
Actor:	User		
Preconditions:	Logged in, project created, members added		
Postconditions:	Project has people assigned		

Steps:

- 1. Enter team description
- 2. Enter member contact
- 3. If found, add member to team, if not found send e-mail invite
- 4. Once, all members are added, choose a leader
- 5. Submit

Exceptions:

- A. Project does not exist:
 - 1. System shows failure message
 - 2. User taken to project creation phase
- B. Project does not have members:
 - 1. System shows failure message
 - 2. User prompted to add members

Assign tasks		
Assign tasks to individual members or teams		
User		
Logged in, project created, tasks created		
Postconditions: Tasks assigned		

Steps:

- 1. Select a task
- 2. Select members who will be assigned the task
- 3. Save the task

Exceptions:

- A. Project does not exist:
 - 1. System shows failure message
 - 2. User taken to project creation phase
- B. Project does not have tasks:
 - 1. System shows failure message
 - 2. User prompted to add tasks

2.3 Architectural Design




Figure 2.7: Diagram describing the technology stack for our application.

2.4 Technologies Used

In this section, we describe the technologies we chose to develop our application and the features they provide for us.

1. HTML5

The latest version of the standard web markup language

2. JS

A high-level, untyped, and interpreted programming language supported by all modern web browser

3. CSS3

A stylesheet language used to describe the presentation of HTML documents

4. Ember.js

A front-end javascript framework based on the model-view-controller (MVC) model and applies programming conventions to build scalable applications

5. Ember-CLI

A command line utility that provides a fast asset pipeline.

6. Firebase

A backend-as-a-service that provides client-side APIs, and services such as databases, web hosting, and authentication.

2.5 Design Rationale

In this section, we describe why we chose these technologies and the advantages and disadvantages associated with each of those technologies.

2.5.1 Technology Rationale

1. HTML5/CSS3/JS

This trio of web technologies has become the standard for web development

(a) Advantages

- i. Well documented and supported in the development community
- ii. Gives the developer control over the look and feel of the application
- iii. Compatible with nearly any web browser out there

(b) Disadvantages

- i. Without a framework or library it has little functionality
- ii. Requires a lot of time and effort to create a complete and robust application
- iii. Some browser interpret certain elements differently

2. Ember.js

We chose a framework because it expedites the development process. Ember.js boasts taking its developers 80% of the way through development with the use of best idioms and proper practices. It is used by companies such as Yahoo, Groupon, and Square.

(a) Advantages

- i. Faster development start time
- ii. Allows the developer to create reusable components through the use Handlebars templates
- iii. The built in router allows developers to create multi page applications by navigating the user through states rather than physical webpages, reducing the need to keep track of these different states since the page never physically reloads.

(b) Disadvantages

- The framework is based around conventions, limiting developers freedom for a majority of the development process
- ii. If the developers do stray from convention, they could find themselves having a difficult time reaching completion

3. Firebase

We chose this backend service due to the fact that it provides a client-side API for Ember.js called EmberFire.

(a) Advantages

- i. Using a client-side API eliminates the need for a backend language and allow us to focus on a single language for all of our development.
- ii. Firebase also provides hosting and database services for free!

(b) Disadvantages

- Support is outsourced, we do not have direct access to our server and are at the mercy of whatever functionality is provided by the API
- ii. A free firebase account does not provide provide private backups of our data, increasing the probability of data loss

2.5.2 Aesthetics Rationale

1. Existing Product Aesthetics

- a. Social Media Aesthetics Social media attracts users from a wide variety of backgrounds. Good social media encompasses design that is usable by literally anyone around the world. Thus, we want to make our design use components of social media because our audience will generally be familiar with this layout.
- b. Competitor Aesthetics In addition, we explored a competitor's application: Microsoft Project.




Figure 2.8: The interface for Microsoft Project

The Good	The Bad	The Ugly		
Familiar imagesColor coordinationFeature placement	Information overloadCluttered workspaceUnnecessary features	Restrained within a 'window'Nearly 20 year old design!		

Table 2.4: A quick analysis of Microsoft project.

While Microsoft's project management tool has some good design ideologies highlighted in the social media section, it generally gives the user more than he or she needs at a given time. The workspace looks crowded and at time messy, in no way representing any form of organization. To cap it all off, while graphics have improved over the years, the actual design of the product remains exactly the same.

2. Our Proposed Aesthetics

We want our application to have low learning curve and to achieve this, we must make our product user-friendly. In order to achieve the desired usability, our system will have to meet specific criteria:

i. The design of the individual components will afford their features, i.e. hamburger-buttons will serve as an interface to a menu and text areas will serve as a canvas for writing. Familiar icons increase usability since most audiences will understand the significance of these icons.

- ii. The system will experience minimal latency from user input to interface response. Our application needs to be as immersive as possible. Any technical glitch will detract from the user's experience.
- iii. The systems design will follow conventional web application layouts. Proper placement of features will be the difference between leaving users confused and onboarding new users so quickly that they are already planning activities in a matter of minutes.

Chapter 3

Project Management

3.1 Test Plan

We have divided our test plan into two categories: white box and black box testing. We plan to constantly conduct white box testing throughout project development. Because we have knowledge of our code, we will verify our system through unit testing to ensure that components are behaving correctly. Uniting testing will involve the login and logout process and project creation process. We will test the application's logical flow of tasks based on dependencies between tasks, calendars, and time progression by analyzing our logical path models as well as performing unit testing. In addition, we will conduct black box testing by playing the role of a user and interacting with the system. Furthermore, we will engage in weekly inspections and reviews to examine the software artifact for the purpose of finding errors.

To test usability, functionality and aesthetics, we will conduct acceptance testing through a series of alpha and beta testing. For alpha testing, we plan to observe users testing the account and project creation process. We will have the list of activities that we will ask the user to perform and then record the user's feedback. In addition, we will conduct beta testing by asking users to use our application for managing their own small projects. After they complete their projects, they will answer survey questions in regards to functionality and user experience.

3.2 Project Risks

Risks threaten the success of our project. Issues are prone to happen during project development, thus we must be prepared when facing adversity. By conducting a risk analysis, we will can identify all possible risks and the impact on our application as a whole. As shown in table ??, we have listed each risk and its consequence. Next, we rated the probability from a scale of 0 to 1. In addition, we rated the severity of the risk from a scale of 0 to 10. We then multiplied the probability and severity to determine the risk's impact to our project. After calculating the impact of each risk, we provided two mitigation strategies: one strategy to

Table 3.1: Risk analysis table

Risk	Consequence	Probability Probability	Severity	Impact	Mitigation Strategies
Bugs	Delays in develop-	1	7	7	Conduct peer code review ses-
	ment timeline, re-				sions and use best coding prac-
	sulting in failure to				tices to efficiently read and de-
	meet critical dead-				bug code.
	lines				Ensure our code has low cou-
					pling.
Missed	Delay project, in-	0.4	10	4	Set team deadlines in advance
deadlines	creasing the risk for				of actual deadlines in order to
	project failure.				have a buffer period. Build the
					basic foundation for a working
					system and later conduct mul-
					tiple releases to add function-
					ality.
Data loss	Must rebuild code	0.01	10	1	Backup project to GitHub.
	resulting in wasted				Have multiple backups in dif-
	time				ferent locations such as our
					own personal devices and on
					GitHub.
Team Dy-	Fracture cohesive-	0.3	5	1.5	Open communication with
namics	ness, resulting in				all group members. Con-
	poor teamwork.				duct weekly meetings to
	Wasted time to				ensure all members are cohe-
	settle dispute.				sive.Conduct Gantt chart and
					assign responsibilities in be-
					ginning stages of the project,
					so if there is a dispute, each
					member is still accountable
					for his/her deliverables.


reduce the probability and another strategy to reduce the severity of the risk.

Table 3.2: Risk analysis table (cont'd.)

Risk	Consequence	Probability	Severity	Impact	Mitigation Strategies
Technology Issues	The technology used in the project do not provide the functionality that we hoped it would do.	0.5	7	3.5	Conduct extensive research about each technology we will use in our project to guarantee that the technology is right for our project purposes. Research other technologies that may provide as an alternative to our chosen technology.
User Issues	User dissatisfied. Must redo aspects of our project. Can lead to delays to project timeline	0.5	8	4	Conduct user studies ensure that we are following the requirements and building the right system for the user. Conduct user test throughout our project development, thus we can fix user issues instantly rather than allowing issues to accumulate at the end.
Scope Creep	Too many features, resulting in project release delays.	0.75	7	5.25	Prioritize requirements in order to focus on developing the most critical features of the project. Build the foundation of our project to ensure that we always have a working product. By adding functionality in later releases, we will have a product that is able to be released at any given moment.

3.3 Development Timeline

In order to manage our time efficiently, we developed a Gantt chart. A Gantt chart displays the amount of work done or production that is completed in certain periods of time in relation to the amount planned for in such periods. Organization is crucial to the success of this project, thus we assigned each member responsibilities and set concrete deadlines for each responsibility. The following figures show our proposed development timeline.






Figure 3.1: The Fall quarter development timeline




Figure 3.2: The Winter quarter development timeline




Figure 3.3: The Spring quarter development timeline

3.4 Societal Issues

When building a new application, it is important to realize the societal aspects pertaining to the new product. As engineers, we have the ability to influence our users and thus we must act in an ethical manner when designing and developing an application. In order to ensure that we were acting ethically, we referenced the ACM Code of Ethics throughout the process of our application. Below is a ethical justification for our project, as well as how we plan to ensure that we are acting ethically with our team members and during product development. Lastly, we discuss social and cultural issues associated with Planly.

3.4.1 Ethical Justification for Our Project

We selected to build a collabortive project management application because we noticed a need for a management and organizational application for individuals who have multiple commitments in their lives. The moral reason we decided on our project is because we are aware that we live in a society based on productivity. Many individuals are being bombarded with tasks from different organizations, and with the invention of mobile devices, it seems that work never stops. We believe all humans have the right to live a dignified life and should not be stressed to such severity that health-related consequences, such as mental illness, can occur. With the creation of an organizational management application, we hope to relieve stress by providing individuals with an accessible web based interface where they can easily communicate with their team members, find an organized list of their tasks and keep track of their schedules. In addition, we hope that individuals will use our project management app to plan personal projects, such as weddings or birthday parties, thus allowing them to enjoy their lives doing the things that make life memorable.

3.4.2 Team and Organizational Ethics

Our team is composed of two individuals. Practical steps that we have taken to ensure fair treatment among team members is by effectively communicating and negotiating which tasks each member will do. We ensure that we are acting ethically by obeying the ACM Software Engineering Code of Ethics (later explained in the Product Development section) and also by using the SCUs Ethical Decision Framework when we are unsure of a decision.

3.4.3 Product Development

To ensure that we are acting ethically when developing our product, we followed the ACM Software Engineering Code of Ethics.

ACM Code Of Ethics	Our Team
Public: Act in the public's interest	When deciding our project, we analyzed who our market is and what their needs are to
2	7
78	5415
3	545
778	7507
4	545
18744	7560
5	88
788	6344

3.4.4 Social and Cultural Issues

We have an ethical duty to do no harm to the potential users of our product. When building our system, we will take extremely proactive measures to ensure that their data is safe and secure. We would never release any personal data unless there is legal action in where we will be sure to inform our user before doing so. When conducting product test, we will always provide our testers with a consent form and ensure that they know what they are signing off to. We would never pressure anyone to use our product. A ramification of our product to society as a whole is that while it will help individuals stay organization, it may cause individuals to become too dependent on technology. While we want people to use our product to ease their lives, we hope that they see our tool as an aid rather than a dependency.

Chapter 4

Conclusion

4.1 The Final Application

Planly is a collabortive project management application built as a single page web application. When users type in the URL for Planly, they are taken to the application's homepage shown in ?? The homepage featured an image of our application. It is very minimalistic as users need to have an account in order to use the application.




Figure 4.1: Homepage

4.1.1 Login

In order to log in or sign up for Planly, users must select "Sign In" on the top right corner of the homepage. We provide users with three different methods to sign up for an account: Google, Facebook, or Email, shown in ??. After a user has successfully logged in, he/she will be presented with the *Projects* view. The *Projects* view, seen in ??, hosts all of the user's projects as well as the members for each project.




Figure 4.2: Sign In / Login Screen




Figure 4.3: Projects View

4.1.2 Creating Projects and Teams

From the *Projects* view, users can create a new project as well as create teams for the project. By clicking on the + icon, users will activate the Project Creation form, depicted in ??. The user needs to input the Project name, goal, deadline and team members. After completing the Project Creation form, users are given the option to create a team or to skip it at this time.

If the user decides to create a team, he will need to enter the team name, description and team members.




Figure 4.4: Project Creation Form

4.1.3 Adding Tasks and Subtasks

After the project has been created, users can now add task and subtask to the project. ?? shows the *Tasks* view. In the *Tasks* view, users are presented with the project's name, progress bar, and a form to add tasks and subtasks. Once a user fills out the tasks form, he can then add a subtask or simply create the task. The task will appear on the screen with the task's deadline and who the task is assigned too. From there, users can click on the subtask icon to see the subtasks associated with the task or then can click the comment icon and post a comment.

When a user marks a task as completed, the progress bar will change to reflect the progress of the project.




Figure 4.5: Task View

4.2 User Testing and Results

After we completed Planly, we hosted a user testing session where we invited students to complete a series of tasks and provide us with their feedback. At the end of the test, we asked users to submit an anonymous survey. Figure 4.6 and Figure 4.7 shows our user testing results.

Beginning with the system as a whole, from the user testing results, the majority of the users found Planly to be very usable.

4.3 Lessons Learned

4.3.1 Challenges

4.3.2 Future Work