R Journal Proof-reading Check List

by the R Journal Editors

26 April 2017

Your article has been accepted for publication in The R Journal. To assist the editorial board with the production of your article, please ensure that it conforms to the following check-list and send a revised version to the handling editor.

Title, authors, abstract, sections

- The article title should be title case (i.e. all words capitalized except for articles, conjunctions and prepositions).
- The author list should start with "by".
- The abstract should be created using the \abstract{} environment provided by the R Journal style file RJournal.sty; it should preferably not contain any references; it should always be followed by a section title.
- Section and subsection titles should be in sentence case (i.e. only the first word and proper names capitalized)
- Use the \section and \subsection commands for sections and subsections, not the starred versions (\section* and \section*). The result may look the same but your sections will not be properly indexed in the PDF file if you use the starred versions.
- All authors must have an affiliation at the end of the article, with the email address of at least the first author.

Software markup and citation

- R itself should not have a citation or bibliography entry.
- All other software (including R packages) must have a citation after the first mention in the body text (not the abstract) and a corresponding entry in the bibliography.
- The first mention of a CRAN package in the body text (not the title or abstract) should be marked up with \CRANpkg. This provides a hyper-link to the package homepage on CRAN. Similarly, the first mention of a Bioconductor package should be marked up with \BIOpkg. It is also reasonable to cite most such packages in the bibliography.
- Other than the above, names of R packages should be marked up with \pkg, including
 in the title (This ensures that the package name is correctly formatted in the table of
 contents).

- It is reasonable to associate relevant text with CRAN Task Views using the \ctv markup.
- Programming languages (including R), and other sofware (e.g. Stata, Matlab) do not have special markup but appear in the same font as the rest of the body text.

R code

- Use the example environment for code examples.
- Use \code{} to mark up functions, objects, argument names etc. appearing in the text. Class names should appear in double quotes.
- Ensure that code listings do not overflow the right hand margin.
- Use indentation and spacing to improve the readability of code listings where possible, e.g. put spaces after commas and around equals signs.

General LaTeX issues

- As much as reasonably possible, avoid the use of extra LaTeX packages, as these complicate the production of the journal, especially where different articles make different choices purely for appearance.
- Put a trailing backslash .\ after periods followed by a space that are not at the end of a sentence (when using e.g., i.e., etc.).
- Use \url for all URLs. The file RJwrapper.tex loads the LaTeX package "url" for you.
- Use booktabs format for tables (e.g. \toprule, \midrule, bottomrule rather than \hline). The file RJwrapper.tex loads the LaTeX package "booktabs" for you.
- Avoid superfluous LaTeX formatting, e.g.
 - Bold in figure captions,
 - Use of \setlength{itemsep} to change vertical spacing
- Use the subcaption package for subfigures, not subfigure nor subfig.

Mathematics

- Punctuation after equations must be consistent (i.e. you may use it in all equations, or not at all).
- Formatting tools provided by the American Mathematical Society are preferred to the default LaTeX formatting. The RJwrapper.tex file loads the LaTeX packages "amsmath" and "amssymb" for you. In particular,
 - Use pmatrix for matrices, not array

- Use align or alignat for stacked equations, not eqnarray.
- If at all possible, stick to symbols from "amssymb" and avoid alternative symbol fonts.
- In displayed formulae, use \left(and \right, not (and) to ensure correct sizing of braces.
- Do not leave empty lines before displayed formulae, and only leave a blank line after a displayed formula if there is a paragraph break.
- \bullet Use \$-5\$ not -5 for a true minus prefix.

Bibliography

- The bibliography should be created with BibTeX, and the BibTeX sources included in the submission.
- Bibliography entries should not contain any markup specific to The R Journal. For example, package names should not be marked up with \pkg in the bibliography.
- Acronyms and proper names in titles should be protected with braces {} to ensure that they appear properly capitalized in the bibliography. Likewise, corporate authors should be protected to ensure that they appear verbatim and are not abbreviated.
- Do not override the default bibliography style.