# PL UID: 0

Question 1: tree\_traversal\_find\_all

Question 1.1: In-Order

{"tree": "digraph {\nranksep=0.25;\nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]\nedge [arrowsize=0.5]\n 6 [label=\"L\"]6 -> 1 [arrowsize=0.5]\n 1 [label=\"H\"]1 -> 0 [arrowsize=0.5]\n 0 [label=\"W\"]invis\_1\_2 [label=\"\",width=.1,style=invis]\n1 -> invis\_1\_2 [style=invis]\n1 -> 4\n 4 [label=\"I\"]4 -> 3 [arrowsize=0.5]\n 3 [label=\"V\"]3 -> 2 [arrowsize=0.5]\n 2 [label=\"O\"]invis\_3\_2 [label=\"\",width=.1,style=invis]\n3 -> invis\_3\_2 [style=invis]\n3 -> invis\_3\_2 [style=invis]\n1 -> 5\n 5 [label=\"L\"]invis\_6\_2 [label=\"\",width=.1,style=invis]\n6 -> invis\_6\_2 [style=invis]\n6 -> 7\n 7 [label=\"E\"]\n}"}

### **INCORRECT**

**Expected: WHOVILLE** 

wretwetrwretert

### Question 1.2: Pre-Order

{"tree": "digraph {\nranksep=0.25;\nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]\nedge [arrowsize=0.5]\n 6 [label=\"L\"]6 -> 1 [arrowsize=0.5]\n 1 [label=\"H\"]1 -> 0 [arrowsize=0.5]\n 0 [label=\"W\"]invis\_1\_2 [label=\"\",width=.1,style=invis]\n1 -> invis\_1\_2 [style=invis]\n1 -> 4\n 4 [label=\"I\"]4 -> 3 [arrowsize=0.5]\n 3 [label=\"V\"]3 -> 2 [arrowsize=0.5]\n 2 [label=\"O\"]invis\_3\_2 [label=\"\",width=.1,style=invis]\n3 -> invis\_3\_2 [style=invis]\n3 -> invis\_3\_2 [style=invis]\n1 -> 5\n 5 [label=\"L\"]invis\_6\_2 [label=\"\",width=.1,style=invis]\n6 -> invis\_6\_2 [style=invis]\n6 -> 7\n 7 [label=\"E\"]\n}"}

### **INCORRECT**

Expected: LHWIVOLE

oraoraora

### Question 1.3: Post-Order

{"tree": "digraph {\nranksep=0.25;\nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]\nedge [arrowsize=0.5]\n 6 [label=\"L\"]6 -> 1 [arrowsize=0.5]\n 1 [label=\"H\"]1 -> 0 [arrowsize=0.5]\n 0 [label=\"W\"]invis\_1\_2 [label=\"\",width=.1,style=invis]\n1 -> invis\_1\_2 [style=invis]\n1 -> 4\n 4 [label=\"I\"]4 -> 3 [arrowsize=0.5]\n 3 [label=\"V\"]3 -> 2 [arrowsize=0.5]\n 2 [label=\"O\"]invis\_3\_2 [label=\"\",width=.1,style=invis]\n3 -> invis\_3\_2 [style=invis]\n3 -> invis\_3\_2 [style=invis]\n1 -> 5\n 5 [label=\"L\"]invis\_6\_2 [label=\"\",width=.1,style=invis]\n6 -> invis\_6\_2 [style=invis]\n6 -> 7\n 7 [label=\"E\"]\n}"}

### **INCORRECT**

Expected: WHOVILLE

rerorerorero

### Question 1.4: Level-Order

{"tree": "digraph {\nranksep=0.25;\nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]\nedge [arrowsize=0.5]\n 6 [label=\"L\"]6 -> 1 [arrowsize=0.5]\n 1 [label=\"H\"]1 -> 0 [arrowsize=0.5]\n 0 [label=\"W\"]invis\_1\_2 [label=\"\",width=.1,style=invis]\n1 -> invis\_1\_2 [style=invis]\n1 -> 4\n 4 [label=\"I\"]4 -> 3 [arrowsize=0.5]\n 3 [label=\"V\"]3 -> 2 [arrowsize=0.5]\n 2 [label=\"O\"]invis\_3\_2 [label=\"\",width=.1,style=invis]\n3 -> invis\_3\_2 [style=invis]\n3 -> invis\_3\_2 [style=invis]\n1 -> 5\n 5 [label=\"L\"]invis\_6\_2 [label=\"\",width=.1,style=invis]\n6 -> invis\_6\_2 [style=invis]\n6 -> 7\n 7 [label=\"E\"]\n}"}

### **INCORRECT**

Expected: LHEWIVLO

435345

Question 2: h1_2020S_2a_msamericana	
Question 2.1: Array A	
No context provided.	
PARTIAL	

['F', 'G', 'H', 'M', 'K', 'T', 'D', 'B']

{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html":
"fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a",
"html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e",
"html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "\$\\Theta(1)\$"}, {"key": "b", "html":
"\$\\Theta(\\log n)\$"}, {"key": "c", "html": "\$\\Theta(n)\$"}, {"key": "d", "html": "\$\\Theta(n\\log n)\$"}, {"key": "e", "html":
"\$\\Theta(n^2)\$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"},
{"key": "b", "html": "inv A(i)"}], "\_required\_file\_names": ["playListAns.cpp"]}

PA	RT	IAL
----	----	-----

Expected:

a:inv A(i)b:inv B(i)c:fact Ad:fact Be:line 4f:line 5g:line 6
PARTIAL
Expected Answer(s)
b:inv B(i)c:fact Ad:fact B

Question 2.3: res1

[

[{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}]

PARTIAL

Expected: {'key': 'c', 'html': 'fact A'}

## Question 2.5: res3

 $[\{"key": "a", "html": "line 4"\}, \{"key": "b", "html": "line 5"\}, \{"key": "c", "html": "line 6"\}]$ 

PARTIAL

Expected: {'key': 'c', 'html': 'line 6'}

[{"key": "a", "html": "\$\\Theta(1)\$"}, {"key": "b", "html": "\$\\Theta(\\log n)\$"}, {"key": "c", "html": "\$\\Theta(n)\$"}, {"key": "d", "html": "\$\\Theta(n\\log n)\$"}, {"key": "e", "html": "\$\\Theta(n^2)\$"}, {"key": "f", "html": "None of these answers is correct."}]

**PARTIAL** 

Expected: {'key': 'e', 'html': '\$\\Theta(n^2)\$'}

<b>∽</b>	001:0	~ າ	7.	raaE
Qυ	estio	II Z.	1.	1685

 $[\{\text{"key": "a", "html": "inv B(i)"}\}, \{\text{"key": "b", "html": "inv A(i)"}\}]$ 

PARTIAL

Expected: {'key': 'b', 'html': 'inv A(i)'}

Question 2.8: InvAL
No context provided.
PARTIAL
No expected answer provided.
InvAL: 5
Variables: []

Question 2.9: InvAU
No context provided.
PARTIAL
No expected answer provided.
InvAU: 5
Variables: []

Question 2.10: variL		
No context provided.		
PARTIAL		
No expected answer provided.		
variL: 4		
Variables: []		

Question 2.11: variU		
No context provided.		
PARTIAL		
No expected answer provided.		
variU: 5		
Variables: []		

Question 2.12: basecase
No context provided.
PARTIAL
No expected answer provided.
basecase: 345
Variables: []

Question 2.13: iteration		
No context provided.		
PARTIAL		
No expected answer provided.		
iteration: 0		
iteration: 0 Variables: []		

Question 2.14: findNextTrueL
No context provided.
PARTIAL
No expected answer provided.
findNextTrueL: 2
Variables: []

Question 2.15: findNextTrueU
No context provided.
PARTIAL
No expected answer provided.
No expected allower provided.
- No expected ariswer provided.
findNextTrueU: 0
findNextTrueU: 0

Question 2.16: findNextFalseL	
No context provided.	
	_
PARTIAL	
	_
No expected answer provided.	
findNextFalseL: 243	
Variables: []	

Question 2.17: findNextFalseU
No context provided.
PARTIAL
No expected answer provided.
findNextFalseU: 243
Variables: []

{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html":
"fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a",
"html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e",
"html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "s\\Theta(1)\$"}, {"key": "b", "html":
"\$\\Theta(\log n)\$"}, {"key": "c", "html": "\$\\Theta(n)\$"}, {"key": "d", "html": "\$\\Theta(n\\log n)\$"}, {"key": "e", "html":
"\$\\Theta(n^2)\$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"},
"key": "b", "html": "inv A(i)"}], "\_\_required\_file\_names": ["playListAns.cpp"]}

PA	RT	IAL
----	----	-----

Expected:

{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html":
"fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a",
"html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e",
"html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "\$\\Theta(1)\$"}, {"key": "b", "html":
"\$\\Theta(\\log n)\$"}, {"key": "c", "html": "\$\\Theta(n)\$"}, {"key": "d", "html": "\$\\Theta(n\\log n)\$"}, {"key": "e", "html":
"\$\\Theta(n^2)\$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"},
{"key": "b", "html": "inv A(i)"}], "\_required\_file\_names": ["playListAns.cpp"]}

PA	RT	IAL
----	----	-----

Expected:

Question 2.20: required_files		
No context provided.		
PARTIAL		
No expected answer provided.		

Question 2: lq02_2a_bestworst
Question 2.1: students
[{"key": "a", "html": "\n The best case running time of this function is \$\\Omega(n)\$.\n "}, {"key": "b", "html": "\n
The worst case running time of this function is \$\\Omega(n)\$.\n "}]
INCORRECT

а

Question 1: lq03\_1a\_inssortitnum

Question 1.1: int\_value

{"a": [14, 42, 95, 95, 95, 30, 97, 95, 91, 21, 76, 82, 57, 61, 0, 56]}

INCORRECT

Expected: 5