

PL UID: 0

Question 1: tree_traversal_find_all

Question 1.1: In-Order

```
{
  "tree": "digraph {
    nranksep=0.25;
    nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]
    nedge [arrowsize=0.5]
    n6 [label=\"L\"]
    n6 -> n1 [arrowsize=0.5]
    n1 [label=\"H\"]
    n1 -> n0 [arrowsize=0.5]
    n0 [label=\"W\"]
    invis_1_2 [label=\"\",width=.1,style=invis]
    n1 -> invis_1_2 [style=invis]
    n1 -> n4
    n4 [label=\"I\"]
    n4 -> n3 [arrowsize=0.5]
    n3 [label=\"V\"]
    n3 -> n2 [arrowsize=0.5]
    n2 [label=\"O\"]
    invis_3_2 [label=\"\",width=.1,style=invis]
    n3 -> invis_3_2 [style=invis]
    invis_3_3 [label=\"\",width=.1,style=invis]
    n3 -> invis_3_3 [style=invis]
    invis_4_2 [label=\"\",width=.1,style=invis]
    n4 -> invis_4_2 [style=invis]
    n4 -> n5
    n5 [label=\"L\"]
    invis_6_2 [label=\"\",width=.1,style=invis]
    n6 -> invis_6_2 [style=invis]
    n6 -> n7
    n7 [label=\"E\"]
  }
}
```

INCORRECT

Expected: WHOVILLE

wretwetrwretert

Question 1.2: Post-Order

```
{
  "tree": "digraph {
    \nranksep=0.25;\nnode [shape=circle fontsize=18 margin=\"0.03,0.03\"]\nedge [arrowsize=0.5]\n
6 [label=\"L\"]6 -> 1 [arrowsize=0.5]\n
1 [label=\"H\"]1 -> 0 [arrowsize=0.5]\n
0 [label=\"W\"]invis_1_2
[label=\"\",width=.1,style=invis]\n
1 -> invis_1_2 [style=invis]\n
1 -> 4\n
4 [label=\"I\"]4 -> 3 [arrowsize=0.5]\n
3
[label=\"V\"]3 -> 2 [arrowsize=0.5]\n
2 [label=\"O\"]invis_3_2
[label=\"\",width=.1,style=invis]\n
3 -> invis_3_2
[style=invis]\n
invis_3_3
[label=\"\",width=.1,style=invis]\n
3 -> invis_3_3
[style=invis]\n
invis_4_2
[label=\"\",width=.1,style=invis]\n
4 -> invis_4_2
[style=invis]\n
4 -> 5\n
5 [label=\"L\"]invis_6_2
[label=\"\",width=.1,style=invis]\n
6 -> invis_6_2
[style=invis]\n
6 -> 7\n
7 [label=\"E\"]\n
}"
}
```

INCORRECT

Expected: WHOVILLE

rerorerorero

Question 1.3: Level-Order

```
{
  "tree": "digraph {\n
    ranksep=0.25;\n
    node [shape=circle fontsize=18 margin=\"0.03,0.03\"]\n
    nedge [arrowsize=0.5]\n
    6 [label=\"L\"] --> 1 [arrowsize=0.5]\n
    1 [label=\"H\"] --> 0 [arrowsize=0.5]\n
    0 [label=\"W\"] --> invis_1_2 [label=\"\",width=.1,style=invis]\n
    invis_1_2 --> invis_1_2 [style=invis]\n
    invis_1_2 --> 4 [label=\"I\"]\n
    4 --> 3 [arrowsize=0.5]\n
    3 [label=\"V\"] --> 2 [arrowsize=0.5]\n
    2 [label=\"O\"] --> invis_3_2 [label=\"\",width=.1,style=invis]\n
    invis_3_2 --> invis_3_2 [style=invis]\n
    invis_3_2 --> invis_3_3 [label=\"\",width=.1,style=invis]\n
    invis_3_3 --> invis_3_3 [style=invis]\n
    invis_3_3 --> invis_4_2 [label=\"\",width=.1,style=invis]\n
    invis_4_2 --> invis_4_2 [style=invis]\n
    invis_4_2 --> 5 [label=\"L\"]\n
    5 --> invis_6_2 [label=\"\",width=.1,style=invis]\n
    invis_6_2 --> invis_6_2 [style=invis]\n
    invis_6_2 --> 7 [label=\"E\"]\n
  }
}
```

INCORRECT

Expected: LHEWIVLO

435345

Question 2: h1_2020S_2a_msamericana

Question 2.1: Array A

No context provided.

PARTIAL

[]

['F', 'G', 'H', 'M', 'K', 'T', 'D', 'B']

Question 2.2: InvB

```
{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "line 5"}, {"key": "c", "html": "line 6"}], "res4": [{"key": "a", "html": "$\\Theta(1)$"}, {"key": "b", "html": "$\\Theta(\\log n)$"}, {"key": "c", "html": "$\\Theta(n)$"}, {"key": "d", "html": "$\\Theta(n\\log n)$"}, {"key": "e", "html": "$\\Theta(n^2)$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"}, {"key": "b", "html": "inv A(i)}], "_required_file_names": ["playlistAns.cpp", "mdtest.md", "picture.png"]}
```

PARTIAL

Expected:

Question 2.3: res1

a:inv A(i)b:inv B(i)c:fact Ad:fact Be:line 4f:line 5g:line 6

PARTIAL

Expected Answer(s)

b:inv B(i)c:fact Ad:fact B

[

"]

Question 2.4: res2

```
[{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"},  
  
{"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}]
```

PARTIAL

Expected: {'key': 'c', 'html': 'fact A'}

b

Question 2.5: res3

```
[{"key": "a", "html": "line 4"}, {"key": "b", "html": "line 5"}, {"key": "c", "html": "line 6"}]
```

PARTIAL

Expected: {'key': 'c', 'html': 'line 6'}

b

Question 2.6: res4

[{"key": "a", "html": "\$\\Theta(1)\$"}, {"key": "b", "html": "\$\\Theta(\\log n)\$"}, {"key": "c", "html": "\$\\Theta(n)\$"}, {"key": "d", "html": "\$\\Theta(n\\log n)\$"}, {"key": "e", "html": "\$\\Theta(n^2)\$"}, {"key": "f", "html": "None of these answers is correct."}]

PARTIAL

Expected: {'key': 'e', 'html': '\$\\Theta(n^2)\$'}

b

Question 2.7: res5

```
[{"key": "a", "html": "inv B(i)"}, {"key": "b", "html": "inv A(i)"}]
```

PARTIAL

Expected: {'key': 'b', 'html': 'inv A(i)'}

b

Question 2.8: InvAL

No context provided.

PARTIAL

No expected answer provided.

InvAL: 5

Variables: []

Question 2.9: InvAU

No context provided.

PARTIAL

No expected answer provided.

InvAU: 5

Variables: []

Question 2.10: variL

No context provided.

PARTIAL

No expected answer provided.

variL: 4

Variables: []

Question 2.11: variU

No context provided.

PARTIAL

No expected answer provided.

variU: 5

Variables: []

Question 2.12: basecase

No context provided.

PARTIAL

No expected answer provided.

basecase: 345

Variables: []

Question 2.13: iteration

No context provided.

PARTIAL

No expected answer provided.

iteration: 0

Variables: []

Question 2.14: findNextTrueL

No context provided.

PARTIAL

No expected answer provided.

findNextTrueL: 2

Variables: []

Question 2.15: findNextTrueU

No context provided.

PARTIAL

No expected answer provided.

findNextTrueU: 0

Variables: []

Question 2.16: findNextFalseL

No context provided.

PARTIAL

No expected answer provided.

findNextFalseL: 243

Variables: []

Question 2.17: findNextFalseU

No context provided.

PARTIAL

No expected answer provided.

findNextFalseU: 243

Variables: []

Question 2.18: findNextFunTrue

```
{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "line 5"}, {"key": "c", "html": "line 6"}], "res4": [{"key": "a", "html": "$\\Theta(1)$"}, {"key": "b", "html": "$\\Theta(\\log n)$"}, {"key": "c", "html": "$\\Theta(n)$"}, {"key": "d", "html": "$\\Theta(n\\log n)$"}, {"key": "e", "html": "$\\Theta(n^2)$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"}, {"key": "b", "html": "inv A(i)}], "_required_file_names": ["playlistAns.cpp", "mdtest.md", "picture.png"]}
```

PARTIAL

Expected:

Question 2.19: findNextFunFalse

```
{"res1": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res2": [{"key": "a", "html": "inv A(i)"}, {"key": "b", "html": "inv B(i)"}, {"key": "c", "html": "fact A"}, {"key": "d", "html": "fact B"}, {"key": "e", "html": "line 4"}, {"key": "f", "html": "line 5"}, {"key": "g", "html": "line 6"}], "res3": [{"key": "a", "html": "line 4"}, {"key": "b", "html": "line 5"}, {"key": "c", "html": "line 6"}], "res4": [{"key": "a", "html": "$\\Theta(1)$"}, {"key": "b", "html": "$\\Theta(\\log n)$"}, {"key": "c", "html": "$\\Theta(n)$"}, {"key": "d", "html": "$\\Theta(n\\log n)$"}, {"key": "e", "html": "$\\Theta(n^2)$"}, {"key": "f", "html": "None of these answers is correct."}], "res5": [{"key": "a", "html": "inv B(i)"}, {"key": "b", "html": "inv A(i)}], "_required_file_names": ["playlistAns.cpp", "mdtest.md", "picture.png"]}
```

PARTIAL

Expected:

Question 2.20: required_files

PARTIAL

playListAns.cpp

```
void playList(vector<char> &A)

{

    bool Tay = // YOUR CODE HERE!!

        for (int i = 1; i < A.size(); i++)

        {

            int next = findNext(A, i, Tay);

            swap(A[next], A[i]);

            Tay = !Tay;

        }

}
```


Phrase Emphasis

Markdown: Some of these words are emphasized. Some of these words are emphasized also. Use two asterisks for strong emphasis. Or, if you prefer, use two underscores instead.

Lists

- Red
- Green
- Blue

Ordered (numbered) lists use regular numbers, followed by periods, as list markers:

1. Red
2. Green
3. Blue

Code

```
This is a code indent!
```

To specify an entire block of pre formatted code, indent every line of the block by 4 spaces or 1 tab. Just like with code spans, `&`, `<`, and `>` characters will be escaped automatically.



Question 3: lq02_2a_bestworst

Question 3.1: students

["key": "a", "html": "\n The best case running time of this function is $\Omega(n)$.\n "], [{"key": "b", "html": "\n

The worst case running time of this function is $\Omega(n)$.\n "}]

INCORRECT

Expected: [{"key": "b", "html": "\n The worst case running time of this function is $\Omega(n)$.\n "}]

a

Question 1: lq03_1a_inssortitnum

Question 1.1: int_value

`{"a": [14, 42, 95, 95, 95, 30, 97, 95, 91, 21, 76, 82, 57, 61, 0, 56]}`

INCORRECT

Expected: 5
