VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE



TEHNIČKA DOKUMENTACIJA ZA PORTFOLIO WEB-SAJT

Predmet Web programiranje PHP 1

Sadržaj

1. Uvod1.1 Korišćeni programski jezici1.2 Opis funkcionalnosti	3
	3
1.3 Template	4
1.4 CSS	4
1.4.1 Notify	4
1.4.2 Lightbox	6
2. Šeme i funkcionalnost	10
2.1 Organizaciona šema	10
2.2 Mapa sajta	11
2.3 Funkcionalnost	12
3. Kodovi	19
3.1 About	19
3.2 Contact-page	20
3.3 Contact	21
3.4 Control	23
3.5 Index	24
3.6 Login	25
3.7 Panel	29
3.8 poll_vote	37
3.9 Skills	38
3.10 Work	39
3.11 Header	40
3.12 Footer	42
3.13 Config	43
3.14 Konekcija	44
3.15 Process	45
3.16 Skript.js	46
3.17 Validacija.js	48
3.18 Style.css	50

1. Uvod

Na narednim stranama tehničke dokumentacije ću detaljno pisati o korišćenim programskim jezicima, funkcionalnosti sajta, o samom templejtu, korišćenim CSS fajlovima, opisu funkcionalnosti sa priloženim slikama i na kraju o kodovima.

1.1 Korišćeni programski jezici

Programski jezici koji su korišćeni prilikom izrade ovog sajta su:

-HTML

-CSS

-JavaScript

-JQuery

-Ajax

-JQuery Plugin

Sajt je urađen u programu Visual Studio. Biblioteke JQuery su korišćene i one su sledeće:

-jQuery v3.3.1

1.2 Opis funkcionalnosti

Funkcionalnost po stranama.

Početna strana sadrži navigacioni hamburger meni koji je pozicioniran u desnom uglu ekrana. Na strani se još nalazi i hero header koji sadrži naslov koji se dobavlja iz baze podataka. U dnu strane se nalazi futer sa podacima učenika.

Skills strana sadrži naslov u paralaksu i tri kolone koje sadrže veštine. Sve je dobavljeno iz baze podataka.

Work strana sadrži naslov u paralaksu i galeriju slika koje se dobavljaju iz baze podataka. Prelaskom miša preko neke od slika se dobija overlay koji sadrži link koji otvara lightbox galeriju (take a look).

About strana sadrži naslov u paralaksu kao i timeline sa podacima o autoru sajta. U dnu strane se nalazi anketa koja se izvršava pomoću ajax-a.

Contact strana sadrži naslov u paralaksu kao i formu koja je zaštićena regularnim izrazima i pritiskom na pošalji dugme pre unosa podataka se vidi poruka koja se nalazi na vrhu ekrana. Kontakt informacije su ispisane iz baze podataka. Formu je moguće proslediti adminu sajta nakon popunjavanja svih input polja.

Panel strana sadrži svu funkcionalnost na sajtu. Moguće je dodati, izmeniti, obrisati sadržaj sajta kao i korisnike koji imaju pristup samom sajtu.

Login strana sadrži formu za logovanje i registraciju korisnika. Nije moguće registrovati admina sajta kako postoji samo jedan admin. Obe forme su zaštićene kako sa backend strane tako i sa frontend strane regularnim izrazima.

1.3 Template

Template nije korišćen iz drugih izvora nego je samostalno pisan za svaku stranicu posebno stoga ću to prikazati u sklopu koda zajedno sa slikama.

1.4 CSS

Eksterni CSS je korišćen za plugin Notify i Lightbox galeriju.

1.4.1 Notify

```
@font-face {
  font-family: 'open_sansregular';
  src: url('../fonts/OpenSans-Regular-webfont.eot');
  src: url('../fonts/OpenSans-Regular-webfont.eot?#iefix') format('embedded-opentype'),
     url('../fonts/OpenSans-Regular-webfont.woff') format('woff'),
     url('../fonts/OpenSans-Regular-webfont.ttf') format('truetype'),
     url('../fonts/OpenSans-Regular-webfont.svg#open_sansregular') format('svg');
  font-weight: normal;
  font-style: normal;
}
.notify{
  font-family: open_sansregular;
       position: fixed;
       width: 400px;
       padding: 15px 0;
       z-index: 9999;
       border-radius: 4px;
       -webkit-border-radius: 4px;
       -webkit-transition: all .4s ease-in-out;
       -moz-transition: all .4s ease-in-out;
       -o-transition: all .4s ease-in-out;
       transition: all .4s ease-in-out;
}
/** animation type **/
.notify.scale{
       -webkit-transform: scale(0.8);
       -moz-transform: scale(0.8);
       -o-transform: scale(0.8);
       transform: scale(0.8);
       opacity: 0;
}
.notify.center.drop{
       -webkit-transform: translateY(-120%);
       -moz-transform: translateY(-120%);
       -o-transform: translateY(-120%);
       transform: translateY(-120%);
```

```
opacity: 0;
}
.notify.right.drop{
       -webkit-transform: translateX(50%);
       -moz-transform: translateX(50%);
       -o-transform: translateX(50%);
       transform: translateX(50%);
       opacity: 0;
}
. notify. middle. center. drop \{\\
       -webkit-transform: translateY(-20%);
       -moz-transform: translateY(-20%);
       -o-transform: translateY(-20%);
       transform: translateY(-20%);
       opacity: 0;
}
.notify.fade{
       opacity: 0;
}
.notify.out{
       opacity: 0;
}
/** notify type **/
.notify-default{
       background-color: #fff;
       color: #233337;
       box-shadow: 0 3px 10px rgba(0,0,0,.2);
  -webkit-box-shadow: 0 3px 10px rgba(0,0,0,2);
}
/** position **/
.notify.top{
       top: 15px;
.notify.center{
       left: 50%;
       margin-left: -200px;
}
@media all and (max-width:768px){
       .notify{
               width: 100%;
               left: 0!important;
               margin: 0!important;
               border-radius: 0;
               -webkit-border-radius: 0;
       .notify.top{
               top: 0!important;
       }
}
```

1.4.2 Lightbox


```
html.lb-disable-scrolling {
 overflow: hidden;
/* Position fixed required for iOS. Just putting overflow: hidden; on the body is not enough. */
 position: fixed;
height: 100vh;
width: 100vw;
.lightboxOverlay {
position: absolute;
top: 0;
left: 0;
 z-index: 9999;
background-color: black;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);
 opacity: 0.8;
 display: none;
.lightbox {
position: absolute;
left: 0;
width: 100%;
 z-index: 10000;
text-align: center;
line-height: 0;
font-weight: normal;
.lightbox .lb-image {
 display: block;
height: auto;
 max-width: inherit;
 max-height: none;
border-radius: 3px;
/* Image border */
border: 4px solid white;
.lightbox a img {
border: none;
.lb-outerContainer {
position: relative;
 *zoom: 1;
 width: 250px;
height: 250px;
 margin: 0 auto;
 border-radius: 4px;
```

```
/* Background color behind image.
  This is visible during transitions. */
background-color: white;
.lb-outerContainer:after {
content: "";
display: table;
 clear: both;
.lb-loader {
position: absolute;
top: 43%;
left: 0;
height: 25%;
 width: 100%;
text-align: center;
line-height: 0;
.lb-cancel {
 display: block;
width: 32px;
height: 32px;
margin: 0 auto;
background: url(../images/loading.gif) no-repeat;
}
.lb-nav {
position: absolute;
top: 0;
left: 0;
height: 100%;
width: 100%;
z-index: 10;
.lb-container > .nav {
left: 0;
}
.lb-nav a {
outline: none;
background-image: url('data:image/gif;base64,R0lGODlhAQABAPAAAP///wAAACH5BAEAAAAA-
LAAAAAABAAEAAAICRAEAOw==');
}
.lb-prev, .lb-next {
height: 100%;
 cursor: pointer;
 display: block;
```

```
}
.lb-nav a.lb-prev {
 width: 34%;
left: 0;
 float: left;
background: url(../images/prev.png) left 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
transition: opacity 0.6s;
.lb-nav a.lb-prev:hover {
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-nav a.lb-next {
 width: 64%;
right: 0;
 float: right;
 background: url(../images/next.png) right 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
 transition: opacity 0.6s;
.lb-nav a.lb-next:hover {
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-dataContainer {
 margin: 0 auto;
padding-top: 5px;
 *zoom: 1;
 width: 100%;
border-bottom-left-radius: 4px;
border-bottom-right-radius: 4px;
}
.lb-dataContainer:after {
 content: "";
 display: table;
 clear: both;
}
```

```
.lb-data {
padding: 0 4px;
 color: #ccc;
.lb-data .lb-details {
width: 85%;
float: left;
text-align: left;
line-height: 1.1em;
.lb-data .lb-caption {
font-size: 13px;
font-weight: bold;
line-height: 1em;
.lb-data .lb-caption a {
 color: #4ae;
.lb-data .lb-number {
 display: block;
 clear: left;
padding-bottom: 1em;
font-size: 12px;
 color: #999999;
.lb-data .lb-close {
 display: block;
float: right;
 width: 30px;
height: 30px;
background: url(../images/close.png) top right no-repeat;
 text-align: right;
 outline: none;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
 opacity: 0.7;
 -webkit-transition: opacity 0.2s;
 -moz-transition: opacity 0.2s;
 -o-transition: opacity 0.2s;
 transition: opacity 0.2s;
}
.lb-data .lb-close:hover {
 cursor: pointer;
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
```


- 2 Šeme i funkcionalnost
- 2.1 Organizaciona šema




2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
   xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
   xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
      http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<!-- created with Free Online Sitemap Generator www.xml-sitemaps.com -->
<url>
 <loc>https://portfolio-php-1.000webhostapp.com/control.php?page=index</loc>
 <lastmod>2018-06-20T20:35:10+00:00</lastmod>
 <priority>1.00</priority>
</url>
<url>
 <loc>https://portfolio-php-1.000webhostapp.com/login.php</loc>
 <lastmod>2018-06-20T20:35:10+00:00</lastmod>
 <priority>0.80</priority>
</url>
<url>
 <loc>https://portfolio-php-1.000webhostapp.com/dokumentacija.pdf</loc>
 <lastmod>2018-06-19T23:04:10+00:00</lastmod>
 <priority>0.80</priority>
</url>
</urlset>
```


2.3 Funkcionalnost



Na index strani se u gornjem desnom uglu nalazi navigacioni meni koji sadrzi linkove ka svim ostalim stranama sajta. Na sredini ekrana se nalazi naslov koji se dobavlja iz baze. Prilikom prvog dolaska na sajt u meniju postoje samo dve opcije i to su login i dokumentacija.




Skills strana sadrži meni u gornjem desnom uglu i dostupna je samo za korisnike ili admina sajta. Ispod se nalazi naslov u paralaksu. Nakon toga postoje tri kolone sa veštinama i one se ispisuju iz baze podataka.




Work strana sadrži naslov u paralaksu. Ispod se nalaze slike koje su izlistane iz baze podataka. Prilikom prelaska mišem preko slika se prikazuje overlay koji sadrži link < Take a look /> i prilikom klika na isti se otvara lightbox galerija.




About strana sadrži naslov u paralaksu. Ispod se nalazi timeline koji govori više o autoru ovog sajta. Podaci su izvučeni iz baze podataka. U dnu strane sa nalazi anketa koja se izvršava pomoću ajax-a.



Na kontakt strani se nalazi naslov u paralaksu a ispod toga se nalaze podaci o autoru sajta koji su izvučeni iz baze. Pri dnu strane se nalazi kontakt forma koja je zaštićena validacijom. Moguće je poslati mail autoru sajta ukoliko su svi podaci u inputima validni.



Panel strana sadrži svu funkcionalnost sajta. Moguće je obrisati, dodati, izmeniti sadržaj na sajtu.



Na login strani se nalaze dve forme. Jedna je za logovanje korisnika ili admina a druga je za registraciju isključivo korisnika. Obe forme su zaštićene i sa serverske i sa klijentske strane.

3. Kodovi

3.1 About

```
<?php
include "views/header.php";
 if($user === NULL){
    header("Location: ../login.php");
?>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
  <section class="paralax-outer3">
    <div id="paralax3">
      <h2>about</h2>
    </div>
  </section>
  <section id="about">
    <div id="timeline">
      <div id="text">
      <?php
      include "php/konekcija.php";
      $upit="SELECT * FROM about";
      $rezultati = $konekcija->query($upit)->fetchAll();
      foreach($rezultati as $r):
        <?= $r->about_born?>
        <?= $r->about_school?>
        <?= $r->about_sports?>
        <img src=<?= $r->about_image?> alt="timeline" />
        <?= $r->about_academy?>
        <?= $r->about_hobbies?>
      <?php endforeach;?>
      </div>
    </div>
  </section>
  <div id="poll">
    <h2>Did you like my website?</h2>
    <form>
      Yes:
      <input type="radio" name="vote1" value="0" onclick="getVote(this.value)">
      <input type="radio" name="vote2" value="1" onclick="getVote(this.value)">
    </form>
  </div>
<?php
$vote = $_REQUEST['vote'];
```

3.2 Contact-page

3.3 Contact

```
<?php
  include "views/header.php";
  if(suser === NULL)
    header("Location: ../login.php");
?>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
  <section class="paralax-outer4">
    <div id="paralax4">
      <h2>contact</h2>
    </div>
  </section>
  <section id="contact">
    <h3>contact info</h3>
    <div>
    <?php
      include "php/konekcija.php";
      $upit = "SELECT * FROM contact";
      $rezultat = $konekcija->query($upit)->fetchAll();
      foreach($rezultat as $r){
        echo "<img src=\"img/location.svg\" alt=\"location\"/>
        ".$r->contact_location."
        <img src=\"img/phone.svg\" alt=\"phone\"/>
        ".$r->contact_phone."
        <img src=\"img/mail.svg\" alt=\"mail\"/>
        ".$r->contact_email."";
      }
    ?>
    </div>
    <section class="content bgcolor-4">
      <form action="contact-page.php" name="forma" method="post">
        <span class="input input--madokaLeft" >
                                   <input class="input__field input__field--madoka" type="text"
name="name" id="input31" />
                                   <label class="input__label input__label--madoka" for="input31">
                                          <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                  <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                                          <span class="input__label-content input__label-content--</pre>
madoka">Name</span>
        </label>
        </span>
```

?>

```
<span class="input input--madokaRight" >
                                    <input class="input__field input__field--madoka" type="text"</pre>
name="email" id="input32" />
                                    <label class="input__label input__label--madoka" for="input32">
                                           <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                   <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                                           </svg>
                                           <span class="input__label-content input__label-con-</pre>
tent--madoka">Email</span>
        </label>
        </span>
        <span class="input input--madokaUp" >
                                    <textarea class="input__field input__field--madoka text-field-message"
id="input33" name="message" rows="6"></textarea>
                                    <label class="input__label input__label--madoka" for="input33">
                                           <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                   <path stroke-width="1" d="m0,0l404,0l0,77l-404,0l0,-</pre>
77z"/>
                                           </svg>
                                           <span class="input__label-content input__label-con-</pre>
tent--madoka">Message</span>
        </label>
        </span>
        <input type="submit" name="btnposalji" class="btnposalji" value="SEND" onclick="return val();"
/>
      </form>
    </section>
  </section>
  <?php
    include "views/footer.php";
```

3.4 Control

```
<?php
session_start();
include "php/konekcija.php";
$user = $_SESSION['korisnik'];
$user = $_SESSION['korisnik']->uloga;
$username = $_SESSION['korisnik']->username;
$page = "";
if(isset($_GET['page'])){
       $page = $_GET['page'];
}
switch($page){
       case "index":
               include "index.php";
    break;
  case "skills":
               include "skills.php";
               break;
       case "work":
               include "work.php";
               break;
       case "about":
               include "about.php";
    break;
  case "contact":
               include "contact.php";
    break;
  case "panel":
               include "panel.php";
               break;
       // case "login":
              include "login.php";
       //
       //
               break;
       default:
               include "login.php";
               break;
}
```

3.5 Index

3.6 Login

```
<?php
include "views/header.php";
              <div class="login">
   <div class="loginf">
     <h1>Log in</h1>
                     <form action="php/process.php" method="POST">
   <div class="form-group">
    <span class="input input--madokaLeft" >
     <input class="input__field input__field--madoka" type="text" name="user" id="user" />
     <label class="input label input label--madoka" for="user">
      <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77" pre-
serveAspectRatio="none">
       <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
      <span class="input__label-content input__label-content--madoka">Username</span>
     </label>
    </span>
   </div>
   <div class="form-group">
    <span class="input input--madokaLeft" >
     <input class="input__field input__field--madoka" type="password" name="pass" id="pass" />
     <label class="input__label input__label--madoka" for="pass">
      <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77" pre-
serveAspectRatio="none">
       <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
      <span class="input__label-content input__label-content--madoka">Password</span>
     </label>
    </span>
   </div>
    <input type="submit" name="btn" class="sblog btnposalji" onClick="return valLog();" value="Log in"/>
                     </form>
              </div>
<div class="row">
                     </div>
      <div class="loginf">
        <h1>Register</h1>
        <form method="POST" action="login.php" id="forma" name="forma">
         <div class="row">
          <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbIme" id="tbIme" />
             <label class="input_label input_label--madoka" for="tbIme">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">First Name</span>
             </label>
```

```
</span>
            </div>
           </div>
          <div class="col-md-6">
            <div class="form-group">
            <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbPrezime" id="tb-
Prezime" />
             <label class="input__label input__label--madoka" for="tbPrezime">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Last Name</span>
             </label>
            </span>
            </div>
          </div>
           <div class="col-md-6">
            <div class="form-group">
            <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbEmail" id="tbEmail"
/>
             <label class="input__label input__label--madoka" for="tbEmail">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Email</span>
             </label>
            </span>
            </div>
          </div>
           <div class="col-md-6">
            <div class="form-group">
            <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbKorIme" id="tbKo-
rIme"/>
             <label class="input__label input__label--madoka" for="tbKorIme">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Username</span>
             </label>
            </span>
            </div>
           </div>
          <div class="col-md-6">
            <div class="form-group">
            <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="password" name="tbLozinka" id="t-
bLozinka"/>
```

```
<label class="input_label input_label--madoka" for="tbLozinka">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Password</span>
             </label>
            </span>
            </div>
           </div>
          </div>
          <div id="success"></div>
          <input type="submit" onClick="return valReg();" class="sblog btnposalji" name="btnSend" val-
ue="Register"/>
        </form>
   <?php
  if(isset($_REQUEST['btnSend']))
              error_reporting(0);
   include ('php/konekcija.php');
   $ime = $_REQUEST['tbIme'];
   $prezime = $_REQUEST['tbPrezime'];
   $korIme = $_REQUEST['tbKorIme'];
   $email = $_REQUEST['tbEmail'];
   $lozinka = $_REQUEST['tbLozinka'];
   $lozinka = md5($lozinka);
   $podaci=[];
   $greske=[];
   regIme = "/^[A-Z]{1}[a-z]{2,}$/";
   regPrezime = "/^[A-Z]{1}[a-z]{3,}$/";
   regKorIme = "/^[a-z0-9] + ";
   \text{SregEmail} = \text{``}/\text{`w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/"};
   if(!preg_match($regIme, $ime))
    $greske[] = "Name is wrong!";
   }
   else
    $podaci[] = $ime;
   if(!preg_match($regPrezime, $prezime))
    $greske[] = "Last name is wrong!";
   }
   else
    $podaci[] = $prezime;
   if(!preg_match($regKorIme, $korIme))
    $greske[] = "Username is wrong!";
```

}

```
}
  else
  {
   $podaci[] = $korIme;
  if(!preg_match($regEmail, $email))
   $greske[] = "Email is wrong!";
  else
   $podaci[] = $email;
  if(count($greske)==0){
   include ('php/konekcija.php');
   $upit = "INSERT INTO users VALUES(", :korIme, :lozinka, :ime, :prezime, :email, 'korisnici')";
   $izmena=$konekcija->prepare($upit);
   $izmena->bindParam(":korIme",$korIme);
   $izmena->bindParam(":lozinka",$lozinka);
   $izmena->bindParam(":ime",$ime);
   $izmena->bindParam(":prezime",$prezime);
   $izmena->bindParam(":email",$email);
   $uneto=$izmena->execute();
   if(!$upit)
    echo "Error! ";
   else
    echo "<h3>Success!</h3>";
 else{
  foreach($greske as $g)
   echo "
        <b>".$g."</b>
      ";
?>
                                  </div>
   </div>
   include "views/footer.php";
  ?>
```

3.7 Panel

```
<?php
       include "views/header.php";
       if($user === NULL){
              header("Location: ../login.php");
       if($user != 'admin'){
              header("Location: control.php?page=index");
error_reporting(0);
?>
<?php
@session_start();
       include "php/konekcija.php";
              $ime=$_POST['ime1'];
    $id=$_POST['id1'];
              $prezime=$_POST['prezime1'];
              $username=$_POST['username1'];
              $email=$_POST['email1'];
              $password=$_POST['password1'];
              $errors=[];
              $upit_update="UPDATE users SET ime=:ime, username=:username, password=:password,
prezime=:prezime, email=:email WHERE id=:id";
              $priprema=$konekcija->prepare($upit_update);
              $priprema->bindParam(":ime", $ime);
              $priprema->bindParam(":username", $username);
              $priprema->bindParam(":password", $password);
              $priprema->bindParam(":prezime", $prezime);
              $priprema->bindParam(":email", $email);
              $priprema->bindParam(":id", $id);
              $rezultat=$priprema->execute();
?>
<?php
error_reporting(0);
       include('php/konekcija.php');
              $id=$ POST['id'];
              $sql1="DELETE from users WHERE id=:id";
              $stmt=$konekcija->prepare($sql1);
              $stmt->bindParam(":id",$id);
       if (isset($_POST['delete'])){
              $rez1=$stmt->execute();
    if(!$rez1)
     echo "Error! ";
    else
```

```
echo "<h3>Success!</h3>";
       }
?>
<?php
error_reporting(0);
              include('php/konekcija.php');
              $username=$_POST['user'];
              $password=$_POST['pass'];
              $ime=$_POST['name'];
              $prezime=$_POST['surname'];
              $email=$_POST['email'];
              $sql="INSERT INTO users VALUES(';:username,:password,:ime,:prezime,:email,")";
              $stmt=$konekcija->prepare($sql);
              $stmt->bindParam(":username",$username);
              $stmt->bindParam(":password",$password);
              $stmt->bindParam(":ime",$ime);
              $stmt->bindParam(":prezime",$prezime);
              $stmt->bindParam(":email",$email);
              if (isset($_POST['submit'])){
                     $rez_upis = $stmt->execute();
    if(!$rez_upis)
     echo "Error! ".mysql_error();
    else
     echo "<h3>Success!</h3>";
   }
              ?>
<?php
error_reporting(0);
              include('php/konekcija.php');
              $ime=$_POST['ime'];
              $putanja=$_POST['putanja'];
              $sql="INSERT INTO slika VALUES(';:ime,:putanja)";
              $stmt=$konekcija->prepare($sql);
              $stmt->bindParam(":ime",$ime);
              $stmt->bindParam(":putanja",$putanja);
              if (isset($_POST['slika_add'])){
                     $rez_upis = $stmt->execute();
    if(!$rez_upis)
     echo "Error! ";
    else
     echo "<h3>Success!</h3>";
   }
              ?>
```

```
<?php
error_reporting(0);
       include('php/konekcija.php');
              $id=$_POST['slika_id'];
              $sql2="DELETE from slika WHERE slika_id=:id";
              $stmt=$konekcija->prepare($sql2);
              $stmt->bindParam(":id",$id);
       if (isset($_POST['delete_slika'])){
                      $rez_upis2 = $stmt->execute();
    if(!$rez_upis1)
     echo "Error! ";
    else
     echo "<h3>Success!</h3>";
?>
<?php
       include('php/konekcija.php');
              $hero=$_POST['hero'];
              $sql="UPDATE site_text SET text=:hero WHERE id=1";
              $stmt=$konekcija->prepare($sql);
              $stmt->bindParam(":hero",$hero);
              if (isset($_POST['hero_change'])){
                      $rez = $stmt->execute();
    if(!$rez)
     echo "Error! ";
    else
     echo "<h3>Success!</h3>";
?>
<?php
error_reporting(0);
       include('php/konekcija.php');
              $skill_id=$_POST['skill_id'];
              $skill_image=$_POST['skill_image'];
              $skill_heading=$_POST['skill_heading'];
              $skill_text=$_POST['skill_text'];
              $sql="UPDATE skills SET skill_image=:skill_image, skill_heading=:skill_heading, skill_tex-
t=:skill_text WHERE id=:skill_id";
              $stmt=$konekcija->prepare($sql);
              $stmt->bindParam(":skill_image",$skill_image);
              $stmt->bindParam(":skill_heading",$skill_heading);
              $stmt->bindParam(":skill_text",$skill_text);
```

```
$stmt->bindParam(":skill_id",$skill_id);
            if (isset($_POST['skill_change'])){
                   $rez = $stmt->execute();
   if(!$rez)
    echo "Error! ";
   else
    echo "<h3>Success!</h3>";
?>
<?php
error_reporting(0);
      include('php/konekcija.php');
            $contact_location=$_POST['contact_location'];
            $contact_phone=$_POST['contact_phone'];
            $contact_email=$_POST['contact_email'];
            $sql="UPDATE contact SET contact_location=:contact_location, contact_phone=:contact_
phone, contact_email=:contact_email WHERE id=1";
            $stmt=$konekcija->prepare($sql);
            $stmt->bindParam(":contact_location",$contact_location);
            $stmt->bindParam(":contact_phone",$contact_phone);
            $stmt->bindParam(":contact_email",$contact_email);
            if (isset($_POST['contact_change'])){
                  $rez = $stmt->execute();
   if(!$rez)
    echo "Error! ";
   else
    echo "<h3>Success!</h3>";
?>
      <body>
            <div class="tabela">
                   <div id="tabela" style="width: max-content; margin:0 auto;">
                         ID
           Username
           Password
           First Name
                                      Last Name
                                      Email
```

```
<?php
             $upit="SELECT * FROM users";
             $rezultat = $konekcija->query($upit)->fetchAll();
             foreach($rezultat as $r):?>
         <?php echo $r->id?>
                                  <?php echo $r->username ?>
                                  <?php echo $r->password ?>
                                  <?php echo $r->ime ?>
                                  <?php echo $r->prezime ?>
                                  <?php echo $r->email ?>
                    <?php endforeach;?>
                           </div>
             </div>
             <div class="login">
                    <div class="loginf">
                           <h1>Add user</h1>
                           <form action="control.php?page=panel" method="POST">
                                 <input type="text" name="user" placeholder="Username" class="not-
sameline1">
                                 <input type="password"placeholder="Password" name="pass"
class="notsameline1">
                                 <input type="text" name="name"placeholder="First name" class="not-
sameline1">
                                 <input type="text" name="surname" placeholder="Last name"-
class="notsameline1">
                                 <input type="email" name="email"placeholder="Email" class="not-
sameline1">
                                 <input type="submit" name="submit" class="sblog btnposalji" val-
ue="Add"/>
                           </form>
                           <h1>Delete user</h1>
                           <form action="control.php?page=panel" method="POST">
                           <input type="text" name="id" placeholder="ID"class="notsameline1">
                                 <input type="submit" name="delete" class="sblog btnposalji" val-
ue="Delete">
                           </form>
                           <h1>Change user</h1>
                           <form action="control.php?page=panel" method="POST">
                           <input type="text" name="id1" placeholder="ID" class="notsameline1">
                                 <input type="text" name="username1"placeholder="Username"-
class="notsameline1">
                                 <input type="password" name="password1" placeholder="Password"-
class="notsameline1">
                                 <input type="text" name="ime1"placeholder="First Name"class="not-
sameline1">
                                 <input type="text" name="prezime1"placeholder="Last Name"-
class="notsameline1">
                                 <input type="text" name="email1"placeholder="Email"class="not-
sameline1">
```

```
<input type="submit" name="update" class="sblog btnposalji" val-
ue="Change">
                         </form>
                   </div>
            </div>
<?php
?>
      <div class="tabela">
             <div style="width: max-content; margin:0 auto;">
                   ID
                                Picture name
                                Url
                         <?php
   $upit1="SELECT * FROM slika";
       $rezultat1 = $konekcija->query($upit1)->fetchAll();
   foreach($rezultat1 as $rez):?>
        <?php echo $rez->slika_id ?>
                                 <?php echo $rez->ime ?>
                                 <?php echo $rez->putanja ?>
                                <?php endforeach; ?>
                         </div>
            </div>
            <div class="image__change">
                   <form name="slika" action="control.php?page=panel" method="POST">
                         <h1>Add picture</h1>
                         <input type="text" name="ime" placeholder="Picture name" class="not-
sameline1">
                         <input type="text" placeholder="Picture URL" name="putanja" class="not-
sameline1">
                         <input type="submit" name="slika_add" class="sblog btnposalji" value="Add">
                   </form>
                   <h1>Delete picture</h1>
                   <form action="control.php?page=panel" method="POST">
                         <input type="text" name="slika_id" placeholder="ID" class="notsameline1">
                         <input type="submit" name="delete_slika" class="sblog btnposalji" value="De-
lete">
                   </form>
            </div>
            <div class="hero-header__change">
                   <form name="hero" action="control.php?page=panel" method="POST">
                         <h1>Change hero header</h1>
                         <?php
                               include('konekcija.php');
                                $heroText = "SELECT * FROM site_text WHERE id=1";
                                $rezultat = $konekcija->query($heroText)->fetchAll();
```

```
$obj = $rezultat[0]->text;
                        ?>
                        <input type="textarea" placeholder="Insert text" value="<?php echo $obj ?>"
name="hero" class="notsameline1">
                        <input type="submit" name="hero_change" class="sblog btnposalji" val-
ue="Change">
                  </form>
            </div>
            <div class="skills_change">
            <div class="tabela">
            <div style="width: max-content; margin:0 auto;">
                  ID
                              Skill image
                              Skill heading
                              Skill text
                        <?php
   $upit2="SELECT * FROM skills";
            $rezultat2 = $konekcija->query($upit2)->fetchAll();
   foreach($rezultat2 as $re):?>
        <?php echo $re->id ?>
                               <?php echo $re->skill_image ?>
                               <?php echo $re->skill_heading ?>
                               <?php echo $re->skill_text ?>
                              <?php endforeach; ?>
                        </div>
            </div>
                  <form name="skill" action="control.php?page=panel" method="POST">
                        <h1>Change skill</h1>
                        <input type="number" placeholder="Insert ID" name="skill_id" class="not-
sameline1">
                        <input type="text" placeholder="Insert URL" name="skill_image" class="not-
sameline1">
                        <input type="text" placeholder="Insert heading" name="skill_heading"
class="notsameline1">
                        <input type="textarea" placeholder="Insert text" name="skill_text" class="not-
sameline1">
                        <input type="submit" name="skill_change" class="sblog btnposalji" val-
ue="Change">
                  </form>
            </div>
            <div class="contact__change">
            <div class="tabela">
            <div style="width: max-content; margin:0 auto;">
```

```
Contact location
                                 Contact phone
                                 Contact email
                          <?php
    $upit3="SELECT * FROM contact";
    $rezultat3 = $konekcija->query($upit3)->fetchAll();
    foreach($rezultat3 as $rez3):?>
         <?php echo $rez3->contact_location ?>
                                  <?php echo $rez3->contact_phone ?>
                                  <?php echo $rez3->contact_email ?>
                   <?php endforeach; ?>
                          </div>
             </div>
                   <form name="skill" action="control.php?page=panel" method="POST">
                          <h1>Change contact</h1>
                          <input type="text" placeholder="Insert address" name="contact_location"</pre>
class="notsameline1">
                          <input type="text" placeholder="Insert phone" name="contact_phone"</pre>
class="notsameline1">
                          <input type="text" placeholder="Insert email" name="contact_email"</pre>
class="notsameline1">
                          <input type="submit" name="contact_change" class="sblog btnposalji" val-
ue="Change">
                   </form>
             </div>
 <?php
 include "views/footer.php";
?>
```

3.8 poll_vote

```
<?php
$vote = $_REQUEST['vote'];
$filename = "poll_result.txt";
$content = file($filename);
$array = explode("||", $content[0]);
yes = \frac{1}{2} \operatorname{array}[0];
no = \frac{1}{3}
if (vote == 0) {
 yes = yes + 1;
if (vote == 1) {
no = no + 1;
$insertvote = $yes."||".$no;
$fp = fopen($filename,"w");
fputs($fp,$insertvote);
fclose($fp);
?>
<h2>Result:</h2>
Yes:
<img src="img/da.gif"
width='<?php echo(100*round($yes/($no+$yes),2)); ?>'
height='20'>
<?php echo(100*round($yes/($no+$yes),2)); ?>%
 No : 
<img src="img/ne.gif"
width='<?php echo(100*round($no/($no+$yes),2)); ?>'
height='20'>
<?php echo(100*round($no/($no+$yes),2)); ?>%
```

3.9 Skills

```
<?php
 include "views/header.php";
  if($user === NULL){
    header("Location: ../login.php");
?>
  <section class="paralax-outer1">
    <div id="paralax1">
      <h2>skills</h2>
    </div>
  </section>
  <section id="skills">
    <?php
      $upit = "SELECT * FROM `skills`";
      $rezultati = $konekcija->query($upit)->fetchAll();
        foreach($rezultati as $rezultat):
      ?>
        <div>
           <img src=<?= $rezultat->skill_image ?> alt=\"design\"/>
           <h3><?= $rezultat->skill_heading ?></h3>
           <?= $rezultat->skill_text ?>
        </div>
      <?php
        endforeach;
    ?>
  </section>
  <?php
    include "views/footer.php";
  ?>
```

3.10 Work

```
<?php
include "views/header.php";
if($user === NULL){
  header("Location: ../login.php");
}
?>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
  <section class="paralax-outer2">
    <div id="paralax2">
      <h2>work</h2>
    </div>
  </section>
  <section id="gallery">
    <div class="desktop-gallery">
      <?php
        $upit = "SELECT * FROM slika";
        $rezultati = $konekcija->query($upit)->fetchAll();
           foreach($rezultati as $rezultat):
             <figure class="effect-bubba" >
               <img src=<?= $rezultat->putanja ?>/>
               <figcaption>
                 <h2><?= $rezultat->ime ?></h2>
                 <a href=<?= $rezultat->putanja ?> data-lightbox="galery" data-title=<?= $rezul-
tat->ime ?>>< Take a look /&gt;</a>
               </figcaption>
             </figure>
           <?php
             endforeach;
        ?>
    </div>
  </section>
  <?php
    include "views/footer.php";
  ?>
```

3.11 Header

```
<!doctype html>
<html>
<?php
include "php/konekcija.php";
?>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <link rel="shortcut icon" href="favicon.jpg"/>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  k rel="stylesheet" type="text/css" href="../css/notify.css" />
  <link rel="stylesheet" type="text/css" href="../css/style.css" />
  k rel="stylesheet" type="text/css" href="../css/lightbox.css" />
</head>
<body>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
         <?php
           $upit = "SELECT * FROM nav_meni";
           $rezultat = $konekcija->query($upit)->fetchAll();
           $logged = isset($user);
           if(!$logged){
             foreach($rezultat as $r):
               if(r->izlogovan!="0"){
             ?>
               <a class="header_nav-link nav_color" href="<?= $r->izlogovan ?>.php"><?= $r->izlogovan
?></a>
             <?php } endforeach; }</pre>
             else {
               if($user === 'admin'){
                 foreach($rezultat as $r):
                    if($r->admin != "0"){
                 ?>
                    <a class="header_nav-link nav_color" href="control.php?page=<?= $r->admin ?>"><?=</pre>
$r->admin ?></a>
                  <?php } endforeach;
               }
               else{
                  foreach($rezultat as $r):
```

3.12 Footer

3.13 Config

<?php

1 - Definisanje parametara za konekciju sa bazom

```
define("MYSQL_HOST", "localhost");
define("MYSQL_DBNAME", "portfolio");
define("MYSQL_USERNAME", "root");
define("MYSQL_PASSWORD", "");
```

3.14 Konekcija

3.15 Process

```
<?php
session_start(); //Ova linija koda je potrebna da bi rad sa sesijama bio moguc. Obavezno je da ona bude prva
linka koda odmah nakon otvarajuceg <?php
       if(isset($_POST['btn'])){
              $korisnickoIme=$_POST['user'];
              $lozinka=$_POST['pass'];
              reLozinka = "/^[S]{4,}$/";
              reKorisnickoIme = "/^[\S]{2,}$/";
              if(!preg_match($reKorisnickoIme, $korisnickoIme) || !preg_match($reLozinka, $lozinka)){
                      header("Location: ../login.php");
              }
              else {
                      require_once "konekcija.php";
                      $lozinka = md5($lozinka);
                       $upit="SELECT u.username, u.password, u.uloga FROM users u WHERE username
= :korisnickoIme AND password = :lozinka";
                        $stmt = $konekcija->prepare($upit);
                        $stmt->bindParam(":korisnickoIme", $korisnickoIme);
                        $stmt->bindParam(":lozinka", $lozinka);
                        $stmt->execute();
                             $user = $stmt->fetch(); // Dohvatanje samo jednog korisnika
                        if($user) {
                                    $_SESSION['korisnik'] = $user; //Pravljenje sesije koja kao sadrzaj ima
rezultat rada baze podataka
                                    $user = $user->uloga;
                                    if($user === "admin"){
                                            header("Location: ../control.php?page=index");
                                    }
                                    else{
                                            header("Location: ../control.php?page=index");
                                    }
                        } else {
                          header("Location: ../login.php");
              }
       }
```

3.16 Skript.js

```
function openNav() {
  document.getElementById("myNav").style.width = "100%";
}
function closeNav() {
  document.getElementById("myNav").style.width = "0%";
}
(function () {
  // trim polyfill: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/
String/Trim
  if (!String.prototype.trim) {
    (function () {
      // Make sure we trim BOM and NBSP
      var rtrim = /^[\s\uFEFF\xA0] + [\s\uFEFF\xA0] + $/g;
      String.prototype.trim = function () {
         return this.replace(rtrim, ");
      };
    })();
                              [].slice.call(document.querySelectorAll('input.input__field, textarea.input__
field')).forEach(function (inputEl) {
    // in case the input is already filled..
    if (inputEl.value.trim() !== ") {
       classie.add(inputEl.parentNode, 'input--filled');
    }
    // events:
    inputEl.addEventListener('focus', onInputFocus);
    inputEl.addEventListener('blur', onInputBlur);
  });
  function onInputFocus(ev) {
    classie.add(ev.target.parentNode, 'input--filled');
  }
  function onInputBlur(ev) {
    if (ev.target.value.trim() === ") {
       classie.remove(ev.target.parentNode, 'input--filled');
  }
})();
$('a[href*=\\#]').on('click', function (event) {
  event.preventDefault();
  $('html,body').animate({
    scrollTop: $(this.hash).offset().top
  }, 500);
});
```

```
$( '.overlay-content a' ).on("click", function(){
 $("#myNav").css("width", "0%");
});
var da=0;
var ne=0;
var output = new Array();
function writeText (form) {
 if(document.getElementById('da').checked | document.getElementById('ne').checked) {
  if(document.getElementById('da').checked) {
 da=da+1;
 document.getElementById('da1').innerHTML=da;
}else {
  document.getElementById('da1').innerHTML=da;
  }
  if(document.getElementById('ne').checked) {
 ne=ne+1;
 document.getElementById('ne1').innerHTML=ne;
}else {
  document.getElementById('da1').innerHTML=da;
 }
}
```

3.17 Validacija.js

```
function val() {
  if (forma.input31.value == "") {
    $.notify("Please enter Your name");
    forma.input31.focus();
    return false;
  var rega = /^[A-Z]{1}[a-z]{2,19}\s[A-Z]{1}[a-z]{3,29}$/;
  if (forma.input32.value == "") {
    $.notify("Please enter Your email");
    forma.input32.focus();
    return false;
  var\ reg = /^{[a-zA-Z0-9.!\#\%\%^*+/=?^_`\{|\}\sim-]} + @[a-zA-Z0-9-] + (?:\.[a-zA-Z0-9-]+)^*\$/;
  if (reg.test(forma.input32.value) == false) {
    $.notify("Please write Your email correctly");
    forma.input32.focus();
    return false;
  if (forma.input33.value == "") {
    $.notify("Please enter Your question");
    forma.input33.focus();
    return false;
  return true;
};
function valReg() {
  if ($(tbIme).val() == "") {
    $.notify("Please enter Your name");
    $(tbIme).focus();
    return false;
  }
  if ($(tbPrezime).val() == "") {
    $.notify("Please enter Your name");
    $(tbPrezime).focus();
    return false;
  var email = $(tbEmail).val();
  if (email == "") {
    $.notify("Please write Your email");
    $(tbEmail).focus();
    return false;
```

```
var\ reg = /^[a-zA-Z0-9.!\#\%\%'^*+/=?^_`\{|\}\sim-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)^*\$/;
  if (reg.test(email) == false) {
    $.notify("Please write Your email correctly");
     $(tbEmail).focus();
    return false;
  }
  if ($(tbKorIme).val() == "") {
    $.notify("Please write Your username");
    $(tbKorIme).focus();
    return false;
  }
  if ($(tbLozinka).val() == "") {
    $.notify("Please write Your password");
     $(tbLozinka).focus();
    return false;
  return true;
}
function valLog() {
  if ($(user).val() == "") {
    $.notify("Please write Your username");
     $(user).focus();
    return false;
  }
  if ($(pass).val() == "") {
    $.notify("Please write Your password");
    $(pass).focus();
    return false;
  return true;
}
```

3.18 Style.css

```
/*-----FON
TS-----*/
@font-face {
  font-family: 'open_sansbold';
  src: url('../fonts/OpenSans-Bold-webfont.eot');
  src: url('../fonts/OpenSans-Bold-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Bold-webfont.woff') format('woff'), url('../fonts/OpenSans-Bold-webfont.ttf') format('truetype'), url('../
fonts/OpenSans-Bold-webfont.svg#open_sansbold') format('svg');
  font-weight: normal;
  font-style: normal;
}
@font-face {
  font-family: 'open_sanslight';
  src: url('../fonts/OpenSans-Light-webfont.eot');
  src: url('../fonts/OpenSans-Light-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Light-webfont.woff') format('woff'), url('../fonts/OpenSans-Light-webfont.ttf') format('truetype'),
url('../fonts/OpenSans-Light-webfont.svg#open_sanslight') format('svg');
  font-weight: normal;
  font-style: normal;
@font-face {
  font-family: 'open_sansregular';
  src: url('../fonts/OpenSans-Regular-webfont.eot');
  src: url('../fonts/OpenSans-Regular-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Regular-webfont.woff') format('woff'), url('../fonts/OpenSans-Regular-webfont.ttf') format('truetype'),
url('../fonts/OpenSans-Regular-webfont.svg#open_sansregular') format('svg');
  font-weight: normal;
  font-style: normal;
}
@font-face {
  font-family: 'open_sanssemibold';
  src: url('../fonts/OpenSans-Semibold-webfont.eot');
  src: url('../fonts/OpenSans-Semibold-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Semibold-webfont.woff') format('woff'), url('../fonts/OpenSans-Semibold-webfont.ttf') format('tru-
etype'), url('../fonts/OpenSans-Semibold-webfont.svg#open_sanssemibold') format('svg');
  font-weight: normal;
  font-style: normal;
}
/*----- GENERAL -----
----*/
* {
  text-align: center;
  margin: 0;
  padding: 0;
```

```
}
a {
 text-decoration: none;
body {
 background-color: #f4f4f4;
 width: 100%;
}
.razmak {
 margin-left: 20px;
.blue {
 color: #568491;
.green {
 color: #2abb9b;
.yellow {
 color: #d9d790;
.red {
 color: #ef5c54;
/*------ PHONE -----
--*/
#paralax1 h2,
#paralax2 h2,
#paralax3 h2,
#paralax4 h2 {
 font-family: open_sansbold;
 text-transform: uppercase;
 color: #f4f4f4;
 font-size: 40px;
 padding: 20px;
}
/*------ HEADER ------
----*/
header {
 background-color: #233337;
 height: 50px;
}
```

```
.logo-mob {
  margin-top: 12px;
  margin-left: 30px;
  float: left;
  width: 50px;
}
.logo-desk {
  visibility: hidden;
  margin-top: 12px;
  margin-left: 30px;
  float: left;
  width: 50px;
}
nav {
  display: none;
/*------ HAMBURGER MENU ------
----*/
.overlay {
  height: 100%;
  width: 0%;
  position: fixed;
  z-index: 1;
  top: 0;
  right: 0;
  background-color: rgba(35, 51, 55, 0.9);
  overflow-y: hidden;
  transition: 0.5s;
  font-family: open_sansregular;
  text-transform: uppercase;
}
.overlay-content {
  position: relative;
  top: 25%;
  width: 100%;
  text-align: center;
  margin-top: 30px;
}
.overlay a {
  padding: 8px;
  text-decoration: none;
  font-size: 36px;
  color: #f4f4f4;
  display: block;
  transition: 0.3s;
```

```
}
.overlay .closebtn {
  padding: 0;
  position: absolute;
  top: 20px;
  right: 45px;
  font-size: 60px;
}
#hamb {
  width: 50px;
  font-size: 20px;
  cursor: pointer;
  color: #f4f4f4;
  font-family: open_sanslight;
  float: right;
  margin: 12px 30px 12px 0;
  z-index: 99;
}
/*------ HERO-HEADER ------
----*/
.element {
  height: 200px;
  overflow: hidden;
  position: absolute;
  width: 100%;
  color: #f4f4f4;
  font-family: open_sanslight;
  opacity: 0.4;
  font-size: 5px;
  text-align: left;
#hero-header {
  background-color: #212121;
  height: 200px;
  width: 100%;
}
#hero-header h1 {
  left: 50%;
  transform: translateX(-50%);
  font-size: 130%;
  width: 80%;
  position: absolute;
  top: 85px;
  color: #f4f4f4;
  text-transform: capitalize;
  font-family: open_sanslight;
```

```
}
#hero-header span {
 font-family: open_sanssemibold;
/*------PARALAX-1 ------
----*/
#paralax1 {
 margin-top: 20px;
 background-image: url('../img/parallax1.jpg');
 /* height: 100%; */
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
/*----- SKILLS ------
_*/
#skills div {
 padding: 20px;
 color: #233337;
}
#skills div h3 {
 font-family: open_sansbold;
 text-transform: uppercase;
}
#skills div p {
 font-family: open_sanslight;
}
/*----- PARALAX-2 ------
----*/
#paralax2 {
 background-image: url('../img/parallax2.jpg');
 /* height: 100%; */
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
/*------ WORK ------
```

```
-*/
.desktop-gallery {
 /* display: none; */
#gallery {
 margin-top: 20px;
 overflow: auto;
 margin-bottom: 20px;
#gallery img {
 float: left;
 width: 100%;
}
/*------ PARALAX-3 ------
----*/
#paralax3 {
 margin: 20px 0;
 background-image: url('../img/parallax3.jpg');
 /* height: 100%; */
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
/*----- ABOUT -----
--*/
#about {
 background-image: url('../img/about.jpg');
 height: 400px;
 background-position: right;
 background-repeat: no-repeat;
 background-size: cover;
}
#timeline {
 position: relative;
 top: 50%;
 transform: translateY(-50%);
}
#timeline #text img {
 width: 75%;
 display: block;
 margin: 0 auto;
```

```
}
#timeline #text p {
 color: #f4f4f4;
 font-family: open_sanslight;
 font-size: 60%;
 display: inline-block;
 width: 29%;
}
#timeline #text p:nth-child(1),
#timeline #text p:nth-child(3) {
 max-width: 20%;
 margin: 0 4% 0 -2%;
}
#timeline #text p:nth-child(2) {
 max-width: 35%;
 margin-right: 5%
}
#timeline #text p:nth-child(6) {
 vertical-align: top;
 max-width: 25%;
 margin-left: 4%;
#timeline #text p:nth-child(5) {
 margin-left: 6%;
 max-width: 25%;
}
/*------ PARALAX-4 ------
----*/
#paralax4 {
 margin-top: 20px;
 background-image: url('../img/parallax4.jpg');
 /* height: 100%; */
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
/*------CONTACT ------
----*/
#contact {
 margin: 20px 0 40px 0;
}
```

```
#contact div {
 margin-bottom: 50px;
#contact h3 {
 font-family: open_sansregular;
 text-transform: capitalize;
 color: #233337;
 margin-bottom: 20px;
#contact img {
 height: 30px;
#contact p {
 font-family: open_sanslight;
 color: #233337;
 margin: 10px;
 font-size: 90%;
#contact div p:nth-child(2) {
 text-transform: capitalize;
}
/*----- LOGIN / ADMIN ------
----*/
.loginf{
 margin-bottom: 50px;
.loginf h1{
 margin: 5px;
.notsameline1 {
 display: block;
 font-size: 1.2em;
 padding: 0.25em;
 width: 100%;
 margin-bottom: 1em;
 border-radius: 3px;
 border: 1px solid #BABABA;
/*------ INPUT FIELDS MADOKA ------
*/
.input {
 position: relative;
```

```
z-index: 1;
  display: inline-block;
  margin: 1em;
  max-width: 350px;
  width: calc(100% - 3em);
  vertical-align: top;
}
.input__field {
  text-align: left;
  position: relative;
  display: block;
  float: right;
  padding: 0 0 1% 0;
  width: 100%;
  border: none;
  border-radius: 0;
  background: #233337;
  color: #233337;
  font-family: open_sansregular;
  font-size: 100%;
  -webkit-appearance: none;
  /* for box shadows to show on iOS */
}
.input__field:focus {
  outline: none;
}
.input__label {
  display: inline-block;
  float: left;
  width: 100%;
  color: #233337;
  font-family: open_sanslight;
  font-size: 50.25%;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  -webkit-touch-callout: none;
  -webkit-user-select: none;
  -khtml-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
}
.input__label-content {
  position: relative;
  display: block;
  padding: 0;
  width: 100%;
  text-align: left;
}
```

```
.graphic {
  position: absolute;
  top: 0;
  left: 0;
  fill: none;
}
textarea {
  resize: none;
.input__field--madoka {
  transform: translate(-5%, 0%);
  width: 90%;
  background: transparent;
  color: #233337;
}
.input__label--madoka {
  transform: translate(-5%, 0%);
  position: absolute;
  width: 100%;
  height: 100%;
  color: #233337;
  cursor: text;
  font-size: 80%;
}
.input__label-content--madoka {
  -webkit-transform-origin: 0% 50%;
  transform-origin: 0% 50%;
  -webkit-transition: -webkit-transform 0.3s;
  transition: transform 0.3s;
}
.graphic--madoka {
  -webkit-transform: scale3d(1, -1, 1);
  transform: scale3d(1, -1, 1);
  -webkit-transition: stroke-dashoffset 0.5s;
  transition: stroke-dashoffset 0.5s;
  pointer-events: none;
  stroke: #7A7593;
  stroke-width: 4px;
  stroke-dasharray: 962;
  stroke-dashoffset: 558;
.input__field--madoka;focus+.input__label--madoka,
.input--filled .input__label--madoka {
  cursor: default;
  pointer-events: none;
}
```

```
.input__field--madoka:focus+.input__label--madoka.graphic--madoka,
.input--filled .graphic--madoka {
  stroke-dashoffset: 0;
.input__field--madoka:focus+.input__label--madoka.input__label-content--madoka,
.input--filled .input__label-content--madoka {
  -webkit-transform: scale3d(0.81, 0.81, 1) translate3d(0, 2.5em, 0);
  transform: scale3d(0.81, 0.81, 1) translate3d(0, -2.5em, 0);
}
.btnposalji {
  margin: auto;
  display: block;
  background-color: #f4f4f4;
  font-family: open_sansbold;
  color: #233337;
  border: 1.5px solid #233337;
  padding: 5px 30px;
  cursor: pointer;
  transition: 0.5s;
  font-size: 120%;
}
.btnposalji:hover {
  background-color: #233337;
  color: #f4f4f4;
  border: 1.5px solid #233337;
  transition: 0.5s;
}
footer{
  background-color: #233337;
  text-align: center;
  height: 20px;
  background-color: rgba(244, 244, 244, 0.95);
    box-shadow: 0px 1px 5px #233337;
}
footer span{
  font-family: open_sanslight;
  color: #233337;
  font-size: 14px;
}
.typed-cursor {
  display: none;
/*-----TABLET/PHO
NE-----*/
@media screen and (min-width:550px) {
```

```
#hero-header h1 {
   width: 40%;
 }
 #skills div p {
   padding: 0 10%;
 #gallery img {
   float: left;
   width: 50%;
 #timeline {
   position: relative;
   top: 50%;
   transform: translateY(-50%);
}
/*-----TAB-
LET-----*/
@media screen and (min-width:785px) {
 #timeline {
   width: 80%;
 .input:last-of-type {
   max-width: 740px;
 .effect-bubba {
   float: left;
   width: 33.3%;
}
/*------ DESKTOP ------
----*/
@media screen and (min-width:1024px) {
 /*------ HEADER ------
----*/
 header {
   height: 40px;
   width: 100%;
   background-color: rgba(244, 244, 244, 0);
   z-index: 9999;
   transition: background-color 500ms;
   box-shadow: none;
   background-color: rgba(244, 244, 244, 0.95);
   box-shadow: 0px 1px 5px #233337;
 #hamb {
   background: #28556f;
```

```
nav {
  display: block;
  float: right;
  position: relative;
  top: 25%;
  transform: translateY(-50%);
  height: 0;
nav a {
  margin-right: 50px;
  text-decoration: none;
  color: #233337;
  text-transform: uppercase;
  font-family: open_sanslight;
  font-size: 14px;
  transition: color 500ms;
*:after,
*::before {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
nav a:hover,
nav a:focus {
  outline: none;
}
.element {
  height: 100%;
  overflow: hidden;
  padding-top: 0px;
  font-size: 10px;
#hero-header {
  height: 100vh;
}
#hero-header h1 {
  font-size: 250%;
  top: 45%;
  width: 750px;
#hero-header span {
  font-family: open_sanssemibold;
}
.cl-effect-1 a::before,
.cl-effect-1 a::after {
  display: inline-block;
  opacity: 0;
  -webkit-transition: -webkit-transform 0.3s, opacity 0.2s;
  -moz-transition: -moz-transform 0.3s, opacity 0.2s;
  transition: transform 0.3s, opacity 0.2s;
```

```
.cl-effect-1 a::before {
    margin-right: 10px;
    content: '<';
    -webkit-transform: translateX(20px);
    -moz-transform: translateX(20px);
    transform: translateX(20px);
  .cl-effect-1 a::after {
    margin-left: 8px;
    content: '/>';
    -webkit-transform: translateX(-20px);
    -moz-transform: translateX(-20px);
    transform: translateX(-20px);
  .cl-effect-1 a:hover::before,
  .cl-effect-1 a:hover::after,
  .cl-effect-1 a:focus::before,
  .cl-effect-1 a:focus::after {
    opacity: 1;
    -webkit-transform: translateX(0px);
    -moz-transform: translateX(0px);
    transform: translateX(0px);
                 ------ PARALAX ------
----*/
  .paralax-outer1 {
    position: relative;
  .paralax-outer1::after {
    bottom: 0px;
    left: 0;
    position: absolute;
    border-bottom: solid 50px #f4f4f4;
    border-right: 98vw solid rgba(0, 0, 0, 0);
    content: ";
  .paralax-outer2 {
    position: relative;
  .paralax-outer3 {
    position: relative;
  .paralax-outer4 {
    position: relative;
  .paralax-outer4::after {
    bottom: 0px;
    left: 0;
    position: absolute;
    border-bottom: solid 60px #f4f4f4;
    border-right: 98vw solid rgba(0, 0, 0, 0);
    content: ";
```

```
#paralax1 {
   margin-top: 0;
   background-attachment: fixed;
 #paralax2 {
   margin: 0;
   background-attachment: fixed;
 #paralax3 {
   margin: 0;
   background-attachment: fixed;
   backface-visibility: hidden;
 #paralax4 {
   margin: 0;
   background-attachment: fixed;
 #paralax1 h2,
 #paralax2 h2,
 #paralax3 h2,
 #paralax4 h2 {
   font-size: 100px;
   padding: 50px;
 /*------ SKILLS ------
----*/
 #skills {
   height: 500px;
 #skills div {
   position: relative;
   top: 30%;
   display: inline-block;
   width: 300px;
   padding: 0;
   margin: 0;
 }
 #skills h3 {
   margin: 10px;
 /*------GALLERY -----
----*/
 .mob-tablet-gallery {
   display: none;
 .desktop-gallery {
   display: block;
 figure.effect-bubba {
   font-family: open_sanssemibold;
   background-color: #233337;
 figure.effect-bubba img {
```

```
opacity: 1;
  -webkit-transition: opacity 0.35s;
  transition: opacity 0.35s;
figure.effect-bubba:hover img {
  opacity: 0.4;
figure.effect-bubba figcaption::before,
figure.effect-bubba figcaption::after {
  position: absolute;
  top: 30px;
  right: 30px;
  bottom: 30px;
  left: 30px;
  content: ";
  opacity: 0;
  -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
  transition: opacity 0.35s, transform 0.35s;
figure.effect-bubba figcaption::before {
  border-top: 1px solid #fff;
  border-bottom: 1px solid #fff;
  -webkit-transform: scale(0, 1);
  transform: scale(0, 1);
figure.effect-bubba figcaption::after {
  border-right: 1px solid #fff;
  border-left: 1px solid #fff;
  -webkit-transform: scale(1, 0);
  transform: scale(1, 0);
figure.effect-bubba h2 {
  padding-top: 30%;
  opacity: 0;
  -webkit-transition: -webkit-transform 0.35s;
  transition: transform 0.35s;
  -webkit-transform: translate3d(0, -20px, 0);
  transform: translate3d(0, -20px, 0);
  transition: opacity 0.35s, transform 0.35s;
figure.effect-bubba p {
  font-size: 64%;
  font-family: open_sanslight;
  padding: 20px 2.5em 10px;
  opacity: 0;
  -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
  transition: opacity 0.35s, transform 0.35s;
  -webkit-transform: translate3d(0, 20px, 0);
  transform: translate3d(0, 20px, 0);
figure.effect-bubba p:last-of-type {
  padding: 0 2.5em;
  font-family: open_sansregular;
```

```
figure.effect-bubba a {
  color: #f4f4f4;
figure.effect-bubba:hover figcaption::before,
figure.effect-bubba:hover figcaption::after {
  opacity: 1;
  -webkit-transform: scale(1);
  transform: scale(1);
figure.effect-bubba:hover h2,
figure.effect-bubba:hover p {
  opacity: 1;
  -webkit-transform: translate3d(0, 0, 0);
  transform: translate3d(0, 0, 0);
figure {
  position: relative;
  float: left;
  overflow: hidden;
  width: 48%;
  text-align: center;
  cursor: pointer;
figure img {
  position: relative;
  display: block;
  min-height: 100%;
  max-width: 100%;
figure figcaption {
  padding: 2em;
  color: #f4f4f4;
  text-transform: uppercase;
  font-size: 1.25em;
  -webkit-backface-visibility: hidden;
  backface-visibility: hidden;
figure figcaption::before,
figure figcaption::after {
  pointer-events: none;
figure figcaption,
figure figcaption a.take__a_look {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
figure{
  cursor: default;
```

```
figcaption a{
   transition: 0.5s;
   font-size: 16px;
 figcaption a:hover{
   opacity: 0.8;
   transition: 0.5s;
 #gallery {
   margin: 0;
 .effect-bubba {
   float: left;
   width: 33.33%;
 #gallery img {
   width: 100%;
   backface-visibility: hidden;
 /*----- ABOUT -----
----*/
 #about {
   height: 700px;
 #timeline #text p {
   font-size: 100%;
 /*------ THANK YOU ------
----*/
 .thank_you {
   font-size: 180%;
 }
 .thank_you_a {
   font-size: 180%;
}
/*----- BIGGER DESKTOP -----
----*/
@media screen and (min-width:1440px) {
 #about {
   min-height: 900px;
 #timeline {
   width: 70%;
 }
 form {
   width: 825px;
   margin: auto;
}
```