VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE



TEHNIČKA DOKUMENTACIJA ZA PORTFOLIO WEB-SAJT

Predmet Web programiranje PHP2

Sadržaj

1. Uvod	3
1.1 Korišćeni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Template	4
1.4 CSS	4
1.4.1 Notify	4
1.4.2 Lightbox	6
2. Šeme i funkcionalnost	10
2.1 Organizaciona šema	10
2.2 Mapa sajta	11
2.3 Funkcionalnost	12
3. Kodovi	20
3.1 Index	20
3.2 Skills	22
3.3 Work	24
3.4 About	27
3.5 Contact	30
3.6 Contact za slanje maila	33
3.7 Thank you page	34
3.8 Login	34
3.9 Admin panel	40
3.10 Poll vote function	49
3.11 Process function	50
3.12 Uloga function	51
3.13 Konekcija function	51
3.14 Skript.js	51
3.15 Validacija.js	53
3.16 Preloader.js	54
3 17 Stil css	55

1. Uvod

Na narednim stranama tehničke dokumentacije ću detaljno pisati o korišćenim programskim jezicima, funkcionalnosti sajta, o samom templejtu, korišćenim CSS fajlovima, organizacionoj šemi, mapi sajta, opisu funkcionalnosti sa priloženim slikama i na kraju o kodovima.

1.1 Korišćeni programski jezici

Programski jezici koji su korišćeni prilikom izrade ovog sajta su:

-HTML

-CSS

-JavaScript

-JQuery

-Ajax

-JQuery Plugin

Sajt je urađen u programu Brackets. Biblioteke JQuery su korišćene i one su sledeće:

-jQuery v3.2.1

1.2 Opis funkcionalnosti

Funkcionalnost po stranama.

Index strana sadrži interaktivnu navigaciju koja upotrebom CSS-a prikazuje zagrade pored linkova da bi se znalo na kom linku se trenutno nalazi kursor. Sadrži naslov koji je moguće promeniti u admin panelu. Prilikom prve posete sajtu postoji samo Log in link kao i link ka dokumentaciji. Nakon logovanja se dobija meni koji odgovara logovanom korisniku. U zavisnosti od korisnika će se menjati sadržaj menija.

Skills strana sadrži naslov u paralaksu kao i tri veštine koje koje su prezentovane u vidu ikonice sa kratkim tekstom. Ovo je moguće promeniti u admin panelu i moguće je povećati ili smanjiti broj istih.

Work strana sadrži naslov u paralaksu pri vrhu strane i spisak radova koji se prezentuju čitaocu. Sve slike su povučene iz baze i mogu se menjati u admin panelu. Moguće je postaviti i više slika. Hoverom na neku od slika se pojavljuje overlaz koji sadrži link koji na klik otvara lightbox galeriju gde je moguće pogledati slike u prezentaciji.

About strana sadrži naslov u paralaksu kao i prethodne strane i nešto više o samom autoru rada. Na dnu strane se nalazi anketa koja pomoću Ajax-a upisuje podatke i automatski ih ispisuje nakom izvršenog glasanja.

Contact strana sadrži naslov u paralaksu takođe. Poseduje deo sa podacima o samom autoru koji se mogu menjati u admin panelu. Na dnu strane se nalazi kontakt forma koja je zaštićena regularnim izrazima na klijentskoj strani. Prilikom unosa netačnih podataka i pritiska na SEND dugme pojavljuje se mali oblačić u gornjem delu ekrana koji ispisuje grešku. Forma je funkcionalna i može se proslediti poruka na moju email adresu.

Login strana sadrži dve forme. Jednu za logovanje i jednu za unos novih korisnika. Za logovanje kao administrator potrebno je uneti administrator za username i isto to za password. Prilikom registracije novih korisnika oni su upisani u bazu i odmah se mogu logovati sa datim definisanim korisničkim imenom i šifrom.

Admin strana sadrži sva moguća podešavanja koja su moguća na sajtu. Od unosa, brisanja i editovanja korisnika do menjanja sadržaja na sajtu. Za svaku promenu je potrebno pritisnuti odgovarajuće submit dugme koje će izvršiti izmenu baze. Nakon toga je moguće proveriti promene odlaskom na stranicu na kojoj se nalazi izmenjeni sadržaj.

1.3 Template

Template nije korišćen iz drugih izvora nego je samostalno pisan za svaku stranicu posebno stoga ću to prikazati u sklopu koda zajedno sa slikama.

1.4 CSS

Eksterni CSS je korišćen za plugin Notify i Lightbox galeriju.

1.4.1 Notify

```
@font-face {
  font-family: 'open_sansregular';
  src: url('../fonts/OpenSans-Regular-webfont.eot');
  src: url('../fonts/OpenSans-Regular-webfont.eot?#iefix') format('embedded-opentype'),
     url('../fonts/OpenSans-Regular-webfont.woff') format('woff'),
     url('../fonts/OpenSans-Regular-webfont.ttf') format('truetype'),
     url('../fonts/OpenSans-Regular-webfont.svg#open_sansregular') format('svg');
  font-weight: normal;
  font-style: normal;
}
.notify{
  font-family: open_sansregular;
       position: fixed;
       width: 400px;
       padding: 15px 0;
       z-index: 9999;
       border-radius: 4px;
       -webkit-border-radius: 4px;
       -webkit-transition: all .4s ease-in-out;
       -moz-transition: all .4s ease-in-out;
       -o-transition: all .4s ease-in-out;
       transition: all .4s ease-in-out;
}
/** animation type **/
.notify.scale{
       -webkit-transform: scale(0.8);
       -moz-transform: scale(0.8);
       -o-transform: scale(0.8);
       transform: scale(0.8);
       opacity: 0;
}
.notify.center.drop{
       -webkit-transform: translateY(-120%);
       -moz-transform: translateY(-120%);
       -o-transform: translateY(-120%);
       transform: translateY(-120%);
```

```
opacity: 0;
}
.notify.right.drop{
       -webkit-transform: translateX(50%);
       -moz-transform: translateX(50%);
       -o-transform: translateX(50%);
       transform: translateX(50%);
       opacity: 0;
}
. notify. middle. center. drop \{\\
       -webkit-transform: translateY(-20%);
       -moz-transform: translateY(-20%);
       -o-transform: translateY(-20%);
       transform: translateY(-20%);
       opacity: 0;
}
.notify.fade{
       opacity: 0;
}
.notify.out{
       opacity: 0;
}
/** notify type **/
.notify-default{
       background-color: #fff;
       color: #233337;
       box-shadow: 0 3px 10px rgba(0,0,0,.2);
  -webkit-box-shadow: 0 3px 10px rgba(0,0,0,2);
}
/** position **/
.notify.top{
       top: 15px;
.notify.center{
       left: 50%;
       margin-left: -200px;
}
@media all and (max-width:768px){
       .notify{
               width: 100%;
               left: 0!important;
               margin: 0!important;
               border-radius: 0;
               -webkit-border-radius: 0;
       }
       .notify.top{
               top: 0!important;
       }
}
```

1.4.2 Lightbox


```
html.lb-disable-scrolling {
 overflow: hidden;
/* Position fixed required for iOS. Just putting overflow: hidden; on the body is not enough. */
 position: fixed;
height: 100vh;
width: 100vw;
.lightboxOverlay {
position: absolute;
top: 0;
left: 0;
 z-index: 9999;
background-color: black;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);
 opacity: 0.8;
 display: none;
.lightbox {
position: absolute;
left: 0;
width: 100%;
 z-index: 10000;
text-align: center;
line-height: 0;
font-weight: normal;
}
.lightbox .lb-image {
 display: block;
height: auto;
 max-width: inherit;
 max-height: none;
border-radius: 3px;
/* Image border */
border: 4px solid white;
.lightbox a img {
border: none;
.lb-outerContainer {
position: relative;
 *zoom: 1;
width: 250px;
height: 250px;
 margin: 0 auto;
 border-radius: 4px;
```

```
/* Background color behind image.
  This is visible during transitions. */
background-color: white;
.lb-outerContainer:after {
content: "";
display: table;
 clear: both;
.lb-loader {
position: absolute;
top: 43%;
left: 0;
height: 25%;
width: 100%;
text-align: center;
line-height: 0;
.lb-cancel {
 display: block;
width: 32px;
height: 32px;
margin: 0 auto;
background: url(../images/loading.gif) no-repeat;
}
.lb-nav {
position: absolute;
top: 0;
left: 0;
height: 100%;
width: 100%;
z-index: 10;
.lb-container > .nav {
left: 0;
}
.lb-nav a {
outline: none;
background-image: url('data:image/gif;base64,R0lGODlhAQABAPAAAP///wAAACH5BAEAAAAA-
LAAAAAABAAEAAAICRAEAOw==');
}
.lb-prev, .lb-next {
height: 100%;
 cursor: pointer;
 display: block;
```

```
}
.lb-nav a.lb-prev {
 width: 34%;
left: 0;
float: left;
background: url(../images/prev.png) left 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
transition: opacity 0.6s;
}
.lb-nav a.lb-prev:hover {
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-nav a.lb-next {
width: 64%;
right: 0;
 float: right;
background: url(../images/next.png) right 48% no-repeat;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
 opacity: 0;
 -webkit-transition: opacity 0.6s;
 -moz-transition: opacity 0.6s;
 -o-transition: opacity 0.6s;
transition: opacity 0.6s;
.lb-nav a.lb-next:hover {
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
.lb-dataContainer {
margin: 0 auto;
padding-top: 5px;
 *zoom: 1;
 width: 100%;
border-bottom-left-radius: 4px;
border-bottom-right-radius: 4px;
}
.lb-dataContainer:after {
 content: "";
 display: table;
 clear: both;
}
```

```
.lb-data {
padding: 0 4px;
 color: #ccc;
.lb-data .lb-details {
width: 85%;
float: left;
text-align: left;
line-height: 1.1em;
.lb-data .lb-caption {
font-size: 13px;
font-weight: bold;
line-height: 1em;
.lb-data .lb-caption a {
 color: #4ae;
.lb-data .lb-number {
 display: block;
 clear: left;
padding-bottom: 1em;
font-size: 12px;
 color: #999999;
.lb-data .lb-close {
 display: block;
float: right;
width: 30px;
height: 30px;
background: url(../images/close.png) top right no-repeat;
text-align: right;
 outline: none;
 filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
 opacity: 0.7;
 -webkit-transition: opacity 0.2s;
 -moz-transition: opacity 0.2s;
 -o-transition: opacity 0.2s;
 transition: opacity 0.2s;
}
.lb-data .lb-close:hover {
 cursor: pointer;
filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
 opacity: 1;
}
```

- 2 Šeme i funkcionalnost
- 2.1 Organizaciona šema




</urlset>


2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
-<urlset xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9 http://www.sitemaps.org/sche-
mas/sitemap/0.9/sitemap.xsd" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://
www.sitemaps.org/schemas/sitemap/0.9">
-<url>
<loc>https://portfolio-php.000webhostapp.com/</loc>
<lastmod>2018-02-15T17:20:33+00:00</lastmod>
<priority>1.00</priority>
</url>
-<url>
<loc>https://portfolio-php.000webhostapp.com/login.php</loc>
<lastmod>2018-02-15T17:20:33+00:00</lastmod>
<priority>0.80</priority>
</url>
-<url>
<loc>https://portfolio-php.000webhostapp.com/dokumentacija.pdf</loc>
<lastmod>2018-02-13T22:33:47+00:00</lastmod>
<priority>0.80</priority>
</url>
```

2.3 Funkcionalnost



Na index stranici se nalazi link ka login stranici i link ka dokumentaciji u gornjem desnom uglu. Na sredini ekrana je ispisan tekst koji je moguće menjati u admin panelu.




Na login stranici se nalaze dve forme. Prva je za logovanje a druga za registraciju novih korisnika. Za administratora sajta je potrebno uneti administrator za korisničko ime i administrator za šifru. Logovanje je moguće izvršiti odmah nakon registracije. Forma za registraciju je zaštićena i sa serverske i sa klijentske strane regularnim izrazima. Nije moguće uneti neispravne podatke u formu i tako registrovati novog korisnika. Svaki korisnik koji se registruje dobija ulogu user jer je administrator već rezervisano.



Nakon logovanja ulogovani korisnik se usmerava na index stranicu i u zavisnosti od uloge ispisuje se navigacioni meni koji sadrži ili ne sadrži određene linkove.




Na skills strani se nalazi paralaks sa naslovom i tri polja u kojima se nalazi opis veština. Ova tri polja je moguće menjati u admin panelu.




Na work stranici se nalazi galerija sa slikama iz baze. Prelaskom miša preko slike se pojavljuje div u kom postoji link "take a look" i pritiskom na koji se otvara lightbox galerija. Moguće je menjati slike na tastaturi. Sve slike je moguće promeniti u admin panelu, a takođe je moguće dodati ili obrisati slike.



Na about stranici se nalazi timeline koji sadrži podatke o meni kao i anketa u dnu strane koja omogućava glasanje pomoću Ajax-a.



Contact strana sadrži informacije o meni kao i formu koja omogućava slanje maila meni. Forma je u funkciji i moguće je stvarno proslediti poruku na moj email.



Admin strana sadrži tabele i forme koje omogućavaju unos, brisanje ili menjanje podataka na sajtu. Unosom u polja tražene vrednosti i pritiskom na odgovarajući submit je moguće promeniti podatke. Da bi se videli izmenjeni podaci potrebno je otići na stranicu na kojoj se desila promena.

3. Kodovi

3.1 Index

```
<!doctype html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  <link rel="stylesheet" type="text/css" href="css/notify.css" />
  <link rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>INDEX</h1>
    </div>
  </div>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
        <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
           <a href="login.php">log in</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
          <a href="uloga.php">index</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="skills.php">skills</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
          <a href="work.php">work</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
          <a href="about.php">about</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="contact.php">contact</a>
           <?php }?>
        <?php if($_SESSION['uloga']=="admin"){?>
           <a href="panel.php">admin</a>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
           <a href="login.php">log out</a>
        <?php }?>
```

```
<a href="dokumentacija.pdf">dokumentacija</a>
      </div>
    </div>
    <nav class="cl-effect-1">
      <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
        <a href="login.php">log in</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="uloga.php">index</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="skills.php">skills</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="work.php">work</a>
      <?php }?>
      <?php if($ SESSION['uloga']=="admin" || $ SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="contact.php">contact</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin") {?>
        <a class="header_nav-link nav_color" href="panel.php">admin</a>
      <?php }?>
      <?php if($ SESSION['uloga'] == "admin" || $ SESSION['uloga'] == "korisnici"){?>
        <a class="header_nav-link nav_color" href="login.php">log out</a>
      <?php }?>
      <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
    </nav>
  </header>
  <section id="hero-header" >
    <div class="element"></div>
    <?php
      include('konekcija.php');
      $heroText = "SELECT * FROM site_text WHERE id=1";
      $rezultat=mysql_query($heroText);
      $obj=mysql_fetch_assoc($rezultat);
    ?>
    <h1><?php echo $obj['text'] ?></h1>
  </section>
  <footer>
    <span>&copy; 2018 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
  </footer>
</body>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
<script type="text/javascript" src="js/classie.js"></script>
<script type="text/javascript" src="js/notify.js"></script>
```

```
<script type="text/javascript" src="js/validacija.js"></script>
</html>
3.2 Skills
<!doctype html>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  <link rel="stylesheet" type="text/css" href="css/notify.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>SKILLS</h1>
    </div>
  </div>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
        <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
           <a href="login.php">log in</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="uloga.php">index</a>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="skills.php">skills</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="work.php">work</a>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="about.php">about</a>
        <?php }?>
```

```
<?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="contact.php">contact</a>
        <?php }?>
      <?php if($_SESSION['uloga']=="admin"){?>
        <a href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a href="login.php">log out</a>
      <?php }?>
      <a href="dokumentacija.pdf">dokumentacija</a>
    </div>
  </div>
  <nav class="cl-effect-1">
    <?php error_reporting(0); if($_SESSION['uloga']==""" ){?>
      <a href="login.php">log in</a>
    <?php }?>
    <?php if($ SESSION['uloga']=="admin" || $ SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="uloga.php">index</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="skills.php">skills</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="work.php">work</a>
    <?php }?>
    <?php if($ SESSION['uloga']=="admin" || $ SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="about.php">about</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="contact.php">contact</a>
    <?php }?>
    <?php if($ SESSION['uloga']=="admin") {?>
      <a class="header_nav-link nav_color" href="panel.php">admin</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
      <a class="header_nav-link nav_color" href="login.php">log out</a>
    <?php }?>
    <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
  </nav>
</header>
<section class="paralax-outer1">
  <div id="paralax1">
    <h2>skills</h2>
  </div>
</section>
<section id="skills">
  <?php
    include("konekcija.php");
    $query = "SELECT * FROM skills";
    $rez = mysql_query($query) or die("Query nije izvrsen");
    while($r = mysql_fetch_array($rez)){
      echo "<div>
        <img src=\"".$r['skill_image']."\" alt=\"design\"/>
```

```
<h3>".$r['skill_heading']."</h3>
           ".$r['skill_text']."
         </div>";
    ?>
  </section>
  <footer>
    <span>&copy; 2018 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
  </footer>
</body>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
<script type="text/javascript" src="js/classie.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
</html>
3.3 Work
<!doctype html>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  k rel="stylesheet" type="text/css" href="css/notify.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
  <link rel="stylesheet" type="text/css" href="css/lightbox.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>WORK</h1>
    </div>
  </div>
```

```
<header id="header_nav" >
  <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
  <div id="myNav" class="overlay">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
    <div class="overlay-content">
      <?php error_reporting(0); if($_SESSION['uloga']==""){?>
        <a href="login.php">log in</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="uloga.php">index</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="skills.php">skills</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="work.php">work</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="contact.php">contact</a>
        <?php }?>
      <?php if($_SESSION['uloga']=="admin"){?>
        <a href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a href="login.php">log out</a>
      <?php }?>
      <a href="dokumentacija.pdf">dokumentacija</a>
    </div>
  </div>
  <nav class="cl-effect-1">
    <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
      <a href="login.php">log in</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="uloga.php">index</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="skills.php">skills</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="work.php">work</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="about.php">about</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="contact.php">contact</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin") {?>
      <a class="header_nav-link nav_color" href="panel.php">admin</a>
```

```
<?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
         <a class="header_nav-link nav_color" href="login.php">log out</a>
      <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
    </nav>
  </header>
  <section class="paralax-outer2">
    <div id="paralax2">
      <h2>work</h2>
    </div>
  </section>
  <section id="gallery">
    <div class="desktop-gallery">
      <?php
        include("konekcija.php");
         $query = "SELECT * FROM slika ";
         $rez = mysql_query($query) or die("Query nije izvrsen");
         while($r = mysql_fetch_array($rez)){
          echo "<figure class=\"effect-bubba\" >
          <img src=\"".$r['putanja']."\" alt=\"".$r['ime']."\" />
         <figcaption>
           <h2>\"".$r['ime']."\"</h2>
           <a href=\"".$r['putanja']."\" data-lightbox=\"galery\" data-title=\"".$r['ime']."\">&lt; Take a
look /></a>
         </figcaption>
      </figure>";
        }
      ?>
    </div>
    <div class="mob-tablet-gallery">
      <a href="http://www.kriskom.co.rs">
         <img src="img/gal1.jpg" alt="work"/>
      </a>
      <a href="https://bexaca.github.io/dentalni_turizam/">
         <img src="img/gal2.jpg" alt="work"/>
      </a>
      <a href="https://bexaca.github.io/resto/">
         <img src="img/gal3.jpg" alt="work"/>
      <a href="http://psoriasishuid.medicaldigitals.com/">
         <img src="img/gal4.jpg" alt="work"/>
      </a>
      <a href="http://www.niagaranutritionpartners.ca/">
         <img src="img/gal5.jpg" alt="work"/>
      </a>
      <a href="#/">
         <img src="img/gal6.jpg" alt="work"/>
      </a>
    </div>
  </section>
  <footer>
```

```
<span>&copy; 2018 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
  </footer>
</body>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
<script type="text/javascript" src="js/classie.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/lightbox.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
<script type="text/javascript" src="js/validacija.js"></script>
</html>
3.4 About
<!doctype html>
<?php
error_reporting(0);
@session start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  k rel="stylesheet" type="text/css" href="css/notify.css" />
  <link rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>ABOUT</h1>
    </div>
  </div>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
         <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
           <a href="login.php">log in</a>
```

```
<?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="uloga.php">index</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="skills.php">skills</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="work.php">work</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="contact.php">contact</a>
        <?php }?>
      <?php if($ SESSION['uloga']=="admin"){?>
        <a href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a href="login.php">log out</a>
      <?php }?>
      <a href="dokumentacija.pdf">dokumentacija</a>
    </div>
  </div>
  <nav class="cl-effect-1">
    <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
      <a href="login.php">log in</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="uloga.php">index</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="skills.php">skills</a>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="work.php">work</a>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="about.php">about</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="contact.php">contact</a>
    <?php }?>
    <?php if($ SESSION['uloga']=="admin") {?>
      <a class="header_nav-link nav_color" href="panel.php">admin</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
      <a class="header_nav-link nav_color" href="login.php">log out</a>
    <?php }?>
    <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
  </nav>
</header>
```

```
<section class="paralax-outer3">
    <div id="paralax3">
      <h2>about</h2>
    </div>
  </section>
  <section id="about">
    <div id="timeline">
      <div id="text">
        I was born on 26th of June in 1997 in Aleksinac, Serbia
        I am curently attending 'Visoka ICT' school in Belgrade where I am studying internet technolo-
gies
        Voleyball and handball are my favourite sports
        <img src="img/timeline.svg" alt="timeline"/>
        I finished aviation academy in Belgrade
        My hobbies are music and dogs
      </div>
    </div>
  </section>
  <div id="poll">
    <h2>Did you like my website?</h2>
    <form>
      Yes:
      <input type="radio" name="vote1" value="0" onclick="getVote(this.value)">
      <input type="radio" name="vote2" value="1" onclick="getVote(this.value)">
    </form>
  </div>
  <footer>
    <span>&copy; 2018 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
  </footer>
</body>
<?php
$vote = $_REQUEST['vote'];
//get content of textfile
$filename = "poll_result.txt";
$content = file($filename);
//put content in array
$array = explode("||", $content[0]);
yes = array[0];
no = \frac{1}{3}
if (vote == 0) {
 yes = yes + 1;
if (vote == 1) {
 no = no + 1;
//insert votes to txt file
```

```
$insertvote = $yes."||".$no;
$fp = fopen($filename,"w");
fputs($fp,$insertvote);
fclose($fp);
?>
<script>
function getVote(int) {
if (window.XMLHttpRequest) {
  // code for IE7+, Firefox, Chrome, Opera, Safari
  xmlhttp=new XMLHttpRequest();
 } else { // code for IE6, IE5
  xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
 xmlhttp.onreadystatechange=function() {
  if (this.readyState==4 && this.status==200) {
   document.getElementById("poll").innerHTML=this.responseText;
 }
xmlhttp.open("GET", poll_vote.php?vote="+int,true);
xmlhttp.send();
</script>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
<script type="text/javascript" src="js/classie.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
</html>
3.5 Contact
<!doctype html>
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  k rel="stylesheet" type="text/css" href="css/notify.css" />
```

```
k rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>CONTACT</h1>
    </div>
  </div>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
        <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
           <a href="login.php">log in</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="uloga.php">index</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="skills.php">skills</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="work.php">work</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
          <a href="about.php">about</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="contact.php">contact</a>
           <?php }?>
        <?php if($_SESSION['uloga']=="admin"){?>
          <a href="panel.php">admin</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
          <a href="login.php">log out</a>
        <?php }?>
        <a href="dokumentacija.pdf">dokumentacija</a>
      </div>
    </div>
    <nav class="cl-effect-1">
      <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
        <a href="login.php">log in</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="uloga.php">index</a>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="skills.php">skills</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
```

```
<a class="header_nav-link nav_color" href="work.php">work</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header nav-link nav color" href="contact.php">contact</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin") {?>
        <a class="header_nav-link nav_color" href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a class="header_nav-link nav_color" href="login.php">log out</a>
      <?php }?>
      <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
    </nav>
  </header>
  <section class="paralax-outer4">
    <div id="paralax4">
      <h2>contact</h2>
    </div>
  </section>
  <section id="contact">
    <h3>contact info</h3>
    <div>
    <?php
      include("konekcija.php");
      $query = "SELECT * FROM contact";
      $rez = mysql_query($query) or die("Query nije izvrsen");
      while($r = mysql_fetch_array($rez)){
        echo "<img src=\"img/location.svg\" alt=\"location\"/>
        ".$r['contact location']."
        <img src=\"img/phone.svg\" alt=\"phone\"/>
        ".$r['contact_phone']."
        <img src=\"img/mail.svg\" alt=\"mail\"/>
        ".$r['contact_email']."";
      }
    ?>
    </div>
    <section class="content bgcolor-4">
      <form action="contact-page.php" name="forma" method="post">
        <span class="input input--madokaLeft" >
                                   <input class="input__field input__field--madoka" type="text"</pre>
name="name" id="input31" />
                                   <label class="input label input label--madoka" for="input31">
                                          <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                  <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                                          <span class="input__label-content input__label-content--</pre>
madoka">Name</span>
        </label>
        </span>
```

\$name = \$ POST['name'];

\$visitor_email = \$_POST['email'];
\$message = \$_POST['message'];

```
<span class="input input--madokaRight" >
                                    <input class="input__field input__field--madoka" type="text"
name="email" id="input32" />
                                    <label class="input__label input__label--madoka" for="input32">
                                            <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                   <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                                            </svg>
                                            <span class="input__label-content input__label-con-</pre>
tent--madoka">Email</span>
         </label>
         </span>
         <span class="input input--madokaUp" >
                                    <textarea class="input_field input_field--madoka text-field-message"
id="input33" name="message" rows="6"></textarea>
                                    <label class="input__label input__label--madoka" for="input33">
                                            <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                                   <path stroke-width="1" d="m0,0l404,0l0,77l-404,0l0,-</pre>
77z"/>
                                            </svg>
                                            <span class="input__label-content input__label-con-</pre>
tent--madoka">Message</span>
         </label>
         </span>
         <input type="submit" name="btnposalji" class="btnposalji" value="SEND" onclick="return val();"
/>
      </form>
    </section>
  </section>
  <footer>
    <span>&copy; 2018 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
  </footer>
</body>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
<script type="text/javascript" src="js/notify.js"></script>
<script type="text/javascript" src="js/validacija.js"></script>
</html>
3.6 Contact - za slanje maila
<?php
```

```
$email_from = "$visitor_email";//<== update the email address</pre>
$email_subject = "Portfolio";
\text{semail\_body} = \text{``smessage } \n\n \n\end{``smarrier}
$to = "isidora.nikolic.167.15@ict.edu.rs";//<== update the email address
$headers = "From: $email_from \r\n";
$headers .= "Reply-To: $visitor email \r\n";
//Send the email!
mail($to,$email_subject,$email_body,$headers);
//done. redirect to thank-you page.
header('Location: thank-you-page.html');
3.7 Thank you page
<!doctype html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  k rel="stylesheet" type="text/css" href="css/notify.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  Thank You, Your email has been successfully sent
  I will respond quickly
  <div class="thank_you_linkUp">
    <a href="uloga.php" class="thank_you_a">Go back to my page</a>
  </div>
</body>
<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/jquery-3.2.1.min.js"></script>
</html>
3.8 Login
<!doctype html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
```

```
k rel="stylesheet" type="text/css" href="css/notify.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>LOGIN</h1>
    </div>
  </div>
  <header id="header_nav" >
    <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
    <div id="myNav" class="overlay">
      <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
      <div class="overlay-content">
        <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
           <a href="login.php">log in</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="uloga.php">index</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="skills.php">skills</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="work.php">work</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
          <a href="about.php">about</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
           <a href="contact.php">contact</a>
           <?php }?>
        <?php if($_SESSION['uloga']=="admin"){?>
          <a href="panel.php">admin</a>
        <?php }?>
        <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
          <a href="login.php">log out</a>
        <?php }?>
        <a href="dokumentacija.pdf">dokumentacija</a>
      </div>
    </div>
    <nav class="cl-effect-1">
      <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
        <a href="login.php">log in</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="uloga.php">index</a>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="skills.php">skills</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
```

```
<a class="header_nav-link nav_color" href="work.php">work</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a class="header_nav-link nav_color" href="contact.php">contact</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin") {?>
        <a class="header_nav-link nav_color" href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a class="header_nav-link nav_color" href="login.php">log out</a>
      <?php }?>
      <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
    </nav>
  </header>
              <div class="login">
   <div class="loginf">
     <h1>Log in</h1>
                     <form action="process.php" method="POST">
   <div class="form-group">
    <span class="input input--madokaLeft" >
     <input class="input__field input__field--madoka" type="text" name="user" id="user" />
     <label class="input__label input__label--madoka" for="user">
      <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77" pre-
serveAspectRatio="none">
       <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
      <span class="input__label-content input__label-content--madoka">Username</span>
     </label>
    </span>
   </div>
   <div class="form-group">
    <span class="input input--madokaLeft" >
     <input class="input__field input__field--madoka" type="password" name="pass" id="pass" />
     <label class="input__label input__label--madoka" for="pass">
      <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77" pre-
serveAspectRatio="none">
       <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
      <span class="input__label-content input__label-content--madoka">Password</span>
     </label>
    </span>
   </div>
    <input type="submit" name="btn" class="sblog btnposalji" onClick="return valLog();" value="Log in"/>
                     </form>
              </div>
<div class="row">
                     </div>
      <div class="loginf">
        <h1>Register</h1>
        <form method="POST" action="login.php" id="forma" name="forma">
```

```
<div class="row">
           <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbIme" id="tbIme" />
             <label class="input_label input_label--madoka" for="tbIme">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">First Name</span>
             </label>
           </span>
           </div>
          </div>
           <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbPrezime" id="tb-
Prezime" />
             <label class="input__label input__label--madoka" for="tbPrezime">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Last Name</span>
             </label>
           </span>
           </div>
          </div>
           <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbEmail" id="tbEmail"
/>
             <label class="input__label input__label--madoka" for="tbEmail">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Email</span>
             </label>
           </span>
           </div>
          </div>
          <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="text" name="tbKorIme" id="tbKo-
rIme"/>
             <label class="input_label input_label--madoka" for="tbKorIme">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
```

```
<path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Username</span>
             </label>
           </span>
           </div>
          </div>
           <div class="col-md-6">
           <div class="form-group">
           <span class="input input--madokaLeft" >
             <input class="input__field input__field--madoka" type="password" name="tbLozinka" id="t-
bLozinka" />
             <label class="input label input label--madoka" for="tbLozinka">
              <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
preserveAspectRatio="none">
               <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
              <span class="input__label-content input__label-content--madoka">Password</span>
           </span>
           </div>
          </div>
         </div>
         <div id="success"></div>
         <input type="submit" onClick="return valReg();" class="sblog btnposalji" name="btnSend" val-
ue="Register" />
        </form>
   <?php
  if(isset($_REQUEST['btnSend']))
              error_reporting(0);
   include ('konekcija.php');
   $ime = $_REQUEST['tbIme'];
   $prezime = $_REQUEST['tbPrezime'];
   $korIme = $_REQUEST['tbKorIme'];
   $email = $_REQUEST['tbEmail'];
   $lozinka = $_REQUEST['tbLozinka'];
   $podaci=array();
   $greske=array();
   regIme = ''/[A-Z]{1}[a-z]{2,9}$'";
   percent = "/^[A-Z]{1}[a-z]{3,20}$/";
   regKorIme = "/^[a-z0-9]+$/";
   regEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
   if(!preg_match($regIme, $ime))
    $greske[] = "Name is wrong!";
   }
   else
   {
    $podaci[] = $ime;
```

}

```
if(!preg_match($regPrezime, $prezime))
  $greske[] = "Last name is wrong!";
 else
  $podaci[] = $prezime;
 if(!preg_match($regKorIme, $korIme))
  $greske[] = "Username is wrong!";
 }
 else
  $podaci[] = $korIme;
 if(!preg_match($regEmail, $email))
  $greske[] = "Email is wrong!";
 else
  $podaci[] = $email;
 //var_dump($podaci);
 //var_dump($greske);
 if(count($greske)==0){
  $upit_upis = "INSERT INTO users VALUES(', '$korIme, '$lozinka', '$ime', '$prezime, '$email', $uloga')";
  $rez_upis = mysql_query($upit_upis, $konekcija);
  if(!$rez_upis)
   echo "Error! ".mysql_error();
  else
   echo "<h3>Success!</h3>";
                   $upit_upis1="UPDATE users SET uloga='korisnici' WHERE uloga <> 'admin'";
                   $rez_upis1 = mysql_query($upit_upis1, $konekcija);
else{
 foreach($greske as $g)
  echo "
      <l>>".$g."</b>
     ";
}
```

```
?>
```

3.9 Admin panel

```
<?php
error_reporting(0);
@session_start();
$_SESSION['admin'];
$_SESSION['korisnik'];
?>
<?php
error_reporting(0);
       include('konekcija.php');
              $ime=$_POST['ime1'];
    $id=$_POST['id1'];
              $prezime=$_POST['prezime1'];
              $username=$_POST['username1'];
              $email=$_POST['email1'];
              $password=$_POST['password1'];
              $$ql2="UPDATE users SET ime='$ime,'username='$username,' password='$password,'
prezime='$prezime', email='$email' WHERE id='$id'";
       if (isset($_POST['update'])){
                     $rez_upis2 = mysql_query($sql2, $konekcija);
    if(!$rez_upis2)
     echo "Error! ".mysql_error();
    }
    else
     echo "<h3>Success!</h3>";
       }
```

```
?>
<?php
error_reporting(0);
       include('konekcija.php');
              $id=$_POST['id'];
              $sql1="DELETE from users WHERE id=$id";
       if (isset($_POST['delete'])){
                     $rez_upis1 = mysql_query($sql1, $konekcija);
    if(!$rez_upis1)
     echo "Error! ".mysql_error();
    }
    else
     echo "<h3>Success!</h3>";
       }
?>
<?php
error_reporting(0);
              include('konekcija.php');
              $username=$_POST['user'];
              $password=$_POST['pass'];
              $ime=$_POST['name'];
              $prezime=$_POST['surname'];
              $email=$ POST['email'];
              $sql="INSERT INTO users VALUES(', $username, $password, $ime, $prezime, $email,")";
              if (isset($_POST['submit'])){
                     $rez_upis = mysql_query($sql, $konekcija);
    if(!$rez_upis)
     echo "Error! ".mysql_error();
    else
     echo "<h3>Success!</h3>";
   }
              ?>
<?php
error_reporting(0);
              include('konekcija.php');
              $ime=$_POST['ime'];
              $putanja=$_POST['putanja'];
              $sql="INSERT INTO slika VALUES(', $ime, $putanja')";
              if (isset($_POST['slika_add'])){
                      $rez_upis = mysql_query($sql, $konekcija);
    if(!$rez_upis)
     echo "Error! ".mysql_error();
    else
```

```
echo "<h3>Success!</h3>";
   }
              ?>
<?php
error_reporting(0);
       include('konekcija.php');
              $id=$_POST['slika_id'];
              $sql1="DELETE from slika WHERE slika_id=$id";
       if (isset($_POST['delete_slika'])){
                      $rez_upis1 = mysql_query($sql1, $konekcija);
    if(!$rez_upis1)
     echo "Error! ".mysql_error();
    else
     echo "<h3>Success!</h3>";
?>
<?php
error_reporting(0);
       include('konekcija.php');
              $hero=$_POST['hero'];
              $sql="UPDATE site_text SET text='$hero' WHERE id=1";
              if (isset($_POST['hero_change'])){
                      $rez = mysql_query($sql, $konekcija);
    if(!$rez)
     echo "Error! ".mysql_error();
    else
     echo "<h3>Success!</h3>";
?>
<?php
error_reporting(0);
       include('konekcija.php');
              $skill_id=$_POST['skill_id'];
              $skill_image=$_POST['skill_image'];
              $skill_heading=$_POST['skill_heading'];
              $skill_text=$_POST['skill_text'];
              $sql="UPDATE skills SET skill_image='$skill_image', skill_heading='$skill_heading', skill_
text='$skill_text' WHERE id='$skill_id";
              if (isset($_POST['skill_change'])){
                      $rez = mysql_query($sql, $konekcija);
```

```
if(!$rez)
     echo "Error! ".mysql_error();
    else
     echo "<h3>Success!</h3>";
?>
<?php
error_reporting(0);
       include('konekcija.php');
              $contact_location=$_POST['contact_location'];
              $contact_phone=$_POST['contact_phone'];
              $contact_email=$_POST['contact_email'];
              $sql="UPDATE contact SET contact_location='$contact_location', contact_phone='$contact_
phone', contact_email='$contact_email' WHERE id=1";
              if (isset($_POST['contact_change'])){
                     $rez = mysql_query($sql, $konekcija);
    if(!$rez)
     echo "Error! ".mysql_error();
    }
    else
     echo "<h3>Success!</h3>";
       }
?>
<!doctype html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="utf-8">
  <title>Isidora Nikolic</title>
  <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
  <meta name="keywords" content="" />
  k rel="stylesheet" type="text/css" href="css/notify.css" />
  k rel="stylesheet" type="text/css" href="css/style.css" />
</head>
<body>
  <div id="preloader">
    <div id="status">
      <h1>ADMIN</h1>
```

```
</div>
</div>
<header id="header_nav" >
  <span id="hamb" onclick="openNav()"><img src="img/list.svg" alt="hamburger"/></span>
  <div id="myNav" class="overlay">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
    <div class="overlay-content">
      <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
        <a href="login.php">log in</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="uloga.php">index</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="skills.php">skills</a>
      <?php }?>
      <?php if($ SESSION['uloga']=="admin" || $ SESSION['uloga'] == "korisnici") {?>
        <a href="work.php">work</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="about.php">about</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
        <a href="contact.php">contact</a>
        <?php }?>
      <?php if($ SESSION['uloga']=="admin"){?>
        <a href="panel.php">admin</a>
      <?php }?>
      <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
        <a href="login.php">log out</a>
      <?php }?>
      <a href="dokumentacija.pdf">dokumentacija</a>
    </div>
  </div>
  <nav class="cl-effect-1">
    <?php error_reporting(0); if($_SESSION['uloga']=="""){?>
      <a href="login.php">log in</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="uloga.php">index</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="skills.php">skills</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="work.php">work</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="about.php">about</a>
    <?php }?>
    <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici") {?>
      <a class="header_nav-link nav_color" href="contact.php">contact</a>
    <?php }?>
```

```
<?php if($_SESSION['uloga']=="admin") {?>
       <a class="header_nav-link nav_color" href="panel.php">admin</a>
     <?php }?>
     <?php if($_SESSION['uloga']=="admin" || $_SESSION['uloga'] == "korisnici"){?>
       <a class="header_nav-link nav_color" href="login.php">log out</a>
     <?php }?>
     <a class="header_nav-link nav_color" href="dokumentacija.pdf">dokumentacija</a>
   </nav>
  </header>
      <body>
            <div class="tabela">
                  <div id="tabela" style="width: max-content; margin:0 auto;">
                        ID
           Username
           Password
           First Name
                                     Last Name
                                     Email
                              <?php
   $select_query="SELECT * FROM users";
   $rezultat=mysql_query($select_query);
   while($red=mysql_fetch_array($rezultat)){ ?>
        <?php echo $red['id']; ?>
                                <?php echo $red['username']; ?>
                                <?php echo $red['password']; ?>
                                <?php echo $red['ime']; ?>
                                <?php echo $red['prezime']; ?>
                               <?php echo $red['email']; ?>
                              <?php } ?>
                        </div>
            </div>
            <div class="login">
                  <div class="loginf">
                        <h1>Add user</h1>
                        <form action="panel.php" method="POST">
                               <input type="text" name="user" placeholder="Username" class="not-
sameline1">
                              <input type="password"placeholder="Password" name="pass"</pre>
class="notsameline1">
                              <input type="text" name="name"placeholder="First name" class="not-
sameline1">
                              <input type="text" name="surname" placeholder="Last name"-
class="notsameline1">
                              <input type="email" name="email"placeholder="Email" class="not-
```

```
sameline1">
                               <input type="submit" name="submit" class="sblog btnposalji" val-
ue="Add"/>
                         </form>
                         <h1>Delete user</h1>
                         <form action="panel.php" method="POST">
                         <input type="text" name="id" placeholder="ID"class="notsameline1">
                               <input type="submit" name="delete" class="sblog btnposalji" val-
ue="Delete">
                         </form>
                         <h1>Change user</h1>
                         <form action="panel.php" method="POST">
                         <input type="text" name="id1" placeholder="ID" class="notsameline1">
                               <input type="text" name="username1"placeholder="Username"-
class="notsameline1">
                               <input type="password" name="password1" placeholder="Password"-
class="notsameline1">
                               <input type="text" name="ime1"placeholder="First Name"class="not-
sameline1">
                               <input type="text" name="prezime1"placeholder="Last Name"-
class="notsameline1">
                               <input type="text" name="email1"placeholder="Email"class="not-
sameline1">
                               <input type="submit" name="update" class="sblog btnposalji" val-
ue="Change">
                         </form>
                   </div>
            </div>
<?php
?>
      <div class="tabela">
            <div style="width: max-content; margin:0 auto;">
                   ID
                               Picture name
                               Url
                         <?php
   $select_query="SELECT * FROM slika";
   $rezultat=mysql_query($select_query);
   while($red=mysql_fetch_array($rezultat)){ ?>
        <?php echo $red['slika_id']; ?>
                                <?php echo $red['ime']; ?>
                                 <?php echo $red['putanja']; ?>
                                <?php } ?>
                         </div>
            </div>
            <div class="image__change">
```

```
<form name="slika" action="panel.php" method="POST">
                          <h1>Add picture</h1>
                          <input type="text" name="ime" placeholder="Picture name" class="not-
sameline1">
                          <input type="text" placeholder="Picture URL" name="putanja" class="not-
sameline1">
                          <input type="submit" name="slika_add" class="sblog btnposalji" value="Add">
                   </form>
                   <h1>Delete picture</h1>
                   <form action="panel.php" method="POST">
                          <input type="text" name="slika_id" placeholder="ID" class="notsameline1">
                          <input type="submit" name="delete_slika" class="sblog btnposalji" value="De-
lete">
                   </form>
             </div>
             <div class="hero-header__change">
                   <form name="hero" action="panel.php" method="POST">
                          <h1>Change hero header</h1>
                          <?php
                                include('konekcija.php');
                                $heroText = "SELECT * FROM site_text WHERE id=1";
                                $rezultat=mysql_query($heroText);
                                $obj=mysql_fetch_assoc($rezultat);
                          ?>
                          <input type="textarea" placeholder="Insert text" value="<?php echo $ob-
j['text'] ?>" name="hero" class="notsameline1">
                          <input type="submit" name="hero_change" class="sblog btnposalji" val-
ue="Change">
                   </form>
             </div>
             <div class="skills_change">
             <div class="tabela">
             <div style="width: max-content; margin:0 auto;">
                   ID
                                Skill image
                                Skill heading
                                Skill text
                          <?php
    $select_query="SELECT * FROM skills";
    $rezultat=mysql_query($select_query);
    while($red=mysql_fetch_array($rezultat)){ ?>
         <?php echo $red['id']; ?>
                                 <?php echo $red['skill_image']; ?>
                                 <?php echo $red['skill_heading']; ?>
                                 <?php echo $red['skill_text']; ?>
```

```
<?php } ?>
                          </div>
             </div>
                   <form name="skill" action="panel.php" method="POST">
                          <h1>Change skill</h1>
                          <input type="number" placeholder="Insert ID" name="skill_id" class="not-
sameline1">
                          <input type="text" placeholder="Insert URL" name="skill_image" class="not-
sameline1">
                          <input type="text" placeholder="Insert heading" name="skill_heading"</pre>
class="notsameline1">
                          <input type="textarea" placeholder="Insert text" name="skill_text" class="not-
sameline1">
                          <input type="submit" name="skill_change" class="sblog btnposalji" val-
ue="Change">
                   </form>
             </div>
             <div class="contact__change">
             <div class="tabela">
             <div style="width: max-content; margin:0 auto;">
                   Contact location
                                Contact phone
                                Contact email
                          <?php
    $select_query="SELECT * FROM contact";
    $rezultat=mysql_query($select_query);
    while($red=mysql_fetch_array($rezultat)){ ?>
         <?php echo $red['contact_location']; ?>
                                 <?php echo $red['contact_phone']; ?>
                                 <?php echo $red['contact_email']; ?>
                                <?php } ?>
                          </div>
             </div>
                   <form name="skill" action="panel.php" method="POST">
                          <h1>Change skill</h1>
                          <input type="text" placeholder="Insert address" name="contact_location"
class="notsameline1">
                          <input type="text" placeholder="Insert phone" name="contact_phone"
class="notsameline1">
                          <input type="text" placeholder="Insert email" name="contact_email"</pre>
class="notsameline1">
                          <input type="submit" name="contact_change" class="sblog btnposalji" val-
ue="Change">
                   </form>
```

</div>

3.10 Poll vote function

```
<?php
$vote = $_REQUEST['vote'];
$filename = "poll_result.txt";
$content = file($filename);
$array = explode("||", $content[0]);
yes = \frac{1}{2}
no = \frac{1}{3}
if (vote == 0) {
 yes = yes + 1;
if (vote == 1) {
 no = no + 1;
$insertvote = $yes."||".$no;
$fp = fopen($filename,"w");
fputs($fp,$insertvote);
fclose($fp);
?>
<h2>Result:</h2>
Yes:
<img src="img/da.gif"
width='<?php echo(100*round($yes/($no+$yes),2)); ?>'
height='20'>
<?php echo(100*round($yes/($no+$yes),2)); ?>%
```

```
    >td>No:
    >td>No:
    >td style="text-align: left;">
    <img src="img/ne.gif"
    width='<?php echo(100*round($no/($no+$yes),2)); ?>'
    height='20'>
    <?php echo(100*round($no/($no+$yes),2)); ?>%

    >

    <
```

3.11 Process function

```
<?php
@session_start();
if(isset($_POST['btn'])){
       $korisnickoIme=$_POST['user'];
       $lozinka=$_POST['pass'];
       include('konekcija.php');
       $upit="SELECT uloga FROM users WHERE username="..$korisnickoIme." AND password="..$loz-
inka."";
       $rezultat=mysql_query($upit,$konekcija) or die ("No can do");
       if(!mysql_num_rows($rezultat)==0){
              $red=mysql_fetch_array($rezultat);
              $uloga=$red['uloga'];
              $_SESSION['uloga']=$uloga;
              if(isset($_SESSION['uloga'])){
                     if($_SESSION['uloga']=="admin"){
                             echo 'This is <b>Admin</b> area.';
                             include('index.php');
                     elseif($_SESSION['uloga']!=="admin"){
                             echo 'This is <b>user</b> area.';
                             include('index.php');
                     }
                     else{
                             echo 'You can't be here.<a href="login.php">Log in</a>';
                     }
              }
       else{
              echo 'You can't login!';
       mysql_close($konekcija);
}
?>
```

3.12 Uloga function

```
<?php
@session_start();
if(isset($_SESSION['uloga'])){
               if($_SESSION['uloga']=="admin"){
                      echo 'This is <b>Admin</b> area.';
                      include('index.php');
               }
               elseif($_SESSION['uloga']!=="admin"){
                      echo 'This is <b>user</b> area.';
                      include('index.php');
               }
               else{
                      echo 'You can't be here.<a href="login.php">Log in</a>';
               }
       }
?>
```

3.13 Konekcija function

3.14 Skirpt.js

```
function openNav() {
  document.getElementById("myNav").style.width = "100%";
}
function closeNav() {
  document.getElementById("myNav").style.width = "0%";
}
(function () {
  // trim polyfill: https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/
String/Trim
  if (!String.prototype.trim) {
    (function () {
      // Make sure we trim BOM and NBSP
      var rtrim = /^{[\s\uFEFF\xA0]+[\s\uFEFF\xA0]+\s/g;}
      String.prototype.trim = function () {
        return this.replace(rtrim, ");
      };
    })();
```

 $[]. slice. call (document. query Selector All (`input. input_field, textarea. input_field')). for Each (function (input El) \{$

```
// in case the input is already filled..
    if (inputEl.value.trim() !== ') {
      classie.add(inputEl.parentNode, 'input--filled');
    }
    // events:
    inputEl.addEventListener('focus', onInputFocus);
    inputEl.addEventListener('blur', onInputBlur);
  });
  function onInputFocus(ev) {
    classie.add(ev.target.parentNode, 'input--filled');
  function onInputBlur(ev) {
    if (ev.target.value.trim() === ") {
      classie.remove(ev.target.parentNode, 'input--filled');
  }
})();
$('a[href*=\\#]').on('click', function (event) {
  event.preventDefault();
  $('html,body').animate({
    scrollTop: $(this.hash).offset().top
  }, 500);
});
$( '.overlay-content a' ).on("click", function(){
  $("#myNav").css("width", "0%");
});
var da=0;
var ne=0;
var output = new Array();
function writeText (form) {
 if(document.getElementById('da').checked | document.getElementById('ne').checked) {
  if(document.getElementById('da').checked) {
 da=da+1;
 document.getElementById('da1').innerHTML=da;
}else {
  document.getElementById('da1').innerHTML=da;
  }
  if(document.getElementById('ne').checked) {
 ne=ne+1;
 document.getElementById('ne1').innerHTML=ne;
  document.getElementById('da1').innerHTML=da;
  }
 }
}
```

3.15 Validacija.js

```
function val() {
  if (forma.input31.value == "") {
    $.notify("Please enter Your name");
    forma.input31.focus();
    return false;
  }
  var rega = /^[A-Z]{1}[a-z]{2,19}\s[A-Z]{1}[a-z]{3,29}$/;
  if (forma.input32.value == "") {
    $.notify("Please enter Your email");
    forma.input32.focus();
    return false;
  var reg = /^{[a-zA-Z0-9.!\#\%\%^*+/=?^_`\{|\}\sim-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)^*\$/;}
  if (reg.test(forma.input32.value) == false) {
    $.notify("Please write Your email correctly");
    forma.input32.focus();
    return false;
  if (forma.input33.value == "") {
    $.notify("Please enter Your question");
    forma.input33.focus();
    return false;
  return true;
};
function valReg() {
  if ($(tbIme).val() == "") {
    $.notify("Please enter Your name");
    $(tbIme).focus();
    return false;
  }
  if ($(tbPrezime).val() == "") {
    $.notify("Please enter Your name");
    $(tbPrezime).focus();
    return false;
  }
  var email = $(tbEmail).val();
  if (email == "") {
    $.notify("Please write Your email");
    $(tbEmail).focus();
    return false;
```

```
}
  var\ reg = /^[a-zA-Z0-9.!\#\%\%^*+/=?^_`\{|\}\sim-] + @[a-zA-Z0-9-] + (?:\.[a-zA-Z0-9-]+)^*\$/;
  if (reg.test(email) == false) {
    $.notify("Please write Your email correctly");
    $(tbEmail).focus();
    return false;
  }
  if ($(tbKorIme).val() == "") {
    $.notify("Please write Your username");
    $(tbKorIme).focus();
    return false;
  }
  if ($(tbLozinka).val() == "") {
    $.notify("Please write Your password");
    $(tbLozinka).focus();
    return false;
  return true;
}
function valLog() {
  if ($(user).val() == "") {
    $.notify("Please write Your username");
    $(user).focus();
    return false;
  }
  if ($(pass).val() == "") {
    $.notify("Please write Your password");
    $(pass).focus();
    return false;
  return true;
}
3.16 Preloader.js
```

```
$(window).on('load', function() { // makes sure the whole site is loaded
$('#status').delay(250).fadeOut('slow'); // will first fade out the loading animation
$('#preloader').delay(850).fadeOut('slow'); // will fade out the white DIV that covers the website.
$('body').delay(350).css({'overflow':'visible'});
})
```

3.17 Stil.css

```
/*-----FON
TS-----*/
@font-face {
 font-family: 'open_sansbold';
 src: url('../fonts/OpenSans-Bold-webfont.eot');
 src: url('../fonts/OpenSans-Bold-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Bold-webfont.woff') format('woff'), url('../fonts/OpenSans-Bold-webfont.ttf') format('truetype'), url('../
fonts/OpenSans-Bold-webfont.svg#open_sansbold') format('svg');
 font-weight: normal;
 font-style: normal;
}
@font-face {
 font-family: 'open_sanslight';
 src: url('../fonts/OpenSans-Light-webfont.eot');
 src: url('../fonts/OpenSans-Light-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Light-webfont.woff') format('woff'), url('../fonts/OpenSans-Light-webfont.ttf') format('truetype'),
url('../fonts/OpenSans-Light-webfont.svg#open_sanslight') format('svg');
 font-weight: normal;
 font-style: normal;
@font-face {
  font-family: 'open_sansregular';
 src: url('../fonts/OpenSans-Regular-webfont.eot');
 src: url('../fonts/OpenSans-Regular-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Regular-webfont.woff') format('woff'), url('../fonts/OpenSans-Regular-webfont.ttf') format('truetype'),
url('../fonts/OpenSans-Regular-webfont.svg#open_sansregular') format('svg');
 font-weight: normal;
 font-style: normal;
@font-face {
 font-family: 'open_sanssemibold';
 src: url('../fonts/OpenSans-Semibold-webfont.eot');
 src: url('../fonts/OpenSans-Semibold-webfont.eot?#iefix') format('embedded-opentype'), url('../fonts/Open-
Sans-Semibold-webfont.woff') format('woff'), url('../fonts/OpenSans-Semibold-webfont.ttf') format('tru-
etype'), url('../fonts/OpenSans-Semibold-webfont.svg#open_sanssemibold') format('svg');
 font-weight: normal;
 font-style: normal;
}
----*/
 text-align: center;
 margin: 0;
 padding: 0;
```

```
}
a {
 text-decoration: none;
body {
 background-color: #f4f4f4;
 width: 100%;
 overflow: hidden;
}
.razmak {
 margin-left: 20px;
}
.blue {
 color: #568491;
.green {
 color: #2abb9b;
.yellow {
 color: #d9d790;
.red {
 color: #ef5c54;
/*----- PRELOADER ------
----*/
#preloader {
 position: fixed;
 top: 0;
 left: 0;
 right: 0;
 bottom: 0;
 background-color: #f4f4f4;
 z-index: 99999;
}
#status {
 width: 30%;
 position: absolute;
 left: 50%;
 /* centers the loading animation horizontally one the screen */
 top: 50%;
 transform: translate(-50%, -50%);
```

```
}
/*------PHONE ------
#paralax1 h2,
#paralax2 h2,
#paralax3 h2,
#paralax4 h2 {
 font-family: open_sansbold;
 text-transform: uppercase;
 color: #f4f4f4;
 font-size: 40px;
 padding: 20px;
}
/*------ HEADER ------
----*/
header {
 background-color: #233337;
 height: 50px;
}
.logo-mob {
 margin-top: 12px;
 margin-left: 30px;
 float: left;
 width: 50px;
}
.logo-desk {
 visibility: hidden;
 margin-top: 12px;
 margin-left: 30px;
 float: left;
 width: 50px;
}
nav {
 display: none;
}
            ------ HAMBURGER MENU
*/
.overlay {
 height: 100%;
 width: 0%;
 position: fixed;
 z-index: 1;
```

```
top: 0;
  right: 0;
  background-color: rgba(35, 51, 55, 0.9);
  overflow-y: hidden;
  transition: 0.5s;
  font-family: open_sansregular;
  text-transform: uppercase;
.overlay-content {
  position: relative;
  top: 25%;
  width: 100%;
  text-align: center;
  margin-top: 30px;
.overlay a {
  padding: 8px;
  text-decoration: none;
  font-size: 36px;
  color: #f4f4f4;
  display: block;
  transition: 0.3s;
}
.overlay .closebtn {
  padding: 0;
  position: absolute;
  top: 20px;
  right: 45px;
  font-size: 60px;
#hamb {
  width: 50px;
  font-size: 20px;
  cursor: pointer;
  color: #f4f4f4;
  font-family: open_sanslight;
  float: right;
  margin: 12px 30px 12px 0;
  z-index: 99;
}
/*------ HERO-HEADER ------
----*/
.element {
 height: 200px;
  overflow: hidden;
  position: absolute;
```

```
width: 100%;
 color: #f4f4f4;
 font-family: open_sanslight;
 opacity: 0.4;
 font-size: 5px;
 text-align: left;
}
#hero-header {
 background-color: #212121;
 height: 200px;
 width: 100%;
}
#hero-header h1 {
 left: 50%;
 transform: translateX(-50%);
 font-size: 130%;
 width: 80%;
 position: absolute;
 top: 85px;
 color: #f4f4f4;
 text-transform: capitalize;
 font-family: open_sanslight;
}
#hero-header span {
 font-family: open_sanssemibold;
}
/*------ PARALAX-1 ------
----*/
#paralax1 {
 margin-top: 20px;
 background-image: url('../img/parallax1.jpg');
 height: 100%;
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
   ------ SKILLS ------
-*/
#skills div {
 padding: 20px;
 color: #233337;
}
```

```
#skills div h3 {
 font-family: open_sansbold;
 text-transform: uppercase;
}
#skills div p {
 font-family: open_sanslight;
/*----- PARALAX-2 ------
----*/
#paralax2 {
 background-image: url('../img/parallax2.jpg');
 height: 100%;
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
/*------ WORK ------
-*/
.desktop-gallery {
 display: none;
#gallery {
 margin-top: 20px;
 overflow: auto;
 margin-bottom: 20px;
}
#gallery img {
 float: left;
 width: 100%;
}
/*------ PARALAX-3 ------
----*/
#paralax3 {
 margin: 20px 0;
 background-image: url('../img/parallax3.jpg');
 height: 100%;
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
```

```
}
/*----- ABOUT -----
--*/
#about {
 background-image: url('../img/about.jpg');
 height: 400px;
 background-position: right;
 background-repeat: no-repeat;
 background-size: cover;
}
#timeline {
 position: relative;
 top: 50%;
 transform: translateY(-50%);
}
#timeline #text img {
 width: 75%;
 display: block;
 margin: 0 auto;
}
#timeline #text p {
 color: #f4f4f4;
 font-family: open_sanslight;
 font-size: 60%;
 display: inline-block;
 width: 29%;
}
#timeline #text p:nth-child(1),
#timeline #text p:nth-child(3) {
 max-width: 20%;
 margin: 0 4% 0 -2%;
}
#timeline #text p:nth-child(2) {
 max-width: 35%;
 margin-right: 5%
}
#timeline #text p:nth-child(6) {
 vertical-align: top;
 max-width: 25%;
 margin-left: 4%;
}
#timeline #text p:nth-child(5) {
  margin-left: 6%;
```

```
max-width: 25%;
}
----*/
#paralax4 {
 margin-top: 20px;
 background-image: url('../img/parallax4.jpg');
 height: 100%;
 background-attachment: scroll;
 background-position: center;
 background-repeat: no-repeat;
 background-size: cover;
}
/*------CONTACT ------
----*/
#contact {
 margin: 20px 0 40px 0;
#contact div {
 margin-bottom: 50px;
}
#contact h3 {
 font-family: open_sansregular;
 text-transform: capitalize;
 color: #233337;
 margin-bottom: 20px;
}
#contact img {
 height: 30px;
}
#contact p {
 font-family: open_sanslight;
 color: #233337;
 margin: 10px;
 font-size: 90%;
}
#contact div p:nth-child(2) {
 text-transform: capitalize;
}
/*------LOGIN / ADMIN ------
----*/
```

```
.loginf{
 margin-bottom: 50px;
.loginf h1{
 margin: 5px;
.notsameline1 {
 display: block;
 font-size: 1.2em;
 padding: 0.25em;
 width: 100%;
 margin-bottom: 1em;
 border-radius: 3px;
 border: 1px solid #BABABA;
/*------ INPUT FIELDS MADOKA ------
----*/
.input {
 position: relative;
 z-index: 1;
 display: inline-block;
 margin: 1em;
 max-width: 350px;
 width: calc(100% - 3em);
 vertical-align: top;
}
.input__field {
 text-align: left;
 position: relative;
 display: block;
 float: right;
 padding: 0 0 1% 0;
 width: 100%;
 border: none;
 border-radius: 0;
 background: #233337;
 color: #233337;
 font-family: open_sansregular;
 font-size: 100%;
  -webkit-appearance: none;
 /* for box shadows to show on iOS */
}
.input__field:focus {
 outline: none;
}
```

```
.input__label {
  display: inline-block;
  float: left;
  width: 100%;
  color: #233337;
  font-family: open_sanslight;
  font-size: 50.25%;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  -webkit-touch-callout: none;
  -webkit-user-select: none;
  -khtml-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
}
.input__label-content {
  position: relative;
  display: block;
  padding: 0;
  width: 100%;
  text-align: left;
}
.graphic {
  position: absolute;
  top: 0;
  left: 0;
  fill: none;
}
textarea {
  resize: none;
}
.input__field--madoka {
  transform: translate(-5%, 0%);
  width: 90%;
  background: transparent;
  color: #233337;
}
.input__label--madoka {
  transform: translate(-5%, 0%);
  position: absolute;
  width: 100%;
  height: 100%;
  color: #233337;
  cursor: text;
  font-size: 80%;
}
```

```
.input__label-content--madoka {
  -webkit-transform-origin: 0% 50%;
  transform-origin: 0% 50%;
  -webkit-transition: -webkit-transform 0.3s;
  transition: transform 0.3s;
}
.graphic--madoka {
  -webkit-transform: scale3d(1, -1, 1);
  transform: scale3d(1, -1, 1);
  -webkit-transition: stroke-dashoffset 0.5s;
  transition: stroke-dashoffset 0.5s;
  pointer-events: none;
  stroke: #7A7593;
  stroke-width: 4px;
  stroke-dasharray: 962;
  stroke-dashoffset: 558;
}
.input__field--madoka;focus+.input__label--madoka,
.input--filled .input__label--madoka {
  cursor: default;
  pointer-events: none;
}
.input__field--madoka:focus+.input__label--madoka.graphic--madoka,
.input--filled .graphic--madoka {
  stroke-dashoffset: 0;
}
.input__field--madoka:focus+.input__label--madoka.input__label-content--madoka,
.input--filled .input label-content--madoka {
  -webkit-transform: scale3d(0.81, 0.81, 1) translate3d(0, 2.5em, 0);
  transform: scale3d(0.81, 0.81, 1) translate3d(0, -2.5em, 0);
}
.btnposalji {
  margin: auto;
  display: block;
  background-color: #f4f4f4;
  font-family: open_sansbold;
  color: #233337;
  border: 1.5px solid #233337;
  padding: 5px 30px;
  cursor: pointer;
  transition: 0.5s;
  font-size: 120%;
}
.btnposalji:hover {
  background-color: #233337;
  color: #f4f4f4;
  border: 1.5px solid #233337;
```

```
transition: 0.5s;
footer{
 background-color: #233337;
 text-align: center;
 height: 20px;
 background-color: rgba(244, 244, 244, 0.95);
    box-shadow: 0px 1px 5px #233337;
}
footer span{
 font-family: open_sanslight;
 color: #233337;
 font-size: 14px;
.typed-cursor {
 display: none;
/*------ THANK-YOU-PAGE ------
*/
.thank_you:first-child {
 margin: 50px 50px 0 50px;
.thank_you {
 font-family: open_sansbold;
 font-size: 100%;
 color: #233337;
 display: block;
 text-shadow: 0 13.36px 8.896px #c4b59d, 0 -2px 1px #fff;
}
.thank_you_a {
 vertical-align: middle;
 font-family: open_sansbold;
 font-size: 100%;
 color: #233337;
 text-shadow: 0 13.36px 8.896px #c4b59d, 0 -2px 1px #fff;
 transition: 0.5s;
 opacity: 1;
 margin: 50px 50px 0 50px;
.thank_you_link a:hover {
 transition: 0.5s;
 opacity: 0.6;
}
.thank_you_link {
```

```
display: block;
 text-shadow: 0 13.36px 8.896px #c4b59d, 0 -2px 1px #fff;
}
.thank_you_link:first-of-type {
 margin-top: 50px;
}
/*-----TABLET/PHO
NE-----*/
@media screen and (min-width:550px) {
 #hero-header h1 {
  width: 40%;
 #skills div p {
  padding: 0 10%;
 #gallery img {
  float: left;
  width: 50%;
 }
 #timeline {
  position: relative;
  top: 50%;
  transform: translateY(-50%);
}
/*-----TAB-
LET-----*/
@media screen and (min-width:785px) {
 #timeline {
  width: 80%;
 .input:last-of-type {
   max-width: 740px;
 .effect-bubba {
  float: left;
   width: 33.3%;
/*------ DESKTOP ------
----*/
@media screen and (min-width:1024px) {
 /*------ HEADER ------
----*/
```

```
header {
  height: 40px;
  width: 100%;
  background-color: rgba(244, 244, 244, 0);
  z-index: 9999;
  transition: background-color 500ms;
  box-shadow: none;
  background-color: rgba(244, 244, 244, 0.95);
  box-shadow: 0px 1px 5px #233337;
#hamb {
  display: none;
nav {
  display: block;
  float: right;
  position: relative;
  top: 25%;
  transform: translateY(-50%);
  height: 0;
nav a {
  margin-right: 50px;
  text-decoration: none;
  color: #233337;
  text-transform: uppercase;
  font-family: open_sanslight;
  font-size: 14px;
  transition: color 500ms;
*:after,
*::before {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
}
nav a:hover,
nav a:focus {
  outline: none;
.element {
  height: 100%;
  overflow: hidden;
  padding-top: 0px;
  font-size: 10px;
#hero-header {
  height: 100vh;
#hero-header h1 {
  font-size: 250%;
  top: 45%;
```

```
width: 750px;
 #hero-header span {
    font-family: open_sanssemibold;
 }
 .cl-effect-1 a::before,
 .cl-effect-1 a::after {
    display: inline-block;
    opacity: 0;
    -webkit-transition: -webkit-transform 0.3s, opacity 0.2s;
    -moz-transition: -moz-transform 0.3s, opacity 0.2s;
    transition: transform 0.3s, opacity 0.2s;
 }
 .cl-effect-1 a::before {
    margin-right: 10px;
    content: '<';
    -webkit-transform: translateX(20px);
    -moz-transform: translateX(20px);
    transform: translateX(20px);
  .cl-effect-1 a::after {
    margin-left: 8px;
    content: '/>';
    -webkit-transform: translateX(-20px);
    -moz-transform: translateX(-20px);
    transform: translateX(-20px);
 .cl-effect-1 a:hover::before,
 .cl-effect-1 a:hover::after,
 .cl-effect-1 a:focus::before,
 .cl-effect-1 a:focus::after {
    opacity: 1;
    -webkit-transform: translateX(0px);
    -moz-transform: translateX(0px);
    transform: translateX(0px);
  /*----- PARALAX ------
----*/
  .paralax-outer1 {
    position: relative;
  .paralax-outer1::after {
    bottom: 0px;
    left: 0;
    position: absolute;
    border-bottom: solid 50px #f4f4f4;
    border-right: 98vw solid rgba(0, 0, 0, 0);
    content: ";
  .paralax-outer2 {
    position: relative;
  .paralax-outer3 {
```

```
position: relative;
  .paralax-outer4 {
    position: relative;
  .paralax-outer4::after {
    bottom: 0px;
    left: 0;
    position: absolute;
    border-bottom: solid 60px #f4f4f4;
    border-right: 98vw solid rgba(0, 0, 0, 0);
    content: ";
  #paralax1 {
    margin-top: 0;
    background-attachment: fixed;
  #paralax2 {
    margin: 0;
    background-attachment: fixed;
  #paralax3 {
    margin: 0;
    background-attachment: fixed;
    backface-visibility: hidden;
  #paralax4 {
    margin: 0;
    background-attachment: fixed;
  #paralax1 h2,
  #paralax2 h2,
  #paralax3 h2,
  #paralax4 h2 {
    font-size: 100px;
    padding: 50px;
  /*------SKILLS ------
----*/
  #skills {
    height: 500px;
  #skills div {
    position: relative;
    top: 30%;
    display: inline-block;
    width: 300px;
    padding: 0;
    margin: 0;
  #skills h3 {
    margin: 10px;
```

```
------ GALLERY ------
.mob-tablet-gallery {
  display: none;
}
.desktop-gallery {
  display: block;
figure.effect-bubba {
  font-family: open_sanssemibold;
  background-color: #233337;
figure.effect-bubba img {
  opacity: 1;
  -webkit-transition: opacity 0.35s;
  transition: opacity 0.35s;
figure.effect-bubba:hover img {
  opacity: 0.4;
figure.effect-bubba figcaption::before,
figure.effect-bubba figcaption::after {
  position: absolute;
  top: 30px;
  right: 30px;
  bottom: 30px;
  left: 30px;
  content: ";
  opacity: 0;
  -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
  transition: opacity 0.35s, transform 0.35s;
figure.effect-bubba figcaption::before {
  border-top: 1px solid #fff;
  border-bottom: 1px solid #fff;
  -webkit-transform: scale(0, 1);
  transform: scale(0, 1);
figure.effect-bubba figcaption::after {
  border-right: 1px solid #fff;
  border-left: 1px solid #fff;
  -webkit-transform: scale(1, 0);
  transform: scale(1, 0);
}
figure.effect-bubba h2 {
  padding-top: 30%;
  opacity: 0;
  -webkit-transition: -webkit-transform 0.35s;
  transition: transform 0.35s;
  -webkit-transform: translate3d(0, -20px, 0);
  transform: translate3d(0, -20px, 0);
  transition: opacity 0.35s, transform 0.35s;
```

```
figure.effect-bubba p {
  font-size: 64%;
  font-family: open_sanslight;
  padding: 20px 2.5em 10px;
  opacity: 0;
  -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
  transition: opacity 0.35s, transform 0.35s;
  -webkit-transform: translate3d(0, 20px, 0);
  transform: translate3d(0, 20px, 0);
figure.effect-bubba p:last-of-type {
  padding: 0 2.5em;
  font-family: open_sansregular;
figure.effect-bubba a {
  color: #f4f4f4;
figure.effect-bubba:hover figcaption::before,
figure.effect-bubba:hover figcaption::after {
  opacity: 1;
  -webkit-transform: scale(1);
  transform: scale(1);
figure.effect-bubba:hover h2,
figure.effect-bubba:hover p {
  opacity: 1;
  -webkit-transform: translate3d(0, 0, 0);
  transform: translate3d(0, 0, 0);
figure {
  position: relative;
  float: left;
  overflow: hidden;
  width: 48%;
  text-align: center;
  cursor: pointer;
}
figure img {
  position: relative;
  display: block;
  min-height: 100%;
  max-width: 100%;
figure figcaption {
  padding: 2em;
  color: #f4f4f4;
  text-transform: uppercase;
  font-size: 1.25em;
  -webkit-backface-visibility: hidden;
  backface-visibility: hidden;
}
figure figcaption::before,
figure figcaption::after {
```

```
pointer-events: none;
 figure figcaption,
 figure figcaption a.take_a_look {
   position: absolute;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
 figure{
   cursor: default;
 figcaption a{
   transition: 0.5s;
   font-size: 16px;
 figcaption a:hover{
   opacity: 0.8;
   transition: 0.5s;
 #gallery {
   margin: 0;
 .effect-bubba {
   float: left;
   width: 33.33%;
 #gallery img {
   width: 100%;
   backface-visibility: hidden;
 /*------ ABOUT -----
----*/
 #about {
   height: 700px;
 #timeline #text p {
   font-size: 100%;
          ------ THANK YOU ------
----*/
 .thank_you {
   font-size: 180%;
 .thank_you_a {
   font-size: 180%;
}
/*----- BIGGER DESKTOP -----
*/
```

```
@media screen and (min-width:1440px) {
    #about {
        min-height: 900px;
    }
    #timeline {
        width: 70%;
    }
    form {
        width: 825px;
        margin: auto;
    }
}
```