

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA  
INFORMACIONE I KOMUNIKACIONE  
TEHNOLOGIJE



# TEHNIČKA DOKUMENTACIJA ZA PORTFOLIO WEB SAJT

Predmet Web programiranje PHP2

## Sadržaj

1. Uvod	3
1.1 Korišćeni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Template	4
1.4 CSS	4
1.4.1 Notify	4
1.4.2 Lightbox	6
2. Funkcionalnost po stranama	10
2.1 Funkcionalnost	10
3. Kodovi	17
3.1 Index	17
3.2 Skills	18
3.3 Work	19
3.4 About	20
3.5 Contact	22
3.6 Panel	24
3.7 Login	33
3.8 Anketa	38
3.9 Config	39
3.10 Konekcija	40
3.11 Process	41
3.12 Header	42
3.13 Footer	45
3.14 Control	46
3.15 Contact-page	47
3.16 Uloga	48
3.17 Stil	49

# 1. Uvod

Na narednim stranama tehničke dokumentacije ću detaljno pisati o korišćenim programskim jezicima, funkcionalnosti sajta, o samom templejtu, korišćenim CSS fajlovima, opisu funkcionalnosti sa priloženim slikama i na kraju o kodovima.

## 1.1 Korišćeni programski jezici

Programski jezici koji su korišćeni prilikom izrade ovog sajta su:

- HTML
- CSS
- JavaScript
- PHP
- jQuery
- Ajax
- jQuery Plugin

Sajt je urađen u programu Visual Studio. Biblioteke JQuery su korišćene i one su sledeće:  
-jQuery v3.3.1

## 1.2 Opis funkcionalnosti

Funkcionalnost po stranama.

Index strana sadrži navigacioni meni, i jedan paragraf koji su ispisani putem php-a. Navigacioni meni je animiran i hoverom na neki od linkova se pojavljuje se ime linka u tagu. Sadrži linkove za index, skills, work, about, contact, logout stranu, kao i link koji vodi ka dokumentaciji. Ukoliko je korisnik ulogovan kao administrator ima pristup panel strani. Ukoliko korisnik nije ulogovan, može videti samo link ka login strani i dokumentaciju.

Login strana sadrži formu za logovanje i registraciju korisnika, koje su zaštićene regularnim izrazima.

Skills strana sadrži tri paragrafa, sa slikom iznad svakog.

Work strana sadrži galeriju koja je ispisana pomoću lightbox plugin-a. Klikom na sliku pojavljuje se naslov i paragraf "take a look", na čiji se klik slika otvara .

About strana sadrži sliku autora sajta kao i hronološki prikaz koji opisuje autora. U dnu strane se nalazi anketa, na koju svaki korisnik ima pravo samo jednom da glasa, klikom na odgovor anketa se briše, kao i random izabrana slika psa koja se dobija iz API-ja.

Contact strana sadrži kontakt informacije i formu koja pitanje korisnika šalje na email.

Logout strana vraća korisnika na login stranu, što znači da se korisnik izlogovao.

Panel strana omogućava administratoru da izmeni celokupan sadržaj sajta.

## 1.3 Template

Template nije korišćen iz drugih izvora nego je samostalno pisan za svaku stranicu posebno stoga ću to prikazati u sklopu koda zajedno sa slikama.

## 1.4 CSS

Eksterni CSS je korišćen za plugin Notify i Lightbox galeriju.

### 1.4.1 Notify

```
@font-face {
  font-family: 'open_sansregular';
  src: url('../fonts/OpenSans-Regular-webfont.eot');
  src: url('../fonts/OpenSans-Regular-webfont.eot?#iefix') format('embedded-opentype'),
    url('../fonts/OpenSans-Regular-webfont.woff') format('woff'),
    url('../fonts/OpenSans-Regular-webfont.ttf') format('truetype'),
    url('../fonts/OpenSans-Regular-webfont.svg#open_sansregular') format('svg');
  font-weight: normal;
  font-style: normal;
}

.notify{
  font-family: open_sansregular;
  position: fixed;
  width: 400px;
  padding: 15px 0;
  z-index: 9999;
  border-radius: 4px;
  -webkit-border-radius: 4px;
  -webkit-transition: all .4s ease-in-out;
  -moz-transition: all .4s ease-in-out;
  -o-transition: all .4s ease-in-out;
  transition: all .4s ease-in-out;
}

/** animation type **/
.notify.scale{
  -webkit-transform: scale(0.8);
  -moz-transform: scale(0.8);
  -o-transform: scale(0.8);
  transform: scale(0.8);
  opacity: 0;
}

.notify.center.drop{
  -webkit-transform: translateY(-120%);
  -moz-transform: translateY(-120%);
  -o-transform: translateY(-120%);
  transform: translateY(-120%);
}
```

```
        opacity: 0;
    }
    .notify.right.drop{
        -webkit-transform: translateX(50%);
        -moz-transform: translateX(50%);
        -o-transform: translateX(50%);
        transform: translateX(50%);
        opacity: 0;
    }
    .notify.middle.center.drop{
        -webkit-transform: translateY(-20%);
        -moz-transform: translateY(-20%);
        -o-transform: translateY(-20%);
        transform: translateY(-20%);
        opacity: 0;
    }
    .notify.fade{
        opacity: 0;
    }
    .notify.out{
        opacity: 0;
    }

    /** notify type */
    .notify-default{
        background-color: #fff;
        color: #233337;
        box-shadow: 0 3px 10px rgba(0,0,0,.2);
        -webkit-box-shadow: 0 3px 10px rgba(0,0,0,.2);
    }

    /** position */
    .notify.top{
        top: 15px;
    }
    .notify.center{
        left: 50%;
        margin-left: -200px;
    }

    @media all and (max-width:768px){
        .notify{
            width: 100%;
            left: 0!important;
            margin: 0!important;
            border-radius: 0;
            -webkit-border-radius: 0;
        }
        .notify.top{
            top: 0!important;
        }
    }
```

## 1.4.2 Lightbox

```
html.lb-disable-scrolling {  
  overflow: hidden;  
  /* Position fixed required for iOS. Just putting overflow: hidden; on the body is not enough. */  
  position: fixed;  
  height: 100vh;  
  width: 100vw;  
}  
  
.lightboxOverlay {  
  position: absolute;  
  top: 0;  
  left: 0;  
  z-index: 9999;  
  background-color: black;  
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=80);  
  opacity: 0.8;  
  display: none;  
}  
  
.lightbox {  
  position: absolute;  
  left: 0;  
  width: 100%;  
  z-index: 10000;  
  text-align: center;  
  line-height: 0;  
  font-weight: normal;  
}  
  
.lightbox .lb-image {  
  display: block;  
  height: auto;  
  max-width: inherit;  
  max-height: none;  
  border-radius: 3px;  
  
  /* Image border */  
  border: 4px solid white;  
}  
  
.lightbox a img {  
  border: none;  
}  
  
.lb-outerContainer {  
  position: relative;  
  *zoom: 1;  
  width: 250px;  
  height: 250px;  
  margin: 0 auto;  
  border-radius: 4px;
```

```
/* Background color behind image.
   This is visible during transitions. */
background-color: white;
}

.lb-outerContainer:after {
  content: "";
  display: table;
  clear: both;
}

.lb-loader {
  position: absolute;
  top: 43%;
  left: 0;
  height: 25%;
  width: 100%;
  text-align: center;
  line-height: 0;
}

.lb-cancel {
  display: block;
  width: 32px;
  height: 32px;
  margin: 0 auto;
  background: url(../images/loading.gif) no-repeat;
}

.lb-nav {
  position: absolute;
  top: 0;
  left: 0;
  height: 100%;
  width: 100%;
  z-index: 10;
}

.lb-container > .nav {
  left: 0;
}

.lb-nav a {
  outline: none;
  background-image: url('data:image/gif;base64,R0lGODlhAQABAPAAAP///wAAACH5BAEAAAAA-
LAAAAAABAAEAAAICRAEAOw==');
}

.lb-prev, .lb-next {
  height: 100%;
  cursor: pointer;
  display: block;
```

```
}

.lb-nav a.lb-prev {
  width: 34%;
  left: 0;
  float: left;
  background: url(../images/prev.png) left 48% no-repeat;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
  opacity: 0;
  -webkit-transition: opacity 0.6s;
  -moz-transition: opacity 0.6s;
  -o-transition: opacity 0.6s;
  transition: opacity 0.6s;
}

.lb-nav a.lb-prev:hover {
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
  opacity: 1;
}

.lb-nav a.lb-next {
  width: 64%;
  right: 0;
  float: right;
  background: url(../images/next.png) right 48% no-repeat;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=0);
  opacity: 0;
  -webkit-transition: opacity 0.6s;
  -moz-transition: opacity 0.6s;
  -o-transition: opacity 0.6s;
  transition: opacity 0.6s;
}

.lb-nav a.lb-next:hover {
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
  opacity: 1;
}

.lb-dataContainer {
  margin: 0 auto;
  padding-top: 5px;
  *zoom: 1;
  width: 100%;
  border-bottom-left-radius: 4px;
  border-bottom-right-radius: 4px;
}

.lb-dataContainer:after {
  content: "";
  display: table;
  clear: both;
}
```



```
.lb-data {
  padding: 0 4px;
  color: #ccc;
}

.lb-data .lb-details {
  width: 85%;
  float: left;
  text-align: left;
  line-height: 1.1em;
}

.lb-data .lb-caption {
  font-size: 13px;
  font-weight: bold;
  line-height: 1em;
}

.lb-data .lb-caption a {
  color: #4ae;
}


.lb-data .lb-number {
  display: block;
  clear: left;
  padding-bottom: 1em;
  font-size: 12px;
  color: #999999;
}

.lb-data .lb-close {
  display: block;
  float: right;
  width: 30px;
  height: 30px;
  background: url(../images/close.png) top right no-repeat;
  text-align: right;
  outline: none;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=70);
  opacity: 0.7;
  -webkit-transition: opacity 0.2s;
  -moz-transition: opacity 0.2s;
  -o-transition: opacity 0.2s;
  transition: opacity 0.2s;
}

.lb-data .lb-close:hover {
  cursor: pointer;
  filter: progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
  opacity: 1;
}
```

## 2. Funkcionalnost po stranama

### Index



Na index strani se u gornjem desnom uglu nalazi navigacioni meni, na sredini se nalazi paragraf sa tekstom koji je moguće promeniti u panelu.

# Login

The screenshot shows a web interface with a light gray background. At the top right, there are two links: "LOGIN" and "DOKUMENTACIJA". The main content area is divided into two sections. The first section is titled "Log in" and contains two input fields labeled "Username" and "Password", followed by a "Log in" button. The second section is titled "Register" and contains five input fields labeled "First Name", "Last Name", "Email", "Username", and "Password", followed by a "Register" button. At the bottom of the page, there is a copyright notice: "© 2019 Isidora Nikolic, Nova Pazova, Serbia ICT Visoka skola".

LOGIN DOKUMENTACIJA

**Log in**

Username

Password

Log in

**Register**

First Name

Last Name

Email

Username


Password

Register

© 2019 Isidora Nikolic, Nova Pazova, Serbia ICT Visoka skola


Login strana sadrzi formu za logovanje, i formu za registraciju novih korisnika.

## Skills




Strana skills sadrži tri paragrafa sa tekstom i slikom iznad svakom, koji detaljnije opisuju veštine.

## Work




Work strana sadrži galeriju koja koristi lightbox plugin.

## About



Strana about sadrži sliku autora kao i hronološki prikaz koji detaljnije opisuje autora.

## Contact

The image shows a web page design for a contact form. At the top, there is a navigation bar with links: INDEX, SKILLS, WORK, ABOUT, CONTACT, LOGOUT, and DOKUMENTACIJA. Below the navigation bar is a large header image featuring a laptop keyboard and a calendar. The word "CONTACT" is prominently displayed in large, white, bold letters across the center of the header. Below the header, the page has a light gray background. In the center, there is a section titled "Contact Info" with three icons: a location pin, a smartphone, and a speech bubble. Below these icons are three input fields: "Name", "Email", and "Message". The "Name" and "Email" fields are short, while the "Message" field is a larger text area. Below the "Message" field is a "SEND" button. At the bottom of the page, there is a small copyright notice: "© 2019 Isidora Nikolic, Nova Pazova, Serbia ICT Visoka skola".

INDEX SKILLS WORK ABOUT CONTACT LOGOUT DOKUMENTACIJA

# CONTACT

Contact Info

Location Pin Smartphone Speech Bubble

Name Email

Message

SEND

© 2019 Isidora Nikolic, Nova Pazova, Serbia ICT Visoka skola

Strana contact sadrži kontakt podatke i formu koja omogućava postavljanje pitanja autoru koje će biti direktno prosleđeno na njegov e-mail.

## Panel

ID	Username	Password	First Name	Last Name	Email
83	administrator	200ceb26807d6bf99f6f4f0d1ca54d4			
85	beki	3aa00f6bf44ef9dedba7bdaaef002941	Aleksandar	Beronja	bexaca@gmail.com

### Add user

Username

Password

First name

Last name

Email

### Delete user

ID

### Change user

ID

Username

Password

First Name

Last Name

Panel strana omogućava administratoru da izmeni celokupan sadržaj sajta.



## 3. Kodovi

### 3.1 Index

```
<?php
include "views/header.php";
?>
<section id="hero-header" >
  <div class="element"></div>
  <?php
    include "php/konekcija.php";
    $upit = "SELECT * FROM site_text";
    $rezultat = $konekcija->query($upit)->fetchAll();
    $rezultat = $rezultat[0]->text;
  ?>
  <h1><?= $rezultat ?></h1>
</section>
<?php
include "views/footer.php";
?>
```

## 3.2 Skills

```
<?php
include "views/header.php";

if($user === NULL){
    header("Location: ../login.php");
}
?>

<section class="paralax-outer1">
    <div id="paralax1">
        <h2>skills</h2>
    </div>
</section>
<section id="skills">
    <?php
        $upit = "SELECT * FROM `skills`";
        $rezultati = $konekcija->query($upit)->fetchAll();
        foreach($rezultati as $rezultat):
            ?>
                <div>
                    <img src=<?= $rezultat->skill_image ?> alt="\design\"/>
                    <h3><?= $rezultat->skill_heading ?></h3>
                    <p><?= $rezultat->skill_text ?></p>
                </div>
            <?php
                endforeach;
            ?>
        </section>
    <?php
include "views/footer.php";
?>
```

### 3.3 Work

```

<?php
include "views/header.php";

if($user === NULL){
    header("Location: ../login.php");
}
?>

<section class="paralax-outer2">
    <div id="paralax2">
        <h2>work</h2>
    </div>
</section>
<section id="gallery">
    <div class="desktop-gallery">
        <?php
            $upit = "SELECT * FROM slika";
            $rezultati = $konekcija->query($upit)->fetchAll();
            foreach($rezultati as $rezultat):
                ?>
                <figure class="effect-bubba" >
                    <img src=?= $rezultat->putanja ?> />
                    <figcaption>
                        <h2><?= $rezultat->ime ?></h2>
                        <p><a href=?= $rezultat->putanja ?> data-lightbox="galery" data-title=?= $rezul-
t->ime ?>>&lt; Take a look /&gt;</a></p>
                    </figcaption>
                </figure>
            <?php
                endforeach;
            ?>
        </div>
    </section>

<?php
    include "views/footer.php";
?>

```

## 3.4 About

```
<?php
include "views/header.php";
error_reporting(0);

if($user === NULL){
    header("Location: ../login.php");
}
?>

<section class="paralax-outer3">
    <div id="paralax3">
        <h2>about</h2>
    </div>
</section>
<section id="about">
    <div id="timeline">
        <div id="text">
            <?php
            include "php/konekcija.php";
            $upit="SELECT * FROM about";
            $rezultati = $konekcija->query($upit)->fetchAll();
            foreach($rezultati as $r):
            ?>
                <p><?= $r->about_born?></p>
                <p><?= $r->about_school?></p>
                <p><?= $r->about_sports?></p>
                <img src=<?= $r->about_image?> alt="timeline" />
                <p><?= $r->about_academy?></p>
                <p><?= $r->about_hobbies?></p>
            <?php endforeach;?>
        </div>
    </div>
</section>
<?php
    $upit="SELECT voted FROM users WHERE username LIKE '$username'";
    $voted = $konekcija->query($upit)->fetchAll();
    $vote = $voted[0]->voted;
    $upitAnketa="SELECT active FROM anketa";
    $active = $konekcija->query($upitAnketa)->fetchAll();
    $poll_active = $active[0]->active;
    if($poll_active === '1' && $vote === '0') {
    ?>
        <div id="form">
            <h2>Did you like my website?</h2>
            <form>
                <p>Yes:
                <input type="radio" name="vote1" value="0" id="yes"></p>
                <p>No:
                <input type="radio" name="vote2" value="1" id="no"></p>
            </form>
        </div>
```

```
<?php }?>
<div id="dog">
  <h1>Here is a random dog, because I love dogs</h1>
</div>

<?php
  include "views/footer.php";
?>
```

## 3.5 Contact

```

<?php
include "views/header.php";

if($user === NULL){
    header("Location: ../login.php");
}
?>
<section class="paralax-outer4">
    <div id="paralax4">
        <h2>contact</h2>
    </div>
</section>
<section id="contact">
    <h3>contact info</h3>
    <div>
        <?php
            include "php/konekcija.php";
            $upit = "SELECT * FROM contact";
            $rezultat = $konekcija->query($upit)->fetchAll();
            foreach($rezultat as $r){
                echo "<img src='img/location.svg' alt='location' />";
                <p>".$r->contact_location."</p>";
                <img src='img/phone.svg' alt='phone' />";
                <p>".$r->contact_phone."</p>";
                <img src='img/mail.svg' alt='mail' />";
                <p>".$r->contact_email."</p>";
            }
        ?>
    </div>
    <section class="content bgcolor-4">
        <form action="contact-page.php" name="forma" method="post">
            <span class="input input--madokaLeft" >
                <input class="input__field input__field--madoka" type="text"
name="name" id="input31" />
                <label class="input__label input__label--madoka" for="input31">
                    <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                        <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                    </svg>
                    <span class="input__label-content input__label-content--
madoka">Name</span>
                </label>
            </span>
            <span class="input input--madokaRight" >
                <input class="input__field input__field--madoka" type="text"
name="email" id="input32" />
                <label class="input__label input__label--madoka" for="input32">
                    <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                        <path d="m0,0l404,0l0,77l-404,0l0,-77z"/>
                    </svg>

```

```

                                <span class="input__label-content input__label-con-
tent--madoka">Email</span>
                                </label>
                                </span>
                                <span class="input input--madokaUp" >
                                    <textarea class="input__field input__field--madoka text-field-message"
id="input33" name="message" rows="6"></textarea>
                                    <label class="input__label input__label--madoka" for="input33">
                                        <svg class="graphic graphic--madoka" width="100%"
height="100%" viewBox="0 0 404 77" preserveAspectRatio="none">
                                            <path stroke-width="1" d="m0,0l404,0l0,77l-404,0l0,-
77z"/>
                                            </svg>
                                        <span class="input__label-content input__label-con-
tent--madoka">Message</span>
                                        </label>
                                        </span>
                                        <input type="submit" name="btnposalji" class="btnposalji" value="SEND" onclick="return val();"
/>
                                    </form>
                                </section>
                            </section>

<?php
    include "views/footer.php";
?>

```

## 3.6 Panel

```
<?php
    include "views/header.php";

    if($user === NULL){
        echo 'test';
        header("Location: ../login.php");
    }
    else if($user != 'admin'){
        header("Location: control.php?page=index");
    }
error_reporting(0);

?>
<?php
    include "php/konekcija.php";
    $ime=$_POST['ime1'];
    $id=$_POST['id1'];
    $prezime=$_POST['prezime1'];
    $username=$_POST['username1'];
    $email=$_POST['email1'];
    $password=$_POST['password1'];

    $errors=[];

    $upit_update="UPDATE users SET ime=:ime, username=:username, password=:password,
prezime=:prezime, email=:email WHERE id=:id";
    $priprema=$konekcija->prepare($upit_update);
    $priprema->bindParam(":ime", $ime);
    $priprema->bindParam(":username", $username);
    $priprema->bindParam(":password", $password);
    $priprema->bindParam(":prezime", $prezime);
    $priprema->bindParam(":email", $email);
    $priprema->bindParam(":id", $id);

    $rezultat=$priprema->execute();

?>
<?php
error_reporting(0);
    include('php/konekcija.php');
    $id=$_POST['id'];
    $sql1="DELETE from users WHERE id=:id";
    $stmt=$konekcija->prepare($sql1);
    $stmt->bindParam(":id",$id);

    if (isset($_POST['delete'])){
        $rez1=$stmt->execute();
    }
    if(!$rez1)
    {
        echo "Error! ";
    }
    else
    {
```



```
        echo "<h3>Success!</h3>";
    }
}
?>
<?php
error_reporting(0);
include('php/konekcija.php');
$username=$_POST['user'];
$password=$_POST['pass'];
$ime=$_POST['name'];
$prezime=$_POST['surname'];
$email=$_POST['email'];
$sql="INSERT INTO users VALUES(,username,password,ime,prezime,email,)";
$stmt=$konekcija->prepare($sql);
$stmt->bindParam(":username",$username);
$stmt->bindParam(":password",$password);
$stmt->bindParam(":ime",$ime);
$stmt->bindParam(":prezime",$prezime);
$stmt->bindParam(":email",$email);
if (isset($_POST['submit'])){
    $rez_upis = $stmt->execute();
if(!$rez_upis)
{
    echo "Error! ".mysql_error();
}
else
{
    echo "<h3>Success!</h3>";
}
}
?>
```

```
<?php
error_reporting(0);
include('php/konekcija.php');
$ime=$_POST['ime'];
$putanja=$_POST['putanja'];
$sql="INSERT INTO slika VALUES(,ime,putanja)";
$stmt=$konekcija->prepare($sql);
$stmt->bindParam(":ime",$ime);
$stmt->bindParam(":putanja",$putanja);
if (isset($_POST['slika_add'])){
    $rez_upis = $stmt->execute();
if(!$rez_upis)
{
    echo "Error! ";
}
else
{
    echo "<h3>Success!</h3>";
}
}
?>
```

```
<?php
error_reporting(0);
include('php/konekcija.php');
$id=$_POST['slika_id'];
$sql2="DELETE from slika WHERE slika_id=:id";
$stmt=$konekcija->prepare($sql2);
$stmt->bindParam(":id",$id);
if (isset($_POST['delete_slika'])) {
    $rez_upis2 = $stmt->execute();
}
if(!$rez_upis1)
{
    echo "Error! ";
}
else
{
    echo "<h3>Success!</h3>";
}
}
?>
<?php

include('php/konekcija.php');
$hero=$_POST['hero'];
$sql="UPDATE site_text SET text=:hero WHERE id=1";
$stmt=$konekcija->prepare($sql);
$stmt->bindParam(":hero",$hero);
if (isset($_POST['hero_change'])) {
    $rez = $stmt->execute();
}
if(!$rez)
{
    echo "Error! ";
}
else
{
    echo "<h3>Success!</h3>";
}
}
?>

<?php

include('php/konekcija.php');
$poll=$_POST['poll_vote'];
$sql="UPDATE anketa SET active=$poll";
$stmt=$konekcija->prepare($sql);
if($poll == NULL)
{
}
else
{
    $rez = $stmt->execute();
}
?>
```

```
<?php

error_reporting(0);
include('php/konekcija.php');
$skill_id=$_POST['skill_id'];
$skill_image=$_POST['skill_image'];
$skill_heading=$_POST['skill_heading'];
$skill_text=$_POST['skill_text'];
$sql="UPDATE skills SET skill_image=:skill_image, skill_heading=:skill_heading, skill_text=:skill_text WHERE id=:skill_id";
$stmt=$konekcija->prepare($sql);
$stmt->bindParam(":skill_image",$skill_image);
$stmt->bindParam(":skill_heading",$skill_heading);
$stmt->bindParam(":skill_text",$skill_text);
$stmt->bindParam(":skill_id",$skill_id);
if (isset($_POST['skill_change'])){
    $rez = $stmt->execute();

if(!$rez)
{
    echo "Error! ";
}
else
{
    echo "<h3>Success!</h3>";
}
}

?>
```

```
<?php

error_reporting(0);
include('php/konekcija.php');
$contact_location=$_POST['contact_location'];
$contact_phone=$_POST['contact_phone'];
$contact_email=$_POST['contact_email'];
$sql="UPDATE contact SET contact_location=:contact_location, contact_phone=:contact_phone, contact_email=:contact_email WHERE id=1";
$stmt=$konekcija->prepare($sql);
$stmt->bindParam(":contact_location",$contact_location);
$stmt->bindParam(":contact_phone",$contact_phone);
$stmt->bindParam(":contact_email",$contact_email);
if (isset($_POST['contact_change'])){
    $rez = $stmt->execute();

if(!$rez)
{
    echo "Error! ";
}
else
{
    echo "<h3>Success!</h3>";
}
```

```

    }
  }
?>

<body>
  <div class="tabela">
    <div id="tabela" style="width: max-content; margin:0 auto;">
      <table border="1 px solid" style="background-color:darkslategrey;">
        <tr>
          <th>ID</th>
          <th>Username</th>
          <th>Password</th>
          <th>First Name</th>
          <th>Last Name</th>
          <th>Email</th>
        </tr>
        <?php
          $upit="SELECT * FROM users";
          $rezultat = $konekcija->query($upit)->fetchAll();
          foreach($rezultat as $r):?>
            <tr>
              <td><?php echo $r->id?></td>
              <td><?php echo $r->username ?></td>
              <td><?php echo $r->password ?></td>
              <td><?php echo $r->ime ?></td>
              <td><?php echo $r->prezime ?></td>
              <td><?php echo $r->email ?></td>
            </tr>
          <?php endforeach;?>
        </table>
      </div>
    </div>
    <div class="login">
      <div class="loginf">
        <h1>Add user</h1>
        <form action="control.php?page=panel" method="POST">
          <input type="text" name="user" placeholder="Username" class="not-
sameline1">
          <input type="password"placeholder="Password" name="pass"
class="notsameline1">
          <input type="text" name="name"placeholder="First name" class="not-
sameline1">
          <input type="text" name="surname" placeholder="Last name" -
class="notsameline1">
          <input type="email" name="email"placeholder="Email" class="not-
sameline1">
          <input type="submit" name="submit" class="sblog btnposalji" val-
ue="Add"/>
        </form>
        <h1>Delete user</h1>

```

```

        <form action="control.php?page=panel" method="POST">
        <input type="text" name="id" placeholder="ID" class="notsameline1">
            <input type="submit" name="delete" class="sblog btnposalji" val-
ue="Delete">

        </form>
        <h1>Change user</h1>
        <form action="control.php?page=panel" method="POST">
        <input type="text" name="id1" placeholder="ID" class="notsameline1">
            <input type="text" name="username1" placeholder="Username"
class="notsameline1">
            <input type="password" name="password1" placeholder="Password"
class="notsameline1">
            <input type="text" name="ime1" placeholder="First Name" class="not-
sameline1">
            <input type="text" name="prezime1" placeholder="Last Name"
class="notsameline1">
            <input type="text" name="email1" placeholder="Email" class="not-
sameline1">
            <input type="submit" name="update" class="sblog btnposalji" val-
ue="Change">

        </form>
    </div>
</div>
<?php
?>
    <div class="tabela">
        <div style="width: max-content; margin:0 auto;">
            <table border="1 px solid" style="background-color:darkslategrey;">
                <tr>
                    <th>ID</th>
                    <th>Picture name</th>
                    <th>Url</th>
                </tr>
                <?php
                    $upit1="SELECT * FROM slika";
                    $rezultat1 = $konekcija->query($upit1)->fetchAll();
                    foreach($rezultat1 as $rez):?>
                        <tr>
                            <td><?php echo $rez->slika_id ?></td>
                            <td><?php echo $rez->ime ?></td>
                            <td><?php echo $rez->putanja ?></td>
                        </tr>
                    <?php endforeach; ?>
                </table>
            </div>
        </div>
        <div class="image__change">
            <form name="slika" action="control.php?page=panel" method="POST">
            <h1>Add picture</h1>
            <input type="text" name="ime" placeholder="Picture name" class="not-
sameline1">
            <input type="text" placeholder="Picture URL" name="putanja" class="not-

```

```

sameline1">
        <input type="submit" name="slika_add" class="sblog btnposalji" value="Add">
    </form>
    <h1>Delete picture</h1>
    <form action="control.php?page=panel" method="POST">
        <input type="text" name="slika_id" placeholder="ID" class="notsameline1">
        <input type="submit" name="delete_slika" class="sblog btnposalji" value="De-
lete">
    </form>
</div>

<div class="hero-header__change">
    <form name="hero" action="control.php?page=panel" method="POST">
        <h1>Change hero header</h1>
        <?php
            include('konekcija.php');
            $heroText = "SELECT * FROM site_text WHERE id=1";
            $rezultat = $konekcija->query($heroText)->fetchAll();
            $obj = $rezultat[0]->text;
        ?>
        <input type="textarea" placeholder="Insert text" value="<?php echo $obj ?>"
name="hero" class="notsameline1">
        <input type="submit" name="hero_change" class="sblog btnposalji" val-
ue="Change">
    </form>
</div>

<div class="skills__change">
<div class="tabela">
<div style="width: max-content; margin:0 auto;">
    <table border="1 px solid" style="background-color:darkslategrey;">
        <tr>
            <th>ID</th>
            <th>Skill image</th>
            <th>Skill heading</th>
            <th>Skill text</th>
        </tr>
        <?php

$upit2="SELECT * FROM skills";
$rezultat2 = $konekcija->query($upit2)->fetchAll();
foreach($rezultat2 as $re):?>
    <tr>
        <td><?php echo $re->id ?></td>
        <td><?php echo $re->skill_image ?></td>
        <td><?php echo $re->skill_heading ?></td>
        <td><?php echo $re->skill_text ?></td>
    </tr>
    <?php endforeach; ?>
    </table>
</div>
</div>
<form name="skill" action="control.php?page=panel" method="POST">

```

```

        <h1>Change skill</h1>
        <input type="number" placeholder="Insert ID" name="skill_id" class="not-
sameline1">
        <input type="text" placeholder="Insert URL" name="skill_image" class="not-
sameline1">
        <input type="text" placeholder="Insert heading" name="skill_heading"
class="notsameline1">
        <input type="textarea" placeholder="Insert text" name="skill_text" class="not-
sameline1">
        <input type="submit" name="skill_change" class="sblog btnposalji" val-
ue="Change">
    </form>
</div>

<div class="contact__change">
<div class="tabela">
<div style="width: max-content; margin:0 auto;">
    <table border="1 px solid" style="background-color:darkslategrey;">
        <tr>
            <th>Contact location</th>
            <th>Contact phone</th>
            <th>Contact email</th>
        </tr>
    <?php

$upit3="SELECT * FROM contact";
$rezultat3 = $konekcija->query($upit3)->fetchAll();
foreach($rezultat3 as $rez3):?>
    <tr>
        <td><?php echo $rez3->contact_location ?></td>
        <td><?php echo $rez3->contact_phone ?></td>
        <td><?php echo $rez3->contact_email ?></td>
    </tr>
<?php endforeach; ?>
    </table>
</div>
</div>
<form name="skill" action="control.php?page=panel" method="POST">
    <h1>Change contact</h1>
    <input type="text" placeholder="Insert address" name="contact_location"
class="notsameline1">
    <input type="text" placeholder="Insert phone" name="contact_phone"
class="notsameline1">
    <input type="text" placeholder="Insert email" name="contact_email"
class="notsameline1">
    <input type="submit" name="contact_change" class="sblog btnposalji" val-
ue="Change">
    </form>
</div>

<?php
$anketa="SELECT * FROM anketa";
$rezultat = $konekcija->query($anketa)->fetchAll();

```

```
?>
```

```
<form name="poll" action="control.php?page=panel" method="POST">
    <h1>Poll active</h1>
    <select name="poll_vote">
        <option value="1">True</option>
        <option value="0">False</option>
    </select>
    <input type="submit" name="contact_change" class="sblog btnposalji" val-
ue="Change">
    </form>
```

```
<?php
include "views/footer.php";
?>
```



```
<?php
include "views/header.php";
?>
<div class="login">
  <div class="loginf">
    <h1>Log in</h1>
    <form action="php/process.php" method="POST">
      <div class="form-group">
        <span class="input input--madokaLeft">
          <input class="input__field input__field--madoka" type="text" name="user" id="user" />
          <label class="input__label input__label--madoka" for="user">
            <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
              preserveAspectRatio="none">
              <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
            </svg>
            <span class="input__label-content input__label-content--madoka">Username</span>
          </label>
        </span>
      </div>
      <div class="form-group">
        <span class="input input--madokaLeft">
          <input class="input__field input__field--madoka" type="password" name="pass" id="pass" />
          <label class="input__label input__label--madoka" for="pass">
            <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404 77"
              preserveAspectRatio="none">
              <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
            </svg>
            <span class="input__label-content input__label-content--madoka">Password</span>
          </label>
        </span>
      </div>
      <input type="submit" name="btn" class="sblog btnposalji" onClick="return valLog();" value="Log
in" />
    </form>
  </div>
  <div class="row">
  </div>
  <div class="loginf">
    <h1>Register</h1>
    <form method="POST" action="login.php" id="forma" name="forma">
      <div class="row">
        <div class="col-md-6">
          <div class="form-group">
            <span class="input input--madokaLeft">
              <input class="input__field input__field--madoka" type="text" name="tbIme" id="tbIme"
/>
              <label class="input__label input__label--madoka" for="tbIme">
                <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404
77"
                preserveAspectRatio="none">
                <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
              </svg>
            </label>
          </div>
        </div>
      </div>
    </form>
  </div>
</div>
```

```

        <span class="input__label-content input__label-content--madoka">First Name</span>
      </label>
    </span>
  </div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <span class="input input--madokaLeft">
      <input class="input__field input__field--madoka" type="text" name="tbPrezime"
        id="tbPrezime" />
      <label class="input__label input__label--madoka" for="tbPrezime">
        <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404
77"
          preserveAspectRatio="none">
          <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
        </svg>
        <span class="input__label-content input__label-content--madoka">Last Name</span>
      </label>
    </span>
  </div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <span class="input input--madokaLeft">
      <input class="input__field input__field--madoka" type="text" name="tbEmail"
        id="tbEmail" />
      <label class="input__label input__label--madoka" for="tbEmail">
        <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404
77"
          preserveAspectRatio="none">
          <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
        </svg>
        <span class="input__label-content input__label-content--madoka">Email</span>
      </label>
    </span>
  </div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <span class="input input--madokaLeft">
      <input class="input__field input__field--madoka" type="text" name="tbKorIme"
        id="tbKorIme" />
      <label class="input__label input__label--madoka" for="tbKorIme">
        <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404
77"
          preserveAspectRatio="none">
          <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
        </svg>
        <span class="input__label-content input__label-content--madoka">Username</span>
      </label>
    </span>
  </div>
</div>

```

77"

```

<div class="col-md-6">
  <div class="form-group">
    <span class="input input--madokaLeft">
      <input class="input__field input__field--madoka" type="password" name="tbLozinka"
        id="tbLozinka" />
      <label class="input__label input__label--madoka" for="tbLozinka">
        <svg class="graphic graphic--madoka" width="100%" height="100%" viewBox="0 0 404
          preserveAspectRatio="none">
            <path d="m0,0l404,0l0,77l-404,0l0,-77z" />
          </svg>
        <span class="input__label-content input__label-content--madoka">Password</span>
      </label>
    </span>
  </div>
</div>
<div id="success"></div>
<input type="submit" onClick="return valReg();" class="sblog btnposalji" name="btnSend"
  value="Register" />
</form>
<?php
if(isset($_REQUEST['btnSend']))
{
    error_reporting(0);
    include ('./php/konekcija.php');
    $ime = $_REQUEST['tbIme'];
    $prezime = $_REQUEST['tbPrezime'];
    $korIme = $_REQUEST['tbKorIme'];
    $email = $_REQUEST['tbEmail'];
    $lozinka = $_REQUEST['tbLozinka'];
    $lozinka = md5($lozinka);

    $podaci=array();
    $greske=array();
    $regIme = "/^[A-Z]{1}[a-z]{2,9}$/";
    $regPrezime = "/^[A-Z]{1}[a-z]{3,20}$/";
    $regKorIme = "/^[a-z0-9\_]+$"/";
    $regEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
    if(!preg_match($regIme, $ime))
    {
        $greske[] = "Name is wrong!";
    }
    else
    {
        $podaci[] = $ime;
    }

    if(!preg_match($regPrezime, $prezime))
    {
        $greske[] = "Last name is wrong!";
    }
    else

```

```
{
    $podaci[] = $prezime;
}
if(!preg_match($regKorIme, $korIme))
{
    $greske[] = "Username is wrong!";
}
else
{
    $podaci[] = $korIme;
}

if(!preg_match($regEmail, $email))
{
    $greske[] = "Email is wrong!";
}
else
{
    $podaci[] = $email;
}

//var_dump($podaci);
//var_dump($greske);
if(count($greske)==0){
    include ('php/konekcija.php');
    $upit = "INSERT INTO users VALUES(, :korIme, :lozinka, :ime, :prezime, :email, 'korisnici', '0')";
    $izmena=$konekcija->prepare($upit);
    $izmena->bindParam(":korIme",$korIme);
    $izmena->bindParam(":lozinka",$lozinka);
    $izmena->bindParam(":ime",$ime);
    $izmena->bindParam(":prezime",$prezime);
    $izmena->bindParam(":email",$email);
    $uneto=$izmena->execute();
    if(!$upit)
    {
        echo "Error! ";
    }
    else
    {
        echo "<h3>Success!</h3>";
    }
}
else{
    foreach($greske as $g)
    {
        echo "<ul class='list-inline'>
            <li><b>".$g."</b></li>
        </ul>";
    }
}
}
```

```
?>
```

```
    </div>  
</div>
```

```
<?php  
    include "views/footer.php";  
?>
```

## 3.8 Anketa

```
<?php
include "views/header.php";

if($user === NULL){
    header("Location: ../login.php");
}
?>

<section class="paralax-outer2">
    <div id="paralax2">
        <h2>work</h2>
    </div>
</section>
<section id="gallery">
    <div class="desktop-gallery">
        <?php
            $upit = "SELECT * FROM slika";
            $rezultati = $konekcija->query($upit)->fetchAll();
            foreach($rezultati as $rezultat):
                ?>
                <figure class="effect-bubba" >
                    <img src=?= $rezultat->putanja ?> />
                    <figcaption>
                        <h2><?= $rezultat->ime ?></h2>
                        <p><a href=?= $rezultat->putanja ?> data-lightbox="galery" data-title=?= $rezul-
t->ime ?>>&lt; Take a look /&gt;</a></p>
                    </figcaption>
                </figure>
            <?php
                endforeach;
            ?>
        </div>
    </section>

<?php
    include "views/footer.php";
?>
```

## 3.9 Config

<?php

# 1 - Definisanje parametara za konekciju sa bazom

```
define("MYSQL_HOST", "localhost:9000");  
define("MYSQL_DBNAME", "portfolio");  
define("MYSQL_USERNAME", "root");  
define("MYSQL_PASSWORD", "");
```

## 3.10 Konekcija

```
<?php
require_once "config.php";

try {

    $konekcija = new PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";char-
set=utf8", MYSQL_USERNAME, MYSQL_PASSWORD);

    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
}
catch(PDOException $e){
    echo $e->getMessage();
}
```



### 3.11 Process

<?php

session\_start(); //Ova linija koda je potrebna da bi rad sa sesijama bio moguc. Obavezno je da ona bude prva linka koda odmah nakon otvarajućeg <?php

```
if(isset($_POST['btn']))
```

```
{
    $korisnickoIme=$_POST['user'];
```

```
$lozinka=$_POST['pass'];
```

```

    $reLozinka = "/^[\\S]{4,}$/";
    $reKorisnickoIme = "/^[\\S]{2,}$/";
```

```
if(!preg_match($reKorisnickoIme, $korisnickoIme) || !preg_match($reLozinka, $lozinka)){
```

```
    header("Location: ../login.php");
```

```
}
```

```
else {
```

```
    require_once "konekcija.php";
```

```
$lozinka = md5($lozinka);
```

```

        $upit="SELECT u.username, u.password, u.uloga FROM users u WHERE username
        = :korisnickoIme AND password = :lozinka";
```

```
        $stmt = $konekcija->prepare($upit);
```

```
$stmt->bindParam(":korisnickoIme", $korisnickoIme);
```

```
$stmt->bindParam(":lozinka", $lozinka);
```

```
$stmt->execute();
```

```
    $user = $stmt->fetch(); // Dohvatanje samo jednog korisnika
```

```
if($user) {
```

```
    $_SESSION['korisnik'] = $user; //Pravljenje sesije koja kao sadrzaj ima
```

rezultat rada baze podataka

```
    $user = $user->uloga;
```

```
if($user === "admin"){
```

```
    header("Location: ../control.php?page=index");
```

```
}
```

```
else{
```

```
    header("Location: ../control.php?page=index");
```

```
}
```

```
} else {
```

```
    header("Location: ../login.php");
```

```
}
```

```
}
```

```
}
```

## 3.12 Header

```

<!doctype html>

<html>

<?php

include "php/konekcija.php";

?>

<head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="utf-8">
    <title>Isidora Nikolic</title>
    <link rel="shortcut icon" href="favicon.jpg"/>
    <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it con-
tact me to make something together">
    <meta name="keywords" content="" />
    <link rel="stylesheet" type="text/css" href="../css/notify.css" />
    <link rel="stylesheet" type="text/css" href="../css/style.css" />
    <link rel="stylesheet" type="text/css" href="../css/lightbox.css" />
</head>

<body>
<div id="preloader">
    <div id="status">
        <h1>Loading...</h1>
    </div>
</div>
<header id="header_nav" >
    <span id="hamb" onclick="openNav()"></span>
    <div id="myNav" class="overlay">
        <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
        <div class="overlay-content">
            <?php
                $upit = "SELECT * FROM nav_meni";
                $rezultat = $konekcija->query($upit)->fetchAll();
                $logged = isset($user);
                if(!$logged){
                    foreach($rezultat as $r):
                        if($r->izlogovan != "0"){
                            ?>
                                <a class="header_nav-link nav_color" href="<?= $r->izlogovan ?>.php"><?= $r->izlogovan
?></a>
                            <?php } endforeach; }
                        else {
                            if($user === 'admin'){
                                foreach($rezultat as $r):
                                    if($r->admin != "0"){
                                        ?>
                                            <a class="header_nav-link nav_color" href="control.php?page=<?= $r->admin ?>"><?=
$ r->admin ?></a>

```

```

        <?php } endforeach;
    }
    else{
        foreach($rezultat as $r):
            if($r->korisnik != "0"){
                ?>
                <a class="header_nav-link nav_color" href="control.php?page=<?= $r->korisnik
?>"><?= $r->korisnik ?></a>
                <?php } endforeach;
            }
            ?>
            <a class="header_nav-link nav_color" href="control.php?page=login">Logout</a>
            <?php
        }
        ?>
        <a class="header_nav-link nav_color" href="dokumentacija.pdf">Dokumentacija</a>
    </div>
</div>
<nav class="cl-effect-1">
<?php
    $upit = "SELECT * FROM nav_meni";
    $rezultat = $konekcija->query($upit)->fetchAll();
    $logged = isset($user);
    if(!$logged){
        foreach($rezultat as $r):
            if($r->izlogovan != "0"){
                ?>
                <a class="header_nav-link nav_color" href="<?= $r->izlogovan ?>.php"><?= $r->izlogovan ?></
a>
                <?php } endforeach; }
            else {
                if($user === 'admin'){
                    foreach($rezultat as $r):
                        if($r->admin != "0"){
                            ?>
                            <a class="header_nav-link nav_color" href="control.php?page=<?= $r->admin ?>"><?=
$r->admin ?></a>
                            <?php } endforeach;
                        }
                    else{
                        foreach($rezultat as $r):
                            if($r->korisnik != "0"){
                                ?>
                                <a class="header_nav-link nav_color" href="control.php?page=<?= $r->korisnik ?>"><?=
$r->korisnik ?></a>
                                <?php } endforeach;
                            }
                        ?>
                        <a class="header_nav-link nav_color" href="control.php?page=login">Logout</a>
                        <?php
                    }
                ?>
                <a class="header_nav-link nav_color" href="dokumentacija.pdf">Dokumentacija</a>

```

```
</nav>  
</header>
```

### 3.13 Footer

```
<footer>
  <span>&copy; 2019 Isidora Nikolic, Nova Pazova, Serbia <a href="http://www.ict.edu.rs/">ICT Visoka
skola</a></span>
</footer>
</body>

<script type="text/javascript" src="//cdnjs.cloudflare.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
<script type="text/javascript" src="js/preloader.js"></script>
<script type="text/javascript" src="js/skript.js"></script>
<script type="text/javascript" src="js/classie.js"></script>
<script type="text/javascript" src="js/notify.js"></script>
<script type="text/javascript" src="js/lightbox.js"></script>
<script type="text/javascript" src="js/validacija.js"></script>

</html>
```

## 3.14 Control

```
<?php

session_start();

include "php/konekcija.php";

$user = $_SESSION['korisnik'];

$user = $_SESSION['korisnik']->uloga;

$username = $_SESSION['korisnik']->username;

$page = "";

if(isset($_GET['page'])){
    $page = $_GET['page'];
}
if ($page === 'login') {
    session_destroy();
    header("Location: ../login.php");
}

switch($page){
    case "index":
        include "index.php";
        break;
    case "skills":
        include "skills.php";
        break;
    case "work":
        include "work.php";
        break;
    case "about":
        include "about.php";
        break;
    case "contact":
        include "contact.php";
        break;
    case "panel":
        include "panel.php";
        break;
    default:
        include "login.php";
        break;
}
```

### 3.15 Contact-page

<?php

```
$name = $_POST['name'];  
$visitor_email = $_POST['email'];  
$message = $_POST['message'];
```

```
$email_from = "$visitor_email";//<== update the email address  
$email_subject = "Portfolio";  
$email_body = "$message \n\n $name";
```

```
$to = "isidora.nikolic.167.15@ict.edu.rs";//<== update the email address  
$headers = "From: $email_from \r\n";  
$headers .= "Reply-To: $visitor_email \r\n";  
//Send the email!  
mail($to,$email_subject,$email_body,$headers);  
//done. redirect to thank-you page.  
header('Location: control.php?page=contact');
```

## 3.16 Uloga

```
<?php
@session_start();
if(isset($_SESSION['uloga'])){
    if($_SESSION['uloga']== "admin"){
        echo "This is <b>Admin</b> area.";
        include('index.php');
    }
    elseif($_SESSION['uloga']!= "admin"){
        echo "This is <b>user</b> area.";
        include('index.php');
    }
    else{
        echo "You can`t be here.<a href= \"login.php\">Log in</a>";
    }
}

?>
```



## 3.17 Stil

```
*{
  margin:0px;
  padding:0px;
}

#omot{
  width: 100%;
}
body{
  background-color: #e6e6e6;
}

#slika{
  background-image: url(img/cover.jpg);
  background-size: 100%;
  height: 600px;
  position: 0 0 0 0;
  background-repeat: no-repeat;
  z-index: 1;
}

.navigation{
  position: absolute;
  top: 25px;
  z-index: 2;
  right: 400px;
}
.lista1{
  list-style: none;
  text-decoration: none;
}
ul.lista1 li{
  float:left;
  padding-right:15px;
}
.navigation ul li a{
  position: relative;
  text-decoration: none;
  color: #e6e6e6;
  font-size: 12pt;
  font-family: 'Source Sans Pro', sans-serif;
}
.navigation ul li a:before {
  content:url(img/sraf.png);
  position: absolute;
  align-items: center;
  margin-left: auto;
  margin-right: auto;
  left: 0;
  right: 11px;
  width: 5%;
}
```

```
height: 35px;
bottom: 0;
visibility: hidden;
opacity: 0;
transition: visibility 0s linear 0.5s, opacity 0.5s linear;
}
.navigation ul li a: hover: before {
  visibility: visible;
  opacity: 1;
  transition: opacity 1s;
}
.levos{
  position: absolute;
  display: flex;
  padding-right: 1000px;
}
@-moz-document url-prefix() {
  .levos {
    position: absolute;
    display: flex;
    right: 200px;
    left: 200px;
  }
}

@-moz-document url-prefix() {
  .desnos {
    position: absolute;
    display: flex;
    right: 200px;
    left: 200px;
  }
}
.desnos{
  position: absolute;
  display: flex;
  padding-left: 1000px;
}

#srafovi{
  position: absolute;
  margin-top: 120px;
  z-index: 999;
}
@-moz-document url-prefix() {
  #srafovi {
    position: absolute;
    right: 40%;
    left: 40%;
  }
}
#srafovi img{
```

```
margin: 20px;
}

#slika{
display: flex;
align-items: center;
justify-content: center;
}

.logo img{
width: 5%;
height: 10%;
top: 0px;
left: 100px;
position: absolute;
}

.forma{
position: absolute;
top: 25px;
right: 50px;
}

#dole {
width: 100%;
}

#dole ul{
justify-content: center;
display: flex;
align-items: center;
}

#dole ul li{
float: left;
list-style: none;
align-items: center;
}

#dole ul li h5{
text-align: center;
text-decoration: none;
color: #e6e6e6;
font-size: 12pt;
font-family: 'Source Sans Pro', sans-serif;
width: 100px;
background-color: #231f20;
border-radius: 8px;
padding: 2px;
}

#dole ul li img{
width: 350px;
}

#levop{
width: 30%;
float: left;
```

```
padding: 10px;
margin-left: 230px;
}
#levop p{
text-align: justify;
font-family: 'Source Sans Pro', sans-serif;
}
```

```
#desnop p{
text-align: justify;
font-family: 'Source Sans Pro', sans-serif;
}
```

```
#desnop{
width: 30%;
float: right;
padding: 10px;
margin-right: 230px;
}
```

```
#btnSearch:hover,
#btnSearch:active{
color: #231f20;
background: #fff;
-webkit-transition-duration: 0.5s;
-msie-transition-duration: 0.5s;
-moz-transition-duration: 0.5s;
-o-transition-duration: 0.5s;
transition-duration: 0.5s;
}
```

```
#tbSearch{
border-radius: 8px;
}
```

```
#btnSearch{
color: #e6e6e6;
background: #231f20;
border: 1px solid #fff;
width: 150px;
height: 20px;
border-radius: 8px;
transition-duration: 0.5s;
}
```

```
#slider {
position: relative;
overflow: hidden;
margin: 140px auto 0 auto;
border-radius: 4px;
}
```

```
#slider ul {
position: relative;
margin: 0;
```

```
padding: 0;
height: 200px;
list-style: none;
}

#slider ul li {
position: relative;
display: block;
float: left;
margin: 0;
padding: 0;
width: 500px;
height: 300px;
text-align: center;
line-height: 300px;
}

a.control_prev, a.control_next {
position: absolute;
z-index: 999;
display: block;
margin: 4% 3%;
width: auto;
height: auto;
text-decoration: none;
opacity: 0.8;
cursor: pointer;
}

a.control_prev:hover, a.control_next:hover {
opacity: 1;
-webkit-transition: all 0.2s ease;
}

a.control_prev {
border-radius: 0 2px 2px 0;
}

a.control_next {
right: 0;
border-radius: 2px 0 0 2px;
}

.slider_option {
position: relative;
margin: 10px auto;
width: 160px;
font-size: 18px;
}

.krug:hover,
.krug1:hover,
.krug2:hover{
-webkit-transform: rotate(360deg);
```

```
-msie-transform: rotate(360deg);
-moz-transform: rotate(360deg);
-o-transform: rotate(360deg);
transform: rotate(360deg);
}
#srafovi img:hover{
  -webkit-transition-duration: 1.0s;
  -msie-transition-duration: 1.0s;
  -moz-transition-duration: 1.0s;
  -o-transition-duration: 1.0s;
  transition-duration: 1.0s;
}
#dole a{
  text-align: center;
  text-decoration: none;
  color: #231f20;
}
#dole .dok {
  margin-top: 2px;
  font-family: 'Source Sans Pro', sans-serif;
  color: #e6e6e6;
  background: #231f20;;
}
/*stil2*/
```

```
#lanac{
  margin-top: 20px;
}
#lanac img{
  width: 100%;
}
#naslov{
  display: flex;
  align-items: center;
  justify-content: center;
  background-size: 100%;
  background-repeat: no-repeat;
  max-width: 100%;
  height: auto;
  width: auto;
  margin-top: 100px;
}
#naslov h2{
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
  font-size: 34px;
}

#omot2{
  width: 100%;
}
```

```
body{
  background-color: #e6e6e6;
  background-repeat: no-repeat;
  background-size: 100%;
}
#header h1{
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
}
.naslov{
  text-align: center;
  padding: 18px;
}

#prvi{
  display: flex;
  justify-content: center;
  align-items: center;
  background-size: 100%;
  background-repeat: no-repeat;
  max-width: 100%;
  height: auto;
  width: auto;
}
.slika1{
  margin-left: 30px;
  border: 5px solid #231f20;
  border-radius: 5px;
  border-bottom: 0px;
  background-color: #231f20;
}
.nazivu1{
  position: absolute;
  display: flex;
  left: 200px;
}
@-moz-document url-prefix() {
  .nazivu1 {
    top: 270px;
  }
}
@-moz-document url-prefix() {
  .nazivu2 {
    top: 620px;
  }
}
@-moz-document url-prefix() {
  .nazivu3 {
    top: 970px;
  }
}
.tekst1{
  color: #e6e6e6;
```

```
font-family: 'Source Sans Pro', sans-serif;
font-size: 18px;
margin: 20px;
}

#drugi{
display: flex;
justify-content: center;
align-items: center;
background-size: 100%;
background-repeat: no-repeat;
max-width: 100%;
height: auto;
width: auto;
}

.slika2{
margin-left: 30px;
border: 5px solid #231f20;
border-radius: 5px;
border-bottom: 0px;
background-color: #231f20;
}

.nazivu2{
position: absolute;
left: 200px;
}

.tekst2{
color: #e6e6e6;
font-family: 'Source Sans Pro', sans-serif;
font-size: 18px;
margin: 20px;
}

#treci{
display: flex;
justify-content: center;
align-items: center;
background-size: 100%;
background-repeat: no-repeat;
max-width: 100%;
height: auto;
width: auto;
}

.slika3{
margin-left: 30px;
border: 5px solid #231f20;
border-radius: 5px;
border-bottom: 0px;
background-color: #231f20;
}

.nazivu3{
position: absolute;
left: 200px;
}
```



```
.tekst3{
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
  font-size: 18px;
  margin: 20px;
}
```

```
/*css3*/
```

```
#lanac{
  margin-top: 20px;
}
#lanac img{
  width: 100%;
}
#naslov{
  display: flex;
  align-items: center;
  justify-content: center;
  background-size: 100%;
  background-repeat: no-repeat;
  max-width: 100%;
  height: auto;
  width: auto;
  margin-top: 100px;
}
#naslov h2{
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
  font-size: 34px;
}
```

```
#omot{
  width: 100%;
}
body{
  background-color: #e6e6e6;

  background-repeat: no-repeat;
  background-size: 100%;
}
```

```
/*css4*/
```

```
#omot{
  width: 100%;
}
body{
  background-color: #e6e6e6;
```

```
background-repeat: no-repeat;
background-size: 100%;
}
#levo{
  position: absolute;
  display: flex;
  width: 100%;
  top: 250px;
  justify-content: center;
}
#desno{
  top: 250px;
  justify-content: center;
  width: 50%;
  float:right;
}
#desno table{
  margin-top: 80px;
  margin-left:90px;
}
#levo table{
  margin-top: 20px;
  padding-right: 550px;
}
#desno table tr{
  height: 70px;
}
#desno table tr p{
  color: #e6e6e6;
  font-size: 18px;
  padding-left: 20px;
  font-family: 'Source Sans Pro', sans-serif;
  margin-bottom: 8px;
}

#naslovk{
  text-align: center;
  padding: 18px;
  margin-top: 70px;
}
#naslovk h2{
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
}
#naslov2{
  color: #e6e6e6;
  font-size: 18px;
  font-family: 'Source Sans Pro', sans-serif;
  text-align: center;
  position: absolute;
  width: 100%;
```

```
margin-top: 350px;
}
.btnposalji{
color: #e6e6e6;
background: #231f20;
border: 1px solid #fff;
width: 150px;
height: 20px;
border-radius: 8px;
transition-duration: 0.5s;
font-family: 'Source Sans Pro', sans-serif;
}
.btnposalji:hover,
.btnposalji:active{
color: #231f20;
background: #fff;
-webkit-transition-duration: 0.5s;
-msie-transition-duration: 0.5s;
-moz-transition-duration: 0.5s;
-o-transition-duration: 0.5s;
transition-duration: 0.5s;
}
#tbime, #tbemail{
width: 350px;
height: 18px;
border: 1px solid #fff;
border-radius: 8px;
}
#tbpitanje{
width: 350px;
height: 100px;
border: 1px solid #fff;
border-radius: 8px;
margin-bottom: 20px;
}
#tbemail{
margin-bottom: 20px;
margin-top: 20px;
}
#mapa{
display: flex;
width: 100%;
justify-content: center;
position: absolute;
top: 550px;
}
#osnova{
margin: 0 auto;
width: 100%;
}
/*css5*/

#omot{
```

```
width: 100%;
}
body{
background-color: #e6e6e6;

background-repeat: no-repeat;
background-size: 100%;
}

#futer{
height: 20px;
width: 100%;
}
#futer .lista{
width: 56%;
margin-left: auto;
margin-right: auto;
text-align: center;
}
#futer .lista ul{
display: inline-block;
text-align: center;
}
#futer .lista li{
float: left;
width: 150px;
display: inline-block;
}
#futer .lista ul li a{
text-decoration: none;
font-size: 12pt;
font-family: 'Source Sans Pro', sans-serif;
color: #0f2229;
-webkit-transition-duration: 0.2s;
-msie-transition-duration: 0.2s;
-moz-transition-duration: 0.2s;
-o-transition-duration: 0.2s;
transition-duration: 0.2s;
opacity: 0.8;
}
#futer .lista ul li a:hover{
opacity: 1;
-webkit-transition-duration: 0.2s;
-msie-transition-duration: 0.2s;
-moz-transition-duration: 0.2s;
-o-transition-duration: 0.2s;
transition-duration: 0.2s;
}
#futer .lista ul li a img{
margin-top: 10px;
opacity: 0.8;
```

```
-webkit-transition-duration: 0.5s;
-msie-transition-duration: 0.5s;
-moz-transition-duration: 0.5s;
-o-transition-duration: 0.5s;
transition-duration: 0.5s;
}
```

```
#futer .lista ul li a img:hover{
  opacity: 1;
  -webkit-transition-duration: 0.5s;
  -msie-transition-duration: 0.5s;
  -moz-transition-duration: 0.5s;
  -o-transition-duration: 0.5s;
  transition-duration: 0.5s;
}
```

```
#futer p{
  text-align: center;
  margin-bottom: 0;
}
```

```
#futer p img{
  width: 15px;
  height: 15px;
  margin-left: 15px;
  margin-right: 15px;
}
```

```
#futer p a{
  color: #e6e6e6;
  text-decoration: none;
  -webkit-transition-duration: 0.5s;
  -msie-transition-duration: 0.5s;
  -moz-transition-duration: 0.5s;
  -o-transition-duration: 0.5s;
  transition-duration: 0.5s;
}
```

```
.cisti{
  width: 100%;
  height: 1px;
  clear: both;
}
```

```
#sadrzaj6{
  margin-top: 150px;
  justify-content: center;
  height: 360px;
}
```

```
.levo{
  float: left;
  padding-left: 50px;
  width: 40%;
}
```

```
.levo img{
  float: right;
}
.desno{
  width: 50%;
  float:right;
}
#sadrzaj6 h2, #sadrzaj6 p{
  width: 30%;
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
  width:50%;
}
#sadrzaj6 h3{
  width: 30%;
  color: #e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
  width:50%;
}

td{
  color:#e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
}
#futer{
  display: flex;
  position: absolute;
  justify-content: center;
  width: 100%;
  margin-top: 120px;
}
#futer p{
  color:#e6e6e6;
  font-family: 'Source Sans Pro', sans-serif;
}
#btnGlasaj{
  color: #e6e6e6;
  background: #231f20;
  border: 1px solid #fff;
  width: 150px;
  height: 20px;
  border-radius: 8px;
  transition-duration: 0.5s;
}
#btnGlasaj:hover,
#btnGlasaj:active{
  color: #231f20;
  background: #fff;
  -webkit-transition-duration: 0.5s;
  -msie-transition-duration: 0.5s;
  -moz-transition-duration: 0.5s;
  -o-transition-duration: 0.5s;
  transition-duration: 0.5s;
}
```

```
}
#vote{
  width: 40px;
  background: #000;
}
#da1{
  position: absolute;
  display: flex;
  justify-content: center;
  margin-left: 50px;
  top: 321px;
}
#ne1{
  position: absolute;
  display: flex;
  justify-content: center;
  margin-left: 50px;
  top: 343px;
}
.dropbtn {
  color: #e6e6e6;
  background: #231f20;
  border: 1px solid #fff;
  width: 150px;
  height: 40px;
  border-radius: 8px;
  transition-duration: 0.5s;
}

.dropbtn:hover, .dropbtn:focus {
  color: #231f20;
  background: #fff;
  -webkit-transition-duration: 0.5s;
  -msie-transition-duration: 0.5s;
  -moz-transition-duration: 0.5s;
  -o-transition-duration: 0.5s;
  transition-duration: 0.5s;
}

.dropdown {
  position: relative;
  display: inline-block;
  margin-left: 50%;
  bottom: 100px;
}

.dropdown-content {
  display: none;
  position: absolute;
  min-width: 150px;
  overflow: auto;
```

```
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
}

.dropdown-content a {
    padding: 12px 16px;
    text-decoration: none;
    display: block;
    text-align: center;
}

.dropdown-content a img{
    width: 20px;
    height: 20px;
}

.dropdown a:hover {background-color: #e6e6e6}

.show {display:block;}

/*stil search*/
center{
    margin-top: 150px;
}
#sredina2{
    margin: 10%;
}
#sredina_xml{
    margin-left: 10%;
}
#pasus{

    font-size: 18px;
    font-family: 'Source Sans Pro', sans-serif;
    color: #e6e6e6;
}
#sve{
    background-color:darkgray;
    position: relative;
    width: 100%;
    height: 700px;
}
.loginf
{
    width:25%;
    margin-right: auto;
    margin-left: auto;
    overflow: hidden;
}
.login
{
    width:75%;
    padding-top: 2%;
    padding-bottom: 2%;
    margin-right: auto;
```



```
margin-left: auto;
text-align: center;
overflow: hidden;
}
.notsameline1
{
height:30px;
width:92%;
padding-left:8px;
border-radius: 5px;
display: block;
margin-bottom: 4%;
}
h1
{
padding:0px;
margin: 0px;
text-align: center;
color: darkslategray;
}

.sblog
{
background-color:darkslategrey;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
border-radius: 5px;
font-size: 18px;
font-weight: 700;
}

.ssblog{
margin-left: 110px;
background-color:darkslategrey;
border: none;
color: white;
padding: 15px 32px;
text-align: center;
text-decoration: none;
display: inline-block;
border-radius: 5px;
font-size: 18px;
font-weight: 700;
}

#sadrzaj6 h3{
color:w
}

.galerija{
```

```
} width: 20px;
```

## 3.1 Header

```
<!doctype html>

<html>

<?php

include "php/konekcija.php";

?>

<head>
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="utf-8">
    <title>Isidora Nikolic</title>
    <link rel="shortcut icon" href="favicon.jpg"/>
    <meta name="description" content="Isidora Nikolic portfolio webpage, take a peek and If you like it contact me to make something together">
    <meta name="keywords" content="" />
    <link rel="stylesheet" type="text/css" href="../css/notify.css" />
    <link rel="stylesheet" type="text/css" href="../css/style.css" />
    <link rel="stylesheet" type="text/css" href="../css/lightbox.css" />
</head>

<body>
<div id="preloader">
    <div id="status">
        <h1>Loading...</h1>
    </div>
</div>
<header id="header_nav" >
    <span id="hamb" onclick="openNav()"></span>
    <div id="myNav" class="overlay">
        <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>
        <div class="overlay-content">
            <?php
                $upit = "SELECT * FROM nav_meni";
                $rezultat = $konekcija->query($upit)->fetchAll();
                $logged = isset($user);
                if(!$logged){
                    foreach($rezultat as $r):
                        if($r->izlogovan != "0"){
                            ?>
                                <a class="header_nav-link nav_color" href="<?= $r->izlogovan ?>.php"><?= $r->izlogovan
?></a>
                            <?php } endforeach; }
                        else {
                            if($user === 'admin'){
                                foreach($rezultat as $r):
                                    if($r->admin != "0"){
                                        ?>
                                            <a class="header_nav-link nav_color" href="control.php?page=<?= $r->admin ?>"><?=
$<?= $r->admin ?></a>
                                        ?>
                                    }
                                endforeach;
                            }
                        }
                    }
                }
            ?>
        </div>
    </div>
</header>
```

```

        <?php } endforeach;
    }
    else{
        foreach($rezultat as $r):
            if($r->korisnik != "0"){
                ?>
                <a class="header_nav-link nav_color" href="control.php?page=<?= $r->korisnik
?>"><?= $r->korisnik ?></a>
                <?php } endforeach;
            }
            ?>
            <a class="header_nav-link nav_color" href="control.php?page=login">Logout</a>
            <?php
        }
        ?>
        <a class="header_nav-link nav_color" href="dokumentacija.pdf">Dokumentacija</a>
    </div>
</div>
<nav class="cl-effect-1">
<?php
    $upit = "SELECT * FROM nav_meni";
    $rezultat = $konekcija->query($upit)->fetchAll();
    $logged = isset($user);
    if(!$logged){
        foreach($rezultat as $r):
            if($r->izlogovan != "0"){
                ?>
                <a class="header_nav-link nav_color" href="<?= $r->izlogovan ?>.php"><?= $r->izlogovan ?></
a>
                <?php } endforeach; }
            else {
                if($user === 'admin'){
                    foreach($rezultat as $r):
                        if($r->admin != "0"){
                            ?>
                            <a class="header_nav-link nav_color" href="control.php?page=<?= $r->admin ?>"><?=
$r->admin ?></a>
                            <?php } endforeach;
                        }
                        else{
                            foreach($rezultat as $r):
                                if($r->korisnik != "0"){
                                    ?>
                                    <a class="header_nav-link nav_color" href="control.php?page=<?= $r->korisnik ?>"><?=
$r->korisnik ?></a>
                                    <?php } endforeach;
                                }
                                ?>
                                <a class="header_nav-link nav_color" href="control.php?page=login">Logout</a>
                                <?php
                            }
                            ?>
                            <a class="header_nav-link nav_color" href="dokumentacija.pdf">Dokumentacija</a>

```

```
</nav>  
</header>
```

