1. Counting with COUNT

- COUNT(*) counts every row
- Many rows squished into ONE answer
- This is called an aggregate function

```
SELECT COUNT(*) AS books
FROM books;
```

books
8

2. SUM, AVG, MIN, MAX

- SUM adds up a column
- AVG = the average
- MIN = smallest, MAX = biggest
- The librarian with a calculator

```
SELECT SUM(pages), AVG(pages),
MIN(pages), MAX(pages) FROM books;
```

SUM(pages)	AVG(pages)	MIN(pages)	MAX(pages)
1996	249.5	162	310

3. GROUP BY = baskets

- Drop each book into a basket by genre
- Then count each basket separately
- One result row per basket

```
SELECT genre, COUNT(*) AS books
FROM books GROUP BY genre;
```

genre	books
Classic	1
Comedy	2
Drama	1
Fantasy	3
Mystery	1

4. HAVING filters baskets

- WHERE filters rows BEFORE grouping
- HAVING filters groups AFTER counting
- Rows first, groups later

```
SELECT genre, COUNT(*) AS books
FROM books GROUP BY genre
HAVING COUNT(*) >= 2;
```

genre	books
Comedy	2
Fantasy	3

5. Practice free + what's next

- sqliteonline.com, db-fiddle.com, sqlime.org (choose SQLite)
- sqlbolt.com for free lessons
- Paste the setup from the practice guide, click Run
- Next, Part 3: JOINS, connecting tables