

1. 초기화 (기존 DB 삭제 후 재생성)

SET FOREIGN_KEY_CHECKS = 0;

DROP DATABASE IF EXISTS FillLife;

CREATE DATABASE FillLife DEFAULT CHARACTER SET utf8mb4 COLLATE utf8mb4_general_ci;
USE FillLife;

=====

1. 회원 (users)

=====

CREATE TABLE users (

users_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '회원 고유번호',

name VARCHAR(20) NOT NULL COMMENT '이름',

email VARCHAR(40) UNIQUE NOT NULL COMMENT '이메일',

password VARCHAR(255) NOT NULL COMMENT '비밀번호',

tel VARCHAR(20) NOT NULL COMMENT '전화번호',

address VARCHAR(255) NOT NULL COMMENT '주소',

point INT DEFAULT 500 NOT NULL COMMENT '포인트 (기본 500)',

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '생성일자',

updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

COMMENT '변경일자'

);

=====

2. 카테고리 (category)

=====

CREATE TABLE category (

category_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '카테고리 번호',

name VARCHAR(20) NOT NULL COMMENT '카테고리 이름'

);

=====

3. 상품 (products)

=====

CREATE TABLE products (

products_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '상품 번호',

category_idx INT NOT NULL COMMENT '카테고리 번호',

name VARCHAR(50) NOT NULL COMMENT '상품 이름',

price INT NOT NULL COMMENT '가격',

stock INT DEFAULT 0 NOT NULL COMMENT '재고량',

description TEXT NOT NULL COMMENT '상품 설명',

created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '등록일',

updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP

COMMENT '수정일자',

FOREIGN KEY (category_idx) REFERENCES category(category_idx)

);

=====

4. 주문 (orders)

=====

CREATE TABLE orders (

orders_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '주문 번호',

users_idx INT NOT NULL COMMENT '회원 번호',

total_price INT NOT NULL COMMENT '총 주문금액',

```

status VARCHAR(20) NOT NULL COMMENT '주문 상태',
created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '주문일자',
FOREIGN KEY (users_idx) REFERENCES users(users_idx)
);

```

```

# =====

```

```

# 5. 주문상세 (order_items)

```

```

# =====

```

```

CREATE TABLE order_items (
  order_items_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '주문상세 번호',
  orders_idx INT NOT NULL COMMENT '주문 번호',
  products_idx INT NOT NULL COMMENT '상품 번호',
  `count` INT NOT NULL COMMENT '주문 수량', # count는 예약어라 백틱 사용
  price_snapshot INT NOT NULL COMMENT '주문당시 상품가격',
  products_status VARCHAR(10) COMMENT '상품별 상태',
  FOREIGN KEY (orders_idx) REFERENCES orders(orders_idx),
  FOREIGN KEY (products_idx) REFERENCES products(products_idx)
);

```

```

# =====

```

```

# 6. 결제 (payments)

```

```

# =====

```

```

CREATE TABLE payments (
  payments_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '결제 번호',
  orders_idx INT NOT NULL COMMENT '주문 번호',
  method VARCHAR(15) NOT NULL COMMENT '결제 수단',
  discount_amount INT DEFAULT 0 COMMENT '할인 금액',
  refund_status BOOLEAN DEFAULT FALSE NOT NULL COMMENT '환불 여부',
  real_amount INT NOT NULL COMMENT '실 결제금액',
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '결제일',
  FOREIGN KEY (orders_idx) REFERENCES orders(orders_idx)
);

```

```

# =====

```

```

# 7. 구매 알람 (order_alert)

```

```

# =====

```

```

CREATE TABLE order_alert (
  alert_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '알람 설정 번호',
  users_idx INT NOT NULL COMMENT '회원 번호',
  products_idx INT NOT NULL COMMENT '상품 번호',
  con_cycle_set BOOLEAN DEFAULT FALSE COMMENT '소비주기 사용자 설정여부',
  con_cycle INT NOT NULL COMMENT '소비 주기',
  next_alert_date TIMESTAMP NOT NULL COMMENT '다음 알람 발송 예정일',
  alert_set BOOLEAN DEFAULT FALSE COMMENT '알림 활성화 여부',
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '설정 생성일',
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
  COMMENT '설정 변경일',
  FOREIGN KEY (users_idx) REFERENCES users(users_idx),
  FOREIGN KEY (products_idx) REFERENCES products(products_idx)
);

```

```

# =====

```

```

# 8. 장바구니 (cart)

```

```
# =====
```

```
CREATE TABLE cart (  
  cart_items_id INT AUTO_INCREMENT PRIMARY KEY COMMENT '장바구니 번호',  
  users_idx INT NOT NULL COMMENT '회원 번호',  
  products_idx INT NOT NULL COMMENT '상품 번호',  
  `count` INT DEFAULT 1 COMMENT '수량', # count 예약어 주의  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '담은 날짜',  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP  
  COMMENT '수정 날짜',  
  FOREIGN KEY (users_idx) REFERENCES users(users_idx),  
  FOREIGN KEY (products_idx) REFERENCES products(products_idx)  
);
```

```
# =====
```

```
# 9. 리뷰 (reviews)
```

```
# =====
```

```
CREATE TABLE reviews (  
  reviews_idx INT AUTO_INCREMENT PRIMARY KEY COMMENT '리뷰 번호',  
  users_idx INT NOT NULL COMMENT '회원 번호',  
  products_idx INT NOT NULL COMMENT '상품 번호',  
  reviews_content TEXT NOT NULL COMMENT '리뷰 내용',  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP COMMENT '작성 시간',  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP  
  COMMENT '수정 날짜',  
  FOREIGN KEY (users_idx) REFERENCES users(users_idx),  
  FOREIGN KEY (products_idx) REFERENCES products(products_idx)  
);
```

```
SET FOREIGN_KEY_CHECKS = 1;
```