

Lecture VII - Library

Routing Optimization

Applied Optimization with Julia


Dr. Tobias Vlćek

University of Hamburg - Fall 2024

Introduction

Central Libraries

Question: Anybody an idea what a central library is?



Central Libraries

- **Book Delivery to Libraries** in Germany
- They supply **all local libraries** within the same state
- Complex, as the **number of libraries** per state can be large
- Books and media in the libraries **change often**
- Customers can **request books** from other libraries

Structure of the Deliveries

- For delivery, central has **several employees and cars**
- Local libraries differ in size, some receive **more items**
- Items are **collected as well** during the tours¹
- They are **transported back** to the central library

1. Due to regulations, the delivery tours cannot exceed a certain duration

Potential Decisions

Question: What decisions can the library make for tours?

- Subdivide their set of libraries into **several ordered tours**
- Decide in **which order to visit** the libraries
- Evaluate **which car to use** for each of the tours
- Decide **which driver** to assign to each of the tours

Impact of the Decisions

Question: What is the impact of the decisions?

- Longer driving routes **increase the footprint** of the deliveries
- Suboptimal tours can lead to **unnecessary costs**
- Fuel, personnel, and repairs **are increased**
- Unhappy customers due to **waiting times** on ordered books

Have you heard of
this problem before?

Visualization of Several Tours

W1P1 optimization



Problem Structure

Objective

Question: What could be the objective for central libraries?

- **Lowering costs** through improved tours
- Improvement of their **footprint** through shorter tours
- **Faster fulfillment** of the deliveries

Modelling

Question: What could we try to model?

Minimization of the travel time while **supplying all libraries** in the state and adhering to **the vehicle capacities** and **driving time restrictions**.

Capacitated Vehicle Routing (CVRP)

Vehicle Routing Problem

- CVRP is a **subproblem**
- Main problem is **Vehicle Routing Problem (VRP)**
- Problem class about **designing routes for vehicle fleets**



Note


There are many variants of the VRP! E.g., with time windows, periodic deliveries, allowing for pickups or deliveries, **and much more!**

Let's visualize
the problem!

Problem Visualization

Basic Problem Setting


Each customer has a certain demand.



Basic Problem Setting with Arcs

Each customer has a certain demand.


Each arc is associated with costs.



Setting with Vehicles

Each customer has a certain demand.

Each arc is associated with costs.




The vehicles capacity is restricted.

Basic Problem Setting with Tours

Each customer has a certain demand.

Each arc is associated with costs.



The vehicles capacity is restricted.

We aim to find the best tours under these conditions.

Problem Structure

Available Sets

Question: What could be the sets here?

- \mathcal{V} - Set of all nodes, index $i \in \{0, 1, 2, \dots, n\}$
- \mathcal{A} - Set of all arcs between the nodes, index $(i, j) \in \mathcal{A}$
- \mathcal{K} - Set of vehicles with identical capacity, index $k \in \mathcal{K}$
- $0 \in \mathcal{V}$ - Depot where the vehicles start

Available Parameters

Question: What are possible parameters?

- b - Capacity per vehicle
- t - Maximal duration of each tour
- d_i - Demand at node i
- $c_{i,j}$ - Travel time on an arc from i to j



Tip

t is the maximal duration of each tour, not the travel time on an arc or an index!

Decision Variable(s)?



We have the following sets:

- All nodes, including the depot, $i \in \mathcal{V}$
- All arcs between the nodes, $(i, j) \in \mathcal{A}$
- The available vehicles, $k \in \mathcal{K}$



Our objective is to:

Minimize the **total travel time** while supplying **all customers** and adhering to the **vehicle capacities and duration restrictions**.

Question: What could be our decision variable/s?

Decision Variables

- $X_{i,j,k}$ - 1, if k passes between i and j on its tour, 0 otherwise



Variable Domain

$X_{i,j,k}$ is a **binary variable**, as it can only take values 0 or 1. But most likely, you will already have spotted that!

Question: Why this might make the problem difficult?

Decision Variable/s (again)?

 We have the following sets:

- All nodes, including the depot, $i \in \mathcal{V}$
- All arcs between the nodes, $(i, j) \in \mathcal{A}$
- The available vehicles, $k \in \mathcal{K}$

 Our objective is to:

Minimization of the travel time (or driving distance), while supplying all customers and adhering to the vehicle capacities and duration restrictions. **Hint:** Even with many vehicles, **each arc can maximally be passed once!**

Decision Variables (again)

Question: What could be our decision variable/s?

- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, else 0



Only possible under certain conditions!

Only possible, if time and capacity constraints are equal for all vehicles!

Model Formulation

Objective Function?

! Our objective is to:

Minimization of the travel time (or driving distance), while supplying all customers and adhering to the vehicle capacities and duration restrictions.

Question: What could be our objective function?

(i) We need the following variable:

- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, else 0

Objective Function



We need the following parameters:

- $c_{i,j}$ - travel time on an arc from i to j


$$\text{minimize} \quad \sum_{(i,j) \in \mathcal{A}} c_{i,j} \times X_{i,j}$$

Question: What does $(i, j) \in \mathcal{A}$ under the sum mean?

Problem Constraints

Each customer has a certain demand.

Each arc is associated with costs.



Constraints?

Question: What constraints do we need?


- Each customer has to be **visited once**
- The depot has to be **entered and left $|\mathcal{K}|$ times**
- We have to enforce the **capacity of our vehicles**
- We have to ensure the **maximal duration of each tour**

! Subtours

In addition, we have to prevent **subtours!**

What is a
subtour?

Subtours



Constraints

Visit Each Customer Once?

⚠ The goal of these constraints is to:

Ensure that each customer is visited exactly once. Essentially, we could also say that each node **has to be entered and left exactly once**.

ℹ We need the following sets and variables:

- \mathcal{V} - Set of all nodes, index $i \in \{0, 1, 2, \dots, n\}$
- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, 0 otherwise

Visit Each Customer Once

Question: What could the constraint look like?

$$\sum_{i \in \mathcal{V}} X_{i,j} = 1 \quad \forall j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$\sum_{j \in \mathcal{V}} X_{i,j} = 1 \quad \forall i \in \mathcal{V} \setminus \{0\}, i \neq j$$

Question: Why for all nodes except the depot?

The depot is the **only node that is visited multiple times!**

Depot Entry and Exit Constraints?

! The goal of these constraints is to:

Ensure that each vehicle enters and leaves the depot exactly $|\mathcal{K}|$ times, as we have $|\mathcal{K}|$ vehicles and each vehicle has to return to the depot.

i We need the following sets and variables:

- \mathcal{V} - Set of all nodes, index $i \in \{0, 1, 2, \dots, n\}$
- $|\mathcal{K}|$ - Number of vehicles
- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, 0 otherwise

Question: What could the constraint look like?

Depot Entry and Exit Constraints

$$\sum_{i \in \mathcal{V} \setminus \{0\}} X_{i,0} = |\mathcal{K}|$$

$$\sum_{j \in \mathcal{V} \setminus \{0\}} X_{0,j} = |\mathcal{K}|$$

 Are all constraints necessary?

No, theoretically we could also say that we only have to leave **or** enter the depot exactly $|\mathcal{K}|$ times, as the other constraint is already enforced by the “visit each customer once constraint”.

Capacity and Subtour Elimination

The next ones are
a little bit tricky.

MTZ Formulation

- Miller-Tucker-Zemlin (MTZ) Constraints
- Formulation by Kara, Laporte, and Bektas (2004)
- Prevent subtours and **track routes and capacity utilization**
- First, we need **an additional variable!**
- U_i - Capacity utilization at i of vehicle on its tour with $i \in \mathcal{I}$



Note

You don't need to guess these constraints, as they are quite tricky!

MTZ Constraints



We need the following sets, parameters, and variables:


- \mathcal{V} - Set of all nodes, index $i \in \{0, 1, 2, \dots, n\}$
- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, 0 otherwise
- U_i - Capacity utilization at i of vehicle on its tour with $i \in \mathcal{I}$
- b - Capacity per vehicle (all are identical!)
- d_i - Demand at node i

$$U_i - U_j + b \times X_{i,j} \leq b - d_j \quad \forall i, j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$d_i \leq U_i \leq b \quad \forall i \in \mathcal{V} \setminus \{0\}$$


Too
complicated?

Don't worry!




- Let's **break it down!**
- d_i for all customers is 1
- Capacity b per vehicle is 5
- U_i is the current **capacity utilization** at node $i \in \mathcal{I}$

No connection between nodes



- In case $X_{ij} = 0$:
 - $U_i - U_j \leq b - d_j$
 - **Non-binding** for relation between two nodes
- Following is **perfectly fine**:
 - $U_i \leq b$ and $U_j \geq d_j$

Connection between two nodes



- In case $X_{ij} = 1$:
 - $U_i - U_j + b \leq b - d_j$
 - **Binding** for relation between two nodes
- Can be summarized to:
 - $U_j \geq d_j + U_i$

Connection in more detail


Question: Why is it binding?

- Binding as U_j has to be **at least as large** as $d_i + U_i$
- Hence, fulfilled if the demand of i is **added to the vehicle**

Question: Do you get the idea?


- If $X_{ij} = 1$, then U_j has to be **at least as large** as $d_i + U_i$
- If $X_{ij} = 0$, then $U_i \leq b$ and $U_j \geq d_j$

Tour from the Depot




- Tour of vehicle A ok
- Depot is the only node **visited multiple times**
- But the constraints are **not applied here!**

Tour on its Own




- Let's start at node H
- We drive to node C
- $U_C = 1$

Tour on its Own II



- We continue to node I
- $U_I = 2$

Tour on its Own III



- We continue to node H
- $U_H = 3$
- Connection from H to C
- U_H is greater than U_C !
- **Infeasible solution!**

Subtour Elimination

- Connection in the other direction wouldn't work as well
- Only depot as “reset”, as constraints are not applied here

Question: What about the capacity?

- Remember variable domain of U_i ?
- $d_i \leq U_i \leq b \rightarrow$ Overall capacity limit enforced!

Last Constraint

Ensure time limit?

Question: Anybody an idea?

- Constraints basically follow the same idea!
- First, we again need an additional variable
- T_i - Time spent on tour at the node i of a vehicle with $i \in \mathcal{I}$

Ensure time limit



We need the following sets and variables:

- \mathcal{V} - Set of all nodes, index $i \in \{0, 1, 2, \dots, n\}$
- $X_{i,j}$ - 1, if the arc between i and j is part of a tour, 0 otherwise
- T_i - Time spent on tour at the node i of a vehicle with $i \in \mathcal{I}$
- t - Maximal duration of a tour
- $c_{i,j}$ - Travel time on an arc from i to j

$$T_i - T_j + t \times X_{i,j} \leq t - c_{i,j} \quad \forall i, j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$0 \leq T_i \leq t \quad \forall i \in \mathcal{V} \setminus \{0\}$$

Any questions?

Asymmetric Vehicle Routing Problem

Objective

$$\text{minimize} \quad \sum_{(i,j) \in \mathcal{A}} c_{i,j} \times X_{i,j}$$

! The goal of the objective function is to:

Minimize the total travel distance.

Each customer is visited once

$$\sum_{i \in \mathcal{V}} X_{i,j} = 1 \quad \forall j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$\sum_{j \in \mathcal{V}} X_{i,j} = 1 \quad \forall i \in \mathcal{V} \setminus \{0\}, i \neq j$$



Our constraints ensure:

Each customer is visited exactly once.

Depot entry and exit

$$\sum_{i \in \mathcal{V} \setminus \{0\}} X_{i,0} = |\mathcal{K}|$$

$$\sum_{j \in \mathcal{V} \setminus \{0\}} X_{0,j} = |\mathcal{K}|$$

! Our constraints ensure:

The depot is visited by exactly $|\mathcal{K}|$ vehicles. Note, that we could remove one of the constraints and the solution would still be optimal.

Capacity and subtour elimination

$$U_i - U_j + b \times X_{i,j} \leq b - d_j \quad \forall i, j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$d_i \leq U_i \leq b \quad \forall i \in \mathcal{V} \setminus \{0\}$$

! Our constraints ensure:

The capacity limit is respected and subtours are eliminated.

Time constraints

$$T_i - T_j + t \times X_{i,j} \leq t - c_{i,j} \quad \forall i, j \in \mathcal{V} \setminus \{0\}, i \neq j$$

$$0 \leq T_i \leq t \quad \forall i \in \mathcal{V} \setminus \{0\}$$

⚠ Our constraints ensure:

The time limit is respected (and subtours are eliminated).

Variables

$$X_{i,j} \in \{0, 1\} \quad \forall i, j \in \mathcal{V}$$

$$d_i \leq U_i \leq b \quad \forall i \in \mathcal{V} \setminus \{0\}$$

$$0 \leq T_i \leq t \quad \forall i \in \mathcal{V} \setminus \{0\}$$

! The variable domains make sure that:

The binary setup variable is either 0 or 1 and the new variables are below the time and capacity limit.

Model Characteristics

Characteristics

Questions: On model characteristics

- Is the model formulation linear/ non-linear?
- What kind of variable domains do we have?
- What do you think, can the model be solved quickly?

Model Assumptions

Questions: On model assumptions

- What assumptions have we made?
- What are likely issues that can arise if the model is applied?
- Have we considered service times?

Extensions of the CVRP

Questions: What extensions do you know?

- time windows (TW)
- soft time windows (STW)
- multiple depots (MD)
- heterogeneous fleet (HF)
- backhauls (B)
- pickup and delivery (PD)


Implementation and Impact

Case Study in Schleswig-Holstein

- 165 libraries
- 119 visited biweekly
- Up to 9 different tours
- Time-Limit of 8 hours for each tour

Current Routing Plan

W1P1 benchmark



Can our formulation
solve the problem
on a real-world instance?

No, although we can find
solutions within one hour,
the gap is still very large
with 40%-45%.

Problem is NP-hard

- We have already seen that a problem **can** be NP-hard
- Likely, that there are **no polynomial-time algorithms**
- **Doesn't mean that it can't be solved!**



Note

We won't go deeper into this, but feel free to ask me!

Can we do
anything to solve
the model?

Heuristics

- We can still solve the problem **with a heuristic**
- **Likely not the optimal solution**, but a lot of research goes into efficient algorithms to solve these problems
- In our case study we applied **Hybrid Genetic Search** for the CVRP (HGS-CVRP) by Vidal (**2022**)




Tip

For problems with 100+ locations, heuristics are often the only practical choice.

Optimal Tours

W1P1 optimization



Applications Beyond Libraries

Logistics & Delivery

- Package delivery
- Food delivery services
- Grocery delivery
- Mail distribution

Service Industries

- Maintenance crews
- Home healthcare visits
- Waste collection
- School bus routing

Question: Can you think of other applications?

Conclusion

- Standard problem that **occurs in many different places**
- Solving the problem with a mathematical model **is difficult**
- Nowadays, there are **many good heuristics**
- **Many companies** are working on the problem



And that's it for todays lecture!

We now have covered the Capacitated Vehicle Routing Problem and are ready to start solving some tasks in the upcoming tutorial.

Questions?

Literature

Literature I

For more interesting literature to learn more about Julia, take a look at the [literature list](#) of this course.

Literature II

- Kara, Imdat, Gilbert Laporte, and Tolga Bektas. 2004. “A Note on the Lifted Miller–Tucker–Zemlin Subtour Elimination Constraints for the Capacitated Vehicle Routing Problem.” *European Journal of Operational Research* 158 (3): 793–95. [https://doi.org/https://doi.org/10.1016/S0377-2217\(03\)00377-1](https://doi.org/https://doi.org/10.1016/S0377-2217(03)00377-1).
- Vidal, Thibaut. 2022. “Hybrid Genetic Search for the CVRP: Open-Source Implementation and SWAP* Neighborhood.” *Computers & Operations Research* 140 (April): 105643. <https://doi.org/10.1016/j.cor.2021.105643>.