# Lecture VIII - Police Districting

Applied Optimization with Julia

Dr. Tobias Vlćek
University of Hamburg

# Introduction

# Police Service District Planning



Vlćek et al. (2024)

# Learning Objectives

After this lecture, you can:

- Explain the **territory design problem** and its applications
- Model districting as a **p-median problem**
- Explain the difference between **contiguity** and **compactness**
- Enforce both with **additional constraints**
- Discuss the assumptions and limitations of the model

# Challenges

**Question:** What makes the work of emergency services complex?

- Dynamic urban development
- Changing population patterns
- Resource constraints
- Need for rapid response
- Multiple stakeholder interests

# Emergency Services




Emergency services address the needs of **three interest groups**:

- Citizens
- Service personnel
- Administrators

**Question:** What could be the objectives of these groups?

# Stakeholder Objectives

1. **Citizens**
   - Fast response times
   - Reliable service coverage
2. **Service Personnel**
   - Manageable workloads
   - Safe working conditions
3. **Administrators**
   - Cost efficiency
   - Resource optimization

> *i* Aligning the objectives of the three interest groups is challenging.

# Emergency Service Districting



**Question:** Why might current district layouts be suboptimal?

- Many layouts **date back several decades**
- Often designed along highways and regions (Bruce 2009)
- Extensive data **not used** for data-driven improvement

# How can we improve this situation?

# The Role of Data

## **Question:** What data can help improve emergency services?

- Historical incident patterns
- Response time analysis
- Resource utilization metrics
- Population densities and traffic patterns



Extensive data collected, but often **lack of tools or knowledge** to leverage it.

# Optimization

- **Operations research (OR)** models can help!
- Based on **incident records** and **geographical information**
- Improve the **response of emergency services**
- Help administrators in making **strategic decisions**
- Locate **new departments** or **close departments** (Liberatore et al. 2020)

# Your Turn

Each area shows its incidents per week and is served by its nearest police department: 2 min inside an area, 3 min for each area crossed. Drag the 3 departments to drive as few minutes as possible.




1 342 min
51 incidents

2 29 min
10 incidents

3 82 min
17 incidents

Drag a department, or tap it and then an area.

You 453 min

Ready: press Optimize to compare with the best plan.

Optimize

Reset

New

# Case Studies

# Police Districting

> For an efficient and effective distribution of resources, police jurisdictions are divided into precincts or command districts with separate departments. These are further divided into patrol beats (D’Amico et al. 2002).

# Service Priority Extremes

- High Priority
  - Life-threatening situations
  - Active crimes in progress
  - Multiple unit response needed
- Low Priority
  - Minor incidents
  - Administrative tasks

# Case Studies

- **Different urban contexts**
- Study of jurisdictions in
  - Germany: Large metropolitan area
  - Belgium: Large rural area
- Focus on **response time optimization**

> ⓘ Part of the force patrols the streets, another part is **stationed at the departments**.

# A Call Comes In

**Question:** Which car do you send?




Photo: CDC, Unsplash

# Dispatching

- Dispatchers assign all calls for service (CFS) to vehicles from the **corresponding districts and patrol areas**
- Officers are **familiar with the area** and are thus better prepared to respond appropriately (Bodily 1978)
- To cope with high demands, dispatchers can **assign vehicles from nearby districts or beats**

# Potential Problem

**Question:** What could be the potential problem?

- This can lead to a **domino effect**
- Transferring vehicles from other districts or beats reduces coverage in those locations (Mayer 2009)
- This makes them vulnerable to missing resources when they need assistance themselves

# Overloaded Systems

- This can lead to **overloaded systems!**
- Long dispatching delays due to staff shortages
- Preventive patrol hardly possible (Miller and Knoppers 1972)
- Dispatchers constantly draw on patrol resources
- Reduces the response time of emergency services

⚠ This is a common problem in many emergency services.

# Response Time




- Central criterion to measure the **effectiveness of emergency services** is the response time
- Time between a **call for aid** and the arrival at the **incident location**
- Low response time increases the likelihood of helping and improves confidence (Bodily 1978)


# Response Time Influencers

## **Question:** What affects response time?

- Initial contact
- Information gathering
- Unit assignment
- Resource coordination
- Route to location
- Traffic conditions

# Territory Design

# What is Territory Design?




Aggregation of **small geographic areas**, called basic areas (BAs), into geographic clusters, called districts, so that these are acceptable according to **pre-defined planning criteria**[1].

*i* Territory design is a **general framework** applicable to many domains: emergency services, sales territories, political districts, school districts, etc.

# Territory Design Components

## **Question:** What are the key components?

- Basic Areas (BAs): Smallest indivisible geographic units
- Districts/Territories: Aggregation of BAs
- Planning Criteria: Rules and objectives for grouping
- Decision: Which BAs belong to which district?



In our police case: BAs are hexagonal cells, districts are service areas for police departments.

# Common TD Objectives

## Balance Criteria:

- Equal **workload** distribution
- Equal sales potential
- Equal population coverage
- Resource balance

## Geographic Criteria:

- **Contiguity**: No isolated basic areas
- **Compactness**: “Round”, undistorted shapes
- Minimize travel distances
- Respect boundaries

> ⚠ These criteria often **conflict** with each other… Optimization helps find the best trade-off!

# Applications of TD

**Question:** Where else is this used?

- Sales force deployment: Sales reps to territories
- Political districting: Electoral boundaries
- School districts: Student assignment zones
- Waste collection: Service route planning
- Healthcare: Hospital catchment areas

> *i* Same mathematical structure, different objectives and constraints!

# Police Districting Specifics

**Question:** What could be the objective?

- **Minimize the response time** to help citizens faster while increasing the confidence in the service

**Question:** What could be further objectives?

- Reallocate only part of the police department's resources
- Compact and contiguous territories to improve patrol
- Prevention of isolated departments

# Response Time Components




**Question:** How can we model response time?

- Call length is **independent** of territory
- Dispatch time is **difficult to model**
- Driving time can be **minimized directly**

> ⚠ **Conclusion**
>
> We focus on **minimizing expected driving times** between departments and incident locations.

# Let’s build our model step by step!

# Model Formulation


# Key Model Components

**Question:** What could be our key model components?

- Basic areas (BAs) and potential department locations
- Driving times between department locations and BAs
- Forecasted incident data
- Assignment decisions

**Question:** Which are sets, parameters, and variables?

# From Geography to Graph




**Question:** How do we model this mathematically?

- Geographic areas → **Centroids**
- Centroids → **Vertices** in a graph
- Spatial relationships → **Edges** between **vertices**

This abstraction allows us to use **optimization techniques** from graph theory and location science!

# Mathematical Structure




**Question:** What sets do we need?

- $\mathcal{J}$ : Set of **all BAs** (basic areas), indexed by $j$
- $\mathcal{I}$ : Set of **potential department locations** where $\mathcal{I} \subseteq \mathcal{J}$, indexed by $i$

Department locations are a **subset** of all BAs as not every BA can host a department!

# Why Hexagons?



**Question:** Advantages of hexagons?

- **Equal distances** to all neighboring centroids
- Reduces sampling bias from edge effects (Wang and Kwan 2018)
- Special properties that help with the enforcement of **compactness**
- Better representation of urban geography

# Parameters

## **Question:** What parameters do we need?

- $p$ - Number of departments to be located
- $t_{i,j}$ - Expected driving time from department location $i$ to BA $j$
- $w_j$ - Forecasted number of incidents in BA $j$



Parameters should be carefully calibrated with real-world data!

# Decision Variable(s)?

ⓘ We have the following sets:

- BAs, indexed by $j \in \mathcal{J}$
- Potential department locations, indexed by $i \in \mathcal{I}$

! Our objective is to:

**Minimize the expected response time** of the emergency services by optimizing the assignment of BAs to departments.

## Question: What decisions do we need to model?

# Decision variable/s

- $X_{i,j}$: 1 if BA $j$ assigned to department $i$, 0 otherwise

**Question:** What is the domain of our decision variable?

- $X_{i,j} \in \{0, 1\} \quad \forall i \in \mathcal{I}, j \in \mathcal{J}$

# Let’s build our objective function!

# Objective Function?

> ⚠ Our objective is to:
>
> **Minimize the expected response time** of the emergency services by optimizing the assignment of BAs to departments.

**Question:** How do we minimize response time?

- We want to minimize **total driving time**
- Weight each BA by its **forecasted incidents** $w_j$
- No fixed opening costs: the **number** of departments is fixed to $p$ anyway

# Objective Function

## Question: What could be our objective function?


$$\text{Minimize} \quad \sum_{i \in \mathcal{I}} \sum_{j \in \mathcal{J}} w_j \times t_{i,j} \times X_{i,j}$$

**Expected Driving Time**

- Total driving time **across all assignments**
- Weighted by the **incident frequency** $w_j$ of each BA
- Considers **all possible BA-department pairs**

# Constraints

# Key Constraints




**Question:** Constraints needed?

1. BA must have **one** department
2. Limit number of departments
3. Only assign active departments
4. Ensure contiguous districts
5. Maintain district compactness

# Single Assignment Constraint?

## **Question:** Why do we need this constraint?

- Each BA must be assigned to **exactly one** department
- Prevents **overlapping** jurisdictions
- Ensures **complete coverage**

> ⓘ We need the following variables:
>
> - $X_{i,j}$ - 1 if BA $j$ assigned to department $i$, 0 otherwise

# Single Assignment Constraint?

## Question: What could the constraint look like?

$$\sum_{i \in \mathcal{I}} X_{i,j} = 1 \quad \forall j \in \mathcal{J}$$

Each BA must be assigned to exactly one department.

# Department Count Constraint?

**The goal of these constraints is to:**

Ensure that exactly $p$ departments are opened.

**We need the following sets, parameters and variables:**

- $\mathcal{I}$ - Set of potential department locations, indexed by $i$
- $X_{i,j}$ - 1, if BA $j$ assigned to department $i$, 0 otherwise
- $p$ - Number of departments

# The Self-Assignment Trick

**Question:** What does the variable $X_{i,i}$ stand for?

- BA $i$ is assigned to the department in the same BA $i$
- An open department always serves its own BA
- Hence: $X_{i,i} = 1$ exactly if department $i$ is **open**

> ⓘ Many textbooks use a separate variable $Y_i$ to model opening a facility. Using the "diagonal" $X_{i,i}$ instead saves these extra variables — both formulations are equivalent here.

# Department Count Constraint

**Question:** What could the constraint look like?

$$\sum_{i \in \mathcal{I}} X_{i,i} = p$$

**Question:** What happens if we have more departments than potential locations?

- We can't open more departments than there are locations
- The model will be infeasible

# Active Department Constraint?

**The goal of these constraints is to:**

Ensure that each BA is assigned to an active department, e.g. a department that is opened and that could dispatch vehicles.

**We need the following sets and variables:**

- $X_{i,j}$ - 1, if BA $j$ assigned to department $i$, 0 otherwise

## **Question:** How do we ensure assignments only to active departments?

# Active Department Constraint

$$X_{i,j} \leq X_{i,i} \quad \forall i \in \mathcal{I}, j \in \mathcal{J}$$



This constraint creates a **logical connection between department locations and BA assignments** where BAs can only be assigned to **opened** departments.

# p-Median Problem

$$\text{Minimize} \quad \sum_{i \in \mathcal{I}} \sum_{j \in \mathcal{J}} w_j \times t_{i,j} \times X_{i,j}$$

$$\text{subject to:} \quad \sum_{i \in \mathcal{I}} X_{i,j} = 1 \qquad \forall j \in \mathcal{J}$$

$$\sum_{i \in \mathcal{I}} X_{i,i} = p$$

$$X_{i,j} \leq X_{i,i} \qquad \forall i \in \mathcal{I}, j \in \mathcal{J}$$

$$X_{i,j} \in \{0, 1\} \qquad \forall i \in \mathcal{I}, j \in \mathcal{J}$$

# Connection to Facility Location

**Question:** How does this relate to these problems?

p-Median Problem:

- Fixed number of facilities (exactly $p$)
- Minimize **total distance**
- All customers served
- No capacity constraints


Similar problems:

- UFLP: Uncapacitated Facility Location
- p-Center: Minimize **maximum** distance
- Capacitated: Add limits

ⓘ Our police districting is a p-Median variant with additional geographic constraints (contiguity, compactness)!

# Contiguous & Compact


# Contiguity Introduction






**Question:** Why is contiguity important?

- Prevents isolated areas
- Ensures contiguous patrol routes
- Maintains operational coherence

# What is compactness?








**Compactness**

Compactness has **no univocal definition**; a district is commonly declared compact if it is ‘somehow round-shaped and undistorted’ (Kalcsics et al. 2005).

# Contiguity and Compactness




**Question:** Are our resulting districts based on the model contiguous and compact?

- This depends on $t_{i,j}$
- If Euclidean distance
  - Districts will be contiguous
  - Likely of compact shape

# Compactness p-Median

**Question:** Is this likely for police service districting?

- No, as we minimize the driving time within a city
- Highways, Tunnels, etc.
- Multiplied by the differing number of requested cars
- This can contribute to distorted district shapes

# Contiguity Sets

## Additional Set and Parameter

- $e_{i,j}$ - Euclidean distance between centroids
- $\mathcal{A}_j$ - Set of BAs adjacent to BA $j$

$$\mathcal{N}_{i,j} = \{v \in \mathcal{A}_j | e_{i,v} < e_{i,j}\} \quad \forall i \in \mathcal{I}, j \in \mathcal{J}$$


> ⓘ The idea
>
> BAs closer to department $i$ than BA $j$ in Euclidean distance and adjacent to $j$!

# Careful with Ties!

- If all adjacent BAs are *exactly* as far from $i$ as $j$, the strict inequality leaves $\mathcal{N}_{i,j}$ empty
- Then the assignment of $j$ to $i$ is **forbidden**
- Implementations should break ties, e.g. with $e_{i,v} \leq e_{i,j}$ and $v \neq j$


> ⓘ On a complete hexagonal grid, this cannot happen: one neighbor of $j$ is always strictly closer to $i$. But real-world maps with holes, concave boundaries, or irregular BAs can produce ties!

# Example A





Department $i$ and BA $j$: which neighbors of $j$ are closer to $i$?

# Example A





All three highlighted BAs $v$ are adjacent to $j$ **and** closer to $i$:
$|\mathcal{N}_{i,j}| = 3$.

# Example B




Same department $i$, but BA $j$ now lies at the **edge** of the grid.

# Example B




Here, only two neighbors of $j$ are closer to $i$: $|\mathcal{N}_{i,j}| = 2$.

# Enforcing Contiguity

## All districts have to be contiguous

$$X_{i,j} \leq \sum_{v \in \mathcal{N}_{i,j}} X_{i,v} \quad \forall i \in \mathcal{I}, j \in \mathcal{J} \setminus \mathcal{A}_i : i \neq j$$

**The idea**

If BA $j$ is assigned to department $i$, then at least **one BA** that is adjacent to $j$ and closer to $i$ must **also** be assigned to department $i$!

# Contiguity and Compactness

## All districts have to be contiguous and compact


$$X_{i,j} \leq \sum_{v \in \mathcal{N}_{i,j}} X_{i,v} \qquad \forall i \in \mathcal{I}, j \in \mathcal{J} \setminus \mathcal{A}_i : |\mathcal{N}_{i,j}| = 1 \wedge i \neq j$$


$$2X_{i,j} \leq \sum_{v \in \mathcal{N}_{i,j}} X_{i,v} \qquad \forall i \in \mathcal{I}, j \in \mathcal{J} \setminus \mathcal{A}_i : |\mathcal{N}_{i,j}| > 1 \wedge i \neq j$$


**The idea**

If BA $j$ is assigned to department $i$, then at least **two BAs** that are adjacent to $j$ and closer to $i$ must **also** be assigned to department $i$ — if $|\mathcal{N}_{i,j}| > 1$!

# Comparison




### Why does this work?

Due to the constraints, there is **always a path back** to the department if a BA is assigned to a department! Contiguity alone still allows the “snake” on the left; the compactness constraint cuts off such shapes (middle, right).

# Model Characteristics

# Characteristics I

**Question:** Is the model formulation linear or non-linear?

- Objective and all constraints are **linear**
- With binary variables → **mixed-integer problem (MIP)**

**Question:** What kind of variable domains do we have?

- $X_{i,j}$ is **binary**: $|\mathcal{I}| \times |\mathcal{J}|$ variables in total

# Characteristics II

**Question:** Can the model be solved quickly?

- For instances of moderate size: yes, with modern solvers
- The contiguity constraints add many rows → **longer runtimes**

**Question:** Have we prevented isolated districts?

- The plain p-median does not prevent them
- That is exactly why we added the **contiguity constraints**!

# Model Assumptions

## Questions: On model assumptions

- What assumptions have we made?
- Use Euclidean distances to approximate driving time?
- Can we rely on incident data collected by the police?

# In Practice

# Overview of Studies

## **Question:** Where did we apply our model?


- Two distinct environments:
  1. Large metropolitan area (Germany)
  2. Rural region (Belgium)
- Different challenges and requirements
- Focus on **response time optimization**

# German Metropolitan Case

- 1.8 million incidents (2015-2019)
- ~20 department locations
- 1,596 basic areas
- Dense urban environment

**Goal:** Redesign districts to improve response time.

# German Metropolitan Results




# Belgian Rural Case

- 50,000 incidents (2019-2020)
- 2 existing + 1 planned location
- 1,233 basic areas
- Dispersed rural setting

**Goal:** Optimize coverage with limited resources.

# Belgian Rural Results



# Simulation Framework

## How did we validate the results?

- Spatial and temporal patterns
- Shift schedules
- Priority handling
- Rush hours
- Inter-district support
- Variable driving times

# Results

- Response time **reduction up to 14.52%**
- Better **workload distribution**
- Improved **coverage equity**
- More efficient **resource utilization**

> ⚠ All improvements are **without additional staff**!

# What About Workload Balance?

**Question:** Our model only minimizes driving time. Where does the better workload distribution come from?

- The model does **not** balance workload directly — the effect is **emergent**
- Compact districts around well-placed departments also **spread the expected workload** more evenly
- This was measured in the **simulation**, not enforced by a constraint

> Think about it: how could you add an explicit workload balancing constraint with our parameters $w_j$ and $t_{i,j}$?

# Conclusions

1. Model **adaptability** crucial
2. **Local** context matters
3. **Stakeholder buy-in** essential
4. Data quality **critical**

> Success requires balancing theoretical optimization with practical constraints!

# Future Applications

## **Question:** Where else could this approach be useful?

- Other emergency services
- Different urban contexts
- Resource allocation problems
- Service territory design



The methodology is adaptable to various public service optimization scenarios.

# Wrap Up



**And that's it for today's lecture!**

We now have covered districting problems and are ready to start solving some tasks in the upcoming tutorial.

# Questions?

# Literature

# Literature I

For more interesting literature to learn more about Julia, take a look at the literature list of this course.

# References


Bodily, Samuel E. 1978. “Police Sector Design Incorporating Preferences of Interest Groups for Equality and Efficiency.” *Management Science* 24 (12): 1301–13. https://doi.org/10.1287/mnsc.24.12.1301.

Bruce, Christopher. 2009. “Districting and Resource Allocation: A Question of Balance.” *A Quarterly Bulletin of Applied Geography for the Study of Crime & Public Safety* 1 (4): 1–3.

D’Amico, Steven J., Shoou-Jiun Wang, Rajan Batta, and Christopher M. Rump. 2002. “A Simulated Annealing Approach to Police District Design.” *Computers & Operations Research* 29 (6): 667–84. https://doi.org/10.1016/s0305-0548(01)00056-9.

Kalcsics, Jörg, Stefan Nickel, and Michael Schröder. 2005. “Towards a Unified Territorial Design Approach — Applications, Algorithms and GIS Integration.” *Top* 13 (1): 1–56. https://doi.org/10.1007/BF02578982.

# References (2/3)


Liberatore, Federico, Miguel Camacho-Collados, and Begoña Vitoriano. 2020. “Police Districting Problem: Literature Review and Annotated Bibliography.” In *International Series in Operations Research & Management Science: Optimal Districting and Territory Design*, edited by Roger Z. Ríos-Mercado. Springer International Publishing. https://doi.org/10.1007/978-3-030-34312-5_2.

Mayer, Allison. 2009. “Geospatial Technology Helps East Orange Crack down on Crime.” *A Quarterly Bulletin of Applied Geography for the Study of Crime & Public Safety* 1 (4): 8–10.

Miller, Herbert F., and Bastiaan A. Knoppers. 1972. “Computer Simulation of Police Dispatching and Patrol Functions.” In *International Symposium on Criminal Justice Information and Statistics Systems Proceedings*, edited by Gary Cooper. National Institute of Justice.

Vlćek, Tobias, Knut Haase, Malte Fliedner, and Tobias Cors. 2024. “Police Service District Planning.” *OR Spectrum* 46 (4): 1029–61. https://doi.org/10.1007/s00291-024-00745-3.

# References (3/3)

Wang, Jue, and Mei-Po Kwan. 2018. “Hexagon-Based Adaptive Crystal Growth Voronoi Diagrams Based on Weighted Planes for Service Area Delimitation.” *ISPRS International Journal of Geo-Information* 7: 257. https://doi.org/10.3390/ijgi7070257.

Zoltners, Andris A., and Prabhakant Sinha. 1983. “Sales Territory Alignment: A Review and Model.” *Management Science* 29 (11): 1237–56. https://doi.org/10.1287/mnsc.29.11.1237.