Tutorial IX - Safety Planning for the Islamic Pilgrimage in Mecca

Applied Optimization with Julia



Introduction

The Hajj, one of the world's largest religious gatherings, presents fascinating and very important optimization challenges. During this annual pilgrimage to Mecca, millions of Muslims perform sacred rituals, including the symbolic stoning of the devil. Your task is to create an efficient scheduling system that ensures both safety and spiritual fulfillment for all pilgrims.

The challenge

You're responsible for scheduling 15 pilgrim groups $\mathcal{S} = \{g1, g2, ..., g15\}$ across 6 time periods $\mathcal{T} = \{t1, t2, ..., t6\}$ for the Jamarat ritual.

The groups $\mathcal{S}$ reside in two different camps $\mathcal{C} = \{A, B\}$. The first 6 groups are in camp A while the other groups are in camp B. Each camp has only one path $\mathcal{P} = \{A - S - A, B - S - B\}$, where A-S-A means camp A → stoning site → camp A (and likewise for B), and both paths have only one resource $r \in \mathcal{R}$, the stoning of the devil.

The capacity of the stoning site is 10,000 pilgrims per period and there is no period offset between the stoning and the capacity utilization. Each group can stone the devil in any period t.

To constrain the fluctuation of the resource utilization, σ (i.e. σ_r from the lecture) was set to 0.3, while the first period is not constrained. Consider that the number of pilgrims per group, n_s, and the penalty value $f_{s,t}$ are given.

---

1. Problem Identification

You'll need to create an optimization model that:

1. Keeps everyone safe by respecting capacity limits
2. Maintains steady flow between periods
3. Maximizes pilgrim satisfaction by considering their time preferences

> ! **Important**
> The model can be simplified when compared to the full model from the lecture in several ways!

Please illustrate possible simplifications in a few sentences in the cell below and document the key sets, parameters, and decision variables needed and which elements

we can eliminate and why. Write your answer as plain text inside the comment block, i.e. between `#=` and `=#`.

> **Tip**
> To solve this task, it can be helpful to work with paper and pen to sketch the problem and get a better understanding.

```
#=



=#
```

---

2. Implementing the Model

Now, implement and solve the problem defined in the previous task. This time, a draft is not available and you have to implement everything yourself. Note that the number of pilgrims per group, n_s, and the penalty value $f_{s,t}$ are provided as CSV files.

Load the Data

Start by loading the data into Julia for the number of pilgrims per group and the penalty value per group per period.

> **Tip**
> In both files, the first column contains the group names (g1 to g15). You may want to drop it or use it as row labels. The penalty file is a matrix with one row per group and one column per period.

```
# YOUR CODE BELOW
```

Define all Sets, Parameters and Variables

Please define all sets, parameters and variables you are going to use in the following cell. Make sure to read the task above carefully, as the problem can be modelled much simpler than the full model from the lecture, due to certain properties of the problem.

```
# YOUR CODE BELOW

```

Define the Model

Define the objective function and all constraints of the model in the following cell.

```
# YOUR CODE BELOW
```

Solve the Model

Solve the model and print the results. What is the total dissatisfaction with the resulting timetable?

```
# YOUR CODE BELOW
```

> **Tip**
> If you end up with an objective value of approximately 7.03, you have found the optimal solution to the problem.

Analyze the Results

First, sum the group sizes by each group's preferred period, i.e. the period with the lowest penalty value. Where do the time preferences cluster, and what would happen without the model? Compare the resulting loads to the capacity of 10,000 pilgrims per period.

```
# YOUR CODE BELOW
```

Next, plot the utilization of the resource by using the `Plots` package. Then, take a closer look at your plot: Does the capacity bind in any period? Is the fluctuation limit $\sigma = 0.3$ active between any two periods? Which groups were pushed away from their preferred period?

```
# YOUR CODE BELOW
```

Finally, reflect in a few sentences on the simplifications you made to the model and how they affected the solution.

```
#=



=#
```

Solutions

You will likely find solutions to most exercises online. However, I strongly encourage you to work on these exercises independently without searching explicitly for the exact answers to the exercises. Understanding someone else's solution is very different from

developing your own. Use the lecture notes and try to solve the exercises on your own. This approach will significantly enhance your learning and problem-solving skills.

Remember, the goal is not just to complete the exercises, but to understand the concepts and improve your programming abilities. If you encounter difficulties, review the lecture materials, experiment with different approaches, and don't hesitate to ask for clarification during class discussions.

Bibliography