Lecture IX - Data Visualization

Programming with Python

Dr. Tobias Vlćek



EP 9: The Pitch Deck

Charts are arguments

Friday, the boardroom. Picture it: the investor slides a pencil out of her jacket and **sharpens it** while you set up, the sound louder than it has any right to be.

Last week you handed her a table she could trust. She read exactly one row, looked up, and said the thing this whole session is about:

> **“Tables are homework. Charts are arguments.”**

Your agent draws any chart in five seconds, so drawing is no longer the hard part. Today: **which** chart to draw, **what** it should say, and in **which order** you show the charts.

One download first

On a Mac? Open a terminal now and type:

```
git --version
```

A window offers to install the *command line developer tools*? Click **Install** and let it run while we talk. It’s a big download, and you need git before today’s lab.

On Windows, or a version number came back? Nothing to do yet.

Warm-up

Question 1

Three questions from Episode 8. Commit. Hands up **before** the reveal.

```
orders[orders["zone"] == "Nord"]
```

returns…

a) a True/False column
b) only the Nord rows
c) an error from comparing text

Answer 1

```
orders[orders["zone"] == "Nord"]
```

	order_id	zone	items	total_eur
0	101	Nord	2	18.5
2	103	Nord	3	24.0

b) only the Nord rows: the True/False column is what the **inner** expression `orders["zone"] == "Nord"` makes. Wrapped in `orders[...]`, that mask keeps the rows where it's `True` and drops the rest.

Question 2

```
orders.groupby("zone")["total_eur"].sum()
```

returns...

a) one row per order, with its zone
b) one total for all orders
c) one total per zone

Answer 2

```
orders.groupby("zone")["total_eur"].sum()
```

```
zone
Hafen     6.8
Nord     42.5
Sued     38.6
Name: total_eur, dtype: float64
```

c) one total per zone: `groupby` splits the orders by zone, `.sum()` adds up each group. Today this table sits behind every bar chart: the bars have to match it.

Question 3

```
orders["total_eur"].describe()
```

shows...

a) the first five rows of the column, like `.head()`
b) count / mean / std / min / quartiles / max
c) the column's dtype, like `.dtypes`

Answer 3

```
orders["total_eur"].describe()
```

```
count     5.000000
mean     17.580000
std      10.688873
min       6.800000
25%       7.200000
50%      18.500000
75%      24.000000
max      31.400000
Name: total_eur, dtype: float64
```

b) count / mean / std / min / quartiles / max. One line, the column's whole statistical fingerprint.

Ugly, bad, wrong


Your agent draws, you judge

Ask your agent for *a bar chart of revenue per dish*:

```
import matplotlib.pyplot as plt

dishes = ["Pad Thai", "Miso Ramen",
          "Bao Box", "Falafel Wrap"]
revenue = [420, 450, 330, 300]

plt.figure()      # a fresh canvas
plt.bar(dishes, revenue)
plt.ylabel("Revenue (EUR)")
plt.title("Revenue per dish")
plt.gca()         # show it
```



Read the code, don't memorize it. Your job: **judge** the picture. Here, the names already collide.

Ugly, bad, wrong


Problem charts get one of three verdicts [1, ch. 1]:

- **Ugly**: clear and correct, but unpleasant to look at
- **Bad**: the numbers are right, but the picture is unclear, confusing, overloaded or deceiving
- **Wrong**: the numbers in the picture are not the data

Fix **wrong** first, then **bad**. **Ugly** comes last: a correct, clear chart in default colors already does its job.


Predict: which chart is wrong?

Three drafts from Tobi's agent. Exactly one is **wrong**:



a) chart 1
b) chart 2
c) chart 3

Answer: chart 1 adds up to 115 %



a) chart 1: shares of one whole add up to 100 %, and these add up to 115 %. That's **wrong**. Chart 2 is **ugly**: loud, but you can read every number. Chart 3 is **bad** for this question: correct, but nobody can tell which slice is biggest.

The title is a claim

A title **states the point** [1, ch. 22]:

Describes the chart	States the point
Revenue per dish	Miso Ramen sells best: 450 euros
Delivery times	Most deliveries take 20-30 minutes
Order value vs. delivery time	Big orders don't take longer

- Write the claim **before** you draw. If you can't, the chart has no point yet.
- Every axis names what it measures, **with the unit**: *Revenue (EUR)*.

Your turn

Open the exercise

Scan the QR or type the link:


python.tobiasvlcek.com/notebooks/ex_09_a/

Any questions? Let me know!

Question first

MunchCorp's one pie


The one chart in MunchCorp's press release from Episode 8:



Which zone brings MunchCorp the most?

a) Nord, top left
b) Hafen, bottom right
c) Altstadt, bottom left

Answer: Altstadt, by 1.4 points




c) Altstadt: 26.4 % against Nord's 25.0 %. The eye compares **lengths** well and **areas** badly. The sorted bars answer in a second; the pie starts an argument.

Match the chart to the question

The question	The basic chart
How much per category?	bar, sorted
How are values **spread**?	histogram
What **share** of the whole?	pie, for halves and quarters
Do **two numbers** move together?	scatter
How does it change over **time**?	line
Where, and **how sure**?	map, error bars

A quick tour of each family [1, ch. 5]:


Amounts: how much?




Bars start at 0, a dot may zoom: the next block says why.

Distributions: how spread out?


Histogram
how many per range




Density
the same shape, smoothed




Box plot
median and spread per group



Violin
the full shape per group



Strip chart
every value, one dot



Ridgeline
many groups, stacked



Also in the directory: cumulative densities, q-q and sina plots.

Proportions: what share?


Pie
a half, a quarter: few parts




Donut
a pie with room for the total




Side-by-side bars
compare the parts



100 % stacked bars
the mix inside each group



Stacked area
shares that change over time




Mosaic plot
two splits: zones, then dishes




Also in the directory: treemaps, parallel sets, nested pies.

Relationships: two numbers


Scatter
two numbers per order



Bubble
a third number as size



Slope graph
before and after, paired




Hex bins
too many dots: count them



Correlogram
many pairs at once




Connected scatter
two numbers through time




A shapeless cloud is a finding too: it goes in the title like any claim.

Time series: change over time


Line
one value over time




Area
an amount over time, from 0



Smoothed trend
an average through the noise




Small multiples
the same chart once per group



Many lines? One accent, the rest grey. More after the break.

Maps and uncertainty



Also in the directory: cartograms, eyes plots, quantile dots.

Predict: how many bars?


The **same four numbers**, two ways. On the left, a bar per number; on the right, a histogram:

```
values = [8, 12, 9, 15]
plt.bar(range(4), values)    # left
plt.hist(values, bins=3)     # right
```

The bar chart shows 4 bars. How many bars does the **histogram** show?

a) 4: one bar per number
b) 15: one bar per unit up to the max
c) 3: one bar per range

Answer: three ranges, three bars



c) 3: `8` and `9` share the first range, so that bar is 2 tall. A bar chart shows one bar per category, as tall as its value. A histogram shows one bar per range, as tall as the number of values in it.

Your turn

Open the exercise


Scan the QR or type the link:

python.tobiasvlcek.com/notebooks/ex_09_b/

Any questions? Let me know!

Proportional ink


Predict: how many times more?



Miso Ramen vs. Falafel Wrap: how many times as much?

a) about 1.5 times
b) about 3 times
c) about 6 times

Answer: 1.5 times, drawn as 6



a) about 1.5 times: 450 against 300. Cut at 270, the bars keep 180 and 30 of their length, so the picture says **6 times**. That's **bad**: the numbers are right, the picture misleads. The rule behind it is **proportional ink**: the ink for a value has to grow with the value [1, ch. 17].

Predict: the AI's one extra line


Revenue `[710, 718, 724, 731]`, up **3 %** over four weeks. Tobi's AI drafts the chart and adds one line:

```
plt.plot([1, 2, 3, 4], [710, 718, 724, 731])
plt.ylim(700, 735)
```

What does the room see?

a) a flat line: 3 % stays 3 % on any axis
b) an error: `ylim` has to include zero on a line chart
c) a line rising across most of the chart

Answer: a climb across the chart



c) a line rising across most of the chart: the axis spans 35 units and the line rises 21 of them, **60 % of the picture** for 3 % of growth. Python raises no error.

Bars from zero, dots may zoom

- A **bar** shows its number by its **length**: cut the axis and the comparison breaks. **Bars always start at 0.**
- A **dot** shows its number by **position** only, so a dot plot may zoom [1, ch. 17].
- A **line** sits in between: zooming blows a small change up. Plot the change from 0, or put its size in the title: “+3 % in four weeks”.

> Tip
> The investor reads the axis before the line, and then the title, to see if the two agree.

Your turn

Open the exercise

Scan the QR or type the link:

python.tobiasvlcek.com/notebooks/ex_09_c/


Any questions? Let me know!

> Tip
> A five-minute pause after this one, then three charts, made over step by step.

Make one point

Makeover 1: who is fastest?

“Are you faster than the rivals?” First: who was fastest in **week 1**?




a) MunchCorp
b) Kiezküche
c) Pronto

Answer: Kiezküche, the slow way

b) Kiezküche: 30 minutes in week 1. An easy number, found the slow way: you matched four colors to a legend sorted from A to Z. And her real question, whether *we* got faster, is buried even deeper.


The data is fine. The chart is **bad**: the point is in there, buried. Four changes dig it out, one at a time, and none of them touches the numbers.

Lines, step 1: one accent color




Take the color out of everything **except** the point [1, ch. 4]. One `color=` per line, and the eye knows where to go.

Lines, step 2: labels, no legend




Names at the lines replace the legend, and they work for the 8 % of men who can't tell red from green [1, ch. 19].

Lines, step 3: the title says it




The title states the claim; frame and tick marks are gone. Same numbers, and every change was a **decision**.

Lines, step 4: add the context




The rivals only matter as a yardstick: one dashed line for the fastest rival replaces three, and one note marks week 3. Now the chart tells a story.

Lines, step 5: one too many



Every number, line and box here is true, and none of them helps: the point drowns. Balance data and context [1, ch. 23]: stop at step 4.


Makeover 2: what misleads?



Which problem makes the investor **believe** something false?


a) the loud colors
b) the axis from 5 %
c) the tilted names

Bars, step 1: from zero




b) the axis. Cut at 5 %, Harburg looked five times as late as Eppendorf; from 0 it is three times. The colors and the tilt only make the chart harder to read. Fix what misleads first.

Bars, step 2: sorted, lying down




Sorted, the ranking reads from top to bottom. Lying down, the names need no tilt. The colors meant nothing, so one color is enough, and the legend goes with them.

Bars, step 3: one point



One accent for the point, the numbers on the bars instead of an axis, the claim on top. Step 1 fixed what misleads, step 2 what confuses, step 3 makes the point.


Makeover 3: who is late?



We promise **35 minutes**. Which zone breaks it most often?


a) Altstadt, orange
b) Hafen, green
c) Nord, blue

Spread, step 1: one panel each




b) Hafen: three of four deliveries take longer than 35 minutes. One panel per zone shows it, and shows what the overlap hid: Altstadt has two humps, a fast group and a slow one.

Spread, step 2: boxes and dots



One chart instead of four: a box per zone for median and spread, every delivery as a dot beside it, from the most punctual zone to the least.

Spread, step 3: draw the promise



A reference line turns the chart into a test: every dot above it is a broken promise. The share on top and the title give the number.

Your turn

Open the exercise

Scan the QR or type the link:

python.tobiasvlcek.com/notebooks/ex_09_d/

Any questions? Let me know!

Charts to a story


A deck is a story

A story is facts *in a specific order* that create a reaction [1, ch. 29]. A pitch in four steps:

1. **Opening**: where we stand
2. **Challenge**: the problem
3. **Action**: what we did about it
4. **Resolution**: the result, and what we ask for

Each step is one slide with one point, **a figure for the generals**: the room gets it in seconds.


Predict: Tobi's four slides



Opening, challenge, action, resolution: in which order?

a) B, D, C, A
b) A, B, D, C
c) B, C, D, A

Answer: B, D, C, A



a) B, D, C, A: a growing business (B), the slowest in town (D), new routes and a line that falls below every rival (C), customers who come back (A). *Then the ask: one more rider keeps it that way.*

Option b) leads with the result, an arc that works too, in a newspaper. In a pitch, the problem first makes the result count.

Two rules for the whole deck

- **Build up.** Show our line alone before you add the rivals. A complex chart lands once the room has seen its simple version.
- **Keep colors fixed.** Our line is dark red on every slide. Paint us blue on slide 3 and the room reads someone else's line as yours.

> **Note**
> Consistent, not repetitive: same colors and same fonts across the deck, but each slide a different kind of chart, so the room notices that something new is coming.

AI as your chart assistant

1. **Describe** data and point: *"Revenue per zone from `orders` (`zone`, `total_eur`), sorted bars, top zone dark red, rest grey, a title that names the leader."*
2. Let it **draft**.
3. **Verify** before you believe the picture:
   - the **columns** exist · the bars match your own `groupby`
   - **bars** from 0 · the **chart type** fits · the **title** says no more than the picture

AI drafts. You decide what goes on the slide.

Three ways AI charts mislead

- **Invented column names.** It writes `orders["revenue"]`, but your column is `total_eur`: the same confident nonsense you caught in Episode 8.
- **Defaults nobody chose.** Bars in alphabetical order, one color per category, a legend, an axis cut to fit the data. Each one is a decision the agent made silently.
- **Your words as the title.** Ask for a chart "showing that sales are growing" and that's the title you get, whatever the line does.

> ! **Important**
> For all three: check the numbers, the axis and the title before a chart goes on a slide.

Beyond matplotlib

Library	What it adds
seaborn	box, violin and histogram per group, in one line
plotly	charts you can hover over and zoom into
folium	street maps in the browser
streamlit	a script becomes a web page with sliders
networkx	networks of nodes and links

Next week's project ideas use all five. Your agent writes the code; the checks from today stay the same.

Wrap-up

Three things to remember

1. **Judge every chart.** Wrong first (shares that add up to 115 %), then bad (the pie), ugly last. Bars start at 0; a zoomed line needs a title with the real size.
2. **The question picks the chart, the title states the claim.** Amounts → bar, spread → histogram, two numbers → scatter, time → line.
3. **One point per chart, one story per deck.** One accent color, names on the lines, and the slides in an order that ends in your ask.

> i **Note**
> **Season finale next: git and the project kickoff.** Your laptop gets git now, before the lab.

Git before the lab

Why git, why today

Next session opens with Checkpoint 5, and then your project moves to **GitHub**. An installer that fights you then eats the project kickoff.

So we set up git **now, together**. Once your setup passes the check, open the lab; I come round and look at every laptop before you leave.

Step 1: git and gh

In Zed's terminal (`Ctrl+`), steps 1 and 2 of the one-time setup on the Git Basics page:

- **git**: on a Mac `git --version`, on Windows `winget install Git.Git`
- **gh**, the GitHub CLI: on Windows `winget install GitHub.cli`, on a Mac the installer linked on the page
- Then **quit and reopen Zed**: its terminal only finds new programs after a restart

> **Tip**
> `git --version` and `gh --version` both print a version number? Step 1 is done.

Step 2: log in, say who you are

```
gh auth login
gh auth setup-git
git config --global user.name "Your Name"
git config --global user.email "you@example.com"
git config --global pull.rebase false
```

- **Login**: GitHub.com, **HTTPS**, **Yes** to *Authenticate Git*, browser, one-time code
- **`setup-git`** lets git use that login; it prints nothing
- **E-mail**: the one of your **GitHub account**, it goes on every commit
- **`pull.rebase false`**: a pull combines your partners' work with yours

The check before the lab

```
git --version
gh auth status
git config --global user.email
```

- a version number
- **Logged in to github.com account** with your username, and **Git operations protocol: https**
- the e-mail of your GitHub account

Open the lab as soon as all three print. I come round and check.

> **Important**
> **Stuck?** Raise your hand early. Keep your phone at hand: GitHub may ask for a two-factor code, and a password you forgot since Session I is reset in two minutes. Only an iPad? Your GitHub codespace has git and gh built in: run the check in its terminal.

To the Lab

A chart in a script

The lab is a script, and a script has no cell that could show a chart. So every chart goes into a **picture file**:

```
plt.figure()                  # OPEN: a fresh canvas, as before
plt.plot(days, revenue)
plt.xlabel("Day")
plt.ylabel("Revenue (EUR)")
plt.title("Day 4 brings the most revenue")
daily_chart = plt.gca()       # KEEP: the chart, for the lab's checks
plt.savefig("daily.png")      # SAVE: the picture, into python-labs
plt.close()                   # CLOSE: the canvas
```

`plt.close()` puts the finished canvas away; the lab checks that none is left open. To look at the picture, click `daily.png` in Zed's project panel, the file list on the left.

After the check: the lab

- `lab_09_pitch.py` from Episode 9: The Pitch Deck into `python-labs`
- Six charts, and **you pick** each kind. The investor gets **four** of them: you choose which, and in which order
- **Two things in Tobi's deck are wrong, and no task says so**: one in his numbers, one in his claims

> ! **Important**
> **Show me `pitch_deck.png` and the last block** for feedback. Then practise the Checkpoint 5 hand-in once: open `ex_09_d`, **Cmd/Ctrl+S**, menu → Download → *Download Python code*.

Literature

Books to start with

Both are free online. For this session, start with chapters 1, 17 and 29 of C. Wilke [1].

> i **Note**
> Building charts with AI? Revisit the AI Tools page: describe-then-verify is the whole workflow. Matplotlib's own pyplot tutorial is a friendly next step.

For more, see the literature list of this course.

Bibliography

[1] C. Wilke, *Fundamentals of Data Visualization: A Primer on Making Informative and Compelling Figures*, First edition. Sebastopol, CA: O'Reilly Media, 2019. [Online]. Available: https://clauswilke.com/dataviz/