Lecture X - Git and Your Project

Programming with Python

Dr. Tobias Vlćek



Checkpoint 5

Sessions VIII-IX. The first 40 minutes are the checkpoint. It starts now: the board runs one final audit before the big news.

- **Individual work**: no neighbors, no messaging
- **Any AI tool is allowed**: the graded skill is to **VERIFY** its output
- The **link is on Moodle**. Open it and start
- 6 short tasks: the right number out of a pandas table, a line the AI got wrong, a correct read of a chart
- It sweeps **Sessions VIII-IX**: pandas filtering and `groupby`, fair charts vs. misleading ones

When you're done

Cmd/Ctrl+S, then menu → *Download* → *Download Python code* → upload the `.py` to the **"Checkpoint 5"** assignment on Moodle, before the 40 minutes are up. **No retakes**: one sitting.

> **Note**
> The live checks under the tasks are **provisional**. The final grading runs on my side. The two multiple-choice tasks only say *"recorded"*, never correct or wrong. That's expected, they're scored later. Everything in it was rehearsed in the labs.

EP 10: The Exit

The deal closes

The checkpoint is behind you, and so, it turns out, is the startup. Overnight rival chain **MunchCorp** stopped competing and made an offer: they're **buying the company.** The investor read the term sheet, did the math against her own, and told you to take it: her money would have bought growth, theirs buys the whole shop.

Lawyers will tell you deals close on the numbers. This one closed on **yours.** The clean order data you pulled together in the data room (Session VIII) and the pitch deck you built from it (Session IX) are exactly what convinced the acquirer the books were real.

No cliff-edge growth chart with a chopped axis. Just data that survived a second look. **That's why they signed.**

The handover

Tobi's job today is to hand over the **data room**: the folder with every file the company ever built. You know that folder. It's `python-labs`, two labs later.

MunchCorp's lawyer opens it and asks two questions:

- `growth.png`: is this the chart the investor **saw**, or has it changed?
- `orders_messy.csv`: **who** changed it after Tobi's export, and **what**?

Nobody can say. A folder shows what is in it **now**, and nothing about how it got there. Today you give a folder a **history**, with a tool called **git**.

Your exit package

Every acquisition comes with an exit package. Here's yours: you don't join MunchCorp. You **spin off your own idea** and build it.

- The tools are the ones professionals use: uv and Zed have been on your laptop since Session VII, **git and GitHub** join them today
- The work is a real project, built in a group of three, over the next weeks
- Today we set up the repo; the building starts here

Let's get you kitted out.

The Project

The brief

Over the next weeks you build and present **one real project**.

- Work in **groups of three**: a pair only where the numbers require it
- Demos are in **Session XIII**: 7 minutes, plus 3 minutes for questions
- **Deliverable:** a **GitHub repository link**, handed in on Moodle **before your own demo**
- The repo's `README.md` carries a short **AI-disclosure section**: which tools you used, what for, and what you **verified yourself**

> **Tip**
> Pick something you're **actually interested in**. You'll spend real hours on it. Curiosity is the fuel that carries a project past the boring middle.

How it counts

- Project **and** presentation together are worth **40 of the 100** course points, judged on scope, work and presentation. Everyone in a group gets the same points
- Your **commit history counts**: it's the evidence of *how* the work happened, which the final state alone can't show. Commit small and often (git block, shortly)
- **Sessions XI and XII are supervised work sessions**: I'm in the room while you build, so bring your questions

> **Note**
> The project need not be flawless; an unfinished one can be presented too. Show that you scoped it realistically, built it in the open, and can explain your own code. That's the bar.

Games you can play at the demo

The Beer Game, online: the supply chain classic, with computer players

Dispatch: a live map of Hamburg, and you assign the couriers

Logistics Exchange: trade logistics stocks and oil while the news breaks

Stack the Yard: Tetris for a container terminal

Reverse the Trailer: back a truck into the dock, level by level

Plan, load and route

Load the Trailer: 33 pallets, no overloaded axle, then the computer beats you

Monday Route Sheet: a real shop's delivery list in, a driver sheet out

Charge When Cheap: forecast the power price, plan ten electric trucks

Simulate a real system

Digital twin: an animated copy of a real place, built from your own counts

Chokepoint: close Suez or Hormuz and watch Hamburg's shipping lanes reroute

Machines that see

Who Owns This Box: your own photos teach a model to name the shipping line

Shelf Gap: daily shelf photos teach a model to spot where a shelf is empty

Measure the Parcel: one phone photo gives length, width, height and the price

Scan to Track: real DHL and Hermes labels in, your own tracking dashboard out

Your own idea

- It is the **best choice**, once I approve it. **Make it ambitious**
- Bring it to me today, and we settle scope and feasibility together
- Every idea on the menu in full, with its core, its stretch and the work for three people: Project Ideas

Form your group

One rule for every group

You build your project with the agent, and the agent lives in Zed. So **every group needs a laptop that runs Zed.**

- Zed doesn't run on an iPad, so **three iPads can't form a group**
- Only an iPad? Join a group that has a laptop. You can still work on the project: in a GitHub codespace, or on that laptop

Take ~25 minutes

Right now, in the room:

- **Find your two partners.** No group yet? **Come to the front**, I'll match you
- **Pick a direction** from the menu, or bring your own
- Talk it through: what's the *core* you can definitely finish, what's a *bonus* if time allows?

> Tip
> **A good outcome by the end of this block:** a one-sentence pitch ("we're building X that does Y for Z"), a name for the project, and a decision on who owns the shared repo (the owner creates it in the git block; the partners clone). The sentence keeps you honest about scope; the name goes on the repo in a minute.

Your First Repo

Your setup from Session IX

Your laptop passed the git check last week. One look before we build, in Zed's terminal (`Ctrl+`):

```
gh auth status
```

Logged in to github.com? You're set.

> ! Important
> **Missed Session IX, or the login has gone?** Don't burn the session fighting it. Sit with a partner whose laptop works and follow along on the slides. The one-time setup takes ten minutes, at the break or with me in Session XI. Nobody's project stalls on a login.

Your project starts on GitHub

Everyone, right now, a **practice repo**. On github.com click **New repository**, then:

- **Name**: `python-practice`
- **Private**; tick **Add a README file**

- **.gitignore template**: `Python`

Create repository, then copy the **HTTPS URL** from the green *Code* button: `https://github.com/you/python-practice.git`

That's a **repository**: a folder git watches, with its whole history. So far it lives only on GitHub. Next we bring it down.

Bring it down: clone

In Zed's command palette (`Cmd/Ctrl+Shift+P`): **`git: clone`**, paste the URL, and pick the folder that `python-labs` sits in, so the repo lands **next to** `python-labs` and not inside it. Zed opens the new folder as your workspace: the file tree on the left shows `README.md` and `.gitignore`.

The same in the terminal. Use one way, not both:

```
git clone https://github.com/you/python-practice.git
```

> **Note**
> Everything from here on happens **inside this folder**: git, uv, the AI. If Zed ever shows an empty file tree, **File → Open Folder** and pick the cloned folder itself, not the one above it.

Make it a Python project: `uv init`

Open Zed's built-in terminal (`Ctrl+``); it starts inside your workspace. Then:

```
uv init --no-package
uv run python main.py
```

`uv init` adds `main.py`, `pyproject.toml` and `.python-version` next to the `README.md` and `.gitignore` that GitHub made. The second line runs `main.py` the way you run a lab, and prints `Hello from python-practice!`

> **Note**
> **`--no-package`** keeps it a flat folder of scripts, like `python-labs`, which the same command made in Session VII; without it, uv builds an installable package layout you don't need yet. And no `git init`: the folder came from GitHub, it **is** a git repository already.

Same agent, new folder

Part III **encourages** AI, and your agent is already here: Mistral Vibe works in whatever folder Zed has open. Open the agent panel and ask:

> *Explain what `main.py` does, then add a one-line comment at the top that says so. Don't change anything else.*

This time, **watch the panel while it works:** what does Vibe do before it shows you a change? Then read the diff before you accept it, as always.

> ! **Important**
> The disclosure rule applies from today: your repo's `README.md` says **which tools you used, what for, and what you checked yourself.**

Inside the panel: a model in a loop

- Mistral Vibe is an **agent**: the language model you met in Session VI, wired into a loop with tools
- The model **proposes** an action: read a file, edit a line, run a command
- The tool **runs** it, the result **feeds back**, and it proposes again, until the goal is met
- No magic, and no memory between sessions

Every failure mode from Sessions VI and VIII applies at every step, and a loop gives them many steps to compound in. The diff you just read is the guardrail.

Git

The five words

Git has a small vocabulary. These five cover all this project needs:

- **Repository**: a folder git watches, with its whole history
- **Commit**: one saved snapshot, with a short message
- **Push**: send your commits up to GitHub
- **Pull**: bring your partners' commits down to you
- **Clone**: make your own copy of a repo from GitHub

Two of them you've already done: the repo exists, and you cloned it. The other three now, **live, in your practice repo**. Mistakes are cheap when the repo is five minutes old.

Your first commit

Your folder has new files worth saving: `main.py` with its new comment, `pyproject.toml`, `.python-version`, and `uv.lock`, the exact package versions, so every laptop installs the same ones. In Zed's **command palette**:

- **`git: stage all`**: mark everything as part of the snapshot
- **`git: commit`** (`Cmd/Ctrl+Enter`): type a message, save it

The same thing in the terminal, the words you'll see everywhere:

```
git add .
git commit -m "Set up the project"
```

A commit lives **only on your computer**. Next we send it to GitHub.

Push

Because the folder came from GitHub, git already knows where "up" is. In Zed: `git: push`. In the terminal:

```
git push
```

Reload the repo page on github.com: `main.py` is there. That's the commit cycle you'll repeat all project long: **edit → commit → push**. Pull is the other direction; you'll see it in a minute.

Your history

Two commits in, the folder has a history. Read it:

```
git log --oneline
```

One line per commit, newest first: a short ID and the message. Yours sits on top of GitHub's `Initial commit`. On github.com, **Commits** (top right of the file list) shows the same list with author and time; click a commit to see what it changed.

That answers the lawyer for every file in the repo: **who** changed it, **when**, and **what it looked like before**. It's also the list I read when I grade your project. `Set up the project` tells me something; `stuff` doesn't.

The real project repo: owner only

Now the one that counts. **Repo owner only**, same recipe as the practice repo, with four extras:

1. Name it after your **pitch**; **Private**, README, Python `.gitignore`
2. **Settings → Collaborators**: invite your partners and me (my GitHub username is on Moodle), so I can read it for grading
3. Clone it in Zed, `uv init --no-package`, commit, push, as before
4. Needs pandas or matplotlib? `uv add pandas matplotlib` in this folder: every project has its own packages

Partners: **don't create a second project repo.** You'll be invited.

Your partners join

Each **partner** accepts the invitation (GitHub e-mails it) and clones the project **into a fresh folder**, next to the practice repo:

- In Zed: `git: clone`, paste the project's **HTTPS URL**

Or in the terminal:

```
git clone https://github.com/owner/project.git
```

Cloning brings the whole project, its history and the connection to GitHub; the partners push and pull normally from the first moment.

The fifth word: pull

1. The **owner** writes your one-sentence pitch into `README.md`, with a heading `## AI disclosure` below it, then commits and pushes
2. Both **partners** run **`git: pull`** (`git pull --no-edit`): the pitch lands on their laptops
3. **One at a time:** a partner adds a line under the heading, commits and pushes, and the other two pull. Then the next partner

All of you have now pushed and pulled in the real repo. On github.com, **Commits** shows every name.

> **Note**
> **Clock ran out?** This step can wait: inviting and cloning works just as well at the start of **Session XI**, with me in the room.

How we work together

Three people, one repo. Four habits keep it painless:

- **Pull before you start.** `git: pull` first, every session: this alone prevents almost every problem
- **Commit small and often.** Clear messages, no giant commits
- **A conflict? Call me.** If git marks a clash, don't fix it alone in week one. Bring it to class
- **Never force anything.** No `--force`, no "force push", ever

> **Note**
> Everything today (the actions, the terminal equivalents, the setup, and a **cheatsheet table**) lives on the Git Basics page. When today's follow-along is a fading memory, that's the page you reopen.

Send-off

The road to the finish

- **Session XI**: work session, plus one short segment: why AI text now carries a watermark, and why that makes your README disclosure standard practice
- **Session XII**: work session, plus teaching your agent your project's rules
- **Session XIII**: Demo Day, and where this course hands you over to your thesis

> **Tip**
> Between now and then, the repo tells your story. Commit as you go. A steady history is worth more than a heroic final night.

Demo Day

Format

- **7 minutes** per group presenting, **3 minutes** of questions
- All demos are in Session XIII, and **everyone in the group** has to be there
- Order: drawn at random at the start of the session, with the `random` module from Session VI

What to show

- **The thing running.** The output, and the command that produces it
- **How you worked.** Open the repo: the commit history instead of describing it
- **Your AI disclosure.** Which tool, what for, what you verified yourself
- **What went wrong.** Where you had to step in, what cost you an hour

Your machine, your repo, your demo: it must run from the clone on the room's projector.

The reference pages

> **Note**
> The Git Basics page is the reference version of everything we did live today. The setup from Session VII lives on Installing Python and AI Tools.

Bibliography