Smart Quick Decisions

Lecture 6 - Management Science

Dr. Tobias Vlćek

Introduction

Client Briefing: Custom Cycles

Operations Manager’s Friday Crisis:

“It’s Friday at 06:00 in the morning. We just received **16 custom bicycle orders** that must be completed by this evening. Two workstations. Rush orders with penalties. Overtime costs €100/hour after Friday 19:00. How do we schedule production to minimize costs?”



The Manufacturing Challenge

Custom Cycles faces multiple scheduling decisions:

- **Order Sequencing:** Which bike to build first?
- **Workstation Management:** Assembly must finish before painting
- **Deadline Pressure:** Rush orders have steep penalties (€150 each)
- **Cost Control:** Overtime at €100/hour after Saturday 8 PM

> ⚠ **The Stakes:** With 16 orders totaling 13+ hours of work, wrong scheduling could mean **€1000+ in overtime and penalties**!

Why Can’t We Just Try Everything?

Question: With 16 bicycle orders to sequence, how many possible schedules exist?

16! = 20,922,789,888,000 possible schedules

Number of Orders	Possible Schedules
• 5 bikes	• 120
• 10 bikes	• 3.6 million
• 16 bikes	• 20.9 trillion

⚠ Testing all 20.9 trillion possibilities for 16 bikes would take **thousands of years** on a modern computer!

Can You Spot the Pattern?

Look at these 4 bicycle orders. Which should we build first?

Order	Arrival	Processing	Due	Penalty
B12	1st	90 min	180 min	€150
B08	2nd	45 min	280 min	€150
B15	3rd	75 min	220 min	€150
B03	4th	30 min	300 min	€150

Question: How would you proceed here?



This is the greedy choice problem: Which local decision leads to the best global outcome?

Core Concepts

What Are Greedy Algorithms?

Greedy algorithms make the locally optimal choice at each step.

The Idea: “Take what looks best right now, don’t look back”

- Fast: $O(n \log n)$[1] vs $O(n!)$ for exhaustive search
- Simple: Easy to implement and explain
- Good Enough: Often near-optimal for many problems
- But: No guarantee of global optimality

The Greedy Paradigm

Algorithmic strategy that builds solutions piece by piece

Core Philosophy:

- Make the **best immediate decision** at each step
- Never reconsider previous choices (no backtracking)
- Hope that local optimality leads to global optimality
- Trade guaranteed optimality for speed and simplicity

Greedy in Everyday Life

You already use greedy thinking daily!

Common Greedy Decisions:

- **Making change:** Give the largest coin first (€2 → €1 → €0.50…)
- **Grocery shopping:** Pick items with best price/value ratio
- **Route planning:** Take the nearest unvisited landmark
- **Packing a suitcase:** Put largest items in first
- **Reading emails:** Answer quick replies first, defer complex ones

Question: Which of these actually gives the optimal solution?

When Greedy Works vs. Fails

Not all greedy algorithms are optimal

Greedy IS Optimal:

- Kruskal's algorithms (minimum spanning tree)
- SPT scheduling (minimizes average flow time)
- EDD scheduling (minimizes maximum lateness)

Greedy FAILS:

- Traveling salesman problem (nearest neighbor is worse)
- 0/1 Knapsack (greedy by value/weight ratio fails)

The Two Key Properties

For greedy to be optimal, we need:


1. Greedy Choice Property

- Locally optimal choice leads to globally optimal solution
- Can make choice without considering future consequences

2. Optimal Substructure

- Optimal solution contains optimal solutions to subproblems
- After making greedy choice, remaining problem is similar

Complexity: Why Greedy is Fast



For 16 bikes: Exhaustive = 20 trillion operations, Greedy = 64 operations!

Three Classic Scheduling Rules

We'll explore three greedy approaches that manufacturing uses:

1. FIFO (First In, First Out) - The fairness rule
2. SPT (Shortest Processing Time) - The efficiency rule
3. EDD (Earliest Due Date) - The deadline rule

Question: Just as first feeling. Which rule would you use for the bike factory with penalties and overtime costs?

Rule 1: FIFO (First In, First Out)


Process jobs in the order they arrive, no prioritization.

- **When it's good:** Ensures fairness and prevents "customer favoritism"
- **When it's optimal:** When all jobs have equal importance and no deadlines
- **Real-world use:** Bank queues, ticket counters, help desk systems



Like scheduling job interviews when all candidates applied at different times: You interview in application order to be fair, even if some candidates are stronger.

Example: Hospital Check-In





See the pattern? We just do patient A, then patient B, then patient C, then patient D.

2: SPT (Shortest Processing Time)


The Idea: Process quickest job next to maximize throughput.

- **When it's good:** Minimizes average waiting time for customers
- **When it's optimal:** **Proven optimal** for minimizing mean completion time
- **Real-world use:** Express checkout lanes, quick service repairs, email triage



Like answering emails: Respond to quick 1-minute replies first, then tackle the complex ones requiring research so more people get helped faster.

Example: Coffee Shop Orders



⚠ However, not all customers might be willing to wait longer for their orders!

Rule 3: EDD (Earliest Due Date)


The Idea: Jobs by deadline order to tackle urgent work first.

- **When it's good:** Minimizes number of late jobs (tardiness)
- **When it's optimal:** **Proven optimal** for minimizing maximum lateness
- **Real-world use:** Project deadlines, delivery logistics, exam grading



Like grading assignments: Grade the papers due back tomorrow before the ones due next week so students get feedback when promised.

Example: Package Delivery



⚠ Note, that we only minimize maximal lateness here!

Implementing SPT in Python I

Let's code it together - it's remarkably simple!

Let's assume we want to make some pizzas under deadlines.

```python
# Pizza data
pizzas = [
    {'id': 'P1', 'time': 10, 'due': 20},
    {'id': 'P2', 'time': 8, 'due': 15},
    {'id': 'P3', 'time': 6, 'due': 25},
    {'id': 'P4', 'time': 15, 'due': 20},
    {'id': 'P5', 'time': 12, 'due': 30},
]
```

Question: How should we proceed for SPT?

Implementing SPT in Python II

```python
# SPT Rule: Sort by processing time
spt_order = sorted(pizzas, key=lambda p: p['time'])

print("SPT Schedule:")
current_time = 0
for pizza in spt_order:
    current_time += pizza['time']
    print(f"  {pizza['id']}: due {pizza['due']}, done {current_time}")
```

```
SPT Schedule:
  P3: due 25, done 6
  P2: due 15, done 14
  P1: due 20, done 24
  P5: due 30, done 36
  P4: due 20, done 51
```



Easy, right? Just **one line of Python!** `sorted()` with a key function. Greedy algorithms are often simple to implement.

Implementing EDD in Python

EDD is just as simple - change the sorting key!

```python
# EDD Rule: Sort by due date
edd_order = sorted(pizzas, key=lambda p: p['due'])

print("EDD Schedule:")
current_time = 0
for pizza in edd_order:
    current_time += pizza['time']
    print(f"  {pizza['id']}: due {pizza['due']}, done {current_time}")
```

```
EDD Schedule:
  P2: due 15, done 8
  P1: due 20, done 18
  P4: due 20, done 33
  P3: due 25, done 39
  P5: due 30, done 51
```

Question: Can you modify this to implement FIFO?

Comparing All Three


Now let's compare all three rules on the same dataset

Scenario: 4 rush bike orders arrive with conflicting priorities

Order	Arrival	Processing	Due	Penalty
B12	1st	90 min	180 min	€150
B08	2nd	45 min	280 min	€150
B15	3rd	75 min	220 min	€150
B03	4th	30 min	300 min	€150

Question: How would we schedule for each rule?

All Schedules Compared



No single rule is always best! The right choice depends on your objectives, which might include fairness, throughput, deadlines and much more.

Hybrid Scheduling Strategies

1. Priority Classes:

```
IF order.type == "Rush":
    schedule using EDD
ELSE:
    schedule using SPT
```

2. Time-Based Switching:

```
IF current_time < 3pm:
    use SPT (maximize throughput)
ELSE:
    use EDD (meet end-of-day deadlines)
```

3. Threshold Rules:

```
IF (due_date - current_time) < 30 minutes:
    prioritize this order (emergency mode)
ELSE:
    use normal SPT rule
```

Key Takeaways

- **FIFO:** Simple and fair, but ignores job characteristics
- **SPT:** Minimizes average completion time
- **EDD:** Minimizes maximum lateness

Question: Any questions up until here?

Applications

Professional Applications I

Where scheduling algorithms appear in practice

Project Management:

- Task dependencies and precedence constraints
- Resource allocation across teams

Software Development:

- CPU process scheduling (operating systems)
- Thread management and concurrency

Professional Applications II

Operations & Manufacturing:

- Production line scheduling and supply chain optimization
- Warehouse picking routes and maintenance scheduling

Transportation & Logistics:

- Vehicle routing, crew scheduling and maintenance window planning

Healthcare:

- Patient appointment scheduling and staff shift scheduling

Performance Metrics

Metric Definitions

If we formalize these:

- Completion Time (C_i): When job i finishes
- Flow Time (F_i): Time job spends in system = $C_i - \text{arrival}_i$
- Lateness (L_i): $C_i - \text{due}_i$ (can be negative = early)
- Tardiness (T_i): $\max(0, L_i)$ (only counts late jobs)

Aggregate Metric Definitions

If we look at several of these:

- Makespan ($C_{\max}$): $\max(C_i)$ - when all jobs done
- Average Flow Time: $\sum F_i/n$
- Total Tardiness: $\sum T_i$
- Maximum Lateness: $\max(L_i)$

Question: In which context would you use each metric?

Why Metrics Matter

Different objectives require different metrics

Business Context Matters:

- **Manufacturing:** Minimize total production time (makespan)
- **Service:** Minimize average customer wait (flow time)
- **Delivery:** Minimize late deliveries (tardiness)
- **Contracts:** Minimize worst-case lateness (maximum lateness)
- **Customer satisfaction:** Minimize number of late jobs

> ⚠ You can’t optimize what you don’t measure! Choose metrics that align with business goals.

Which Metric When?

Matching metrics to business context

Business Goal	Metric to Optimize	Best Rule
Reduce customer wait time	Avg Flow Time	SPT
Meet all deadlines	Max Lateness	EDD
Minimize contract penalties	Total Tardiness	EDD
Maximize throughput	Makespan	Any (same!)
Customer satisfaction	Number Late	EDD
Fairness/transparency	(none)	FIFO

Weighted Scheduling

Revenue-Based: Consulting Firm

5 consulting projects with different durations and revenues

Project	Duration	Revenue	Revenue/Hour
C	55h	€11,000	€200
A	25h	€6,000	€240
E	55h	€4,950	€90
D	45h	€5,400	€120
B	35h	€7,000	€200

Goal: Maximize revenue during limited consulting time

Question: Sort by total revenue? Duration? Or something else?

Revenue/Hour Rule

Rule: Sort by revenue per hour (descending)

Sorted by Revenue/Hour:

Project	Duration	Revenue	Revenue/Hour	Schedule
A	25h	€6,000	€240	1st
B	35h	€7,000	€200	2nd
C	55h	€11,000	€200	3rd
D	45h	€5,400	€120	4th
E	55h	€4,950	€90	5th

Optimal order: A → B → C → D → E

Why Revenue/Hour Works

Maximizing early revenue in capacity-constrained situations

Scenario: 120 hours of consulting capacity this quarter

- **Revenue/hour approach:** A+B+C = 115h → **€24,000 revenue**
- **Wrong order (E+D+C):** E+D+C = 155h → Doesn't fit!
- **Only E+D = 100h → €10,350 revenue**
- **Worst case:** Start with low-revenue/hour projects, waste capacity

> ⚠ This is **Smith's Rule** in action: Sort by (value / time) to maximize weighted completion!

Two-Stage Scheduling

The Real Challenge: Flow Shops

Most manufacturing involves multiple stages

Flow Shop: Jobs must visit machines in the **same order**

- Car manufacturing: Welding → Painting → Assembly
- Bicycle factory: Assembly → Painting
- Electronics: Circuit board → Component placement → Testing
- Restaurant: Cooking → Plating → Service

> ⚠ **Key difference from single-machine:** Machine 2 must wait for Machine 1 to finish each job. This creates **idle time** and **blocking**.


Two-Stage Example Setup

3 Bicycles through Assembly → Painting

Bike	Assembly Time	Painting Time	Total
X	30 min	20 min	50
Y	20 min	30 min	50
Z	15 min	15 min	30

Question: If we process in order X → Y → Z, what happens?

FIFO: X → Y → Z



⚠ Painting station waits 30 minutes for first bike! Total time = 95 minutes

Why Simple Rules Struggle

Each rule has ambiguities in two-stage problems

SPT - Shortest Processing Time:

- Sort by assembly time? → Favors Z (15 min)
- Sort by painting time? → Favors X (20 min)
- Sort by total time? → All tied (50, 50, 30)

EDD - Earliest Due Date: Doesn't minimize idle time or makespan

FIFO: Arbitrary order, no optimization

Question: Is there a better approach for minimizing makespan?

Johnson's Algorithm: The Intuition

Why does Johnson's work? Let's understand the logic first

Think about bottlenecks in a two-stage flow:

- Machine 2 sits idle waiting for Machine 1 to finish
- Goal: Minimize that idle time

Key Observation:

- Quick on Machine 1 → Do it early (Machine 2 starts sooner!)
- Quick on Machine 2 → Do it late (Machine 2 can finish quickly at the end, no wasted capacity)

Johnson's Algorithm: The Rule

Four simple steps to optimal scheduling

1. Find minimum time across both machines for all remaining jobs
2. If minimum is on M1: Schedule this job at earliest open position
3. If minimum is on M2: Schedule this job at latest open position
4. Repeat until all jobs scheduled

> ⓘ Johnson proved this greedy choice property guarantees global optimum for makespan in 2-machine flow shops!

Let's apply this to our 3 bikes...

Applying Johnson's Algorithm


Bike	Assembly	Painting	Min Time
X	30	20	20 (P)
Y	20	30	20 (A)
Z	15	15	15 (A/P)

1. Min time = 15 (Z, assembly) → **Schedule Z first**
2. Min time = 20 (Y, assembly) → **Schedule Y second**
3. Min time = 20 (X, painting) → **Schedule X last**



Easy, right?

Johnson's Schedule: Z → Y → X



10-minute improvement! (85 vs 95) - 10.5% faster with optimal ordering

Beyond Two Machines

What about 3+ machines?

Bad news:

- 3+ machine flow shop is **NP-hard**
- No polynomial optimal algorithm known

Good news:

- Heuristics work well in practice
- Simulated annealing, genetic algorithms

Advanced

Dynamic vs Static Scheduling

How scheduling changes with job arrivals

Static (Offline):

- All jobs known upfront
- Schedule computed once
- Can often use optimal algorithms

Dynamic (Online):

- Most real-world scenarios
- Jobs arrive over time
- Must make decisions without future knowledge

Question: Any ideas about complications in dynamic environments?

Question: Any other **real world** considerations?

Real-World Considerations

- **Setup Times:**
  - Changing requires tool adjustments or cleaning
  - Sequence-dependent scheduling (TSP-like)
- **Resource Constraints:**
  - Limited ressources, specialized tools, material shortages
  - Worker skill levels and availability
- **Uncertainty:**
  - Processing times, break downs, and other unforeseen events

Common Scheduling Mistakes I

Learn from others' errors - avoid these pitfalls!

Question: Any idea what could be common mistakes?

Mistake #1: Ignoring Setup Times

- Problem: Changing from between tasks requires adjustments
- Impact: Your "optimal" SPT schedule wastes 3 hours on setups
- Fix: Batch similar tasks together (hybrid rule: SPT within batches)

Common Scheduling Mistakes II

Learn from others' errors - avoid these pitfalls!

Mistake #2: Static Scheduling with Dynamic Arrivals

- **Problem:** Using Johnson's algorithm at 2 PM, never adjusting when urgent orders arrive at 4 PM
- **Impact:** New rush order sits idle while finishing low-priority work
- **Fix:** Re-optimize periodically or use priority thresholds

Common Scheduling Mistakes III

Learn from others' errors - avoid these pitfalls!

Mistake #3: Optimizing the Wrong Metric

- **Problem:** Minimizing makespan when penalty costs dominate
- **Impact:** You "win" on time but lose €400 on penalties
- **Fix:** Always align algorithm choice with **total cost function**

Personal Schedules

Thrashing

When scheduling breaks down completely

What is Thrashing?

- Excessive **context switching** between tasks
- Organization overhead exceeds actual productivity
- **Maximum activity, minimum output**

Question: Do you know this from your personally?

Thrashing Warning Signs

How to recognize when you're thrashing

Individual Level:

- Constant task switching (< 15 minutes per task)
- Nothing getting completed despite being "busy"
- Increasing stress and anxiety
- Declining quality of work
- Feeling overwhelmed despite working hard

Preventing Thrashing

Strategic approaches to maintain productivity

Strategic Solutions:

1. **Task rejection threshold:** Say no to new tasks when queue exceeds capacity
2. **Minimum work periods:** Minimum focus time per task
3. **Batching:** Group similar tasks (all emails at once, all calls at once)
4. **Buffer times:** Schedule gaps between major tasks
5. **Reduced reactivity:** Check email at set times, not constantly

Today’s Tasks

Today

Hour 2: This Lecture

- Greedy algorithms
- FIFO, SPT, EDD rules
- Trade-offs
- Gantt charts

Hour 3: Notebook

- Bean Counter CEO
- Implement rules
- Visualizations
- Analyze orders

Hour 4: Competition

- Bike Factory Crisis
- 16 bicycle orders
- Two-stage process
- Minimize total costs!

The Competition Challenge

The Bike Factory Crisis

1. **Schedule** 16 custom bicycle orders across 2 workstations
2. **Optimize** Assembly → Painting workflow
3. **Balance** overtime costs vs. late delivery penalties
4. **Minimize** total cost (overtime + penalties)

> ⚠ Choose the right trade-off for the business context!

Key Takeaways

Remember This!

The Rules of Greedy Scheduling

1. **Know your objective** - Fairness, speed, or deadlines?
2. **FIFO for fairness** - Simple, transparent, no favoritism
3. **SPT for throughput** - Minimizes average completion time
4. **EDD for deadlines** - Minimizes maximum lateness
5. **No single winner** - Each rule optimizes different metrics
6. **Context matters** - Match the rule to your business goal
7. **Two-stage is harder** - Assembly → Painting adds complexity

Final Thought

Greedy algorithms are about smart trade-offs

The Advantage:

- Fast O(n log n)
- Easy to implement
- Explainable decisions
- Often near-optimal
- Practical for real-time

The Challenge:

- No global optimality guarantee
- Different rules, different results
- Three-stage problems are complex
- May need hybrid approaches

Break!

Take 20 minutes, then we start the practice notebook

Next up: You'll become Bean Counter's scheduler

Then: The Bike Factory Crisis competition