
Lecture IV - Scheduling

Programming: Everyday Decision-Making Algorithms

Dr. Tobias Vlćek Kühne Logistics University Hamburg - Winter 2024

Introduction

Introduction



Washing Machine & Dryer

Let's solve this simple scheduling problem:

. . .

Task A B	Washing 40min 30min	60min
С	60min	20min
D	50min	60min

. . .

Goal: Minimize total time for washing and drying all loads

. . .

Question: An idea how to solve this?

Johnson's Rule

Rule: To find the optimal solution:

- 1. Find the job with shortest duration:
 - If on Machine 1 → Schedule First
 - If on Machine 2 → Schedule Last
 - If equal \rightarrow Choose randomly
- 2. Remove job from list and repeat

Applying Johnson's Rule

```
Task Washing Drying Schedule
A 40min 60min
B 30min 80min
C 60min 20min
D 50min 60min
```

. . .

Question: What's the first scheduled task?

Applying Johnson's Rule

```
Task Washing Drying Schedule
A 40min 60min
B 30min 80min
C 60min 20min 4
D 50min 60min
```

- In Task C, the dryer is the shortest task.
- It is on Machine 2 → Schedule Last

. . .

Question: What's the next task?

Applying Johnson's Rule

```
Task Washing Drying Schedule
A 40min 60min
B 30min 80min 1
C 60min 20min 4
D 50min 60min
```

- In Task B, the washing machine is the shortest task.
- It is on Machine 1 → Schedule First

. .

Question: What's the next task?

Applying Johnson's Rule

```
Task Washing Drying Schedule
A 40min 60min 2
B 30min 80min 1
C 60min 20min 4
D 50min 60min
```

- In Task A, the washing machine is the shortest task.
- It is on Machine 1 → Schedule Second

. . .

Now, we only have one task left!


Applying Johnson's Rule

Task	Washing	Drying	Schedule
Α	40min	60min	2
В	30min	80min	1
С	60min	20min	4
D	50min	60min	3

. . .

Final sequence: B A D C

Optimal Solution Optimal Solution: B A D C



Total time: 4 hours 20 minutes

. . .

Question: Is there a worse solution?

Suboptimal Solution: C.D.A.

Suboptimal Solution: C D A B

																<u> </u>	IU I	Ш
Wash	С			D			Α		В									
Dry				С			D			Α			В					

Total time: 5 hours 10 minutes

Question: What's the difference?

History

Industrial Revolution

. . .

- First systematic visualization by Frederick Taylor
- Henry Gantt develops the Gantt Chart around 1910
- Key tool during Industrial Revolution
- But no scheduling theory yet!

. . .

Question: Who knows what a Gantt Chart is?

Modern Scheduling Theory


. . .

- RAND Corporation founded (1948)
- Selmer Johnson publishes Johnson's Rule in 1954
- Beginning of modern scheduling theory
- Many more algorithms and methods developed since

Scheduling Tasks

Task Classification


Question: What properties can scheduled tasks have?



. . .

Question: What types of tasks do you deal with most often?

Single Machine Scheduling



Question: What is different from before?

Order is Irrelevant

i Order is Irrelevant

Under simple minimization of total processing time, order doesn't matter!

. .

Question: But is it that simple?

! Order Matters

Order becomes crucial when we consider, Deadlines, Priorities and Dependencies!

Deadlines

Earliest Due Date (EDD)

Tasks with individual deadlines:

```
Task Duration Deadline
A 40min 110min
B 30min 90min
C 60min 150min
D 50min 70min
E 30min 210min
```

. . .

Goal: Minimize maximum deadline violation

. . .

Question: An idea how to solve this?

EDD Solution

Rule: Sort the tasks by deadline.

```
Task Duration Deadline
A 40min 110min
B 30min 90min
C 60min 150min
D 50min 70min
E 30min 210min
```

. . .

```
Task Duration Deadline
D 50min 70min
B 30min 90min
A 40min 110min
C 60min 150min
E 30min 210min
```

. . .

Let's visualize this!

EDD Schedule


D	50	m															
В				30	m												
Α						40	m										
С									60	m							
Ε													30	m			

. . .

Question: What's the maximum delay here?

Processing Time

Shortest Processing Time (SPT)



A 40 min

B 30 min

C 60 min

D 50 min

Instead of deadlines, we now have processing times.

Goal: Min. total waiting time

Question: Any ideas?

Rule: Always schedule the shortest remaining task

Shortest Processing Time Applied

Rule: Always schedule the shortest remaining task. Choose random if multiple tasks are tied.

Task	Duration 40min	Schedule
A		
В	30min	
С	60min	
D	50min	
Е	30min	

. . .

Question: What's the order of scheduled tasks?

Shortest Processing Time Applied

Rule: Always schedule the shortest remaining task. Choose random if multiple tasks are tied.

Task	Duration	Schedule
Α	40min	3
В	30min	1
С	60min	5
D	50min	4
Ε	30min	2

. . .

Final sequence: B E A D C or E B A D C

SPT Solution

Optimal sequence:

В	30)m														
Ε			30	m												
Α					40)m										
D								50	m							
С											60	m				

. . .

Question: Where can we see the waiting time?

SPT Waiting Time

Total waiting time: 340 minutes



. . .

Question: Would this be applicable for your work?

Weighted SPT

- Change: Tasks with additional priorities
- Priorities could be, e.g., revenue if we are consultants.

```
Task Duration Revenue

A 20min €240

B 30min €200

C 60min €120

D 50min €70

E 30min €130

F 40min €120

G 20min €100

H 70min €110

I 50min €90
```

• • •

Question: Any ideas how to approach this?

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

. .

Question: What's the order of scheduled tasks?

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

```
Duration
                Revenue
                         Revenue/Min Schedule
Task
 Α
       20min
                €240
                         12.0
 В
       30min
                €200
                          6.7
 С
       60min
                €120
                          2.0
 D
       50min
                €70
                          1.4
 Ε
       30min
                €130
                          4.3
 F
       40min
                €120
                          3.0
 G
       20min
                €100
                          5.0
 Н
       70min
                €110
                          1.6
 Ι
       50min
                €90
                          1.8
```

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

```
Duration Revenue
                        Revenue/Min Schedule
Task
 Α
      20min
               €240
                         12.0
 В
      30min
               €200
                         6.7
 С
      60min
               €120
                         2.0
 D
      50min
               €70
                         1.4
 Ε
      30min
               €130
                         4.3
                         3.0
 F
      40min
               €120
 G
      20min
                         5.0
               €100
 Н
      70min
               €110
                          1.6
 Ι
      50min
               €90
                          1.8
```

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

```
Duration Revenue Revenue/Min Schedule
Task
       20min
                €240
                         12.0
 Α
                                        1
                                         2
 В
       30min
                €200
                          6.7
 С
       60min
                €120
                          2.0
 D
      50min
                €70
                          1.4
 Ε
      30min
                €130
                          4.3
 F
      40min
                €120
                          3.0
       20min
                                        3
 G
                          5.0
                €100
 Н
       70min
                €110
                          1.6
  Ι
       50min
                          1.8
```

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

```
Task
     Duration
               Revenue
                        Revenue/Min Schedule
       20min
 Α
                €240
                         12.0
                                        1
                                        2
 В
                         6.7
       30min
                €200
 С
       60min
               €120
                          2.0
```

```
D
    50min
           €70
                   1.4
Ε
    30min €130
                   4.3
                               4
                               5
F
    40min €120
                   3.0
G
                               3
    20min €100
                   5.0
Н
    70min €110
                    1.6
Ι
    50min
           €90
                    1.8
```

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
Α	20min	€240	12.0	1
В	30min	€200	6.7	2
С	60min	€120	2.0	6
D	50min	€70	1.4	
Ε	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
Н	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
Α	20min	€240	12.0	1
В	30min	€200	6.7	2
С	60min	€120	2.0	6
D	50min	€70	1.4	
Е	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
Н	70min	€110	1.6	
I	50min	€90	1.8	7

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

```
Task Duration Revenue Revenue/Min Schedule
 Α
     20min €240 12.0
                              1
                              2
     30min €200
                  6.7
 С
     60min €120
                   2.0
                              6
 D
     50min €70
                   1.4
     30min €130
 Ε
                   4.3
 F
     40min €120
                   3.0
                              5
     20min €100
                              3
 G
                   5.0
 Н
                              8
     70min €110
                   1.6
 Ι
     50min €90
                   1.8
```

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
Α	20min	€240	12.0	1
В	30min	€200	6.7	2
С	60min	€120	2.0	6
D	50min	€70	1.4	9
Е	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
Н	70min	€110	1.6	8
I	50min	€90	1.8	7

• • •




Without revenues, we can use the same approach with metric priorities!

Dependencies


Priority Inversion

Setup:



Challenge: High-priority tasks depend on low-priority tasks.

Risk: Priority inversion can lead to significant delays!



Priority Inheritance

Question: How to handle with shortest processing time?

- Rule: Tasks inherit priority from their dependents.
- A gets the highest priority from B
- This ensures the critical path completion

. . .

	Duration 20min	-
A B	30min	
C	30min	
D	30min	2
Е	30min	2

EDD and Dependencies

Question: What's was earliest due date again?

. . .

- Sort the tasks by deadline, schedule equal tasks randomly
- Things get more complex when we add dependencies

```
D 50min 70min None
E 30min 210min C
```

Question: Any ideas how to solve this?

Lawler's Algorithm

Rule: We can use Lawler's Algorithm (1968)

- 1. Consider all tasks without successors
- 2. Choose the one with latest deadline
- 3. Schedule the task last
- 4. Remove it from the network and start again

Lawler's Applied

```
Task Duration Deadline Predecessor Schedule
A 40min 110min None
B 30min 90min D
C 60min 150min A
D 50min 70min None
E 30min 210min C
```

. . .

Question: What's the schedule?

Lawler's Applied

A 40min 110min None B 30min 90min D C 60min 150min A D 50min 70min None E 30min 210min C 5	Task	Duration	Deadline	Predecessor	Schedule	
C 60min 150min A D 50min 70min None	Α	40min	110min	None		
D 50min 70min None	В	30min	90min	D		
	С	60min	150min	Α		
F 30min 210min C 5	D	50min	70min	None		
E COMITI ZIOMITI C	Е	30min	210min	С	5	

Lawler's Applied

Duration	Deadline	Predecessor	Schedule
40min	110min	None	
30min	90min	D	
60min	150min	Α	4
50min	70min	None	
30min	210min	С	5
	40min 30min 60min 50min	40min 110min 30min 90min 60min 150min 50min 70min	30min 90min D 60min 150min A 50min 70min None

Lawler's Applied

Task	Duration	Deadline	Predecessor	Schedule
Α	40min	110min	None	
В	30min	90min	D	3
С	60min	150min	Α	4

```
D 50min 70min None
E 30min 210min C 5
```

Lawler's Applied

Tas			Predece None	essor Schedule
E	30mi	n 90min	D	3
(60mi	n 150min	Α	4
[) 50mi	n 70min	None	2
E	30mi	n 210min	С	5

Lawler's Applied


Task A	40min	110min	Predecessor None	1
В	30min	90min	D	3
С	60min	150min	Α	4
D	50min	70min	None	2
Е	30min	210min	С	5

. . .

Successor Tasks

Note, how all tasks become tasks without successors at some point.

Lawler's Solution



i Predecessor Tasks

Predecessor tasks are tasks that must be completed before the current task can start. They are marked in grey in the chart.

. . .

Question: What's the maximum delay?

Difficulty of Scheduling

SPT with Predecessors

- No solution in polynomial time
- NP-hard problem (no efficient algorithm)
- True for most scheduling problems!
- We can use heuristics, though

. . .

Question: What have we missed so far?

Real-time Scheduling

Interruptions

- In reality, we cannot predict the future
- We need to react to new tasks as they happen
- If we have a deadline, we might need to meet it
- Let's look at this for the earliest due date objective

. . .

i Quick reminder

An earliest due date is a specific point in time by which a task must be completed. Under this objective, we want to minimize the maximum delay.

Real-time EDD

8:00-12:00 Schedule:

```
Task Duration Deadline

Email A 20min 9:00

Create PPT 60min 10:50

Investor call 10min 9:00

Email B 30min 10:20

Liquidity 40min 11:00

Email C 20min 11:20

Email D 40min 10:00
```

. . .

Question: Any ideas how to start with under the objective of the earliest due date?

EDD Rule for Real-time

Rule:


- Always schedule the task with the earliest deadline
- If a new task with an earlier deadline comes in, re-schedule
- Otherwise, stick to the original schedule.

. . .

© Equal Deadline

If a new task has the same deadline as the current task, you can choose either. But due to the cost of context switching, you might want to stick with the current task.

EDD Solution for Real-time



. . .

Question: What's the maximum delay with this schedule?

SPT for Real-time

Quick reminder

A shortest processing time is the task with the shortest duration. Under this objective, we want to minimize the total waiting time.

. . .

Question: Any ideas how to start here?

SPT Rule for Real-time

Rule:


- Always schedule the task with the shortest duration
- If a new task with a shorter duration comes in, re-schedule
- Otherwise, stick to the original schedule.

. . .

i Equal Duration

If a new task has the same duration as the current task, you can choose either. But due to the cost of context switching, you might again want to stick with the current task.


SPT Solution for Real-time



. . .

Question: Where can we see the waiting time?

SPT Solution for Real-time



Total waiting time: 260 minutes

Thrashing

What is Thrashing?

- Excessive context switching
- Organization overhead exceeds productivity
- Maximum activity, minimum output

. . .

Question: Have you ever experienced this?

Thrashing Warning Signs

- Constant task switching
- · Nothing getting completed
- Increasing stress levels
- · Declining quality

Question: Any ideas how to prevent this?

Preventing Thrashing Strategic



Strategic solutions focus on long-term changes to prevent thrashing.

. . .

- 1. Task rejection/delegation threshold
- 2. Simplified organization systems
- 3. Minimum work period rules
- 4. Reduced reactivity requirements

Preventing Thrashing Tactical

- 1. Time blocking
- 2. Focus periods
- 3. Task batching
- 4. Priority freezes

. . .

Question: What strategies have worked for you?

Key Takeaways

- 1. Scheduling is crucial for effective time management
- 2. Different objectives need different algorithms
 - EDD for deadline management
 - SPT for waiting time reduction
- 3. Address thrashing early
- 4. Define your reactivity goals
- 5. Use appropriate algorithms as foundations

The End

i Note

That's it for todays lecture!

We now have covered a brief introduction into scheduling. Now, we can start with the tutorials! As we have now a good foundation, we can start to apply some algorithms on data sets in Python.

Literature

Interesting literature to start

 Christian, B., & Griffiths, T. (2016). Algorithms to live by: the computer science of human decisions. First international edition. New York, Henry Holt and Company.¹

Books on Programming

- Downey, A. B. (2024). Think Python: How to think like a computer scientist (Third edition). O'Reilly. Here
- Elter, S. (2021). Schrödinger programmiert Python: Das etwas andere Fachbuch (1. Auflage). Rheinwerk Verlag.

. . .

i Note

Think Python is a great book to start with. It's available online for free. Schrödinger Programmiert Python is a great alternative for German students, as it is a very playful introduction to programming with lots of examples.

More Literature

For more interesting literature, take a look at the literature list of this course.

¹The main inspiration for this lecture. Nils and I have read it and discussed it in depth, always wanting to translate it into a course.