Lecture IV - Scheduling

Programming: Everyday Decision-Making Algorithms

Dr. Tobias Vlćek

Kühne Logistics University Hamburg - Winter 2024

Introduction

Today's Topic: Scheduling

Topic: Understanding scheduling problems and algorithmic solutions for optimal task ordering


Why this matters: Every day you make scheduling decisions, from organizing your to-do list to managing projects. Today we'll learn the mathematical algorithms that can optimize these decisions and see how they connect to programming logic.

Today's Agenda

1. **Scheduling Fundamentals** - Johnson's Rule and two-machine problems
2. **Historical Context** - How scheduling theory developed
3. **Core Algorithms** - EDD for deadlines, SPT for efficiency
4. **Advanced Topics** - Dependencies, real-time scheduling, thrashing
5. **Programming Connections** - How this builds algorithmic problem-solving skills

Fundamentals

A Simple Scheduling Problem



Washing	Drying
40 min	60 min
30 min	80 min
60 min	30 min
50 min	60 min

Washing Machine & Dryer

Let's solve this simple scheduling problem:

Task	Washing	Drying
A	40min	60min
B	30min	80min
C	60min	30min
D	50min	60min

Goal: Minimize total time for washing and drying all loads

Question: An idea how to solve this?

Johnson's Rule

Rule: To find the **optimal solution**:

1. Find the job with **shortest duration**:
    - If on **Machine 1** → Schedule First
    - If on **Machine 2** → Schedule Last
    - If **equal** → Choose randomly
2. Remove job from list and **repeat**

Applying Johnson's Rule

Task	Washing	Drying	Schedule
A	40min	60min	
B	30min	80min	
C	60min	30min	
D	50min	60min	

Question: What's the first scheduled task?

Applying Johnson's Rule

Task	Washing	Drying	Schedule
A	40min	60min	
B	30min	80min	
C	60min	30min	4
D	50min	60min	

- In Task C, the dryer is the shortest task.
- It is on Machine 2 → Schedule Last

Question: What's the next task?

Applying Johnson's Rule

Task	Washing	Drying	Schedule
A	40min	60min	
B	30min	80min	1
C	60min	30min	4
D	50min	60min	

- In Task B, the washing machine is the shortest task.
- It is on Machine 1 → Schedule First

Question: What's the next task?

Applying Johnson's Rule

Task	Washing	Drying	Schedule
A	40min	60min	2
B	30min	80min	1
C	60min	30min	4
D	50min	60min	

- In Task A, the washing machine is the shortest task.
- It is on Machine 1 → Schedule Second

Now, we only have one task left!


Applying Johnson's Rule

Task	Washing	Drying	Schedule
A	40min	60min	2
B	30min	80min	1
C	60min	30min	4
D	50min	60min	3

Final sequence: **B A D C**

Optimal Solution

Optimal Solution: **B A D C**




Total time: 4 hours 20 minutes

Question: Is there a worse solution?

Suboptimal Solution

Suboptimal Solution: C D A B



Total time: 5 hours 10 minutes

Question: What's the difference?

History

Industrial Revolution

- First systematic visualization by Frederick Taylor
- Henry Gantt develops the Gantt Chart around 1910
- Key tool during Industrial Revolution
- But no scheduling theory yet!

Question: Who knows what a Gantt Chart is?

Modern Scheduling Theory

- RAND Corporation founded (1948)
- Selmer Johnson publishes Johnson’s Rule in 1954
- Beginning of modern scheduling theory
- Many more algorithms and methods developed since

Professional Applications

Where do we see scheduling in professional practice?


- **Project Management:** Task dependencies, resource allocation
- **Software Development:** CPU, thread management, job queues
- **Operations:** Production, supply chain optimization
- **Healthcare:** Patients, surgery planning, staff allocation
- **Transportation:** Routes, crews, maintenance

Connection to Programming: These are the same optimization problems that algorithms solve!

Scheduling Tasks


Task Classification

Question: What properties can scheduled tasks have?



Question: What types of tasks do you deal with most often?

Single Machine Scheduling



A human

A	40 min
B	30 min
C	60 min
D	50 min

Question: What is different from before?

Order is Irrelevant

Order is Irrelevant

Under simple minimization of total processing time, **order doesn't matter!**

Question: But is it that simple?

Order Matters

Order becomes crucial when we consider, **Deadlines, Priorities and Dependencies!**

Deadlines

Earliest Due Date (EDD)

Tasks with individual deadlines:

Task	Duration	Deadline
A	40min	110min
B	30min	90min
C	60min	150min
D	50min	70min
E	30min	210min

Goal: Minimize maximum deadline violation

Question: An idea how to solve this?

EDD Solution


Rule: Sort the tasks by deadline.

Task	Duration	Deadline
A	40min	110min
B	30min	90min
C	60min	150min
D	50min	70min
E	30min	210min

Task	Duration	Deadline
D	50min	70min
B	30min	90min
A	40min	110min
C	60min	150min
E	30min	210min

Let's visualize this!


EDD Schedule



Question: What's the maximum delay here?

Processing Time

Shortest Processing Time (SPT)



A human

A	40 min
B	30 min
C	60 min
D	50 min

Instead of deadlines, we now have **processing times.**

Goal: Min. total waiting time

Question: Any ideas?

Rule: Always schedule the shortest remaining task

Shortest Processing Time Applied

Rule: Always schedule the shortest remaining task. Choose random if multiple tasks are tied.

Task	Duration	Schedule
A	40min	
B	30min	
C	60min	
D	50min	
E	30min	

Question: What's the order of scheduled tasks?

Shortest Processing Time Applied


Rule: Always schedule the shortest remaining task. Choose random if multiple tasks are tied.

Task	Duration	Schedule
A	40min	3
B	30min	1
C	60min	5
D	50min	4
E	30min	2

Final sequence: **B E A D C** or **E B A D C**

SPT Solution


Optimal sequence:



Question: Where can we see the waiting time?

SPT Waiting Time

Total waiting time: 340 minutes



Question: Would this be applicable for your work?

Weighted SPT

- **Change:** Tasks with additional priorities
- Priorities could be, e.g., revenue if we are consultants.

Task	Duration	Revenue
A	20min	€240
B	30min	€200
C	60min	€120
D	50min	€70
E	30min	€130
F	40min	€120
G	20min	€100
H	70min	€110
I	50min	€90

Question: Any ideas how to approach this?

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	
B	30min	€200	6.7	
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	
F	40min	€120	3.0	
G	20min	€100	5.0	
H	70min	€110	1.6	
I	50min	€90	1.8	

Question: What's the order of scheduled tasks?

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	
F	40min	€120	3.0	
G	20min	€100	5.0	
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	
F	40min	€120	3.0	
G	20min	€100	5.0	
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	
F	40min	€120	3.0	
G	20min	€100	5.0	3
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	4
F	40min	€120	3.0	
G	20min	€100	5.0	3
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	
D	50min	€70	1.4	
E	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	6
D	50min	€70	1.4	
E	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
H	70min	€110	1.6	
I	50min	€90	1.8	

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	6
D	50min	€70	1.4	
E	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
H	70min	€110	1.6	
I	50min	€90	1.8	7

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	6
D	50min	€70	1.4	
E	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
H	70min	€110	1.6	8
I	50min	€90	1.8	7

Gain/Revenue Per Minute

Rule: Schedule by revenue per minute (descending)

Task	Duration	Revenue	Revenue/Min	Schedule
A	20min	€240	12.0	1
B	30min	€200	6.7	2
C	60min	€120	2.0	6
D	50min	€70	1.4	9
E	30min	€130	4.3	4
F	40min	€120	3.0	5
G	20min	€100	5.0	3
H	70min	€110	1.6	8
I	50min	€90	1.8	7

Metric Priorities

Without revenues, we can use the same approach with **metric priorities**!

Dependencies

Priority Inversion


Setup:

Task	Duration	Priority
A	20min	3
B	30min	1
C	30min	2
D	30min	2
E	30min	2



Challenge: High-priority tasks depend on low-priority tasks.

Risk: Priority inversion can lead to significant delays!



Priority Inheritance

Question: How to handle with shortest processing time?

- **Rule:** Tasks inherit priority from their dependents.
- A gets the highest priority from B
- This ensures the critical path completion

Task	Duration	Priority
A	20min	1
B	30min	1
C	30min	2
D	30min	2
E	30min	2

EDD and Dependencies

Question: What's was earliest due date again?

- Sort the tasks by deadline, schedule equal tasks randomly
- Things get more complex when we add dependencies

Task	Duration	Deadline	Predecessor
A	40min	110min	None
B	30min	90min	D
C	60min	150min	A
D	50min	70min	None
E	30min	210min	C

Question: Any ideas how to solve this?

Lawler's Algorithm

Rule: We can use Lawler's Algorithm (1968)

1. Consider all tasks **without successors**
2. Choose the one with latest deadline
3. Schedule the task last
4. Remove it from the network and start again

Lawler's Applied

Task	Duration	Deadline	Predecessor Schedule
A	40min	110min	None
B	30min	90min	D
C	60min	150min	A
D	50min	70min	None
E	30min	210min	C

Question: What's the schedule?

Lawler's Applied

Task	Duration	Deadline	Predecessor	Schedule
A	40min	110min	None	
B	30min	90min	D	
C	60min	150min	A	
D	50min	70min	None	
E	30min	210min	C	5

Lawler's Applied

Task	Duration	Deadline	Predecessor	Schedule
A	40min	110min	None	
B	30min	90min	D	
C	60min	150min	A	4
D	50min	70min	None	
E	30min	210min	C	5

Lawler's Applied

Task	Duration	Deadline	Predecessor	Schedule
A	40min	110min	None	3
B	30min	90min	D	
C	60min	150min	A	4
D	50min	70min	None	
E	30min	210min	C	5

Lawler's Applied

Task	Duration	Deadline	Predecessor	Schedule
A	40min	110min	None	3
B	30min	90min	D	2
C	60min	150min	A	4
D	50min	70min	None	
E	30min	210min	C	5

Lawler's Applied


Task	Duration	Deadline	Predecessor	Schedule
A	40min	110min	None	3
B	30min	90min	D	2
C	60min	150min	A	4
D	50min	70min	None	1
E	30min	210min	C	5



Successor Tasks

Note, how all tasks become tasks without successors at some point.

Lawler's Solution



> **Predecessor Tasks**
>
> Predecessor tasks are tasks that must be completed before the current task can start. They are marked in grey in the chart.

Question: What's the maximum delay?

Scheduling Difficulty

SPT with Predecessors

- No solution in **polynomial time**
- **NP-hard problem** (no efficient algorithm)
- True for **most scheduling problems!**
- We can use **heuristics**, though

Question: What have we missed so far?

Real-time Scheduling

Interruptions

- In reality, we **cannot predict the future**
- We need to react to **new tasks** as they happen
- If we have a **deadline**, we might need to meet it
- Let's look at this for the **earliest due date objective**

> ⓘ **Quick reminder**
>
> An earliest due date is a specific point in time by which a task must be completed. Under this objective, we want to minimize the **maximum delay**.

Real-time EDD

8:00-12:00 Schedule:

```
1  Task           Duration  Deadline
2  Email A        20min      9:00
3  Create PPT     60min     10:50
4  Investor call  10min      9:00
5  Email B        30min     10:20
6  Liquidity      40min     11:00
7  Email C        20min     11:20
8  Email D        40min     10:00
```

Question: Any ideas how to start with under the objective of the earliest due date?

EDD Rule for Real-time


Rule:

- Always schedule the task with the earliest deadline
- If a new task with an earlier deadline comes in, re-schedule
- Otherwise, stick to the original schedule.

> **Equal Deadline**
>
> If a new task has the same deadline as the current task, you can choose either. But due to the cost of context switching, you might want to stick with the current task.

EDD Solution for Real-time

8:00	E-Mail A	20 m
8:00	PPT	60 m
8:30	Investorcall	10 m
8:40	E-Mail B	30 m
9:00	Liquidity	40 m
9:00	E-Mail C	20 m
9:20	E-Mail D	40 m



Question: What's the maximum delay with this schedule?

SPT for Real-time

> **Quick reminder**
>
> A shortest processing time is the task with the shortest duration. Under this objective, we want to minimize the **total waiting time**.

Question: Any ideas how to start here?

SPT Rule for Real-time


Rule:

- Always schedule the task with the shortest duration
- If a new task with a shorter duration comes in, re-schedule
- Otherwise, stick to the original schedule.

> **Equal Duration**
>
> If a new task has the same duration as the current task, you can choose either. But due to the cost of context switching, you might again want to stick with the current task.

SPT Solution for Real-time


8:00	E-Mail A	20 m
8:00	PPT	60 m
8:30	Investorcall	10 m
8:40	E-Mail B	30 m
9:00	Liquidity	40 m
9:00	E-Mail C	20 m
9:20	E-Mail D	40 m



Question: Where can we see the waiting time?

SPT Solution for Real-time

8:00	E-Mail A	20 m
8:00	PPT	60 m
8:30	Investorcall	10 m
8:40	E-Mail B	30 m
9:00	Liquidity	40 m
9:00	E-Mail C	20 m
9:20	E-Mail D	40 m



Total waiting time: 260 minutes

Thrashing

What is Thrashing?

- Excessive context switching
- Organization **overhead exceeds productivity**
- Maximum activity, minimum output

Question: Have you ever experienced this?

Thrashing Warning Signs

- Constant task switching
- Nothing getting completed
- Increasing stress levels
- Declining quality

Question: Any ideas how to prevent this?

Preventing Thrashing Strategic

> **Strategic**
>
> Strategic solutions focus on **long-term** changes to prevent thrashing.

1. Task rejection/delegation threshold
2. Simplified organization systems
3. Minimum work period rules
4. Reduced reactivity requirements

Preventing Thrashing Tactical

1. Time blocking
2. Focus periods
3. Task batching
4. Priority freezes

Question: What strategies have worked for you?

Apply This Knowledge

Immediate Applications

How can you use these algorithms starting today?

- **Daily planning:** Use SPT for your to-do list to minimize waiting time
- **Project management:** Apply EDD when managing deadlines
- **Team coordination:** Use Johnson's Rule for two-stage processes
- **Time blocking:** Prevent thrashing with strategic scheduling

Key Takeaways

What we learned today:

1. **Scheduling algorithms** provide optimal solutions to time management problems
2. **Different objectives** require different algorithms
3. **Dependencies and constraints** add complexity but have algorithmic solutions
4. **Thrashing prevention** is crucial for productivity
5. **These principles** directly translate to programming and system design

Any questions so far?

After the break — Scheduling

- Programming session in our new notebooks
- How to translate the idea into code and experiments
- Different scheduling algorithms applied to problems

> **That's it for scheduling!**
> Let's have a short break and then continue with our fourth Python programming session.

Literature

Interesting literature to start

- Christian, B., & Griffiths, T. (2016). Algorithms to live by: the computer science of human decisions. First international edition. New York, Henry Holt and Company.[1]

Books on Programming

- Downey, A. B. (2024). Think Python: How to think like a computer scientist (Third edition). O'Reilly. Here
- Elter, S. (2021). Schrödinger programmiert Python: Das etwas andere Fachbuch (1. Auflage). Rheinwerk Verlag.

Questions & Discussion



Think Python is a great book to start with. It's available online for free. Schrödinger Programmiert Python is a great alternative for German students, as it is a very playful introduction to programming with lots of examples.

More Literature

For more interesting literature, take a look at the literature list of this course.