



AKTIVITAS MANDIRI 5 — CRUD Lengkap Mahasiswa

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa




```
> config
  > database
    > migrations
      > 0001_01_01_00...
      > 0001_01_01_00...
      > 0001_01_01_00...
      > 2026_05_04_16...
      > 2026_05_04_17...
      > seeders
        > DatabaseSeeder...
  > outline
  > timeline
    > berliyanaprilly@berliyanaprilly-Macbook beyswear-laravel % php artisan make:controller MahasiswaController --resource --model=Mahasiswa
    > ERROR Controller already exists.
    > berliyanaprilly@berliyanaprilly-Macbook beyswear-laravel % php artisan make:controller MahasiswaController --resource --model=Mahasiswa
    > INFO Controller [app/Http/Controllers/MahasiswaController.php] created successfully.
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)




```
1 use Illuminate\Support\Facades\Route;
2
3 use App\Http\Controllers\MahasiswaController;
4
5 Route::resource('mahasiswa', MahasiswaController::class);
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



Index.blade.php



```
1 <table>
2 <thead>
3 <tr>
4 <th>id
5 </th>
6 <th>nama
7 </th>
8 <th>alamat
9 </th>
10 <th>telepon
11 </th>
12 </thead>
13 <tbody>
14 <tr>
15 <td>1
16 </td>
17 <td>John Doe
18 </td>
19 <td>123 Street
20 </td>
21 <td>08123456789
22 </td>
23 </tr>
24 </tbody>
25 </table>
```

Create.blade.php

Edit.blade.php

Show.blade.php

4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```
class ProdukController extends Controller
{
    Windsurf: Refactor | Explain | Generate Function Comment | X
    public function index()
    {
        $produk = Produk::query()->latest()->paginate(10);

        return view('produk.index', compact('produk'));
    }
}
```

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

```
class ProdukController extends Controller
{
    public function edit(Request $request)
    {
        return view('produk.edit', compact('produk'));
    }

    public function update(Request $request, Produk $produk)
    {
        $rules = [
            'name' => 'required|string|max:255',
            'target' => 'required|string|max:255',
            'harga' => 'required|numeric',
            'foto' => 'nullable|image|mimes:jpg,png|max:2048'
        ];

        $request->validate($rules);

        $produk->update($request->only('name', 'target', 'harga', 'foto'));

        return redirect()
            ->route('produk.index')
            ->with('success', 'Produk berhasil diupdate.');
    }
}
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```
class ProdukController extends Controller
{
    public function update(Request $request, Produk $produk)
    {
        return view('produk.update', compact('produk'));
    }

    public function edit(Request $request, Produk $produk)
    {
        $rules = [
            'name' => 'required|string|max:255',
            'target' => 'required|string|max:255',
            'harga' => 'required|numeric',
            'foto' => 'nullable|image|mimes:jpg,png|max:2048'
        ];

        $request->validate($rules);

        $produk->update($request->only('name', 'target', 'harga', 'foto'));

        return redirect()
            ->route('produk.index')
            ->with('success', 'Produk berhasil diupdate.');
    }
}
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```
class ProdukController extends Controller
{
    public function destroy(Produk $produk)
    {
        $produk->delete();

        return redirect()
            ->route('produk.index')
            ->with('success', 'Produk berhasil dihapus.');
    }
}
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```
@if(session('success'))
    @flash('success')
@endif

@if(session('error'))
    @flash('error')
@endif
```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```

        'foto' => 'nullable|image|mimes:jpg,png|max:2048'
    ]);

    if ($request->hasFile('foto')) {

        $path = $request->file('foto')
            ->store('produk', 'public');

        $validated['foto'] = $path;
    }
}

```

```

return new class extends Migration
{
    // Windsurf: Refactor | Explain | Generate Function Comment | X
    public function up(): void
    {
        Schema::create('produk', function (Blueprint $table) {
            $table->id();
            $table->string('foto')->nullable();
            $table->string('kode', 10)->unique();
            $table->string('nama', 100);
            $table->enum('ukuran', ['S', 'M', 'L', 'XL']);
            $table->string('warna', 30);
            $table->enum('kategori', ['Kemeja', 'Celana', 'Dress',
            $table->decimal('harga', 12, 2);
            $table->integer('stok')->default(0);
            $table->boolean('tersedia')->default(true);
        });
    }
}

```

```

OUTPUT  DEBUG CONSOLE  PORTS  DEVDB  COMMENTS  TERMINAL

laravel/pail .....
laravel/tinker .....
nesbot/carbon .....
nunomaduro/collision .....
nunomaduro/termwind .....

77 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
berliyanaprilly@merakias-Macbook beyswear-laravel % php artisan storage:link
[INFO] The [public/storage] link has been connected to [storage/app/public].
berliyanaprilly@merakias-Macbook beyswear-laravel %

```

```

berliyanaprilly@192 beyswear-laravel % php artisan make:migration add_foto_to_produk
o_produk_table --table=produk

[INFO] Migration [database/migrations/2026_05_07_203512_add_foto_to_produk_s_table.php] created successfully.

berliyanaprilly@192 beyswear-laravel % php artisan migrate

[INFO] Running migrations.

2026_05_07_203512_add_foto_to_produk_table 116.57ms DONE
berliyanaprilly@192 beyswear-laravel %

```

```

berliyanaprilly@192 beyswear-laravel % php artisan make:migration add_foto_to_produk
o_produk_table --table=produk

[INFO] Migration [database/migrations/2026_05_07_203512_add_foto_to_produk_s_table.php] created successfully.

berliyanaprilly@192 beyswear-laravel % php artisan migrate

[INFO] Running migrations.

2026_05_07_203512_add_foto_to_produk_table 116.57ms DONE
berliyanaprilly@192 beyswear-laravel %

```

AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```

berliyanaprilly@192 beyswear-laravel % composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)

```



```
OUTPUT DEBUG CONSOLE PORTS DEVBG TERMINAL
..... ~ 0.11ms
2026-05-08 12:54:44 /css/style.css .....
..... ~ 0.05ms
2026-05-08 12:54:44 /images/IMG_7126.PNG .
..... ~ 1.19ms
berliyanaprilly@merakiasas-Macbook beyswear-
laravel %
```

2. Jalankan php artisan migrate untuk membuat tabel users


```
OUTPUT DEBUG CONSOLE PORTS DEVBG TERMINAL
..... ~ 0.11ms
2026-05-08 12:54:44 /css/style.css .....
..... ~ 0.05ms
2026-05-08 12:54:44 /images/IMG_7126.PNG .
..... ~ 1.19ms
berliyanaprilly@merakiasas-Macbook beyswear-
laravel %
```

3. Jalankan npm install && npm run dev untuk build assets

```
OUTPUT DEBUG CONSOLE PORTS DEVBG TERMINAL
..... ~ 0.11ms
2026-05-08 12:54:44 /css/style.css .....
..... ~ 0.05ms
2026-05-08 12:54:44 /images/IMG_7126.PNG .
..... ~ 1.19ms
berliyanaprilly@merakiasas-Macbook beyswear-
laravel %
```

```
OUTPUT DEBUG CONSOLE PORTS DEVBG TERMINAL
..... ~ 0.11ms
2026-05-08 12:54:44 /css/style.css .....
..... ~ 0.05ms
2026-05-08 12:54:44 /images/IMG_7126.PNG .
..... ~ 1.19ms
berliyanaprilly@merakiasas-Macbook beyswear-
laravel %
```


4. Coba register dan login di <http://127.0.0.1:8000/register>




5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
// index.php
1 <?php
2
3 use Illuminate\Foundation\Application;
4 use Illuminate\Foundation\Configuration\Exceptions;
5 use Illuminate\Foundation\Configuration\Middleware;
6
7 return Application::configure(basePath: dirname(__DIR__),
8     exceptions: __DIR__.'/exceptions',
9     middleware: __DIR__.'/middleware',
10    );
11
12 // middleware.php
13
14 use App\Http\Middleware\RedirectIfAuthenticated;
15
16 $middleware = [
17     RedirectIfAuthenticated::class,
18 ];
19
20 // routes.php
21
22 use App\Http\Controllers\AuthController;
23 use App\Http\Controllers\HomeController;
24 use App\Http\Controllers\ProfileController;
25 use App\Http\Controllers\ProductsController;
26 use App\Http\Controllers\CartController;
27 use App\Http\Controllers\CheckoutController;
28 use App\Http\Controllers\PaymentController;
29 use App\Http\Controllers\ShippingController;
30 use App\Http\Controllers\NotificationController;
31 use App\Http\Controllers\FeedbackController;
32 use App\Http\Controllers\HelpController;
33 use App\Http\Controllers\ContactController;
34 use App\Http\Controllers\AboutController;
35 use App\Http\Controllers\PrivacyPolicyController;
36 use App\Http\Controllers\TermsOfServiceController;
37 use App\Http\Controllers\DisclaimerController;
38 use App\Http\Controllers\CookiePolicyController;
39 use App\Http\Controllers\GDPRController;
40 use App\Http\Controllers\AccessibilityController;
41 use App\Http\Controllers\LanguageController;
42 use App\Http\Controllers\CurrencyController;
43 use App\Http\Controllers\TimezoneController;
44 use App\Http\Controllers\LocaleController;
45 use App\Http\Controllers\DateFormatController;
46 use App\Http\Controllers\TimeFormatController;
47 use App\Http\Controllers\NumberFormatController;
48 use App\Http\Controllers\TextFormatController;
49 use App\Http\Controllers\ImageFormatController;
50 use App\Http\Controllers\VideoFormatController;
51 use App\Http\Controllers\AudioFormatController;
52 use App\Http\Controllers\DocumentFormatController;
53 use App\Http\Controllers\ArchiveFormatController;
54 use App\Http\Controllers\CompressedFormatController;
55 use App\Http\Controllers\UncompressedFormatController;
56 use App\Http\Controllers\EncryptedFormatController;
57 use App\Http\Controllers\DecryptedFormatController;
58 use App\Http\Controllers\CompressedAndEncryptedFormatController;
59 use App\Http\Controllers\UncompressedAndDecryptedFormatController;
60 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedFormatController;
61 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedFormatController;
62 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedFormatController;
63 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedFormatController;
64 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
65 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
66 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
67 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
68 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
69 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
70 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
71 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
72 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
73 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
74 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
75 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
76 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
77 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
78 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
79 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
80 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
81 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
82 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
83 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
84 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
85 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
86 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
87 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
88 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
89 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
90 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
91 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
92 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
93 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
94 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
95 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
96 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
97 use App\Http\Controllers\UncompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
98 use App\Http\Controllers\CompressedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedFormatController;
99 use App\Http\Controllers\UncompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
100 use App\Http\Controllers\CompressedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedAndEncryptedAndDecryptedFormatController;
```


6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login




7. Tambahkan nama user di navbar: {{ auth()->user()->name }}



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu



9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login



```
1 namespace App\Http\Controllers;
2
3 use App\Http\Requests;
4 use App\Http\Controllers\Controller;
5 use Illuminate\Support\Facades\Auth;
6 use Illuminate\Support\Facades\Redirect;
7 use Illuminate\Support\Facades\Request;
8
9 class PerjualController extends Controller
10 {
11     // Menampilkan detail data dengan nama file PerjualController
12     public function show($id)
13     {
14         $user = Auth::user();
15         $product = Product::find($id);
16
17         if ($user && $product) {
18             // User is Super Admin
19             $product = Product::find($id);
20             $product = Product::find($id);
21             $product = Product::find($id);
22             $product = Product::find($id);
23             $product = Product::find($id);
24             $product = Product::find($id);
25             $product = Product::find($id);
26             $product = Product::find($id);
27             $product = Product::find($id);
28             $product = Product::find($id);
29             $product = Product::find($id);
30             $product = Product::find($id);
31             $product = Product::find($id);
32             $product = Product::find($id);
33             $product = Product::find($id);
34             $product = Product::find($id);
35             $product = Product::find($id);
36             $product = Product::find($id);
37             $product = Product::find($id);
38             $product = Product::find($id);
39             $product = Product::find($id);
40             $product = Product::find($id);
41             $product = Product::find($id);
42             $product = Product::find($id);
43             $product = Product::find($id);
44             $product = Product::find($id);
45             $product = Product::find($id);
46             $product = Product::find($id);
47             $product = Product::find($id);
48             $product = Product::find($id);
49             $product = Product::find($id);
50             $product = Product::find($id);
51             $product = Product::find($id);
52             $product = Product::find($id);
53             $product = Product::find($id);
54             $product = Product::find($id);
55             $product = Product::find($id);
56             $product = Product::find($id);
57             $product = Product::find($id);
58             $product = Product::find($id);
59             $product = Product::find($id);
60             $product = Product::find($id);
61             $product = Product::find($id);
62             $product = Product::find($id);
63             $product = Product::find($id);
64             $product = Product::find($id);
65             $product = Product::find($id);
66             $product = Product::find($id);
67             $product = Product::find($id);
68             $product = Product::find($id);
69             $product = Product::find($id);
70             $product = Product::find($id);
71             $product = Product::find($id);
72             $product = Product::find($id);
73             $product = Product::find($id);
74             $product = Product::find($id);
75             $product = Product::find($id);
76             $product = Product::find($id);
77             $product = Product::find($id);
78             $product = Product::find($id);
79             $product = Product::find($id);
80             $product = Product::find($id);
81             $product = Product::find($id);
82             $product = Product::find($id);
83             $product = Product::find($id);
84             $product = Product::find($id);
85             $product = Product::find($id);
86             $product = Product::find($id);
87             $product = Product::find($id);
88             $product = Product::find($id);
89             $product = Product::find($id);
90             $product = Product::find($id);
91             $product = Product::find($id);
92             $product = Product::find($id);
93             $product = Product::find($id);
94             $product = Product::find($id);
95             $product = Product::find($id);
96             $product = Product::find($id);
97             $product = Product::find($id);
98             $product = Product::find($id);
99             $product = Product::find($id);
100            $product = Product::find($id);
101        }
102    }
103}
```

💡 **Tips:** Setelah Breeze terinstal, semua file autentikasi ada di `resources/views/auth/`. Anda bebas modifikasi tampilannya sesuai kebutuhan.