

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

```

1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>@yield('title', 'BeysWear Fashion')</title>
5 <link rel="stylesheet" href="{{ asset('css/style.css') }}">
6 @stack('styles')
7 </head>
8 <body>
9
10 @include('partials.navbar')
11
12 <div class="page-container">
13     @if(session('success'))
14         <div class="alert alert-success" style="margin-bottom: 20px;">
15             <span>{{ session('success') }}</span>
16             <button onclick="this.parentElement.remove()">X</button>
17         </div>
18     @endif
19
20     @yield('content')
21 </div>
22
23 <footer>
24     <div class="footer-bottom">

```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```

1 <nav>
2     <div class="nav-inner">
3         <div class="nav-brand">
4             
5             <div class="brand-text">
6                 <h2>BeysWear Fashion</h2>
7                 <p>Sistem Manajemen Retail</p>
8             </div>
9         </div>
10
11         <ul class="nav-menu">
12             <li><a href="{{ route('dashboard') }}">Beranda</a></li>
13             <li><a href="{{ route('penjualan') }}">Penjualan</a></li>
14             <li><a href="{{ route('produk') }}">Produk</a></li>
15             <li><a href="{{ route('laporan') }}">Laporan</a></li>
16             <li><a href="{{ route('profil') }}">Profil</a></li>
17         </ul>
18     </div>
19 </nav>

```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```

1 @extends('layouts.app')
2
3 @section('title', 'Dashboard - BeysWear Fashion')
4
5 @section('content')
6
7     <section class="hero-section">
8         <div class="hero-overlay">
9             <div class="hero-content">
10                 <h2>Selamat Datang di BeysWear</h2>
11             </div>
12         </div>
13     </section>
14
15     <div class="wrapper">
16         <div class="statistik-grid">
17             <stat-card judul="Total Item" :nilai="{{ statistik('totalItem') }}" />
18
19             <stat-card
20                 judul="Total Penjualan"
21                 nilai="Rp. {{ number_format(statistik('totalPenjualan')) }}"
22                 warna="#3C5070"
23             />
24         </div>
25     </div>
26
27 @endsection

```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```

<html>
<body>

    @include('partials.navbar')

    <div class="page-container">
        @if(session('success'))
            <div class="alert alert-success" style="margin-bottom: 20px;">
                <span{{ session('success') }}</span>
                <button onclick="this.parentElement.remove()">X</button>
            </div>
        @endif

        @yield('content')
    </div>

    <footer>
        <div class="footer-bottom">
            <copy> {{ date('Y') }} BeysWear Fashion - Sistem Manajemen Retail.
        </div>
    </footer>

    <script src="{{ asset('js/script.js') }}"></script>

    @extends('partials.footer')

```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```

@props(['judul', 'nilai', 'warna' => '#112255'])

<div class="sb-card">
    <p class="sb-title">{{ $judul }}</p>
    <p class="sb-angka" style="color: {{ $warna }}">{{ $nilai }}</p>
</div>

```


6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```


<div class="tabel-box">
    <div class="tabel-scroll">
        <table>
            <tbody>
                @forelse($transaksi as $t)
                    <tr>
                        <td>{{ $t['kode'] }}</td>
                        <td>{{ $t['produk'] }}</td>
                        <td>{{ \Carbon\Carbon::parse($t['tanggal'])->format('d/m/Y') }}</td>
                        <td>{{ $t['kuoran'] }}</td>
                        <td>{{ $t['warna'] }}</td>
                        <td>{{ $t['qty'] }}</td>
                        <td>{{ number_format($t['total']) }}</td>
                        <td>{{ $t['pembayaran'] }}</td>
                    </tr>
                    <tr>
                        <td colspan="8" style="text-align: center;">Belum ada data transaksi
                    </tr>
                @endforelse
            </tbody>
        </table>
    </div>
</div>

```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama




8. Gunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman



AKTIVITAS MANDIRI 4 — Migration, Model & Seeder

1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m



2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```

2026_05_04_163409_create_produk_table.php
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     public function up(): void
10     {
11         Schema::create('produk', function (Blueprint $table) {
12             $table->id();
13             $table->string('kode', 10)->unique();
14             $table->string('nama', 100);
15             $table->enum('ukuran', ['S', 'M', 'L', 'XL']);
16             $table->string('warna', 30);
17             $table->enum('kategori', ['Kemeja', 'Celana', 'Dress', 'Outer / Jacket', 'Aksesoris']);
18             $table->decimal('harga', 12, 2);
19             $table->boolean('tersedia')->default(true);
20             $table->timestamps();
21         });
22     }
23 };

```

3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat

```

berliyanaprilly@192: ~ % php artisan migrate
Running migrations.
2026_05_04_163409_create_produk_table ..... 45.42ms DONE
berliyanaprilly@192: ~ % php artisan make:model Produk -m
Could not open input file: artisan
berliyanaprilly@192: ~ %


```

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()


```

2026_05_04_163409_create_produk_table.php
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class Produk extends Model
8 {
9     protected $fillable = ['kode', 'nama', 'ukuran', 'warna', 'kategori', 'harga', 'tersedia'];
10
11     protected $casts = [
12         'tersedia' => 'boolean',
13         'harga' => 'decimal:2',
14     ];
15
16     public function scopeAktif($query)
17     {
18         return $query->where('tersedia', true);
19     }
20 }


```




5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy



6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed



7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')



8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

